

ROG SWIFT PG279Q



Display Panel Size: Wide Screen 27.0"(68.6cm) 16:9

Color Saturation : 100%(sRGB)

Panel Backlight / Type : In-Plane Switching

True Resolution : 2560x1440 *

Display Surface Non-glare

Pixel Pitch : 0.233 mm

Brightness(Max) : 350 cd/m²

Contrast Ratio (Max) : 1000:1

Viewing Angle (CR_{≥10}) : 178°(H)/178°(V)

Response Time : 4ms (Gray to Gray)

Display Colors : 16.7M (real 8 bit)

Flicker free

Refresh Rate(max) : 165Hz*¹

Video Feature**Trace Free Technology :** Yes

Color Temperature Selection : 4 Modes

GamePlus(modes) : Yes (Crosshair/Timer/FPS Counter)

Low Blue Light : Yes

HDCP support : Yes

GameVisual : 6 Modes(Scenery/Racing/Cinema/RTS/RPG/FPS/sRGB Modes)

G-SYNC™

Audio Features**Stereo Speakers :** 2W x 2 Stereo RMS

Convenient Hotkey**GamePlus**

5-way OSD Navigation Joystick

Turbo key

I/O Ports**Signal Input :** HDMI, DisplayPort

Earphone jack : 3.5mm Mini-Jack

USB Port(s) : 3.0x2

Signal Frequency**Digital Signal Frequency :** DisplayPort : 34 ~209

KHz (H) /30 ~165 Hz(V)



HDMI : 30 ~140 KHz (H) /24 ~60 Hz(V)

Power Consumption

Power On: <90W
Power Saving/Off:0.5W
Voltage: 100-240V, 50/60Hz

Mechanical Design

Chassis Colors : Black
Tilt : +20°~-5°
Swivel : +60°~-60°
Pivot : 0°~+90°
Height Adjustment : 0~120 mm
VESA Wall Mounting : 100x100mm
Super Narrow Bezel Design : Yes

Security

Kensington lock

Dimensions

Phys. Dimension with Stand(WxHxD): 619.77x552.53x237.9 mm
Phys. Dimension without Stand(WxHxD): 619.77x362.96x65.98 mm(For VESA Wall Mount)
Box Dimension (WxHxD): 756x456x300 mm

Weight

Net Weight(Esti.): 7.0kg
Gross Weight(Esti.):10.6kg

Accessories


Power cord
Power adapter
DisplayPort cable
USB 3.0 cable
Quick start guide
HDMI cable
Support CD
Warranty Card

Compliance and Standards

BSMI, CB, CCC, CE, CEL level 1, ErP, FCC, J-MOSS, KCC, PSE, RoHS, UL/cUL, VCCI, WEEE, WHQL (Windows 8.1, Windows 8, Windows 7), RCM, TUV Flicker-free , eStandby, TUV Low Blue Light

Note

*1) Refresh Rate
DisplayPort: 2560x1440(up to 165Hz)
HDMI: 2560x1440(60Hz)
2) Turbo key is supported by NVIDIA Game Ready Drivers version 391.35 and below only.




- All specifications are subject to change without notice. Please check with your supplier for exact offers. Products may not be available in all markets.
- PCB color and bundled software versions are subject to change without notice.
- Brand and product names mentioned are trademarks of their respective companies.

Want More?

Who We Are

Need Help?

Community

 United States / English

[Terms of Use Notice](#) | [Privacy Policy](#) | ©ASUSTeK Computer Inc. All rights reserved.

 Need Help?