

#### **Overview**

Wide-format, professional quality printing at up to 50% less cost per page than color laser.[1]

Print, scan, and copy in standout color on sizes up to  $11 \times 17$  inches (A3), for bold documents and presentations at up to 50% less cost per page than color laser.[1] Fax up to  $8.5 \times 14$  inches ( $21.6 \times 35.6$  cm).

#### High-impact 11 x 17 inch printing

Automatic two-sided printing, fast print speeds, and an auto document feeder help ease your day.

#### Present professionally. And affordably.

Create vibrant color graphics and deep black text on a variety of papers from letter to tabloid (A3).

#### Easy mobile printing

Easily print documents and more from your smartphones and tablets, whether Apple®, Android™, or Windows.

#### **Features**



Easy mobile printing from HP<sup>[7]</sup>



On-the-go printing with HP ePrint<sup>[8]</sup>



Unleash your printing<sup>[9]</sup>



4 individual inks





Automatic document feeder

Borderless printing

[1] Compared with the majority of color laser AiOs < \$300 as of October 2015; market share as reported by IDC as of Q2 2015. Cost per page (CPP) comparisons for laser supplies are based on published specifications of the manufacturers' highest-capacity cartridges and long life consumables. CPP comparisons for high-capacity HP ink supplies are based on published specifications of the manufacturers' highest-capacity cartridges. CPP based on high-capacity ink cartridges' estimated street price and page yield. ISO yield based on continuous printing in default mode. For more information, see http://www.hp.com/go/learnaboutsupplies

[7] Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to the printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at http://www.hp.com/go/mobileprinting

[8] Requires an Internet connection to an HP ePrint-enabled printer. Printer requires ePrint account registration. App or software may be required. Wireless operations are compatible with 2.4 GHz operations only. Print times and connection speeds may vary. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. Learn more at http://www.hp.com/go/mobileprinting

[9] Mobile device needs to be connected directly to the wireless network of a wireless direct-capable printer prior to printing. Depending on mobile device, an app or driver may also be required. Wireless performance is dependent on physical environment and distance from the access point in the printer.

# Specifications

Print Resolution Technologies	HP Thermal Inkjet	
Print quality black (best)	Up to 1200 x 1200 rendered dpi	
Print quality color (best)	Up to 4800 by 1200 optimized dpi on HP Advance Photo Paper 1200 by 1200 dpi input	
Print speed black (ISO, A4)	Up to 22 ppm	
Print speed black (ISO, letter)	Up to 22 ppm	
Print Speed Color (ISO)	Up to 18 ppm	
Print speed color (ISO)	Up to 18 ppm	
Print speed	Print speed up to 22 ppm (black) and 18 ppm (color)	
Functions	Print, copy, scan, fax	
Duplex printing	Automatic	
Duty cycle (monthly, A4)	Up to 30,000 pages	
Duty cycle (monthly, letter)	Up to 30,000 pages	
Energy savings feature technology	Schedule On and Schedule Off	
Replacement cartridges	NA: HP 952 Black Ink Cartridge (~1000 pages); HP 952 CMY Ink Cartridge (~700 pages); HP 952XL Black Ink Cartridge (~2000 pages); HP 952XL CMY Ink Cartridge (~1600 pages): HP 956XL Black Ink Cartridge (~3000 pages); EMEA: HP 953 Black Ink Cartridge (~1000 pages); HP 953 CMY Ink Cartridge (~700 pages); HP 953XL Black Ink Cartridge (~2000 pages); HP 953XL CMY Ink Cartridge (~1600 pages); HP 957XL Black Ink Cartridge (~3000 pages); LAR: HP 954 Black Ink Cartridge (~1000 pages); HP 954 CMY Ink Cartridge (~700 pages); HP 954XL Black Ink Cartridge (~2000 pages); HP 954XL CMY Ink Cartridge (~1600 pages); HP 958XL Black Ink Cartridge (~3000 pages); AP: HP 955 Black Ink Cartridge (~1000 pages); HP 955 CMY Ink Cartridge (~700 pages); HP 955XL Black Ink Cartridge (~2000 pages); HP 955XL CMY Ink Cartridge (~1600 pages); HP 959XL Black Ink Cartridge (~3000 pages)	
Connectivity, standard	1 USB 2.0 with compatibility with USB 3.0 devices; 1 Host USB; 1 Ethernet; 1 Wireless 802.11b/g/n; 2 RJ-11 modem ports	
Connectivity, optional	No	
Network capabilities	None	
Wireless capability	Yes, built-in WiFi 802.11 b/g/n	
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified; Wireless direct printing; Google Cloud Print™	
Network protocols, supported	TCP/IP	
Software included	HP Dropbox, HP Google Drive, Microsoft DotNet	

Compatible Operating Systems	Windows 10 (32-bit and 64-bit), Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.8, v 10.9, v 10.10, v 10.11 or v 10.12; Linux (For more information, see http://hplipopensource.com/hplip-web/index.html) [4]  (Windows 10 (32-bit and 64-bit), Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.8, v 10.9, v 10.10, v 10.11 or v 10.12; Linux (For more information, see http://hplipopensource.com/hplip-web/index.html))	
Sustainable impact specifications	EU ROHS, WEEE	
Energy star certified	Yes	
Energy efficiency	ENERGY STAR® qualified; EPEAT® Silver	
Blue Angel compliant	Yes, Blue Angel DE-UZ 205—only ensured when using Original HP supplies	
Digital sending standard features	Scan to PC; Scan to Memory Device; Scan to email	
Fax Resolution Black (best)	Up to 300 x 300 dpi	
Faxing	Yes, color	
Scan speed (normal, A4)	Simplex: Up to 8/6 ipm (B&W/Color 200 ppi); Duplex: Up to 14/11 ipm(B&W/Color 200 ppi)	
Scan file format	Scan File Type supported by Software: Bitmap (.bmp), JPEG (.jpg), PDF (.pdf), PNG (.png), Rich Text (.rtf), Searchable PDF (.pdf), Text (.txt), TIFF (.tif)	
Scan input modes	Front-panel scan, copy, fax, or from software	
Scan technology	Contact Image Sensor (CIS)	
Scanner type	Flatbed, ADF	
Display	2.65" (6.75 cm) LCD with TouchSmart Frame	
Minimum dimensions (W x D x H)	584 x 466.9 x 383.3 mm	
Minimum dimensions (W x D x H)	23 x 18.38 x 15.10 in	
Weight	19.5 kg	
Weight	42.9 lb	
Power consumption	37 watts maximum, 0.20 watts (Manual-Off), 6.5 watts (Standby), 1.47 watts (Sleep)	
Power supply type	Internal (Built-in) Universal Power Supply	

What's in the box

NA: HP OfficeJet 7740 Wide Format All-in-One Printer; HP 952 Setup Black OfficeJet Ink Cartridge (~1100 pages); HP 952 Setup CMY OfficeJet Ink Cartridge (tri-color composite yield ~525 pages); Regulatory Flyer; Power cord; Setup poster; Getting started guide. EMEA: HP OfficeJet 7740 Wide Format All-in-One Printer; HP 953 Setup Black OfficeJet Ink Cartridge (~1300 pages); HP 953 Setup CMY OfficeJet Ink Cartridge (tri-color composite yield ~540 pages); Regulatory Flyer; Power cord; Setup poster; Getting started guide. LAR: HP OfficeJet 7740 Wide Format All-in-One Printer; HP 954 Setup Black Setup OfficeJet Ink Cartridge (~1000 pages); HP 954 Setup CMY OfficeJet Ink Cartridge (tri-color composite yield ~540 pages); Regulatory Flyer; Power cord; Setup poster; Getting started guide. AP: HP OfficeJet 7740 Wide Format All-in-One Printer; HP 955 Setup Black OfficeJet Ink Cartridge (~1000 pages); HP 955 Setup CMY OfficeJet Ink Cartridge (~540 pages); Regulatory Flyer; Power cord; Setup poster; Getting started guide [For ink volume and page yield information, visit http://hp.com/go/learnaboutsupplies]

Services (Care Pack)

HP Care Pack Next-Day Onsite service contracts: 2 years H2674E; 3 years H5491A; H5491E; 4 years H2677E; 5 years H2678E; HP Care Pack 4-Hour Onsite Response service contracts: 1 year H2679E; 2 years H2680E; 3 years H5492A; H5492E; 4 years H2682A; 5 years H2683A

Warranty

One-year limited hardware warranty, 24-hour, 7 days a week Web support, business hour phone support within warranty period

# Additional specifications

Acoustic power emissions (active, printing)	65dB (mono), 64dB (color)	
Acoustic pressure emissions	60 dbA (draft printing at 19 ppm)	
Auto fax reduction supported	Yes	
Automatic document feeder capacity	Standard, 35 sheets	
Automatic paper sensor	No	
Bit depth	24-bit	
Borderless printing	Yes (up to A3/11 x 17-in)	
Cable included	WW: No, please purchase (USB) cable and phone cord separately; AP EM: Yes, 1.5 m (USB) cable	
Camera phone description	Airprint from iPhone® or iPad®; or wireless direct print from Android® phone with hp home and biz app	
Camera phone supported	Yes	
Color copy capability	Yes	
Color scanning	Yes	
Color(s) of printing supplies	Black, cyan, magenta, yellow	
Compatible Network Operating Systems	Windows 10 (32-bit and 64-bit), Windows 8.1 (32-bit and 64-bit), Windows 8 (32-bit and 64-bit), Windows 7 (32-bit and 64-bit), Windows Vista (32-bit and 64-bit), Windows XP (32-bit) (Professional and Home Editions); Mac OS X v 10.8, v 10.9, v 10.10, v 10.11 or v 10.12 Linux (For more information, see http://hplipopensource.com/hplip-web/index.html)	
Control panel	2.65" (6.75 cm) touchscreen control panel with color graphic display; LED indicator light (WiFi indicator); 4 buttons: (home, help,Back, WIFI)	
Copier settings	Copies; Size; Quality; Tray Selection; Lighter/Darker; Paper size; Resize; Paper Type; Two-sided; ID Copy, Collate; binding Margin; Enhancement; Crop; Copy preview	
Copies, maximum	Up to 99 copies	
Copy Speed Black (maximum, A4)	Up to 33 cpm	
Copy Speed Color (maximum, A4)	Up to 31 cpm	
Copy reduce / enlarge settings	25 to 400%	
Copy resolution (black graphics)	Up to 600 dpi	
Copy resolution (black text)	Up to 600 dpi	
Copy resolution (color text and graphics)	Up to 600 dpi	
Copy speed black (ISO)	Up to 18 cpm	
Copy speed black (draft, letter)	Up to 33 cpm	
Copy speed color (ISO)	Up to 13 cpm	

Copy speed color (draft, letter)	Up to 31 cpm
Count of cartons per pallet layer	2
Count of layers in pallet	5
Country of origin	Made in China
Dimensions with trays up (W $\times$ D $\times$ H)	584 x 466.9 x 383.3 mm
Distinctive ring detection supported	Yes
Envelope Feeder	No
Exifprint supported	Yes
Fax Auto Redial	Yes
Fax Broadcast Locations	No
Fax Modem Speed	Up to 33.6 kbps
Fax PC Interface Supported	Yes; PC fax send and achive
Fax Polling	Yes
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 99 numbers
Fax Transmission Speed	4 sec per page
Fax delayed sending	Yes
Fax forwarding	Yes
Fax memory	Up to 100 pages
Fax memory	Up to 100 pages
Fax phone TAM interface supported	No
Fax phone features	Color fax; auto reduction; auto redial; speed dial; group speed dial; junk barrier; poll to receive; forwarding (black only); distinctive ring; delayed send (black only); scan and fax; PC fax send and receive
Fax resolution black	203 x 196 dpi, 256 levels of gray
Fax resolution color (fine)	200 x 200 dpi
Fax resolution color (standard)	200 x 200 dpi
Fax telephone mode supported	Yes
Fax transmission speed (letter)	4 sec per page <sup>[3]</sup>
Faxing options (ADF)	Two-sided
File Format Supported	PDF; TIFF; JPEG
Finished output handling	Sheetfed
First page out black (A4, ready)	As fast as 9 sec
First page out black (letter, ready)	As fast as 9 sec
First page out color (A4, ready)	As fast as 10 sec

First page out color (letter, ready)	As fast as 10 sec
Geographic availability	EMEA; LAR; NA; APJ
HP auto wireless connect	Yes
HP ePrint capability	Yes
Ink types	Pigment-based (black and color)
Input capacity	Up to 250 sheets
Junk fax barrier	Yes; required Caller ID
Levels of grayscale	256
Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 30
Maximum Memory	512 MB
Maximum dimensions (W $\times$ D $\times$ H)	584 x 712.8 x 383.3 mm
Maximum dimensions (W $\times$ D $\times$ H)	23 x 28.06 x 15.10 in
Maximum input capacity (10x15cm photos)	Up to 50 sheets
Maximum input capacity (4x6 photo)	Up to 50 sheets
Maximum input capacity (cards)	Up to 50 sheets
Maximum input capacity (labels)	Up to 50 sheets
Maximum input capacity (photo paper)	Up to 50 sheets
Maximum input capacity (sheets)	Up to 500 sheets
Maximum output capacity (cards)	Up to 35 cards
Maximum output capacity (envelopes)	Up to 25 envelopes
Maximum output capacity (photo paper)	Up to 25 Asize sheets, Up to 20 Bsize sheets
Maximum output capacity (sheets)	Up to 75 Asize sheets, Up to 50 Bsize sheets
Maximum print area	297 x 431.8 mm
Media sizes supported	Letter; Legal; Government Legal; Executive; Statement; $3 \times 5$ in; $4 \times 6$ in; $5 \times 7$ in; $8 \times 10$ in; L; Photo 2L; Envelope( #10, Monarch); Card ( $3 \times 5$ in, $4 \times 6$ in, $5 \times 8$ in); Tabloid ( $11 \times 17$ in)
Media sizes supported	A4; A5; A6; B5 (JIS); Envelope (DL, C5, C6, Chou #3, Chou #4); Card (Hagaki, Ofuku Hagaki); A3
Media sizes supported, key	10 x 15 cm; A4; A3; Envelopes
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 11.7 x 17 in; Tray 2: 8.5 x 11 to 11.7 x 17 in
Media sizes, custom	Tray 1: 76 x 127 to 297 x 420 mm; Tray 2: 210 x 297 to 297 x 420 mm

Media types	Plain; HP EcoFFICIENT; HP Premium Presentation Matte 120g; HP Tri-fold Brochure Glossy 180g; HP Brochure Matte 180g; HP Brochure Glossy 180g; HP Advanced Photo Papers; Light 60-74g
Media weight, recommended	16 to 28 lb, bond
Media weight, recommended	60 to 105 g/m <sup>2</sup>
Memory	512 MB
Memory Slots	Not Support
Memory card compatibility	Support Thumb Drive
Minimum System Requirements	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Minimum System Requirements for Macintosh	OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet; USB
Multitasking supported	Yes
Network ready	Standard (built-in Ethernet, WiFi 802.11b/g/n)
Non-Operating Humidity Range	Max 90% RH Non-Operating
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	1-3 Users
Operating humidity range	08 to 85% RH
Operating temperature range	41 to 104ºF
Operating temperature range	5 to 40°C
Output capacity	Up to 75 sheets
Output file format	PDF; TIFF; JPEG
Package dimensions (W $\times$ D $\times$ H)	26.30 x 21.46 x 19.17 in
Package dimensions (W $\times$ D $\times$ H)	668 x 545 x 487 mm
Package weight	24.45 kg
Package weight	53.79 lb
Page yield (set-up/inbox cartridges)	NA: ~1100 pages black, ~525 pages tri-color; EMEA: ~1300 pages black, ~540 pages tri-color; AP/LAR: ~1000 pages black, ~540 pages tri-color
Pallet dimensions	48 x 40 x 101 in
Pallet dimensions (W x D x H)	1220 x 1015 x 2562 mm
Pallet weight	261 kg
Pallet weight	573 lb
Paper handling input, optional	No
Paper handling input, standard	250-sheet input tray, 250-sheet plain paper tray,
Paper handling output, standard	75-sheet output tray

Paper trays, maximum	Up to 2
Paper trays, standard	2
PictBridge description	No
PictBridge supported	No
Ports	1 Host USB; 1 USB 2.0; 1 Ethernet; 1 WiFi 802.11b/g/n; 2 RJ-11 modem ports
Power	Input voltage: 100 to 240 VAC (+/- 10%), 50/60 Hz
Print Technology	Ink
Print colors	Yes
Print colors maximum	4
Print head nozzles	Total nozzles = 1568/color * 4 = 6272
Print heads	4 (1 each black, cyan, magenta, yellow)
Print languages	HP PCL 3 GUI, HP PCL 3 Enhanced
Print speed black (ISO)	Up to 22 ppm
Print speed black (draft, A4)	Up to 34 ppm
Print speed black (draft, letter)	Up to 34 ppm
Print speed color (ISO)	Up to 18 ppm
Print speed color (draft, 4x6 photo)	As fast as 16 sec
Print speed color (draft, A4)	Up to 34 ppm
Print speed color (draft, letter)	Up to 34 ppm
Print technology	HP Thermal Inkjet
Printer drivers included	HP PCL 3 GUI; HP PCL 3 Enhanced
Processor speed	1.2 GHz
Quantity per pallet	10
RMN number	SNPRC-1500-02
Recommended Macintosh system requirements	OS X v10.11 El Capitan, OS X v10.10 Yosemite, OS X v10.9 Mavericks, OS v10.15 Catalina, 1 GB HD; Internet; USB
Recommended monthly page volume	250 to 1500 <sup>[5]</sup>
Recommended operating humidity range	20% to 80% RH
Recommended operating temperature range	59 to 90ºF
Recommended operating temperature range	15 to 32º
Resolution (black and white, standard mode)	203 x 98 dpi
Resolution (black photo grayscale)	300 x 300 dpi (halftone)

Safety	IEC 60950-1: 2001/EN 60950-1: 2001+A11: 2004; EN 60825-1 1994+A1: 2002+A2: 2001; UL 60950-1: 2nd Edition; CAN/CSA-22.2 No. 60950-1-07; AS/NZS 60950: 2000, GB4943: 2001; NOM-019-SCFI-1998; Singapore SPRING; Russia GOST; China CCC, Taiwan BSMI, Korea Safety, EMC & Telecom, Australia/ New Zealand AS/NZS 60950.1-2003, CISPR 22: 2006, AS/ACIF S002:2005, Cambodia Safety, Croatia Telecom, Belarus Safety & Telecom, German GS (Safety), Indonesian Telecom, Jordan Teleom, Kenya Safety, Malaysia Telecom, Mexico-Telecom, New Zealand EMC & Telecom, Nigeria Safety & Telecom, Philippines-Telecom, Russia Safety-EMC-Telecom, Saudi Arabia-Safety, Serbia Safety-EMC, Uganda-Safety, Ukraine Safety-EMC-Telecom Wired, United Arab Emirates-Telecom Wired.		
Scan resolution, hardware	Up to 1200 x 1200 dpi		
Scan resolution, optical	Up to 1200 dpi		
Scan size (ADF), maximum	Two-sided (Duplex): 8.27 x 11.69 in; One-sided: 8.5 x 14 in		
Scan size (ADF), maximum	Two-sided (Duplex): 210 x 297 mm; One-sided: 216 x 356 mm		
Scan size, maximum	11.69 x 17 in		
Scan size, maximum	297 x 432 mm		
Security management	SSL/TLS (HTTPS); IPP over TLS; Pre-Shared Key Authentication for Wireless (PSK); Firewall; certificates configuration; Control panel lock; Password protect EWS; Syslog; Signed firmware; Administrator settings		
Send to email capability	Yes		
Service & support features	HP Support Center; HP Pavilion Recovery Kit; HP Pavilion Library; VirusScan by McAfee; Hardware Diagnostics by AMI; System Wizard by SystemSoft		
Service & support options	Free telephone support for basic setup, installation, and troubleshooting in North America, Europe, and Asia Pacific during warranty; Optional HP Supportpack for 4-hour response during standard business hours; Optional HP Supportpack for 24 hours a day, 7 days a week; Optional HP Supportpack for Comprehensive Technical Support		
Standard input capacity (cards)	Up to 50 sheets		
Standard input capacity (envelopes)	Up to 30		
Standard input capacity (legal)	Up to 250 sheets		
Standard input capacity (secondary tray)	Up to 250 sheets		
Standard media sizes (duplex)	A4; B5; A3		
Standard media sizes (duplex, imperial)	Legal, Letter; executive, Ledger		
Standard output capacity (cards)	Up to 35 cards		
Standard output capacity (envelopes)	Up to 25 envelopes		
Standard output capacity (labels)	Up to 35 sheets		
Standard output capacity (legal)	Up to 75 sheets		
Storage device and direct print support	Storage devices not supported		

Storage temperature range	-25 to 60°C
Storage temperature range	-40 to 140°F
Sub-brand name	OfficeJet Pro
SureSupply supported	Yes
System requirements, recommended	Windows 10, 8.1, 8, 7: 32-bit or 64-bit, 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer. Windows Vista: (32-bit only), 2 GB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8. Windows XP SP3 or higher (32-bit only): any Intel Pentium II, Celeron or 233 MHz compatible processor, 850 MB available hard disk space, CD-ROM/DVD drive or Internet connection, USB port, Internet Explorer 8
Target user and print volume	For teams up to 3 users; Prints up to 1,500 pages/month
Telecom compliance (fax capability)	EU (R&TTE Directive 1999/5/EC); EU (TBR21:1998); USA (FCC Title 47 CFR Part 68; TIA/EIA/968:2001); Canada (CS-03 Issue 9); Mexico (SCT); Brazil (ANATEL); Argentina (CNC); Chile (SUBTEL); South Africa (ICASA)
Telephone handset supported	No
Top key features	35-sheet ADF; Scan to email
Twain version	Version 2.1
Typical electricity consumption (TEC) number	0.398 kWh/Week
UPC number	(A80) 889894812667; (AB0) 889894812704; (AB1) 889894812711; (AB2) 889894812728; (ABJ) 889894812780; (ABT) 889894812681; (AC4) 889894812643; (AC8) 889894812650; (ACJ) 889894812735; (ACQ) 889894812698; (AK3) 889894812742; (AKH) 889894812636; (AKY) 889894812629; (B1H) 889894812605; (BEG) 889894812759; (BGM) 889894812766
Video action printing supported	No

<sup>[3]</sup> Based on standard ITU-T Test Image No. 1 at standard resolution. More complicated pages or higher resolution will take longer and use more memory.

<sup>[4]</sup> Not supporting Windows® XP (64-bit) and Windows Vista® (64-bit)

<sup>[5]</sup> HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

# Ink/Toner/Paper/Printer Supplies

Ink Supplies ★: Recommended

## **HP Inkjet Printer Cartridges and Ink Supplies**

HP 952 2-pack Black Original Ink Cartridges	3YP21AN
HP 952 3-pack Cyan/Magenta/Yellow Original Ink Cartridges	N9K27AN
HP 952 4-pack Black/Cyan/Magenta/Yellow Original Ink Cartridges	X4E07AN
HP 952 Black Original Ink Cartridge	F6U15AN
HP 952 Cyan Original Ink Cartridge	LOS49AN
HP 952 Magenta Original Ink Cartridge	LOS52AN
HP 952 Yellow Original Ink Cartridge	LOS55AN
HP 952XL 2-pack High Yield Black Original Ink Cartridges	N9K29BN
HP 952XL 3-pack Cyan/Magenta/Yellow High Yield Original Ink Cartridges	N9K30BN
HP 952XL High Yield Black Original Ink Cartridge	F6U19AN
HP 952XL High Yield Black/952 Cyan/Magenta/Yellow 4-pack Original Ink Cartridges	N9K28AN
HP 952XL High Yield Cyan Original Ink Cartridge	LOS61AN
HP 952XL High Yield Magenta Original Ink Cartridge	LOS64AN
HP 952XL High Yield Yellow Original Ink Cartridge	LOS67AN
HP 953 4-pack Black/Cyan/Magenta/Yellow Original Ink Cartridges	6ZC69AE
HP 953 Black Original Ink Cartridge	LOS58AE
HP 953 Cyan Original Ink Cartridge	F6U12AE
HP 953 Magenta Original Ink Cartridge	F6U13AE
HP 953 Yellow Original Ink Cartridge	F6U14AE
HP 953XL 4-pack High Yield Black/Cyan/Magenta/Yellow Original Ink Cartridges	3HZ52AE
HP 953XL High Yield Black Original Ink Cartridge	LOS70AE
HP 953XL High Yield Cyan Original Ink Cartridge	F6U16AE
HP 953XL High Yield Magenta Original Ink Cartridge	F6U17AE
HP 953XL High Yield Yellow Original Ink Cartridge	F6U18AE
HP 954 2-pack Black Original Ink Cartridges	X4D38BL
HP 954 3-pack Cyan/Magenta/Yellow Ink Cartridges	X4D39BL
HP 954 Black Original Ink Cartridge	LOS59AB
HP 954 Black Original Ink Cartridge	LOS59AL
HP 954 Cyan Original Ink Cartridge	LOS50AB

HP 954 Cyan Original Ink Cartridge	LOS50AL
HP 954 Magenta Original Ink Cartridge	LOS53AB
HP 954 Magenta Original Ink Cartridge	LOS53AL
HP 954 Yellow Original Ink Cartridge	LOS56AB
HP 954 Yellow Original Ink Cartridge	LOS56AL
HP 954XL High Yield Black Original Ink Cartridge	LOS71AB
HP 954XL High Yield Black Original Ink Cartridge	LOS71AL
HP 954XL High Yield Cyan Original Ink Cartridge	LOS62AB
HP 954XL High Yield Cyan Original Ink Cartridge	L0S62AL
HP 954XL High Yield Magenta Original Ink Cartridge	LOS65AB
HP 954XL High Yield Magenta Original Ink Cartridge	LOS65AL
HP 954XL High Yield Yellow Original Ink Cartridge	LOS68AB
HP 954XL High Yield Yellow Original Ink Cartridge	LOS68AL
HP 955 Black Original Ink Cartridge	LOS60AA
HP 955 Cyan Original Ink Cartridge	LOS51AA
HP 955 Magenta Original Ink Cartridge	LOS54AA
HP 955 Yellow Original Ink Cartridge	LOS57AA
HP 955XL High Yield Black Original Ink Cartridge	LOS72AA
HP 955XL High Yield Cyan Original Ink Cartridge	LOS63AA
HP 955XL High Yield Magenta Original Ink Cartridge	LOS66AA
HP 955XL High Yield Yellow Original Ink Cartridge	LOS69AA
HP 956XL High Yield Black Original Ink Cartridge	LOR39AN
HP 957XL High Yield Black Original Ink Cartridge	LOR40AE
HP 958XL High Yield Black Original Ink Cartridge	LOR41AB
HP 958XL High Yield Black Original Ink Cartridge	LOR41AL
HP 959XL High Yield Black Original Ink Cartridge	LOR42AA

### **HP Inkjet Business Value Packs**

HP 953XL Office Value Pack 1CC21AE

#### **HP Photo Packs**

HP 955XL Office Value Pack-10 sht/4 x 6 in 2PD46A

## **HP Paper Designed for Inkjet Printers**

### **HP Inkjet Photo Paper**

HP Advanced Glossy Photo Paper-15 sht/4 x 6 in 3HX58A

HP Advanced Glossy Photo Paper-25 sht/4 x 6 in borderless	3AG54A
HP Advanced Glossy Photo Paper-25 sht/5 x 7 in	3AG55A
HP Advanced Glossy Photo Paper-50 sht/4 x 6 in	F4T22A
HP Matte Photo Paper-25 sht/10 x 15 cm	7HF70A
HP Matte Photo Paper-25 sht/4 x 6 in	6QH46A
HP Rounded Corner Photo Paper/15 sht/5 x 7 in	3WL67A

### **HP Inkjet Brochure Paper**

HP Enhanced Business Inkjet Matte FSC Paper 150 gsm-150 sht/Letter/8.5 x 11 in	9ZE20A
---	--------

## **HP Professional Inkjet Paper**

# **HP Paper for Multiple Uses**

### **HP Multi-use Professional Paper**

HP Professional Multi-use Glossy FSC Paper 180 gsm-150 sht/A3/297 x 420 mm	7MV84A
HP Professional Multi-use Glossy FSC Paper 180 gsm-150 sht/Letter/8.5 x 11 in	Q1987A
HP Professional Multi-use Glossy FSC Papers 180 gsm-150 sht/A4/210 x 297 mm	3VK91A
HP Professional Multi-use Glossy Tri-fold FSC Paper 180 gsm-150 sht/8.5 x 11 in	4WN12A

#### **Solutions**

### **JetAdvantage Printing Solutions**

#### ★: Recommended

#### JetAdvantage Print Management

HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN

### Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 23, 2020 6:24 AM UTC+0000