

10/30/2/2

AUSTRALIAN WAR MEMORIAL
ACCESS STATUS
OPEN

JANUARY &
FEBRUARY 1946

ORIGINAL

2 REFRIGERATION PLANT
OPERATING PLATOON

Serial 1/46

WAR DIARY or INTELLIGENCE SUMMARY.

Army Form C. 18
(adapted.)

(Erase heading not required).

Unit 2 REFRIG PLANT OP PLDate and Time.—From 1 Jan 46 To 31 Jan 46

Place.	Date.	Hour.	Summary of Events and Information.	Remarks and references to Appendices, Diaries, &c.
KATHERINE.	1 Jan 46	0900	Operation report for December	11/26 Appendix. 1.
"	2 " "	"	McKENZIE, A. L. (clerk) m/i from detachment	11/26
"	3 " "	"	Plants inspected by O.C.	11/26
"	4 " "	"	HQ moved from present site to Area HQ camp.	11/26
"	5 " "	"	A.F.W. 3008 & 9's.	11/26 Appendix. 2.
"	6 " "	"	Dieseline used at Manbullo Abn. 1 Apr 45 to 31 Dec 45. 11,600-gals	11/26
"	7 " "	"	Normal Operation.	11/26
"	8 " "	"	Approval rec'd for 3 ORs to be marched out for "Demob"	11/26
"	9 " "	"	Plants visited by O.C.	11/26
"	10 " "	"	Normal Operation.	11/26
"	11 " "	"	3 ORs marched out for "Demob"	11/26
"	12 " "	"	Strength. 1 Offr 16 ORs.	11/26
"	13 " "	"	Cylinder of Ammonia put into ice works	11/26
"	14 " "	"	Freezer plant empty. Must be staffed 20 as to operate at 24 hrs Notice.	11/26
"	15 " "	"	Freezer plant thoroughly washed out and locked up.	11/26
"	16 " "	"	Ice Works electrical trouble. Out of Operation.	11/26

Serial No 1/46

WAR DIARY or INTELLIGENCE SUMMARY.

Army Form C. 118
(adapted.)

(Erase heading not required).

Unit 2 REFRIG PLANT OP PL

Date and Time.—From 1 Jan 46 To 31 Jan 46

Place.	Date.	Hour.	Summary of Events and Information.	Remarks and references to Appendices, Diaries, &c.
Katherine	17 Jan 46	0900	IceWorks operating. Idle for one day.	
"	18 " "	"	Normal Operation.	
"	19 " "	"	Strength. 1 Offr. 14 ORs.	
"	20 " "	"	MT Census Return.	Appendix 3.
"	21 " "	"	Ice Works out of order. Agitator faulty.	
"	22 " "	"	Freezer plant Operating to receive beef 23 Jan	
"	23 " "	"	Ice Works repaired and operating.	
"	24 " "	"	Plants inspected by O.C.	
"	25 " "	"	All Plants operating normally.	
"	26 " "	"	Strength 1 Offr. 14 ORs.	
"	27 " "	"	Normal Operation.	
"	28 " "	"	Normal Operation.	
"	29 " "	"	Received notification of 3ORs being marched in	
"			from 3 Refrig Plant Op Pl	
"	30 " "	"	Plants visited by O.C.	
"	31 " "	"	Normal Operation	

2 AUST REF PLANT OP PL

ORIGINAL JANUARY

AUST REFRIGERATION PLANT OPERATING PL AASC

MONTHLY PLANT REPORT

UNIT. 2 Ref Plant Op Pl O.C. Lieut. CLARK M.R. DATE 31 DEC 45

MAKE & TYPE OF PLANT	WORKING HOURS	REPAIRS CARRIED OUT BY AASC	REPAIRS CARRIED OUT BY ARME	GENERAL CONDITION OF PLANT
-------------------------	------------------	--------------------------------	--------------------------------	-------------------------------

MANBULLOO BUTCHERY

BLACKSTONE DIESEL NO. 1.	293	Maintenance only	Nil	Good
BLACKSTONE DIESEL NO. 2.	234	"	"	Good
RUSTON HORNSBY DIESEL	217	"	"	Fair
FOWLER-SANDERS DIESEL	238	"	"	Fair
WILAC AMMONIA COMPRESSOR NO.1.	293	"	"	Good
WILAC AMMONIA COMPRESSOR NO. 2.	234	"	"	Good

GENERAL

Plant in fair order and operating satisfactorily.

W.E.	SURPLUS	DEFICIENT
TRADESMEN Electricians		1 Cpl.
SURPLUS OR Fitter Eng.	NIL	1 Cpl & 1 Pte TG 1.
DEFICIENT Operator Ref.		1 Cpl. & 4 Pte TG 111.
TO W.E.		

M. Clark Lieut.
O.C. 2 AUST REF PLANT OP PL

NOTE. Fuel and oil used at Manbulloo Butchery from APR 1 45 - DEC 31 45

Dieselelne	-	11600	Galls.
Diesel oil	-	115	Galls.

AUST REFRIGERATION PLANT OPERATING PL AASC

MONTHLY PLANT REPORT

UNIT 2 Ref Plant Op Pl O.C. Lieut. CLARK M.R. DATE 31 DEC 45.

MAKE & TYPE OF PLANT	WORKING HOURS	REPAIRS CARRIED OUT BY AASC	REPAIRS CARRIED OUT BY AEME	GENERAL CONDITION OF PLANT
<u>ICE-WORKS</u>				
WILAC AMMONIA COMPRESSER. (Elec Driven)	446	Overhauled agitator on ice tank.	Nil	Good
GORDON AMMONIA COMPRESSER. (Elec Driven)	Nil	Nil	"	Fair
<u>COOL STORE KATHERINE</u>				
WILAC AMMONIA COMPRESSER. (Elec Driven)	372	Maintenance only	Nil	Good
IMPERIAL DIESEL	4	"	"	Good

GENERAL

ICE-WORKS operating satisfactorily, but in rather weak condition
owing to excessive rusting of ammonia pipes.

COOL STORE plant in first class condition.

M. Clark Lieut.

O.C. 2 AUST REF PLANT OP PL

App. 1.

2 AUST REF PLANT OP PL

2 AUST REF PLANT OP PL

App. 2.

RECEIVED BY THE OFFICE OF THE SECRETARY OF DEFENSE

1952 OCT 17 10 58 AM

RECEIVED BY THE OFFICE OF THE SECRETARY OF DEFENSE

At 0600 Hrs. Saturday 5/1/1946 2 AUST REF PLANT OP PL (Unit)

W.E. 14/35/1 OFFRS. 1 O.R's. 26 + OFFRS. - O.R's. - ATT. BY W.E.

Part A. Posted Strength, Surplus or Reinforcements Required.

1	2	3	4	5	6	7	8	9	10
W.E. EXCLUDING ATTACHED.				DETAIL.	ATTACHED ALLOWED BY W.E.				
Reinfts. Required.	Deficient W.E.	Surplus to W.E.	Posted Strength.		Arm. or Corps.	Posted Strength.	Surplus to W.E.	Deficient W.E.	Reinfts. Required.
				W.Os. Class I.					
				W.Os. Class II.					
				Squadron or Company Quartermaster Sgts.					
				Staff Sergeants					
			1	Sergeants					
3	13		3	Corporals					
6	6		13	Troopers, Privates, etc.					
				Civilians counting as O.R.					
9 x *	9	---	17 *	Totals of cols. marked * should agree with details shown in Part E on Page 2.		*			*

Analysis of Part A to be shown here by ALL units. Only units notified in para. 7 of instructions for compilation of this return will complete analysis of Part B(1) and B(2).

* * Personnel belonging to a category not provided for in the analysis will be shown in this Col. Particulars will be shown, e.g., 20 U.K. Forces, 10 N.Z. Forces.

Detail	A.I.P.	C.M.P.		A.W.A.S.	A.A.M.W.S.	CIVIL	R.A.N.	R.A.A.F.	**	TOTAL
		Under 18 Yrs.	18 Years and over.							
A	B									
B(1)	C	D	E	F	G	H	I	J	K	L
B(2)	M	N	O	P	Q	R	S	T	U	V

Part B. Other Ranks Attached from Other Units.

[illegible]

Part C. Other Ranks Included in Part A Detached to Other Units.

[illegible]

Part D. Description of Other Ranks Whose Return To.....(Unit) is Particularly Requested. / / 194.....

[illegible]

PART E. Detail of Present Strength and Reinforcements required as shown in **Part A of Army Form W.3009 at 0600 Hours Saturday 5/1/1946.**

Details of Tradesmen. GROUP I.	W.E.	Present Strength.	Reinforcements Required.	Details of Tradesmen. GROUP I. (cont.)	W.E.	Present Strength.	Reinforcements Required.	Details of Tradesmen. GROUP II. (cont.)	W.E.	Present Strength.	Reinforcements Required.	Details of Tradesmen. GROUP III. (cont.)	W.E.	Present Strength.	Reinforcements Required.
Ammunition Examplers				Surveyors, Engineering				Operating Room Assts.				G.P.O. Assistants			
Armament Artificer				Surveyors, R.A.A.				Operator, Keyboard				Hammermen			
Armament Artificer				Surveyors, Topographical				Operator, Line				Leather Stitchers			
Armament Artificer				Surveyors, Topographical				Operator, Signal				Orderlies, Nursing			
Armament Artificer				Toolmakers				Operator, Switchboard				Orderlies, Nursing			
Armament Artificer				Turners				Operator, Wireless				Plate Layers			
Armament Artificer				Watchmakers				Opticians				Rangefinders			
Armament Artificer				Welders				Painters				Riveters			
Armament Artificer								Panel Beaters				Roughriders			
Artificer, Artillery								Photographers, Dry Plate				Saddlers			
Artificer, Engine								Predictor Numbers				Saddlery makers			
Blacksmiths								Printers				Sawmaker and Boot Repairer			
Bricklayers								Radiographers				Stevage			
Computers								Riggers				Stokers, Staly, Engine			
Cook, Hospital				GROUP II.				Sawyers				Storemen, Technical			
Coppersmiths				Armourers				Signalers				Tailors			
Dispensers				Assmen				Signwriters				Textile Reelers			
Draughtsmen				Bakers				Telegraphs Identif. Numbers				Transmitters			
Draughtsmen (Architectural)				Dir. Comd's Asst.				Well Rovers				Valentines			
Draughtsmen (Engineering)				Reformers				Wheelers				Wagon Erectors			
Draughtsmen (Mechanical)				Carpenters				Winchman				Whitesmiths			
Draughtsmen (Topographical)				Carpenters and Joiners				Wireman				OPERATORS			
Electricians	2	1	1x	Cooks				Woodturners							
Electricians (M.V.)				Dental Mechanics											
Electricians (Signals)				Driver-Mech. (Eng. and Mod.)											
Fitters	ENG. 2	-	2x	Driver-Operator											
Fitters (Cycle)				Drainers											
Fitters (Electrical)				Electricians											
Fitters (Gun)				Electricians (Engineers)											
Fitters (Instrument)				Fire Control Operators											
Fitters (M.V.)				Gun Operator				GROUP III.							
Fitters, Railway Signal				Hatchman				Battery Surveyors							
Fitters, Signals				Height Taker				Butchers							
Grinder, Precision				Helm Operator				Clerks, Supply	1	1	-				
Mechanics, Instrument				Instrument Operator				Clerks, Technical							
Mechanics, Instrument (Signals)				Intelligence Duties				Cook Trimmers							
Mechanics, Instrument (Surgical)				Joiners				Concretors							
Mechanics, Radio				Lineman				Cooks							
Mechanics, Typewriter				Lineman, Signals				Dental Clerk Orderlies							
Mechanics, Wireless				Lithographers				Despatch Riders							
Millwrights				Machinists, Metal				Draughtsmen, Signals							
Operators, Excavator				Machinists, Wood				Drivers, M.T.							
Pattern Maker				Masons				Driver Mechanics							
Pharmacist				Massers				Driver Typ. Plant							
Photographer, Wet Plate				Mechanics, M.T.				Engine Hands, I.C.							
Photewriter				Mixers				Equipment Repairers							
Plumber				Molders				Farriers							
Saw Doctors				Nurses, Trained				Fitters' Mates							
Surveyors				Observation Post Assts.				Gun Layers							
CARRIED FORWARD	4	1	3	CARRIED FORWARD	4	1	3	CARRIED FORWARD	7	4	3	Totals of columns marked * to agree with columns 4 and 7, and 1 and 19 of Part A, respectively.	36	7	9x

NOTES.—(a) If rank other than private is involved give details on back.

(b) Authorised trades or specialists not included in list will be added as required in spaces provided.

(c) Where A.W.A.S. and/or A.A.M.W.B. personnel are desired show details on back.

(d) Where replacement not desired note accordingly on return by insertion of "X" in col. "Reinforcements Required."

(e) Where any request or notation is made on back of form, the words "See Back" should be written in one of the blank spaces on this page.

JAN 5 1946

Date of Despatch

X. REINFORCEMENTS NOT REQUIRED.

L.H.Q. Press—516—10/43—416m.

Signature of Commander

FORMATION HQ NT FORCE

UNIT 2 HERRIG PLANT OP PL

DATE 20 / Jan / 1946

AUTHORIZED } (A) W.E. APPLICABLE TO UNIT _____
ENTITLEMENT } (B) SPECIAL L.H.Q. AUTHORITY TO RETAIN VEHICLES SURPLUS TO W.E. _____

[illegible]

**PART "C"—VEHICLES TRANSFERRED OUT
SINCE LAST RETURN.**

[illegible]

Parts "D" and "E" on reverse side.

Total Number of Vehicles on Charge as per E5-9(a) returned LAST MONTH	2
PLUS Vehicles RECEIVED since Last Return	11
		TOTAL	2
LESS Vehicles TRANSFERRED OUT since Last Return	11
TOTAL Number of Vehicles on charge at 1400 hrs. on Date of THIS RETURN	2

Serial No.	Army No.	Make	Classification	Serial No.	Army No.	Make	Classification
6030 A 6030 E	133267 14502	MD CVT	2 2				

Signed Mark H Rank

Appointment of 2 AUST REF PLANT OP PI

Original

WAR DIARY or INTELLIGENCE SUMMARY.

Army Form C. 2118
(adapted.)

(Erase heading not required).

Unit 2 REFRIG PLANT OP FHDate and Time.—From 1 Feb 46 To 28 Feb 46

Place.	Date.	Hour.	Summary of Events and Information.	Remarks and references to Appendices, Diaries, &c.
KATHERINE	1 Feb 46	0900	3 ORs Marched In. Ammonia recharged in MANBULLO PLANT.	
"	2 " "	"	Monthly Operation Report. AFW 3008 & 9e	Appendix 1 & 2 & 3.
"	3 " "	"	Normal Operation	
"	4 " "	"	AMEE, Engineer Platoon marched out from Katherine Area.	
"	5 " "	"	2 ORs Marched In from 3 Refrig Plant Op F1	
"	6 " "	"	Normal Operation.	
"	7 " "	"	Area Comit marched out from Area.	
"	8 " "	"	CVT 15-cwt Van (Conventional) transferred from to 9 AAOVP.	
"	9 " "	"	Strength 1 ORr & 18 ORS	
"	10 " "	"	"Fowler" Diesel at MANBULLO out of order. Broken Piston.	
"	11 " "	"	Unit strength to remain at 1 & 24 after reduction of OOB. MT Force.	
"	12 " "	"	Normal Operation	
"	13 " "	"	Normal Operation	
"	14 " "	"	Beef removed from Freezer. Plant now idle.	
"	15 " "	"	Electrical switch failure at Ice Works. Repaired.	
"	16 " "	"	Heavy Rains. Road to DARWIN blocked in many places. Strength 1 & 18.	

WAR DIARY or INTELLIGENCE SUMMARY.

Army Form C. 2118

(adapted)

(Erase heading not required).

Unit 2 REFRIG PLANT CP PL

Date and Time.—From 1 Feb 46 To 28 Feb 46

Place.	Date.	Hour.	Summary of Events and Information.	Remarks and references to Appendices, Diaries, &c.
KATHERINE.	17 Feb 46	0900	3 ORs marched out for Demob. DARWIN road clear.	
"	18 " "	0900	Normal Operation.	
	19 " "	"	Cpl Cook (AASR) marched in and attached to Platoon.	
	20 " "	"	MT Census.	Appendix. 3.
	21 " "	"	VX112682 Lt GORRIB, J.K. marched in to take over command. Authority DDST.	ST 9950/16/1.
	22 " "	"	Stocktake completed, handing & taking over completed.	
	23 " "	"	Agitator repaired at Ice Works. Strength 2 Cfr 16 ORs.	
	24 " "	"	Normal Operation.	
	25 " "	"	5 personnel medically examined. Power cut off at Ice Works.	
	26 " "	"	Ammos Recharged in Ice Plant.	
	27 " "	"	Normal Operation	
	28 " "	"	Normal Operation.	

AUST REFRIGERATION PLANT OPERATING PL AASC*Appendix 3*MONTHLY PLANT REPORTUNIT 2 Ref Plant Op Pl O.C. Lieut. CLARK, E.R. DATE 31 JAN 46

MAKE & TYPE OF PLANT	WORKING HOURS	REPAIRS CARRIED OUT BY AASC	REPAIRS CARRIED OUT BY ARME	GENERAL CONDITION OF PLANT
<u>MANBULLOO BUTCHERY</u>				
BLACKSTONE DIESEL NO. 1.	576	Maintenance Only	Nil	Good
BLACKSTONE DIESEL NO. 2.	576	" "	"	Good
RUSTON-HORNSEY DIESEL	388	" "	"	Fair
FOWLER-SANDERS DIESEL	380	" "	"	Fair
WILAC AMMONIA COMPRESSOR NO. 1.	576	" "	"	Good
WILAC AMMONIA COMPRESSOR NO. 2.	576	" "	"	Good

GENERAL

Plant in fair order and operating satisfactorily.

	W.E.	SURPLUS	DEFICIENT
TRADESMEN SURPLUS OR DEFICIENT TO W.E.	Electricians Fitter Eng. Operator Ref.	Nil " "	1 Cpl. 1 Cpl. & 1 Pte TG 1. 4 Ptes. TG 111.

M. Clark Lieut.

O.C. 2 AUST REF PLANT OP PL

AUST REFRIGERATION PLANT OPERATING P L AASC

MONTHLY PLANT REPORT

UNIT 2 Ref Plant Op Pl O.C. Lieut. CLARK, M.R. DATE 31 JAN 46

MAKE & TYPE OF PLANT	WORKING HOURS	REPAIRS CARRIED OUT BY AASC	REPAIRS CARRIED OUT BY AERE	GENERAL CONDITION OF PLANT
<u>ICE-WORKS</u>				
WILAC AMMONIA COMPRESSOR (Elec. Driven)	400	Switch gear repaired. Agitator repaired. Valves overhauled.	Nil	Good
GORDON AMMONIA COMPRESSOR (Elec. Driven)	13	Maintenance Only	Nil	Fair
<u>COOL STORE KATHERINE</u>				
WILAC AMMONIA COMPRESSOR (Elec. Driven)	218	Water pump overhauled.	Nil	Good
IMPERIAL DIESEL	4	Maintenance Only	Nil	Good

GENERAL

ICE-WORKS in only fair condition, but operating satisfactorily.

COOL-STONE plant in good condition.

M. Clark Lieut.
O.C. 2 AUST REF PLANT OP PL

App. 1. (Dup.)

2. AUST REF PLANT OP PL

FORMATION

NT FORCE

UNIT

20

2

6

2V/35/1

(B) SPECIAL L.H.O. AUTHORITY TO RETAIN VEHICLES SURPLUS TO W.F.

PART "A"—SUMMARY BY TYPES IN TOTAL.

2

**PART "C"—VEHICLES TRANSFERRED OUT
SINCE LAST RETURN.**

9. A. A. O. V. P.

AUSTRALIAN WAR MEMORIAL

FIELD RETURN OF OFFICERS

Army Form W3008
(Adapted) (Page 1)
(Revised Jan., 1941)
(Serial No.)

At 0600 Hrs. Saturday 2/2/1946 2 AUST REF PLANT OP PE (Unit)

W.E.N. 3571 OFFRS. 1 O.R.'s 26 + OFFRS. — O.R.'s — ATT. BY W.E.

PART A.—POSTED STRENGTH, SURPLUS OR REINFORCEMENTS REQUIRED.

1				2				3				4				5				6				7				8				9				10							
W.E. EXCLUDING ATTACHED.																ATTACHED ALLOWED BY W.E.																											
Retn'ts Required.				Deficient W.E.				Surplus to W.E.				Posted Strength.				DETAIL.				Arm or Corps.				Posted Strength.				Surplus to W.E.				Deficient W.E.				Retn'ts Required.							
																Lieut.-Colonels																											
																Majors																											
																Captains																											
																Lieutenants																											
																Quarter-masters																											
																A.A.N.S. and A.A.M.W.S. Offrs.																											
																Civilians Counting as Offrs.																											
DETAIL																TOTAL																											
A.																																											
E (1)																																											
E (2)																																											

* Insert detail of higher ranks as necessary.

** Personnel belonging to a category not provided for in the analysis will be shown in this Col. Particulars will be shown, e.g., 20 U.S. Forces; 10 N.Z. Forces.

PART B.—PARTICULARS OF OFFICERS JOINED OR QUITTED DURING WEEK.

OFFICERS JOINED DURING WEEK

Army No.	Rank.	Name and Initials.	Unit From.	Date.	CAUSE.

OFFICERS QUITTED DURING WEEK.

Army No.	Rank.	Name and Initials.	Unit To.	Date.	CAUSE.

PART C.—DESCRIPTION OF OFFICERS WHOSE RETURN TO..... (Unit) IS PARTICULARLY REQUESTED. /...../194.....

Army No.	Rank.	Name and Initials.	REMARKS (e.g., present whereabouts if known).

UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF ECONOMIC WARFARE

APP 2.

2 AUST REF PLANT OP PE

UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF ECONOMIC WARFARE

UNITED STATES DEPARTMENT OF COMMERCE, BUREAU OF ECONOMIC WARFARE

2 AUST REF PLANT OP PL

At 0600 Hrs. Saturday 22/2/1946 (Unit)

WE 14/35/1 OFFRS. 1 O.R.'s 26 + OFFRS. - O.R.'s - ATT. BY WE.

Part A. Posted Strength, Surplus or Reinforcements Required.

1	2	3	4	5	6	7	8	9	10			
W.E. EXCLUDING ATTACHED.				DETAIL.	ATTACHED ALLOWED BY W.E.							
Reinfts. Required.	Deficient W.E.	Surplus to W.E.	Posted Strength.		Arm or Corps.	Posted Strength.	Surplus to W.E.	Deficient W.E.	Reinfts. Required.			
				W.Os. Class I.								
				W.Os. Class II.								
				Squadron or Company Quartermaster Sgts.								
				Staff Sergeants								
			1	Sergeants								
2	2		4	Corporals								
8	8		11	Troopers, Privates, etc.								
				Civilians counting as O.R.								
10 *	10	-	16 *	Totals of cols. marked * should agree with details shown in Part B on Page 2.			*		*			
Analysis of Part A to be shown here by ALL units. Only units notified in para. 7 of instructions for compilation of this return will complete analysis of Part B(1) and B(2).				C.M.P.		A.W.A.S.	A.A.M.W.S.	CIVIL	R.A.N.	R.A.A.P.	**	TOTAL.
				Detail	A.B.P.							
				A	9 1	6	3					16
* * Personnel belonging to a category not provided for in the analysis will be shown in this Col. Particulars will be shown, e.g., 20 D.E. Forces, 16 N.E. Forces.				B(1)								
				B(2)								

Part B. Other Ranks Attached from Other Units.

Part C. Other Ranks Included in Part A Detached to Other Units.

[illegible]

Part D. Description of Other Ranks Whose Return To_____ (Unit) is Particularly Requested. ____/____/194____

[illegible]

Appendix 1

**PART E. Detail of Present Strength and Reinforcements required as shown in
Part A of Army Form W.3009 at 0600 Hours Saturday 2/2/1946.**

Details of Tradesmen. GROUP I.	W.E.	Period Strength.	Rank Required.	Details of Tradesmen. GROUP I. (cont.)	W.E.	Period Strength.	Rank Required.	Details of Tradesmen. GROUP II. (cont.)	W.E.	Period Strength.	Rank Required.	Details of Tradesmen. GROUP III. (cont.)	W.E.	Period Strength.	Rank Required.
Ammunition Examiner				Surveyors, Engineering				Operating Room Asst.				G.P.O. Assistants			
Armament Artificer Fitter				Surveyors, R.A.A.				Operator, Keyboard				Hammocks			
Armament Artificer Fitter (Electrical)				Surveyors, Topographical				Operator, Line				Leather Stickers			
Armament Artificer Fitter (M.V.)				Surveyors, Trigonometrical				Operator, Signal				Orderlies, Nursing			
Armament Artificer Fitter (A.F.T.)				Toolmakers				Operator, Switchboard				Orderlies, Nursing Mental			
Armament Artificer Instrument				Turners				Operator, Wireless				Plate Layers			
Armament Artificer Radio				Watchmakers				Opticians				Rangefinders			
Armament Artificer Signals				Welders				Painters				Riveters			
Armament Artificer Wireless								Panel Beaters				Roughriders			
Artificer, Artillery								Photographers, Dry Plate				Saddlers			
Artificer, Engine								Predictor Numbers				Saddletree makers			
Blacksmiths								Printers				Shoemaker and Boot Requirer			
Bricklayers								Radiographers				Stevadores			
Computers								Riggers				Stitchers, Staty, Engine			
Cooks, Hospital				GROUP II.				Sawyers				Storemen, Technical			
Coppersmiths				Armourers				Signallers				Tailors			
Dispensers				Assmen				Signwriters				Textile Reftiers			
Draughtsmen				Bakers				Telescope Identif. Numbers				Tinsmiths			
Draughtsmen (Architectural)				Bit. Comd's. Asst.				Well Barors				Vulcanisers			
Draughtsmen (Engineering)				Boilermakers				Wheelers				Wagon Erectors			
Draughtsmen (Mechanical)				Carpenters				Winchman				Whitesmiths			
Draughtsmen (Topographical)				Carpenters and Joiners				Wireman							
Electricians				Cooks				Woodturners							
Electricians (M.V.)				Dental Mechanics											
Electricians (Signals)				Driver-Mech. (Eng. and Mod.)											
Fitters				Driver-Operator											
Fitters (Cycle)				Drainers											
Fitters (Electrical)				Electricians											
Fitters (Gun)				Electricians (Engineers)											
Fitters (Instrument)				Fire Control Operators				GROUP III.				DETAILS OF NON-TRADESMEN.			
Fitters (M.V.)				Gun Operator				Battery Surveyors				P.L. SUP			
Fitters, Railway Signal				Hatchman				Butchers				DRIVERS			
Fitters, Signals				Height Taker				Clocks				M.T.			
Grinder, Precision				Hells Operator				Clerks, Supply				GEN. DUTIES			
Mechanics, Instrument				Instrument Operator				Clerks, Technical							
Mechanics, Instrument (Signals)				Intelligence Duties				Coach Trimmers							
Mechanics, Instrument (Special)				Jelcers				Concretors							
Mechanics, Radio				Lineman				Cooks							
Mechanics, Typewriter				Liseman, Signals				Dental Clerk Orderlies							
Mechanics, Wireless				Lithographers				Despatch Riders				ATTACHED BY W.E.			
Millwrights				Machinists, Metal				Draughtsmen, Signals							
Operators, Excavator				Machinists, Wood				Drivers, M.T.							
Pattern Maker				Masons				Driver Mechanisms							
Pharmacist				Masons				Driver Typ. Plant							
Photographers, Wet Plate				Mechanics, M.T.				Engine Hands, I.C.							
Photewriter				Misers				Equipment Repalers							
Plumber				Moulders				Farriers							
Saw Doctors				Nurses, Trained				Fitters' Mates							
Surveyors				Observation Post Asst.				Gun Layers							
CARRIED FORWARD				CARRIED FORWARD				CARRIED FORWARD				Totals of columns marked * to agree with columns 4 and 7, and 1 and 10 of Part A, respectively.			

NOTES.—(a) If rank other than private is involved give details on back.

(b) Authorized trades or specialties not included in list will be added as required in spaces provided.

(c) Where A.W.A.S. and/or A.A.M.W.S. personnel are desired show details on back.

(d) Where replacement not desired note accordingly on return by insertion of N.R. in col. "Retain Required."

(e) Where any request or notation is made on back of form, the words "See Back" should be written in one of the blank spaces on this page.

FEB 2 - 1946

Date of Despatch

Signature of Commander

X. Reinforcements NOT Required.

L.H.Q. Form 516-10/43-416m.