

AWM52
**2nd Australian Imperial Force and Citizen
Military Forces unit war diaries, 1939-45 War**

Item number: 8/2/15

15 Infantry Brigade
June 1943, Messages, part 1 of 3

~~192~~
~~192~~
~~192~~

15 Bk
June 1915

IN FROM 3 DIV.

ORIGINAL COPIES

5 June to 30 June 43.

MESSAGE FORM

1N57

CALL AND INSTRUCTIONS.

IN

27 LIC

OUT

No. of Groups
GR.

127

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

split 15 Bde 2/3 Ind Coy

FROM

3rd Ind Div

Originator's Number

83305

Date

5

In Reply to Number

(Write horizontally)

| | | | | | | |
|-------------------|---|---------------|----------|-------------|-----------|-----|
| secret | ○ | secret | 90 | to | 2000K/5 | 5 |
| missin | ○ | area | ○ | NUNNS | | 10 |
| 1330K/5 | ○ | 1330K/5 | 12 | Boston | | 15 |
| shaped south | ○ | to north | | mouth | | 20 |
| FRANCISCO Isthmus | ○ | airfield | 2 | bombs | | 25 |
| dropped vicinity | ○ | ISTHMUS | ○ | HQ | | 30 |
| dropped AA | ○ | prod | | mounts | FRANCISCO | 35 |
| river | ○ | 1410K/5 | 17/c | made | | 40 |
| strapping | ○ | to NW | | on east | | 45 |
| of | ○ | missin | ○ | 1412K/5 | japs | 50 |
| rocco | ○ | A/C | | chilled | NOTE and | 55 |
| 2330M/05 | ○ | 0800K/5 | 17/c | to Bld | | 60 |
| best | ○ | BRIDGE | 1805K/5 | arrived | PIMONT | 65 |
| ○ | ○ | 1400-1500K/5 | 20K japs | moved | | 70 |
| south | ○ | towards | KOMIATUM | ○ | 110 | 75 |
| japs | ○ | moved | north | towards | SILAMANA | 80 |
| LAE | ○ | OP | 1330K/5 | ○ | one HAP | 85 |
| patrolling | ○ | MALAHANG area | ○ | suspect | using | 90 |
| MALAHANG | ○ | airfield | ○ | KIAU BULOLO | area | 95 |
| ○ | ○ | C Coy | 2/7 Bn | established | WAI | 100 |
| area | ○ | all informed | | | | 105 |
| | | | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 2040 | | | | | | | | | | |

2023
2030

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

PG

2 LIC

OUT

No. of Groups

GR.

22

OFFICE DATE STAMP

IN 60

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Rptd 15 Bde 2/3 Indep Coy

FROM

3rd Aust Div

Originator's Number

03310

Date

6

In Reply to Number

—

SECRET

Ordnance

91

to

0800K/6

⊙

Return

all

informed

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0714

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

0725

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 4050 | SP | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

Bm 1N62

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *15 AUST. INF. BDE*

FROM *3 AUST. DIV*

Originator's Number

03316

Date

6

In Reply to Number

01924

ack

copies

4

and

5

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1335

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1430*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|------------------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>P</i> | <i>1435</i> | <i>Le Bellusky Pte</i> | | | | | | | | | |

MESSAGE FORM

Serial No.
 OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN *PG: T: MM 2: LC*
 OUT

No. of Groups
GR.
98

1N 63

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *Rptd 15 bde 2/3 In Hq 604*

FROM *3d Aust Div*

Originator's Number
03313

Date
6

In Reply to Number

| | | | | | |
|--------------------|--------------------------|---------------------|----------------------|----------------|------------------|
| <i>SECRET</i> | <i>○</i> | <i>side</i> | <i>93</i> | <i>80</i> | <i>1100/15</i> |
| <i>○</i> | <i>WAU</i> | <i>BULOLO</i> | <i>AREA</i> | <i>○</i> | <i>0920/0940</i> |
| <i>H/B</i> | <i>○</i> | <i>16 type</i> | <i>H.A.L.</i> | <i>H type</i> | <i>H.A.P.</i> |
| <i>bombed</i> | <i>and</i> | <i>skipped</i> | <i>WAU</i> | <i>area</i> | <i>○</i> |
| <i>height</i> | <i>varied</i> | <i>2500/8000 ft</i> | <i>○</i> | <i>2 bombs</i> | <i>○</i> |
| <i>on strip</i> | <i>holder</i> | <i>filled in</i> | <i>30 minutes</i> | <i>○</i> | <i>3 holes</i> |
| <i>in WIRRAWAY</i> | <i>still recoverable</i> | <i>○</i> | <i>no casualties</i> | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....
 (BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|-------------|-----------|----------------|---------|-----------|--------------------|
| referred to | do | date | 0 | AA | see |
| one | a/c | observed smoke | and | lowing | |
| height | direction | BLACK CAT | 0 | 1933/1/6 | BULOLO |
| AA | fired | 3 | HAPS | measuring | from 1400 |
| NH | result | 0 | further | details | later all informed |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1125

T.H.I. 1130

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 12/14 | Shepherd | | | | | | | | | |

T.O.R.

To 15th Aust Inf Bde Pp 158/59, Aus Inf
Bn 3rd Aust Div. AO 649 3

(IN 67)

MAJOR RALPH acting 21/c 58/59
aust Inf Bn will proceed to
PILMUNG st June in marching
order vide 15th Aust Inf Bn
movement order NO 2 amended
by sig 27 181/430 VAM officer
will report to each staging
post medical establishments
en route and to Cpl Constable
M.O. PILMUNG for registration
of DZ and subsequent
medical board

2122

2205

IN 68

Lt Col 15th Bde 2/3rd Indep Coy

3 Aug 68 Div 03277 3

SECRET 0 Sir rep 86 ~~0000~~ A

2000K/3 0 MARKHAM area 0

1452K/3 20th B/L patrol

penetrated beyond old Jap
ambush position MARKHAM

POINT 0 When returning contacted
party 6/8 Jap at ambush

position 0 Fire exchanged 0 Our
casualties nil enemy

casualties NOT known 0

MISSIM area 0 0720K/3 HQ

15th Bde left BULWA 0 1500K/3

arrived BRANCH CREEK 0 MURBO

area 0 B Coy 2/6th Bn staging

HOUSE BANANA WAI BUKOLO area 0

3 June B + D Coy 2/7th Bn arrived

Bukolo all informed

2028

2030

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN *PQ MM Z NC*
OUT

76

IN 72

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *RPTD 15 Bde 2/3 Lanch 604*

FROM *3d Aust Div*

Originator's Number

Date

In Reply to Number

03319

6

| | | | | |
|----------------------------|---------------------|-------------------------|------------------------------|----------------------|
| <i>SECRET</i> | <i>SECRET</i> | <i>SECRET</i> | <i>93</i> | <i>20 2000/60</i> |
| <i>M/S/M</i> | <i>via 016/1</i> | <i>24 hrs left</i> | <i>two sec received from</i> | <i>BOEN DU</i> |
| <i>to OHIB 01130/1/6 D</i> | <i>my 5/5/4</i> | <i>arrived</i> | <i>REINSH</i> | <i>CREAK 15/1/50</i> |
| <i>BULWAO WAO BUL</i> | <i>to area</i> | <i>during an attack</i> | <i>of 1/1/92</i> | <i>two</i> |
| <i>A/C staffed MDS WAO</i> | <i>no damage</i> | <i>caused</i> | <i>to inspection</i> | <i>WAO</i> |
| <i>successful</i> | <i>not complete</i> | <i>to be available</i> | <i>all informed</i> | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2021

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

2030

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

UNITED STATES ARMY
OFFICE OF THE CHIEF OF SIGNALS
WASHINGTON, D. C.

CLASSIFICATION
SECRET
CONFIDENTIAL

TO: **ATTN**

OK to be read along
the line being at the
bottom of the page

the report was for
the purpose of
early morning

Handwritten notes and scribbles, including a circled 'D'.

RECEIVED
DATE
TIME
BY

OUT SYSTEM TIME
REMARKS

OUT SYSTEM TIME
REMARKS

DATE
TIME
BY

MESSAGE FORM

(ABOVE THIS LINE FOR SIGNALS USE ONLY)

(BELOW THIS LINE FOR SIGNALS USE ONLY)

ORIGINATOR'S OFFICE DATE
No. of Groups

Originator's Number

Date

In Reply to Number

TOP SECRET

T.M.T.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

Z W LIC

OUT

No. of Groups

GR.

35

OFFICE DATE STAMP

73
7 JUN 43

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO RPT D 15 BDE 2/3 INDEP COY

FROM 3 AUST DIV

Originator's Number

03324

Date

7

In Reply to Number

secret

⊙

secret

94

40

0800K

believed

⊙

0935 K
NATE

6
circled

1 tap
LABA BIA

a/c

on
all

obsexurtion
informed

hill

mat

mat

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 30

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 5:20 | | | | | | | | | | |

T.O.R.

MESSAGE FORM

IN 79
239

CALL AND INSTRUCTIONS.

IN

2-OP A

OUT

No. of Groups
GR.

117

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO APTD 15 BDE 2/3 INDCOY

FROM 3 AUST DIV

Originator's Number

0 3331

Date

7

In Reply to Number

(Write horizontally)

| | | | | | |
|----------------------------------|----------------|---------------|-------------|--------|-----|
| Secret | sitrep | 95 | 2000K/7 | ⊙ | 5 |
| MISSIM | AREA | ⊙ 7 | June | # head | 10 |
| quarters | D | 24 Bw | ⊙ PLUS | 1 SECT | 15 |
| 16 PL | LEFT | OHIBE | for | DAHO | 20 |
| ⊙ | MUBO | area | ⊙ | Result | 25 |
| our | air attack | 1000 hrs | 1025K/7 | | 30 |
| ⊙ | Approximately | 14 bombs | | | 35 |
| dropped and | straffing runs | made | | | 40 |
| PIMPLE and | green hill | | | ⊙ | 45 |
| KITCHEN CREEK | STONY CREEK | | | ⊙ | 50 |
| numerous straffing runs from | MUBO | | | | 55 |
| airfield up BITHON and BLICAP to | | | | | 60 |
| 700 850 MUBO | 1/25000 | ⊙ all bombing | | | 65 |
| and straffing extremely accurate | | ⊙ | | | 70 |
| IAE OP | ⊙ | 0550K/7 | 1 liberator | | 75 |
| dropped 6 bombs terrace AREA | apparently | | | | 80 |
| incendiary and HE TERRACE and | | | | | 85 |
| NORTH and WEST RUNAWAY | ⊙ | 0607K/7 | | | 90 |
| bombs dropped NW mt LUNAMAN | all | | | | 95 |
| informed | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (⊙(EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE: * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE:

Immediate

2025

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2037

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2350 | RUH | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

~~CIPHER~~ SECRET

W 83

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

17 BDE 15 BDE 2/3 INDEP COY

FROM

3 AUST DIV

Originator's Number

0 3332

Date

8

In Reply to Number

SECRET

0

SITREP

96

to

0800K/8

0

SITNOR

0

all

informed

*Approved
11/50*

THIS MESSAGE MAY BE SENT **AS WRITTEN** (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0825K/8

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

*1115
E 1152*

MESSAGE FORM

Serial No.

Nb. of Groups
GR. **8**

OFFICE DATE STAMP
24

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

(1) NGF (2) 15 AUST INF BDE (3) 2/3 INDEP Coy

FROM

3 AUST DIV

Originator's Number

05342

Date

8

In Reply to Number

SECRET

0

SITUATION

97

5

2000/K

MARKHAM

AREA

morning

8

June

our

rece

patrol

vicinity

Japanese

camp

MARKHAM

found

five

on

by

strong

MG

several

rifles

0

Casualties

MIL

0

MURO

area

0

LABADIA

OP

0900

5

0930K/8

10

explosion

and

MG

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

11N 88

Serial No. *88*
 OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
 OUT

No. of Groups
 GR. *88*

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

fire further

heard explosion

in section

*DUALI
 ALL*

INFORMED

1100K/8

0040

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

2020

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 2116

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R. 2352

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

IN 94

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

(1) NGF (2) 15 BDE (3) 15 for 2/3 INDEP COY

FROM

3AUST DIV

Originator's Number

03344

Date

9

In Reply to Number

SECRET

0

SITREP

98

to

0800 K/9

~~SECRET~~

0

MISSIM

AREA

0359K/8

0

15

INF

BDE

50K

over

command

of

all

troops

in

the

MISSIM

area

and

on

the

POWER

HOUSE

PILIMUNG

L

of

C

0

all

informed

too

0815

THIS MESSAGE MAY BE SENT **AS WRITTEN** (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0825

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 0941

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

T.O.R. 1122

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

028-2 - LIC - P

out 0838

IN 97

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust INF BDE

FROM

3 Aust Div

Originator's Number

03351

Date

9

In Reply to Number

| | | | | | |
|-------------|---------|----------|----------|---------|----------|
| no | sitrep | received | since | 0700K/8 | also |
| no | report | of | stealing | attach | KOMIATUM |
| at | 1332K/8 | W/T | channels | has | been |
| open | during | this | period | period | in |
| immediately | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1940

T.H.I.

1419

T.O.R.

450

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1445 | Blomfield | 24 | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
 GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
 OUT

6 pher direct

IN 104

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE 2/3 INDEP COY

FROM

3 AUST DIV

Originator's Number

G 1052

Date

9

In Reply to Number

| | | | | |
|----------------------|----------------------------------|------------|-----------------|--|
| <i>regarding our</i> | <i>location statement number</i> | | | |
| <i>27</i> | <i>ack</i> | <i>NOT</i> | <i>received</i> | |
| <i>expedite</i> | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

A. G. [Signature]
Cpl. 1912

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

1140

T.H.I. *1556*

T.O.R. *1900*

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. 110
OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

Z LIC

No. of Group
GR.

OUT

52

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

reftd 15 BDE 2/3 ANDEP COY

FROM

3 AUST DIV

Originator's Number

0 3384

Date

9

In Reply to Number

secret
MARKHAM area
of DEEP CK
bank
58/59
SITREP 99 to 2000 K/9
patrol 24 br report no enemy west
our pos in position on west
MISSIM area 15/8 1500 K/8 D coy
br arrived PILIMUNG all informed

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2015

T.H.I. 2026

T.O.R.

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 1205 | | | | | | | | | | | |

MESSAGE FORM

Serial No. *11*

No. of Groups
GR. *20*

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

BNO GEN

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

oplt 15 Aust Inf Bde 4/3rd Coy

FROM

3 Aust Div

Originator's Number

03360

Date

10

In Reply to Number

| | | | | | |
|----------------|-----------------|------------|-----------------|-----------------|------------|
| <i>secret</i> | <i>@ sitrep</i> | <i>100</i> | <i>0800K/10</i> | <i>9 sitrep</i> | <i>all</i> |
| <i>informa</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0800

T.H.I.

T.O.R.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR. *121*

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust Inf Bde

FROM

3 Aust Div

Originator's Number

03366

Date

9

In Reply to Number

—

| | | | | | |
|---------------|-------------|---------------|-----------|---------------|----------|
| <i>repeat</i> | <i>all</i> | <i>strips</i> | <i>to</i> | <i>17 Bde</i> | <i>⊙</i> |
| <i>17 Bde</i> | <i>will</i> | <i>repeat</i> | <i>to</i> | <i>you</i> | |
| | <i>for</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1235

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1244*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|---------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>1255</i> | <i>slowly</i> | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. 47

CALL AND INSTRUCTIONS

IN PG Z LIC
OUT

No. of Groups
GR.

29

OFFICE DATE STAMP

IN 129

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15 Bde

FROM 3 Div

Originator's Number

I 625

Date

10

In Reply to Number

I 209

| | | | | | |
|--------|--------|----------------|-------|--------------|---------|
| Ref | rece | patrol | North | from | NAMLING |
| 10 | inform | required | of | route | of |
| patrol | and | possible | enemy | dispositions | |
| North | to | BOBQUI, RIDGE. | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1450

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 1455

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2100 | Wyle | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups OFFICE DATE STAMP

GR.

111
out 135

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 AVST INF BDE

FROM

3 AVST DIV

Originator's Number

03371

Date

10

In Reply to Number

| | | | | |
|-----------------------|------------------|-----------------|------------------|-----------------|
| <i>weather report</i> | <i>as</i> | <i>at</i> | <i>0430 H/11</i> | <i>required</i> |
| <i>with a view</i> | <i>to</i> | <i>possible</i> | <i>attack</i> | <i>on</i> |
| <i>KOMIATUM track</i> | <i>0700 H/11</i> | <i>similar</i> | <i>area</i> | <i>attack</i> |
| <i>an</i> | <i>June</i> | | | |
| <i>1945</i> | <i>0745</i> | <i>at</i> | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2040

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 256

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R. 0720

MESSAGE FORM

IN 141

CALL AND INSTRUCTIONS.

IN
OUT

6 p.m. a.m.
1st of 2 PARTS

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP
RS

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO NGF *aptd* 15 BDE *2/3 INDEP COY.*

FROM 3 DN
Originator's Number *03370*
Date *10*
In Reply to Number

| | | | | | |
|---------------------------------------|----------------------|-----------------|--------------|------------------|-----|
| <i>(Write horizontally)</i> SECRET | SITREP | <i>10.1</i> | <i>To</i> | <i>0800/10</i> | 5 |
| ⊙ | MARKHAM | AREA | ⊙ | <i>1410K/10</i> | 10 |
| BENS | OP | <i>observed</i> | 2 | <i>men</i> | 15 |
| <i>at</i> | <i>433443</i> | NADZAB | <i>1 mch</i> | ⊙ | 20 |
| <i>patrol</i> | <i>investigating</i> | ⊙ | MISSIM | AREA | 25 |
| ⊙ | <i>ref.</i> | SALAMAUA | REVISED | ⊙ | 30 |
| RECCE | PATROL | <i>north</i> | <i>of</i> | NAMLING | 35 |
| <i>7/9</i> | JUN | <i>report</i> | <i>enemy</i> | <i>occupying</i> | 40 |
| GWAIBOLON | 705983 | 701987 | HUT | <i>at</i> | 45 |
| <i>692975</i> | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

AG Hunter Gpl. 0445

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2024

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *2203*

| | | | | | | | | | | | |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | | | | | | | | | |

T.O.R. *0325*

MESSAGE FORM

IN 142

CALL AND INSTRUCTIONS.

IN
OUT

Cypher sent
2nd & last part

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(R53)

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO NGF 15 AUST INF BDE 2/3 INDEP COY

FROM 3 AUST DIV

Originator's Number
03370

Date
10

In Reply to Number

| (Write horizontally) | | | | | |
|----------------------|----------|------------|---------|------------|-----|
| Japanese | sentry | posted | 200 | yds | 5 |
| WEST | of | 4 WAFBOLON | MUBO | area | 10 |
| June | 9 | patrol | along | south | 15 |
| arm | H 101 | also | fixed | on | 20 |
| at | 815826 | MUBO | 1/25000 | by | 25 |
| light | MG | 1 | 1/2 | believed | 30 |
| killed | ⊙ | 1245 | PATROL | 10 | 35 |
| intending | post | exchanged | shots | with | 40 |
| 2 | Japanese | ⊙ | our | casualties | 45 |
| 1 | wounded | enemy | unknown | ⊙ | 50 |
| A.A. | informed | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

OK blank
0500 16T

OK

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2024

SIGNATURE
ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2200

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R. 0315

MESSAGE FORM

Serial No.

| | | | | |
|------------------------------|-----|------------------|------------------|------------------------------------|
| CALL AND INSTRUCTIONS | IN | Z. T. P. X00. UC | No. of Groups | OFFICE DATE STAMP <i>IN 143</i> |
| | OUT | | GR. <i>56</i> | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *RPtd 15 BDE 2/3 INDEP COY*

FROM *3 AUST DIV*

Originator's Number *03373* Date *11* In Reply to Number

| | | | | | | |
|----------------|------------------|------------------|----------------|-----------------|-------------------|----------------|
| <i>SECRET</i> | <i>0</i> | <i>102</i> | <i>to</i> | <i>0800K/11</i> | <i>0</i> | <i>MARKHAM</i> |
| <i>AREA</i> | <i>0</i> | <i>101</i> | <i>two</i> | <i>men</i> | <i>identified</i> | |
| <i>as</i> | <i>naives</i> | <i>expecting</i> | <i>short</i> | <i>0</i> | <i>MISSUM</i> | <i>AREA</i> |
| <i>9pm</i> | <i>0</i> | <i>2/3</i> | <i>indep</i> | <i>coy</i> | <i>patrol</i> | <i>north</i> |
| <i>of</i> | <i>FRANCISCO</i> | <i>RIVER</i> | <i>reports</i> | <i>12</i> | <i>japs</i> | |
| <i>digging</i> | <i>at</i> | <i>710001</i> | <i>at</i> | <i>SALAMANA</i> | <i>revined</i> | |
| <i>all</i> | <i>informed</i> | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------|--------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>0851</i> | <i>B Com</i> | <i>edine</i> | | | | | | | | |
| | | <i>sig</i> | | | | | | | | | |

T.H.I.

0833

T.O.R.

MESSAGE FORM

Serial No. *261*
OFFICE DATE STAMP
11/16/1

CALL AND INSTRUCTIONS.

IN

OUT

PG 2 T X00

No. of Groups
GR.

99

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *RPTD 15 BDE 2/3 IND COY*

FROM *3 DIV*

Originator's Number

03379

Date

11

In Reply to Number

(Write horizontally)

| | | | | |
|-------------------------|-------------------------|-------------|----------------|-----|
| <i>secret</i> | <i>secret</i> | <i>103</i> | <i>to</i> | 5 |
| <i>2000 K/11</i> | <i>mission</i> | <i>area</i> | | 10 |
| <i>0940 K/11</i> | <i>WELLS</i> | <i>OP</i> | | 15 |
| <i>8 Mitchells</i> | <i>made several</i> | | | 20 |
| <i>low level</i> | <i>attacks on</i> | <i>foot</i> | | 25 |
| <i>ridge mouth</i> | <i>FRANCISCO RIVER</i> | | | 30 |
| <i>30 yds</i> | <i>destroyed</i> | | | 35 |
| <i>now using</i> | <i>boats</i> | <i>AD</i> | | 40 |
| <i>cross river</i> | <i>AA</i> | <i>from</i> | | 45 |
| <i>KELA HILL</i> | <i>June 15</i> | <i>thru</i> | | 50 |
| <i>and. mainland</i> | <i>south</i> | | | 55 |
| <i>end of airfield</i> | <i>0945 K/11</i> | | | 60 |
| <i>SALAMAUA</i> | <i>reports</i> | | | 65 |
| <i>heavy explosions</i> | <i>KELA PT</i> | | | 70 |
| <i>MUBO area</i> | <i>0730 K/11</i> | | | 75 |
| <i>4 fighters</i> | <i>strapped</i> | | | 80 |
| <i>own ops.</i> | <i>on GUADAGASAL</i> | | | 85 |
| <i>RIDGE</i> | <i>own casualties</i> | | | 90 |
| <i>NIL</i> | <i>Natives slightly</i> | | | 95 |
| <i>wounded</i> | <i>approse</i> | <i>300</i> | <i>missing</i> | 100 |
| <i>all informed</i> | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2017

SIGNATURE: *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE:

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2033

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>U</i> | <i>2033</i> | <i>[Signature]</i> | <i>[Signature]</i> | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

SECRET

SITREP

104

0800/12

SITMOR

all informed

THIS MESSAGE MAY BE SENT **AS WRITTEN** (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 0832 | | | | | | | | | | |

T.H.I. 0827

T.O.R. 0850

MESSAGE FORM

Serial No. 1

CALL AND INSTRUCTIONS

IN

GP. 2-T 100 (0117) LIC

OUT

No. of Groups
GR. 20

OFFICE DATE STAMP

14 169

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Cde Ppt 2/3 ind coy

FROM

3 and Div

Originator's Number

03383

Date

12

In Reply to Number

—

| | | | | | |
|------|-----|-------|----|------|----|
| | | | | | |
| ref | on | 03380 | 40 | 0700 | 40 |
| 0730 | Lus | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0250

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

P.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| 2 | 0345 | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. 68
OFFICE DATE STAMP
IN 169

CALL AND INSTRUCTIONS.

IN PG 2 T X00 LIC OP

No. of Groups GR.

77

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE RPTD 2/3 IND COY

FROM 3 AUST DIV

Originator's Number 03380

Date 11

In Reply to Number

(Write horizontally)

| | | | | |
|------------|-------|-------------------|-----------------|-----|
| positions | will | attack | KOMIATUM | 5 |
| between | 0630 | hrs | and | 10 |
| hrs | 12 | june | ⊙ | 15 |
| photo | AE 12 | ⊙ | back | 20 |
| AE A 6 | T7 | AE A 2 | 1/4 | 25 |
| bomb | line | own | hrs | 30 |
| and | west | grid | line | 35 |
| and | AE 3 | ⊙ | respective - by | 40 |
| importance | | of weather report | | 45 |
| being | sent | direct | to | 50 |
| sp. party | hrs | AF | to | 55 |
| 2 1/2 | ⊙ | before | TOT | 60 |
| stressed | | TOT | advised | 65 |
| | | | later | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

arrangements made

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

SIGNATURE

Immediate

2240K/

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2249

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **70**

CALL AND INSTRUCTIONS

IN **GP. 2-T x00 0119 LTR**
OUT

No. of Groups
GR. **20**

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **15 Bde Rpt 2/3 ind Coy**

FROM **3 and Div**

Originator's Number
03383

Date
12

In Reply to Number
—

| | | | | | |
|-------------|------------|--------------|-----------|-------------|-----------|
| ref | an | 03380 | to | 0700 | to |
| 0730 | hrs | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY
Immediate

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

TIME OF ORIGIN
0250
0305

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0315 | | [Signature] | | | | | | | | |

T.O.R.

MESSAGE FORM

1 N 183
113

Serial No. OFFICE DATE STAMP

No. of Groups GR.

CALL AND INSTRUCTIONS.

IN

Z. op.

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD. 15 AUST INF

FROM 17 AUST INF BDE

Originator's Number

I539

Date

12

In Reply to Number

(Write horizontally)

| | | | | |
|----------------|-----------------|-----------|------------------|----|
| Subrep | 100 A0 | 1800K/12 | 0 ref map | 5 |
| MUBO | 1/25000 | 0 2/6 BN | 0 during day | 10 |
| Total | 10 japs | generally | heavily equipped | 15 |
| and | with | two | LMG crossed | 20 |
| BITOI | from | EAST | at IROWIP 0 | 25 |
| eight | with | rifles | only crossed | 30 |
| from | WEST | 0 2/5 BN | 0 HQ Coy | 35 |
| less | two pl | BALLAMS | two pl | 40 |
| MACDUFF | 0 | A coy | SUMMIT 0 | 45 |
| D coy | less | two | pl MACDUFF, two | 50 |
| pl | BANANA | 0 | 1110K/12 four | 55 |
| single | engined | enemy | a/c flew | 60 |
| down | BUISAVAM | passing | south of | 65 |
| GUADAGASAL AND | SKINDEWAI | 3/5000 ft | 0 | 70 |
| followed | over | SKINDEWAI | by one | 75 |
| VAL | which inspected | LOFC | between | 80 |
| SUMMIT | and | BALLAMS | returned over | 85 |
| SKINDEWAI | and | circled | MUBO area | 90 |
| departing | 1205 | K/12 | all informed | 95 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: ((EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

1940

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 1940

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|-----------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 205 | B | Conardine | | | | | | | | |
| | | | Seg | | | | | | | | |

MESSAGE FORM

Serial No. **189**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

Z. T. X00 LIC.

No. of Groups
GR

OUT

118

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD. 15 BDE. 2/3 INDEP COY

FROM 3 AUST DIV

Originator's Number

03391

Date

12

In Reply to Number

(Write horizontally)

| | | | | | | | | | |
|-----------|---|-------------|-----|----------|----------|----------|----------|---------|----|
| SECRET | 0 | 2400K/12 | 105 | to | 2000K/12 | 0 | MARKHAM | 5 | |
| AREA | 0 | 0830K/12 | 1 | gap | rece | a/c | | 10 | |
| circled | | NGARRA NENO | | twice | 0 | | 1225K/12 | 15 | |
| 2 gap | | rece | | a/c | circled | | INAMPIT | 20 | |
| 0 | | 1015K/12 | 24 | BN | patrol | to | wards | 25 | |
| BWUSSI | | heard | | 30/40 | rifle | shots | approx | 30 | |
| LR | | 5320 | | HUMN | GULF | special | 0 | MISSING | 35 |
| AREA | 0 | 0900K/12 | | | D. coy | | 58/59 BN | 40 | |
| less | | 18 pl | | came | under | comd | 2/3 AUST | 45 | |
| INDEP | | coy | | and | moved | to | SELEBOB | 50 | |
| arriving | | 1200K/12 | 0 | | 11 jun | gaps | | 55 | |
| repairing | | bridge | | mouth | FRANCIS | RIVER | | 60 | |
| 0 | | MUBO | | AREA | 0 | of 1140- | 1205K/12 | 65 | |
| 0 | | one | | type | VAL | a/c | reced | 70 | |
| LOFC | | between | | SUMMIT | and | BALLAMS | | 75 | |
| 0 | | also | | circled | MUBO | 0 | WAU | 80 | |
| BULOLO | | 0 | | 1112K/12 | 0 | 4 type | OSCARS | 85 | |
| flew | | over | | WAU | BULOLO | from | | 90 | |
| south | | to | | NORTH | HEIGHT | 12000 ft | | 95 | |
| all | | informed | | | | | | 100 | |
| | | | | | | | | 105 | |
| | | | | | | | | 110 | |
| | | | | | | | | 115 | |
| | | | | | | | | 120 | |
| | | | | | | | | 125 | |
| | | | | | | | | 130 | |

MA
LW

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2030K/12

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2040

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|----------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2124 | B | Consistent Sig | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **14**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN **Z T X00 LIC**
OUT

No. of Groups
GR.

70 IN 158

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **RPTD 15 BDE 2/3 INDEP COY**

FROM **3AVST DIV**

Originator's Number

03395

Date

13

In Reply to Number

| | | | | | |
|--|------------------|------------------|-------------------|-----------------|------------|
| <i>(Write horizontally)</i> SECRET | ○ | detach | 106 | to | 5 |
| 0800 K/13 | ○ | MISSIM | AREA | ○ | 10 |
| 0900 K/12 | | B | pl | 2/3 | 15 |
| indep | coy | less | one | sec | 20 |
| moved | to | BASE 3 | 3 from | MISSIM | 25 |
| ○ | 1330 K/12 | 20 | laden | gaps | 30 |
| moved | south | across | footbridge | | 35 |
| at | mouth | FRANCISCO | ○ | br | 40 |
| appears | to | have | been | repaired | 45 |
| with | pontoons | ○ | 1945 K/12 | | 50 |
| D | coy | 58/59 | BN | use | 55 |
| one | pl | arrived | MISSIM | all | 60 |
| informed | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0818

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0834

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

Z.

W.F.

M

No. of Groups

GR.

27

OFFICE DATE STAMP

191

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

I 635

Date

12

In Reply to Number

0226

prints of oblique series lithographed for ASP expected shortly two copies will be sent you

Blair

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2220

SIGNATURE..... * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 2236

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0029 | B | Con sidering sig | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. *63*

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

2 LIC

GR.

22

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

03042

Date

1.3

In Reply to Number

I 232

*where
coy*

*did
move*

*C
to*

*pl
when*

*2/3
relieved*

indep

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2125

T.H.I. *2131*

T.O.R.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>2230</i> | <i>Boyle</i> | <i>AWG</i> | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

2 T/N 206
75

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO Rpta 15 Bde 2/3 indep Coy.

FROM 3 Aust Div

Originator's Number

03400

Date

13.

In Reply to Number

(Write horizontally)

| | | | | |
|--------|----------|----------|----------|----|
| 107 | At | 2000K/13 | 0 | 5 |
| MISSIM | AREA | 0645 - | 0725K/13 | 10 |
| 0 | During | attack | by | 15 |
| ON | COOIATUM | Arash | LMG | 20 |
| was | heard | 0 13 | pin | 25 |
| Coy | 58/59 | Bn | less | 30 |
| Op | relieved | c | pl | 35 |
| indep | Coy | at | BUGASH | 40 |
| WALI | BUKOLO | area | 0 1001 - | 45 |
| 0 | one | DINAH | circled | 50 |
| height | 25000 | ft | 0 all | 55 |
| | | | informed | 60 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2028

SIGNATURE * ORIGINATOR MAY DELETE EXCEPT AND INSERT INCLUDING

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2055

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

2132 Coy sig

MESSAGE FORM

Serial No. **08**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
OUT

PG - Z. T. X00 L

No. of Groups **2**
CR.
64

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

PHAD 15 BDE 2/3 INDEP COY

FROM

3 AUST DIV

Originator's Number

03406

Date

14

In Reply to Number

| | | | | |
|--------------|------------|---------------------------------|----------|---------------------|
| SECRET | 0 13 jun 0 | 108 AD | 0800K/14 | 0 MARKHAMI AREA |
| | | NG ARANENO OP | | reports enemy |
| | | have detected OP. & square 4554 | | NAJZAB one |
| | 1710K/13 | gap receive A/C. | | vicinity NG-ARANENO |
| MISSING AREA | 0 13 jun 0 | CPL 2/3 INDEP COY | | MOVED |
| from | BUGASU | JUNE | to | MISSIM all informed |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 0855 | Conradine | Sig | | | | | | | | |

T.H.I. 27

T.O.R. 1030.

MESSAGE FORM

Serial No. 10

No. of Groups 2
GR. 31

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

2 LIC (P) N

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust Inf Bde

FROM

3 Aust Div

Originator's Number

03404

Date

13

In Reply to Number

0236

5 AF have been instructed that no more attacks are to be carried out on KOMINTUM track until further notice

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Important

TIME OF ORIGIN

2132

T.H.I. 2141

T.O.R.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <u>L</u> | <u>2200</u> | <u>W</u> | | | | | | | | | |

MESSAGE FORM

Serial No. 51

CALL AND INSTRUCTIONS

IN

OUT

Handwritten: T X00 / N

No. of Groups
GR. 22

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Handwritten: RPTD 15 BDE 2/3 INDEP COY

FROM

Handwritten: 3 ARMY DIV

Originator's Number

Handwritten: 03410

Date

Handwritten: 14

In Reply to Number

Handwritten: SECRET

Handwritten: (C)

Handwritten: ditup

Handwritten: 109

Handwritten: 40

Handwritten: 2000R/14

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

Handwritten: 1955

Handwritten: T.H. 1015

T.O.R.

Handwritten: 2045.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. **52**

No. of Groups
GR. **93**

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **15 AVST INF BDE**

FROM **3 AVST DIV**

Originator's Number

03415

Date

14

In Reply to Number

(Write horizontally)

| | | | | |
|------------|------------|---------|------------|-----|
| During | air strike | on | KOMIATUM | 5 |
| track | 0700 | 07 | 30 K 13 an | 10 |
| apparently | well | used | track | 15 |
| running | along | western | slopes | 20 |
| of | KOMIATUM | RIDGE | observed | 25 |
| ① | forms | main | SALAMAU A | 30 |
| KOMIATUM | track | at | KOMIATUM | 35 |
| 1/25000 | 70694 | 2 | with | 40 |
| possible | side | track | to | 45 |
| KOMIATUM | village | from | 70693 | 50 |
| 0 to | 70893 | 3 | known as | 55 |
| old | mule | track | is | 60 |
| believed | to | join | main | 65 |
| at | 70692 | 4 | the | 70 |
| on | this | track | would be | 75 |
| much | slower | than | main | 80 |
| track | the | old | main | 85 |
| at | bottom | of | BUIRALI | 90 |
| CK | shows | no | sign | 95 |
| use | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2028

SIGNATURE: ORIGINALOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

21038

T.O.R.

2100

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

Wagner

MESSAGE FORM

Serial No. *2*

No. of Groups
GR. *20*

OFFICE DATE STAMP
26

CALL AND INSTRUCTIONS

IN *PG 2*

OUT *1/11*

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *15 AUST INF BDE*

FROM *3 AUST DIV*

Originator's Number

03421

Date

14

In Reply to Number

7340

KOMIATUM 125000 dispatched 10 Jun
advise when received. Overlaid
map refs SALAMAUVA revised
one inch are 709958 708949
712950 711948 in same
order as my message 03415

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

2358

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 0007

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|--------------|-----------|-----------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>00250</i> | <i>50</i> | <i>G. D. H.</i> | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. 51

| | | | |
|-----------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

Handwritten: 2 T 100/110

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO APTD IS BDE 2/3 INDEP COY

FROM 3 AVIAT DIV

| | | |
|-------------------------------------|-------------------|--------------------|
| Originator's Number <u>03410</u> | Date <u>14</u> | In Reply to Number |
|-------------------------------------|-------------------|--------------------|

| | | | | |
|---------------|----------|------------|-----------|----------------|
| <u>SECRET</u> | <u>①</u> | <u>109</u> | <u>to</u> | <u>2000K/4</u> |
| <u>①</u> | <u>①</u> | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| | | | |
|--|---|---|------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN |
| SIGNATURE | SIGNATURE | | <u>1955</u> |
| (BELOW THIS LINE FOR SIGNALS USE ONLY.) | | | <u>T.M. 2015</u> |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.
2045

MESSAGE FORM

Serial No. 15

CALL AND INSTRUCTIONS

IN

OUT

PC Z T LCN

No. of Groups

GR.

22

OFFICE DATE STAMP

29

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Rptd 15 Bde 2/3 indep boy.

FROM

3 Aust Div

Originator's Number

03422

Date

15

In Reply to Number

SECRET

©

SITREP

110

40

0800K/15

©

SITNR

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0821K/15

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 0827

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

T.O.R.

0900

W 0857

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

1806 *Z* *T* *LIV* *X00*

No. of Groups
GR.

71

OFFICE DATE STAMP

55

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *rpda 15 BDE 2/3 INDEP COY*

FROM *3 AUST DIV*

Originator's Number

0 3427

Date

15

In Reply to Number

SECRET

⊙

SITREP

111

40

2000 R/15

⊙

MARKHAM

AREA

⊙

14 June

O.P

24

508425

NADZAB

one

inch

reports

33 men with

stores crossed from south bank

MARKHAM RIVER

to 7

huts on island approx.

579429

⊙ MISSIM

AREA

1330 - 1700 R/15

WELLS O.P

reports

405 taps

moved

south

along

KOMIATUM

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

TRACK

more coming at 1700 K/15 all informed

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

2019
 T.H.I. 2039
 T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2112 | W. H. G. [unclear] | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

Z X 0 1 / N 2

No. of Groups
GR.

42

OFFICE DATE STAMP

58

(ABOVE THIS LINE FOR SIGNALS USE ONLY)

TO

15 AUST INF BDE *uptd* 58/59 AUST INF BN

FROM

3 AUST DIV

Originator's Number

03429

Date

15

In Reply to Number

0257

| | | | | | |
|---------|-------------|-------|------|---------|----------|
| will | add | 58/59 | to | to | 3 |
| Div | sitrep | but | NOT | intrep | 0 |
| concur | 58/59 | on | send | sitreps | and |
| intreps | direct | to | div | HQ | instruct |
| them | accordingly | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2325

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2348 | <i>anyan</i> | <i>had</i> | | | | | | | | |

T.H.I. 2332

T.O.R.

MESSAGE FORM

Serial No. 10

CALL AND INSTRUCTIONS

IN
OUT

Z T / 100 / LIC

No. of Groups
GR. 15

OFFICE DATE STAMP

4

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15BDE 2/3 INDEP COY

FROM 3RUST DIV

Originator's Number

03433

Date

16

In Reply to Number

SECRET

MARKHAM

The 33

men
from
south
bank
island

AREA

men

south
bank
after

set up

0

made

bank

after

112

ref

3 trips

to inland

trip

to 0800 K/16

set up

with

remained

all

informed

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815

T.M.I. 0835

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0900 | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

AND
IN
2 *41C*

No. of Groups
GR.

OFFICE DATE STAMP

27

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust Inf Bde

FROM

3 Aust Div

Originator's Number

1641

Date

16

In Reply to Number

0259

*Recommendations have been made to
I have film distributed by AADCs*

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1505

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

1512

T.O.R.

1536

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | <i>1530</i> | <i>PKB</i> | | | | | | | | | |

MESSAGE FORM

Serial No. **66**

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

PC Z T LIC

OUT

135

W 297

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **RPTD 15 BDE 2/3 INDEP COY**

FROM **3 AUST DIV**

Originator's Number
0 3436

Date
16

In Reply to Number

| | | | | | |
|----------------------|------------|-------------|-----------------|-----------|-----|
| (Write horizontally) | | | | | 5 |
| secret | ⊙ | sidup no | 113 | do | |
| 2000 k/16 | ⊙ | MARKHAM | AREA | ⊙ 0830 | 10 |
| k/16 | patrol | 6 gaps | ambushed at | 540438 | 15 |
| NADZAB | 1 inch | ⊙ | 3 gaps | hit ⊙ | 20 |
| MISSIM | AREA | ⊙ | 15 June | Total 486 | 25 |
| gaps | moved | south | along KOMIATUM | | 30 |
| track | 1150 k/16 | 80 gaps | moved south | | 35 |
| across | footbridge | at mouth | FRANCISCO RIVER | | 40 |
| ⊙ | patrols | from B pl | 2/3 indep | | 45 |
| coy | ran into | booby traps | 698902 | | 50 |
| SALAMAVA | revised | ⊙ | 2 rifles | 2 vrs | 55 |
| wounded | ⊙ do | 1730 k/16 | ⊙ WFLS OP | | 60 |
| reports | 163 gaps | 60 coolies | moved south | | 65 |
| towards | KOMIATUM | ⊙ | MVBO AREA | ⊙ | 70 |
| 21 gaps | crossed | BITOI | east to west | | 75 |
| during | day at | 692866 | MVBO | 1/25000 | 80 |
| ⊙ | mtn. bty | fired 9 | shells at | | 85 |
| 0700 k/16 | and | 2 shells | 1606 k/16 | while | 90 |
| gaps | crossing | ⊙ gaps | dispersed | all | 95 |
| informed | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

2035

2048

Handwritten notes and signatures in the bottom left corner.

MESSAGE FORM

Serial No. 63

CALL AND INSTRUCTIONS

IN

PG Z LIC

OP

OUT

No. of Groups

OFFICE DATE STAMP

GR.

76. **M 299**

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

03435

Date

16.

In Reply to Number

| | | | | | |
|-----------|----------|--------|--------|-----------|----------|
| in | view | of | inform | in | your |
| 0263 | of | 16 | from | advice | the |
| following | to | one | map | ref | of |
| your | intended | ambush | point | on | ROMIATUM |
| track | two | will | the | operation | proceed |
| three | dates | of | raid | and | return |
| base | to | which | patrol | will | withdraw |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. *63*

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

IN 299

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | |
|-------------|--------------------|--------------|-------------|----------------|
| <i>infn</i> | <i>required in</i> | <i>order</i> | <i>to</i> | <i>arrange</i> |
| <i>air</i> | <i>strike in</i> | <i>MUBO</i> | <i>area</i> | <i>and</i> |
| <i>to</i> | <i>the</i> | <i>NORTH</i> | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

Immediate

2028/K16

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *2036.*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-------------|-------------|--------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>2005</i> | <i>1000</i> | <i>Boyle</i> | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **11N 308**

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

58

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Rptd 15 chert Inf Bde 156 Lt AA Coy

FROM

3 chert Div

Originator's Number

03441

Date

17

In Reply to Number

SECRET

Strip no 114 to 0800K/17 @ MUBO area

1155

1220 K/16

results air attack by

6 BOSTONS

0

dropped 20 bombs and strafed from

mouth

mouth

KITCHENS 40

mouth

BUICAP CK smoke

seen 40 rise but could NOT

be pinpointed

0

bombing directly along track

all informed

0

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0918

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|----------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>0915</i> | <i>Blondin</i> | <i>Sig</i> | | | | | | | | |

0828

0851

MESSAGE FORM

Serial No. 37

CALL AND INSTRUCTIONS

IN

Z Y03

OUT

No. of Groups
GR.

29

OFFICE DATE STAMP

319

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

15 AUST INF BDE

TO

17 AUST INF BDE RPTD. NCF 4105 DIV

FROM

3 AUST DIV

Originator's Number

03446

Date

17

In Reply to Number

bde

SECRET

0

code

name

17

is

LUDO

not

DIVA

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1605

T.H.I./610

T.O.R.

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 1653 | | | | | | | | | | |

MESSAGE FORM

Serial No. 51
No. of Groups GR. 120
OFFICE DATE STAMP
329

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE
FROM 3 AUST DIV
Originator's Number 03448
Date 17
In Reply to Number

| (Write horizontally) | | | | | | |
|----------------------|----|----------|-------------|-----|------------|-----|
| secret | 17 | secret | no | 115 | to | 5 |
| 2000 K | 17 | MISSIM | AREA | 10 | WELLS | 10 |
| OP | 17 | 16 gun | total | 15 | not | 15 |
| along | 17 | KOMIATUM | track | 173 | japs | 20 |
| 60 cookies | 17 | South | 58 japs | 25 | North | 25 |
| 1300 K | 17 | MUMO | AREA | 30 | 1250 | 30 |
| GUADAGASAL | 17 | 4 dwe | homers | 35 | attacked | 35 |
| hut | 17 | area | one | 40 | casualties | 40 |
| damaged | 17 | no | fighters | 45 | patrol | 45 |
| 10 | 17 | 10 | 20000/25000 | 55 | + | 55 |
| area | 17 | 10 mens | after | 60 | attack | 60 |
| 1500 K | 17 | 34 | 1 japs | 65 | east | 65 |
| crossed | 17 | BITOI | west | 70 | east | 70 |
| 692866 | 17 | MUBO | 1/25000 | 75 | mtn | 75 |
| 1/4 | 17 | fired | 17 | 80 | rounds | 80 |
| area | 17 | WAW | bubolo | 85 | area | 85 |
| 1230 K | 17 | 1 type | DINAH | 90 | height | 90 |
| over | 17 | WAW | bubolo | 95 | area | 95 |
| 25000 | 17 | 1300 K | 1 type | 100 | height | 100 |
| VAL | 17 | circled | waw | 105 | height | 105 |
| 1/4 | 17 | all | informed | 110 | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

SIGNATURE.....

SIGNATURE.....

TIME OF ORIGIN 2035

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2040

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. 58

No. of Groups
GR. 54

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE

Originator's Number

A119

Date

17

In Reply to Number

A358

FROM

3 AUST DIV

signals. 10 134 and 10 135
have NOT been received at sig
office HQ 3 AUST DIV please
repeat (O) figures for 16 and
17 June have been received
(O) particular of battle casualties 2, ors
NOT disclosed in return for 17 June (O) please

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2100

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 40

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. 51
No. of Groups OFFICE DATE STAMP
GR. 29 332

CALL AND INSTRUCTIONS

IN
OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE

FROM 3 AUST DIV

Originator's Number Date In Reply to Number
AQ 717 17 0265

Dumping plan as outlined may commence. Confirmation in detail will be advised later if plan is approved.

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN 2025

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I. 2141
T.O.R.

MESSAGE FORM

IN 339

Serial No. 339

OFFICE DATE STAMP

No. of Groups GR. 19

CALL AND INSTRUCTIONS

IN PG 2 LIC

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO Rptd 15 Bde

FROM 3 Aust Div

Originator's Number 03456

Date 18

In Reply to Number

| | | | | | |
|--------|-------|-------|--------|----|----------|
| Secret | ⊙ | siuep | no 116 | 40 | 0800K/18 |
| ⊙ | siuor | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

TIME OF ORIGIN 0815

T.H.I. 0826

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0833 | si | | | | | | | | | |

T.O.R. 0855

MESSAGE FORM

Serial No. **348**

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN **Z. LIC**

OUT

No. of Groups

GR. **19**

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **15 AVST INF BDE**

FROM **3 AVST DIV**

Originator's Number

03465

Date

18

In Reply to Number

I275

*your I260 was acked by 03422 at
2300 H/17 ~~1500~~ 03452*

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1800

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

**T.H.L.
1807**

**T.O.R.
1842**

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|------------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>h</i> | <i>1820</i> | <i>Blomfield</i> | <i>519</i> | | | | | | | | |

MESSAGE FORM

IN 3

Serial No. 5
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

X L.I.C.

No. of Groups GR.

OUT

147

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

03466

Date

18

In Reply to Number

(Write horizontally)

SECRET D intercept no 117 to 2000K/18 D
MARKHAM AREA 0715K/18 D 1 jap a/c fired
two bursts NG ARANENO OP no damage
no casualties D MISSIM AREA 0630K/18
D 1 type VAL circled HOTE and MISSINT
D MUBO AREA D 1730K/18 D 2 men entered
enemy forms along gap track under
cover of dark ness D fired on enemy
setting round camp fire D 9 japs
believed killed or wounded D 1700-1800
K/17 8 japs crossed BITOI WEST to EAST
AT 692866 MUBO 1/250000 D 1755K/17
when crossing D 0716K/18 single a/c
a/c over GUADAGASAL SKINDEWAI D
0726K/18 1 a/c made one strapping
run over SUMMIT D no damage
no casualties D 18 japs 29 japs crossed
BITOI at same point D men by fired
18 rounds into area all informed

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2025

SIGNATURE: *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE:

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2040

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|---------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 2111 | | B | Consideration | | | | | | | | |
| | | | Sig | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

B.M.
2 210

No. of Groups
GR.

72

Serial No.

OFFICE DATE STAMP

IN 364

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *RPTD 15 BDE*

FROM *3 AUST DIV*

Originator's Number

0 3469

Date

19

In Reply to Number

(Write horizontally)

| | | | | | | |
|-----------------|-----------------|-----------------|---------------------|------------------|-----------------|-----|
| <i>SECRET</i> | <i>0</i> | <i>shep</i> | <i>118</i> | <i>to</i> | <i>0800K/19</i> | 5 |
| <i>0</i> | <i>MUBO</i> | <i>AREA</i> | <i>0</i> | | <i>1600</i> | 10 |
| <i>1645</i> | <i>K/18</i> | <i>result</i> | <i>air</i> | <i>attack</i> | | 15 |
| <i>KITCHEN</i> | <i>CK</i> | <i>STONY</i> | <i>CK</i> | <i>by</i> | | 20 |
| <i>5</i> | <i>BOSTONS</i> | <i>3</i> | <i>BEAUFIGHTERS</i> | <i>0</i> | | 25 |
| <i>area</i> | <i>heavily</i> | <i>shuffed</i> | <i>approx</i> | <i>20</i> | | 30 |
| <i>bombs</i> | <i>dropped</i> | <i>0</i> | <i>reported</i> | <i>extremely</i> | | 35 |
| <i>accurate</i> | <i>0</i> | <i>during</i> | <i>attack</i> | <i>AA</i> | | 40 |
| <i>fire</i> | <i>possibly</i> | <i>H M 2</i> | <i>from</i> | <i>STONY</i> | | 45 |
| <i>CK</i> | <i>0</i> | <i>also</i> | <i>suspected</i> | <i>AA</i> | | 50 |
| <i>fire</i> | <i>from</i> | <i>GREEN</i> | <i>HILL</i> | <i>and</i> | | 55 |
| <i>BITOI</i> | <i>RIDGE</i> | <i>vicinity</i> | <i>702870</i> | <i>MUBO</i> | | 60 |
| <i>1/25000</i> | <i>all</i> | <i>enforced</i> | | | | 65 |
| | | | | | | 70 |
| | | | | | | 75 |
| | | | | | | 80 |
| | | | | | | 85 |
| | | | | | | 90 |
| | | | | | | 95 |
| | | | | | | 100 |
| | | | | | | 105 |
| | | | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

Model B...

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

0819

T.H.I. *0838*

T.O.R.

0855

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|------------|---------|--------------------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>208</i> | | <i>[Signature]</i> | <i>[Signature]</i> | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN PG 2 LIC
OUT

No. of Groups GR. 60
Serial No. OFFICE DATE STAMP
IN 378

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE

FROM 3 AVST DIV
Originator's Number 0 3475
Date 19
In Reply to Number

| | | | | | |
|--------------------------------|-----------------|-----------|-------------|-----------|-----|
| (Write horizontally) SECRET | 0 | zibeh | 119 to | 2000 K/19 | 5 |
| 0 | MARKHAM | AREA | 0 | 19 | 10 |
| you | recc | patrol | encountered | | 15 |
| pat | patrol | estimated | 15 with 2 | | 20 |
| or | 3 LMGs | one | MAR | 50 | 25 |
| 5642 | recc | NADZAB | one | inch | 30 |
| 0 | one OK | missing | 0 | MISSION | 35 |
| AREA | 0 | 0645 K/19 | A | coy | 40 |
| 58/59 | to left | BULWA | for | BRANCH | 45 |
| OK | all | informed | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS (EXCEPT WIRELESS)

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN
2010K

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2022

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-------------|-------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2037 | [Signature] | [Signature] | | | | | | | | |

T.O.R. 2045

60
65
70
75
80
85
90
95
100
105
110
115
120
125
130

IN 383

PG

2

LIC

22

15 AVST INF BDE

3 AVST DIV

I 646

19

for
to
18

HEDLEY
unit
june

©

cc

BURNHEIM returned
ADS BUROLO

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

2150
T.H.I. 2152
T.O.R. 2200

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 2153 | | | | | | | | | | | |

MESSAGE FORM

IN 387

CALL AND INSTRUCTIONS.

IN PG- 2- LIC -
OUT

No. of Groups GR.

40

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE

FROM 3 AUST DIV

Originator's Number

03477

Date

20

In Reply to Number

—

(Write horizontally)

SECRET

⊙

Sitrep

120

A0

5

0800 R/20

⊙

MISSIM

AREA

1530 R/19

10

A

COY

58/59

bn

arrived

15

BRANCH

CK

⊙

WAI

BULOLO

20

AREA

⊙

0523

0524 R/20 and

25

0538

0601 R/20

WAI

a/c

over

30

~~SECRET~~

WAI

35

40

45

50

55

60

65

70

75

80

85

90

95

100

105

110

115

120

125

130

BN

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0830

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0844

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0858 | K. Bennett | Seg. | | | | | | | | |

0901

MESSAGE FORM

IN 397

CALL AND INSTRUCTIONS.

IN PG Z LIC
OUT

No. of Groups
GR.

104

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO Rptd 15 Aust inf Bde

FROM 3 Aust Div

Originator's Number

03483

Date

20

In Reply to Number

(Write horizontally)

| | | | | | | |
|------------|------------|----------|----------------|-----------|--------|-----|
| SECRET | 0 | SITREP | 121 | To | 5 | |
| 1300 K/20 | 0 | WHW | BWHOKO | area | 10 | |
| 1035 K/20 | 19 | Type | OSCAR | over | 15 | |
| WHW | 0 | height | 10000 | feet | 20 | |
| 0 | 1045 K/20 | 2 | OSCARS | attempted | 25 | |
| staffing | run | on | airfield | 0 | 30 | |
| 1 | OSCAR | hit | no | damage | 35 | |
| no | casualties | 0 | 1200K/20 | 7 | 40 | |
| Bombers | LILY | Type | bombell | WHW | 45 | |
| 0 | height | 10000 | feet | 0 20 | 50 | |
| bombs | dropped | 0 | 1210-1215 K/20 | | 55 | |
| same | planned | bombed | BANNAMS | and | 60 | |
| WHW | BANNAMS | RD | 0 | Damage | and | 65 |
| casualties | unknown | 1218K | 20 | same | planes | 70 |
| over | BWHOKO | height | 10000 | feet | 0 | 75 |
| etc | bombs | dropped | one | hit | | 80 |
| probable | 0 | WHW | airfield | NO | | 85 |
| damage | all | informed | | | | 90 |
| | | | | | | 95 |
| | | | | | | 100 |
| | | | | | | 105 |
| | | | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

BAV

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

1476K

SIGNATURE

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1424

T.O.R.

1515

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1510 | Boyle sig. | | | | | | | | | |

MESSAGE FORM

Serial No. **70**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN **PHXNDPGX001** **LIC**

OUT

No. of Groups
GR.

197

IN 416

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **RPD 15AUST INF 80E 58/59 MET INF BN**

FROM **3AULT DIV**

Originator's Number

03485

Date

20

In Reply to Number

(Write horizontally)

SECRET **SITREP.** **122 to** **2000K/20**⁵

MUBO **AREA** **1022K/20**¹⁰

ENEMY **a/c** **dropped 3** **bombs** **near** **15**

GUADAGASAL **hospital** **and** **strapped** **20**

HQ **2/6 BN** **1030** **1055K/20** **NATMAT** **25**

chve **bombed** **and** **strapped** **by** **aproc** **30**

14 **and** **fighters** **and** **9** **fighters** **35**

casualties **1** **killed** **1100** **145K/20** **40**

single **a/c** **circled** **quad** **areas** **45**

occasional **by** **strapping** **GUADAGASAL** **50**

and **SADDLE** **1455K/20** **55**

and **a/c** **dropped** **2** **bombs** **SADDLE** **60**

1550K/20 **19** **bombs** **bombed** **and** **65**

strapped **GUADAGASAL** **REDGE** **dropping** **70**

at least **30** **bombs** **no** **casualties** **75**

direct **hit** **on** **ASC** **dump** **containing** **80**

100 **AKW** **in** **mine** **bombs** **and** **85**

SAA **returned** **up** **to** **1800K/20** **90**

some **returned** **up** **to** **1800K/20** **95**

1254K/20 **our** **aps** **at** **695845** **MOBO** **100**

125000 **yard** **on** **enemy** **party** **105**

killing **one** **believed** **an** **aproc** **110**

around **after** **noon** **estimated** **50** **aps** **115**

attached **over** **right** **and** **left** **flanks** **same** **120**

area **attack** **unsuccessful** **and** **enemy** **withdrew** **125**

our **casualties** **one** **wounded** **enemy** **9** **killed** **11** **wounded** **130**

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS, (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING"

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **70**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

IN 416

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | |
|---|---------------|----------|------------|-----|
| 0 | WAV | buloko | AREA | 5 |
| 1 | air | attack | WAV | 10 |
| 2 | slightly | wounded | 7 vehicles | 15 |
| 3 | ambulance | 17 tires | 3 car | 20 |
| 4 | batteries and | 3 huts | damaged | 25 |
| 5 | all informed | | | 30 |
| | | | | 35 |
| | | | | 40 |
| | | | | 45 |
| | | | | 50 |
| | | | | 55 |
| | | | | 60 |
| | | | | 65 |
| | | | | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. **2113**

T.O.R.

2230

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

1N 421

| | | | | |
|------------------------|-----|----------------------|----------------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | <i>PG Z (OP) LIC</i> | No. of Groups GR. | Serial No. |
| | OUT | | <i>32</i> | OFFICE DATE STAMP |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | |
|------|-----------------------------|-------------------------------------|--------------------|
| TO | <i>Rptd 15 Aust inf Bde</i> | | |
| FROM | <i>3 Aust Div</i> | Originator's Number <i>03487</i> | Date <i>21</i> |
| | | | In Reply to Number |

| (Write horizontally) | | | | | |
|----------------------|-----------------|--------------------------|------------------|--------------|----|
| <i>SECRET</i> | <i>⊙</i> | <i>SITREP</i> | <i>123</i> | <i>to</i> | 5 |
| <i>0800K/21</i> | <i>⊙</i> | <i>MISSIM</i> | <i>AREA</i> | <i>o</i> | 10 |
| <i>1450K/20</i> | <i>one</i> | <i>type</i> | <i>VAH</i> | <i>on</i> | 15 |
| <i>recce</i> | <i>strapped</i> | <i>HOTE</i> | <i>AREA.</i> | <i>all</i> | 20 |
| <i>informed</i> | | | | | 25 |
| | | | | | 30 |
| | | | | | 35 |
| | | | | | 40 |
| | | | | | 45 |
| | | | <i>Immediate</i> | <i>0813K</i> | 45 |
| | | | | <i>0820</i> | 50 |
| <i>L 0836</i> | <i>info</i> | | | <i>0842</i> | 55 |

MESSAGE FORM

Serial No. **33**

CALL AND INSTRUCTIONS.

IN

OUT

[Handwritten scribbles] T WIC

No. of Groups
GR.

238

OFFICE DATE STAMP

IN

437

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE 58/59 BN

FROM 3RD ST DIV

Originator's Number

03491

Date

21

In Reply to Number

| | | | | |
|---------------------------------------|--------------|-------------|------------------|-----------------|
| <i>(Write horizontally)</i> SECRET | | 12H to | 1500K/21 | 5 |
| MARKHAM | AREA | 12 enemy | bombers | 9 fighters |
| intercepted | by 12 | P 38 | in WAMPIT | 15 |
| area | OP | 455439 | NABZAB | 1 inch reports. |
| 1 P 38 | down | 8-10 miles | away bearing 134 | 25 |
| degrees | magnetic | 2.2 EKES | down bearings | 30 |
| 120 | and 140 | degrees | MISSIM | area |
| ref | on setref | 1213 | now reported a/c | 40 |
| dropped | and | strapped | BURRIS RIVER | north |
| NUNNS | OP | W30 | area | 0730K/21 |
| line party | to | LABABIA | OP | conducted gaps |
| in back | 300 | yd east | of east flank | 65 |
| D. Coy | from | and north | from | 70 |
| track | several | booby traps | heard | 75 |
| to explode | intermittent | fire | NOT | 80 |
| enemy | strength | unknown | NUMBER | 90 |
| considered | great | unknown | NUMBER | 95 |
| enemy | casualties | own | casualties | 100 |
| NIL | 1130K/21 | W | BOSTONS | 105 |
| Dropped | 12 | bombs | STONY CK | PIMPLIE |
| 5 bombs | KITCHEN | CK | 1132K/21 | 110 |
| 6 enemy | bombers | south | oper | LABABIA |
| RIDGE | evidently | detonated | bombs | 120 |
| as | explosions | heard | SE of | SADDLE |
| 1145K/21 | HQ | formation | 9 | single |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| | | | | | | | | | | | |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

33

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| (Write horizontally) | | | | | | |
|----------------------|----------|----------|------------|--------|----------|-----|
| engine | d | a/c | flying | north | dropped | 5 |
| 8 bombs. | | vicinity | GUADAGASAL | | DROPPING | 10 |
| GROUND | (1) | all | bombs | fell | native | 15 |
| Quarters | (1) | 1 | police | boy | wounded | 20 |
| (1) all | natives | missing | (1) | waw | | 25 |
| buloho | area | 1137K/21 | | one | P38 | 30 |
| Approached | BULOLO | from | NW | losing | | 35 |
| height | rapidly | smoking | badly | (1) | | 40 |
| disappeared | behind | hills | hearing | 225 | | 45 |
| degrees | from | 293873 | BULOLO | | | 50 |
| one | inch (1) | distance | 6 miles | all | | 55 |
| informed. | | | | | | 60 |
| | | | | | | 65 |
| | | | | | | 70 |
| | | | | | | 75 |
| | | | | | | 80 |
| | | | | | | 85 |
| | | | | | | 90 |
| | | | | | | 95 |
| | | | | | | 100 |
| | | | | | | 105 |
| | | | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

1550

T.H.I.

1605

T.O.R.

1715

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 1605 | | | | | | | | | | |

MESSAGE FORM

IN 445

CALL AND INSTRUCTIONS.

IN BO Z X01 LIC
OUT

No. of Groups GR.
53

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 BDE 17 BDE 24 BN ~~NAN~~ ^{EXD} DEF ~~DEF~~ BULOLO ~~EXD~~ DEF
FROM 3 AUST DIV Originator's Number I ~~19~~ 647 Date 21 In Reply to Number

(Write horizontally)

| | | | | | |
|-----------|----------|------------------|-------------------------|-------------|-----|
| 6 | BOSTONS | bombed | KITCHEN | CREEK | 5 |
| 1130 K/21 | 0 | at | same | time | 10 |
| enemy | attacked | GUADAGMSAL | 0 | 5 | 15 |
| AF | advise | P38s | 0 | intercepted | 20 |
| 38 | enemy | a/c | shooting | down | 25 |
| 14 | probably | the 6 | others the 0 | all | 30 |
| P38s | returned | from | This | engagement | 35 |
| | | | | | 40 |
| | | | | | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

6/11/45

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN
1915

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. ~~1925~~ 1922
T.O.R. 2116

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 2047 | | ardyan | | | | | | | | |

PLG. Z. T. X00. LIC.

35

11W 450

15 AUST INF BDE 158/59

3 AUST DIV

03494

21.

from
58/59

receipt
br will

of
submit

thes
subreps

signal
to

15 Bde

NOT

direct

to

3 div

as

previously ask

acked I 309/21

2310 hrs
MB

B M

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2100
2145

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

W 222 Blosidine

MESSAGE FORM

IN 446

CALL AND INSTRUCTIONS.

IN PG Z X01
OUT

No. of Groups GR.

Serial No. OFFICE DATE STAMP

169

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE

FROM 3 AUST DIV

Originator's Number

0 3493

Date

21

In Reply to Number

(Write horizontally)

SECRET

O

sitrep

125

To

5

2000 K/21

O

MISSIM

AREA

O

10

1430 K/21

C

coy

58/59

BN

15

arrived

BRANCH

CR

from

BULWA

20

O

night

21/22

O

HQ

25

coy

58/59

bn

staging

BHUNE

30

O

A

coy

58/59

bn

35

arrived

PILIMUNG

O

MUBO

AREA

40

O

afternoon

21

gun

D

45

coy

2/6

bn

heavily

attacked

50

O

1500 K/21

C

coy

2/6

55

bn

moving

ford

to

support

60

D

coy

O

D coy & 2/6 2/5

bn

65

less

two

subs

moving

ford

70

to

SADDLE

from

HOUSE

BANANA

75

O

1200 K/21

rear

HQ

17

80

ade

closed

KAISINK

and

reopened

85

summit

same

time

O

all

90

informed

95

100

105

110

115

120

125

130

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2026

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING"

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2031

T.O.R.

2/30

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 0910 | | | ryan | | | | | | | | |

MESSAGE FORM

| | | | | |
|-------------------------------|------------|---------|--------------------------|-------------------------------------|
| CALL AND INSTRUCTIONS. | IN | Z. LIC. | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE

FROM 3 AUST DIV

Originator's Number
03497

Date
21

In Reply to Number
I306

(Write horizontally)

| | | | | | |
|--------|------------|------|-------|------|----|
| from | where | was | flare | seen | 5 |
| and | at | what | time | | 10 |
| | | | | | 15 |
| | | | | | 20 |
| L 0010 | Blansidine | | | 2334 | 25 |
| | | | | 2353 | 30 |
| | | | | | 35 |

MESSAGE FORM

11/467

Serial No. _____
OFFICE DATE STAMP _____

CALL AND INSTRUCTIONS.

IN 71 101 LIC

OUT Beev

No. of Groups
GR.
90

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE 58/59 BN

FROM 3 AVST DIV Originator's Number 03498 Date 22 In Reply to Number

| (Write horizontally) | | | | | |
|----------------------|----------|----------------------|-----------------|----------|-----|
| SECRET | ① | SITREP | 126 to | 0800 | 5 |
| K/22 | ① | 21 japs | 4 men | ambushed | 10 |
| 3 japs. | on | KOMIATUM TRACK | at 706916 | | 15 |
| KOMIATUM | 1/25000 | ① | ALL japs killed | | 20 |
| ① MUBO | area | 1510K/21 | ① japs attacked | | 25 |
| D coy | 2/6 BN | with force | estimated one | | 30 |
| In japs with | | in yards of our fwd | | | 35 |
| posns | between | BASE CAMP and | LABABIA | | 40 |
| RIDGE | ① | now believed to have | | | 45 |
| withdrawn | | North towards | PIMPLE | | 50 |
| Leaving over | | 100 casualties | ① our | | 55 |
| casualties | 5 killed | 11 wounded | all | | 60 |
| informed | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | | | | | | | | | |
|--|--|---|---|------------|----------|--------|--------|------------|----------|--------|--------|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (*EXCEPT) WIRELESS</p> <p>SIGNATURE _____</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE _____</p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> | <p>TIME OF ORIGIN</p> <p style="font-size: 1.5em;">0825</p> <p>T.H.I. 0837</p> <p>T.O.R. 0905</p> | | | | | | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | 0900 | Camp | ag | | | | | | | | |

IN 472

Z LIC

G.R.

59

To :- 15 AVST INF BDE

FROM :- 3 AVST DIV

ORIGINATOR'S NUMBER

I 654

DATE

22

IN REPLY TO NUMBER

maps dispatched DRAS Ao POWERHOUSE 1500K/22

SALAMAUVA 90 KOMIATUM 100 MUBO second edition 20 all

1/25000 in two bundles arrange rapid transmission

on coy line PATEP 2 maps received by

you were separate bundles misdirected there for

original issue SALAMAUVA KOMIATUM MUBO still on

L of C

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: *(EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1712 | | | | | | | | | | |

1652

1657

1750

G.R.

LIC

B D M, B, Bq B.

SEE ME SEE

SEE ME SEE

1625

T.H.I.

T.O.R.



(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| NO. | TIME | TO | FROM | CHARACTER | REMARKS |
|-----|------|----|------|-----------|---------|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

2

LIC

N 477

G.P.
59.

70
75
80
85
90
95
100
105
110
115
120
125
130

TO: 15 AVST INF BDE
FROM: 3 AVST DIV

ORIGINATOR'S NUMBER

DATE

IN REPLY TO NUMBER

I 654

22

maps dispatched D.R.L.S. to POWERHOUSE 1500K/22
SALAMADA 90 KOMIATUM 100 MUBO second edition 20 all
1/25000 in two bundles arrange rapid transmission
on coy line PATÉP 2 maps received by
you were separate bundles misdirected there for
original issue SALAMADA KOMIATUM MUBO still on
L of C

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: (*EXCEPT) WIRELESS
SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.
SIGNATURE

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|---------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 1712 | | at wall | | | | | | | | | |

T.H.I. 1652
T.O.R. 1657

1750

bcn
mv

MESSAGE FORM

IN. 486

CALL AND INSTRUCTIONS.

IN *PG 2 LIC*

OUT

No. of Groups GR. *141*

Serial No. OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *Rtd 15 Aust Inf Bde*

FROM *3 Aust Div*

Originator's Number *03506*

Date *22*

In Reply to Number

(Write horizontally)

| | | | | | |
|------------------|-------------------|-------------------|-------------------|----------------|------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>127</i> | <i>to</i> | <i>5</i> |
| <i>2000 K/22</i> | <i>0</i> | <i>MISSIM</i> | <i>area</i> | <i>0</i> | <i>10</i> |
| <i>1700 K/22</i> | <i>0</i> | <i>BHQ</i> | <i>HQ</i> | <i>COY</i> | <i>15</i> |
| <i>one</i> | <i>pl</i> | <i>COY</i> | <i>58/59</i> | <i>Bn</i> | <i>20</i> |
| <i>and</i> | <i>one</i> | <i>base</i> | <i>15</i> | <i>fd</i> | <i>25</i> |
| <i>amb</i> | <i>arrived</i> | <i>PIKIMUNG</i> | <i>0</i> | <i>B</i> | <i>30</i> |
| <i>COY</i> | <i>58/59</i> | <i>Bn</i> | <i>less</i> | <i>one</i> | <i>35</i> |
| <i>pl</i> | <i>bruce</i> | <i>0</i> | <i>B</i> | <i>COY</i> | <i>40</i> |
| <i>POWER</i> | <i>HOUSE</i> | <i>0</i> | <i>CHUBO</i> | <i>area</i> | <i>45</i> |
| <i>0</i> | <i>japs</i> | <i>made</i> | <i>further</i> | <i>attach</i> | <i>50</i> |
| <i>on</i> | <i>0</i> | <i>COY</i> | <i>2/6</i> | <i>Bn</i> | <i>55</i> |
| <i>at</i> | <i>midday</i> | <i>that</i> | <i>base</i> | <i>again</i> | <i>60</i> |
| <i>repulsed</i> | <i>our</i> | <i>casualties</i> | <i>3</i> | <i>wounded</i> | <i>65</i> |
| <i>estimated</i> | <i>enemy</i> | <i>casualties</i> | <i>64</i> | <i>0</i> | <i>70</i> |
| <i>enemy</i> | <i>still</i> | <i>in</i> | <i>contact</i> | <i>with</i> | <i>75</i> |
| <i>our</i> | <i> fwd</i> | <i>posts</i> | <i>0</i> | <i>our</i> | <i>80</i> |
| <i>patrols</i> | <i>searching</i> | <i>for</i> | <i>enemy</i> | <i>flank</i> | <i>85</i> |
| <i>0</i> | <i>situations</i> | <i>will</i> | <i>in</i> | <i>hand</i> | <i>90</i> |
| <i>0</i> | <i>1530 K/22</i> | <i>0</i> | <i>Boston</i> | <i>Bomb</i> | <i>95</i> |
| <i>and</i> | <i>strapped</i> | <i>PIMPLE</i> | <i>GREENHILL</i> | | <i>100</i> |
| <i>areas</i> | <i>0</i> | <i>further</i> | <i>details</i> | <i>NOT</i> | <i>105</i> |
| <i>to</i> | <i>hand</i> | <i>0</i> | <i>Ref</i> | <i>SITREP</i> | <i>110</i> |
| <i>4</i> | <i>men</i> | <i>since</i> | <i>died</i> | <i>of</i> | <i>115</i> |
| <i>wounds</i> | <i>0</i> | <i>Total</i> | <i>casualties</i> | <i>to</i> | <i>120</i> |
| <i>date</i> | <i>9</i> | <i>killed</i> | <i>70</i> | <i>wounded</i> | <i>125</i> |
| <i>informed</i> | | | | <i>all</i> | <i>130</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN *2036*

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *2044*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-------------|---------|------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>2114</i> | | <i>...</i> | | | | | | | | | |

T.O.R. *2130*

MESSAGE FORM

IN 492

Serial No. OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

XO1 LIC

No. of Groups GR.

OUT

109

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE 24 AUST INF BN

FROM 3 AUST DIV

Originator's Number 03507

Date 22

In Reply to Number

(Write horizontally)

Following is special instr from GOC for promulgation to all leaders down to sec leaders. Jap is very vulnerable when attacking as proved by recent fighting and particularly that now in progress MUBO area. 2000 Own the dug in with fire lanes cleared kill jap in large numbers with insignificant losses ourselves. On 21 June one coy 2/6 Bn defeated determined attack by one jap bn by standing fast. Attack finally crumbled in places only ten yards from our fwd posns. Every leader sec comd upwards is the medium to create confidence and ~~submiss~~ or fear and defeat. Leaders must develop ~~the~~ attitude of mind which will inspire tps under their commd to stand fast. Remember always truth of maxim fear and be slain.

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN 2310K

SIGNATURE: * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE:

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2329

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

1000 W.K. Sig

T.O.R.

0002

MESSAGE FORM

IN. 500.

CALL AND INSTRUCTIONS.

IN PG. 2. LIC
OUT

No. of Groups GR. 68

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO rptd 15 AUST INF BDE

FROM 3 AUST DIV

Originator's Number 03513

Date 23

In Reply to Number

(Write horizontally)

| | | | | |
|------------|------------|-----------------|---------------|-----|
| SECRET | 81TREP | 128 to 0800K/23 | MUBO | 5 |
| AREA | 1000K/23 | remaining 2 pls | D Coy | 10 |
| 2/5 bn | arrived | SADDLE | 1245-1630K/23 | 15 |
| gan | martan | suspected | from LABABIA | 20 |
| TRIG. | fixed | intermittently | into sur | 25 |
| perimeter | | HQ 2/6 bn | now at | 30 |
| 675814 | GUADAGARAH | 1/25000 | total | 35 |
| casualties | D. Coy | 2/6 bn | 11 killed | 40 |
| wounded | all | informed | | 45 |
| | | | | 50 |
| | | | | 55 |
| | | | | 60 |
| | | | | 65 |
| | | | | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0825

SIGNATURE: *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE:

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0825

T.O.R.

0956

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|---------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | Logan Blairidge Sig | | | | | | | | |

IN 503

Z. XO 2.

LIC.

24

15

GR

65

70

75

TO

NGF. RPTD. 15 AUST. INF BDE

FROM

3 AUST DIV

#656

23

80

ref

3 japs

reported

killed

subref

85

126

identified as

102 regt

90

95

100

105

110

115

120

125

130

Calvin

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

W 0958 Hansidwice Sig

10927

0934

1021

B B

Z X01

IN 507 CR 46

TO 15 AUST INF BDE rptd 24 AUST INF BN

FROM 3 AUST DIV 0 3516 23

instruct D coy 24 bn that all SITREP's sent
by them to you will be rptd 24 bn
also additional copy their daily int report
should be sent 24 bn.

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: (* (EXCEPT)) WIRELESS
SIGNATURE.....
* ORIGINATOR MAY DELETE 'EXCEPT' AND
INSERT 'INCLUDING.'

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.
SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN
1100 K

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1135 | W. Wallcott | | | | | | | | | |

T.H.I.
1105

T.O.R.
1143

Z

XOI

LIC

GR

65

70

70

15 AVST INF BDE 77 AVST INF BDE

IN

508

75

FROM

3 AVST DIV

I 658

23

80

ref

NGF G1523

of 21 apr para's 9 and 10

85

following will be strictly complied with

90

except in emergency only photos issued on

95

scale 3 as ASPs will be used for indication

100

air sp targets gridded oblique photos previous-

105

-ly issued by KANGA force as per appa A 70 G 1523

110

are considered ASPs ack

115

copy with file

120

125

130

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1126

T.O.R.

1145

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1144 | W. J. ... | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

PG 2 X02 OP

OUT

172

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 Div Rptd 15 BDE 2/5 2/7 Bns

FROM 17 BDE

Originator's Number

I607

Date

23

In Reply to Number

(Write horizontally)

Part 2 @ Arty @ 17 05 hrs MAT MAT 5
area and lower GUADAGASAL RIDGE 10
shelled by 70 MM jap gun and 15
also by ~~suspected~~ 75 MM jap gun 20
whose time of flight reported as 25
17 secs @ BITON VALLEY shelled with 30
smoke vicinity KUNDA BR @ flash 35
reported south end DRY CK BED @ 40
1710 to 1720 hrs our mtn bty 45
fired 11 rds at smoke observed ~~1730~~ 50
687864 @ 1735 hrs mtn bty fired 55
4 rds into KITCHEN CK @ AT 60
least 50 rds fired by enemy @ 65
2/5 Bn locations HQ less RGP 70
R GP 2 now SKINDEWAI @ R GP 75
banana 2 PL skindewai 4 PL 80
summit 5 PL NEILSCK @ A coy 85
GUADAGASAL B COY SUMMIT @ C COY 90
less one pl SKINDEWAI one pl 95
BLACK CAT @ D coy less one pl 100
SADNLE @ One pl D coy less one 105
sec BASE CAMP one sec LABABIA 110
OP @ End of second and last pl 115
part all informed 120
125
130

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

Immediate 2130

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2145

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| 4 | 2230 | W. K. H. J. | | | | | | | | | |

MESSAGE FORM

Serial No. **385**

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

Z T 100 Lie

122

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **PTD 15 BDE 58/59 BN**

FROM **300ST DIX**

Originator's Number

03517

Date

23

In Reply to Number

(Write horizontally)

SECRET

missin AREA

less one

B Coy staging

large

by stores at petty north side SALAMBUA

ISTHMUS

2/6

reports in

during morning

in mortar silenced

in WEST of perimeter

150 yds of

casualties

who are within 30/40 yds

our east flank

casualties

informed

129 to 2000 K/23

1700 K/23

PIBIMUNG

BAUNE

1512 K/23

permitted

our 3

at marker

man by

with

Squalling

consequences

the

to hand

2245

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OR PRIORITY

TIME OF ORIGIN

2022

SIGNATURE

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2033

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

2245

MESSAGE FORM

CALL
AND
INSTRUC-
TIONS.

IN

OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

(Write horizontally)

*Report your
camp
reported*

*make
1*

698902

*Inter
ref
by
Staging
Area*

2120

2130

2150

MESSAGE FORM

1 N 542

CALL AND INSTRUCTIONS.

IN SFM 2 LIC
OUT

No. of Groups GR.

120.

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO Rptd 15 Bde

FROM 3 Aust Div.

Originator's Number

03519

Date

24

In Reply to Number

| | | | | | |
|----------------------|------------|----------|------------|------------|-----|
| (Write horizontally) | | | | | |
| SECRET | ⊙ | SITREP | 130 | to | 5 |
| 0800K/24 | ⊙ | abissim | area | 2120K/23 | 10 |
| S/H | off | SALMAWA | lift up | shoreline | 15 |
| for | few | seconds | ⊙ | seen | 20 |
| from | SELEBOB | ⊙ | abubo | area | 25 |
| ⊙ | 1810K/23 | track | BASE | CAMP | 30 |
| LABABIA | OP | reported | clear | of | 35 |
| enemy | ⊙ Total | enemy | casualties | 23 | 40 |
| jun | estimated | 20 | ⊙ our | casualties | 45 |
| from | 21 | jun | to | 2000K/23 | 50 |
| 12 | killed | 1 | wounded | ⊙ | 55 |
| pm | 23 | jun | most | observed | 60 |
| woody | ISLAND | ⊙ | 1705K/23 | matmat | and |
| lower | GWADHAGASH | ridge | shelled | by | 70 |
| 70 | m m | gun | ⊙ KUNDA BR | | 75 |
| area | shelled | with | smoke | ⊙ flash | 80 |
| reported | south | end | DRY CK | BED | 85 |
| ⊙ | at | least | 50 | shells | 90 |
| fired | by | enemy | ⊙ flight | 23/24 | 95 |
| BASE | CAMP | reports | all | quitted | 100 |
| all | informed | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

bee

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0818

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0826

T.O.R.

0929

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| h | 0914 | | | | | | | | | | |

MESSAGE FORM

IN 550

CALL AND INSTRUCTIONS.

IN SFM 2 X03 LIC (D)
OUT

No. of Groups GR. 62
Serial No. OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO LAC AP. Salamana AP. rptd 15 Aust inf Bde 24 Aust inf Bn
FROM 3 Aust Div

Originator's Number 03522 Date 24 In Reply to Number

(Write horizontally)

| | | | |
|----------|------------|--------------|-----|
| pr | binoculars | despatched | 5 |
| both | O.P.'s | today @ 1 | 10 |
| each | previously | despatched @ | 15 |
| receipt | new | eqpt | 20 |
| now | on | hand | 25 |
| returned | this | H.Q. @ | 30 |
| on | new | articles | 35 |
| be | submitted | after | 40 |
| of | use | | 45 |
| | | | 50 |
| | | | 55 |
| | | | 60 |
| | | | 65 |
| | | | 70 |
| | | | 75 |
| | | | 80 |
| | | | 85 |
| | | | 90 |
| | | | 95 |
| | | | 100 |
| | | | 105 |
| | | | 110 |
| | | | 115 |
| | | | 120 |
| | | | 125 |
| | | | 130 |

| | | | | | | | | | | | | | | | |
|--|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|----------------|--|--|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (*EXCEPT) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN | | | |
| SIGNATURE | | | | SIGNATURE | | | | | | | | 0945 | | | |
| * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | | | | | | | | | | | | T.H.I. 1000. | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | | T.O.R. 1035 | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | | | | |
| 41030 | | | | | | | | | | | | | | | |

B B

MESSAGE FORM

IN

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

SFM. 2 X01 LIC (P)

83

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 Aust inf Bde 17 Aust inf Bde 24 Aust inf Bn rptd air sp party 5 AF*

FROM *3 Aust Div* Originator's Number *03521* Date *24* In Reply to Number

(Write horizontally)

| | | | | | |
|-----------------|-------------------|--------------------------|------------------|-------------------|-----|
| <i>5</i> | <i>air</i> | <i>force</i> | <i>advise</i> | <i>that</i> | 5 |
| <i>except</i> | <i>in</i> | <i>operational</i> | <i>emergency</i> | | 10 |
| <i>requests</i> | <i>for</i> | <i>air</i> | <i>attacks</i> | <i>to</i> | 15 |
| <i>be</i> | <i>carried</i> | <i>out</i> | <i>following</i> | <i>day</i> | 20 |
| <i>must</i> | <i>be</i> | <i>received</i> | <i>early</i> | <i>in</i> | 25 |
| <i>the</i> | <i>evening</i> | <i>as</i> | <i>it</i> | <i>is</i> | 30 |
| <i>at</i> | <i>this</i> | <i>time</i> | <i>that</i> | <i>allocation</i> | 35 |
| <i>are</i> | <i>made</i> | <i>of</i> | <i>aircraft</i> | <i>for</i> | 40 |
| <i>missions</i> | <i>the</i> | <i>following</i> | <i>day</i> | <i>Request</i> | 45 |
| <i>received</i> | <i>at</i> | <i>this</i> | <i>H.Q.</i> | <i>after</i> | 50 |
| <i>1800</i> | <i>hrs</i> | <i>stand</i> | <i>little</i> | <i>chance</i> | 55 |
| <i>of</i> | <i>acceptance</i> | <i>ack</i> | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| <i>S.C</i> | | <i>ack'd 0312</i> | <i>Blw</i> | <i>our 0313</i> | 90 |
| | | <i>repeated to 58/59</i> | <i>24 Bn</i> | | 95 |
| | | <i>2/3 indef con</i> | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

Important

0930X

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0938

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

1035

MESSAGE FORM

IN 564

CALL AND INSTRUCTIONS.

IN

PG. 2. X02. LIC (P)

OUT

No. of Groups GR.

77

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO NGF. RPTD 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST. DIV

Originator's Number

I 664

Date

24

In Reply to Number

(Write horizontally)

| | | | |
|--------------------|---------------------|------------------|-----|
| documents captured | LABABIA RIDGE | and | 5 |
| GOODVIEW JUNC. | ref | map | 10 |
| 707918 | give | details | 15 |
| HQ. 66. | with | 1 and 2 Bns | 20 |
| in | attach | LABABIA RIDGE | 25 |
| date | 0 | 66 regt came | 30 |
| plane | destroyer submarine | to | 35 |
| over | period | MARCH. | 40 |
| 0 | relieved | 102 regt | 45 |
| WEEKS 0 | preliminary | translations and | 50 |
| all | documents found | at | 55 |
| | | | 60 |
| | | | 65 |
| | | | 70 |
| | | | 75 |
| | | | 80 |
| | | | 85 |
| | | | 90 |
| | | | 95 |
| | | | 100 |
| | | | 105 |
| | | | 110 |
| | | | 115 |
| | | | 120 |
| | | | 125 |
| | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Important

TIME OF ORIGIN

1955

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H. 2007

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

L-016 B (onside) leg

T.O.R.

MESSAGE FORM 114 367

| | | | | |
|-------------------------------|-----|-------------|-----------------------------|--|
| CALL AND INSTRUCTIONS. | IN | 76. L. L.C. | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | 81 | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | |
|--------------------|------------------------------|------------|--------------------|
| TO RPTD. 15 BDE | Originator's Number 03527 | Date 24 | In Reply to Number |
| FROM 3 AVST DIV | | | |

| (Write horizontally) | | | | | |
|----------------------|------------|----------|---------------|-----------------|-----|
| SECRET. O | supp | 131 to | 2000 K/24 | O MISSING | 5 |
| AREA O | 0815 K/24 | WELLS OP | reports | 9 allied | 10 |
| bombers | bombed | and | strapped | SALAMAU | 15 |
| airfield | O | portion. | foot-bridge | mouth FRANCIS | 20 |
| destroyed O | all dump | south | of airfield | ignited causing | 25 |
| black smoke | 1000 ft | high | O. SALAMAU OP | | 30 |
| reports | near | miss | on | O DEHS | 35 |
| HOUSE | O | confirms | hit | on | 40 |
| oil | dump | O | MUBO | AREA | 45 |
| O | 0900 K/24 | | HQ. 17 BDE | | 50 |
| Closed | SKINDEWAI | repaired | | same | 55 |
| time | GUADAGASAL | | | all informed | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | | | | | | | | | |
|---|---|---|---|------------|----------|--------|--------|------------|----------|--------|--------|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (*EXCEPT) WIRELESS</p> <p>SIGNATURE.....</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE.....</p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> | <p>TIME OF ORIGIN</p> <p style="font-size: 1.5em;">2020</p> <hr/> <p>T.H.I.</p> <p style="font-size: 1.5em;">2048</p> <hr/> <p>T.O.R.</p> <p style="font-size: 1.5em;">2130</p> | | | | | | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | Blowside | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN PG Z. X02. LIC (P)

OUT

No. of Groups GR. 77

Serial No. 11571

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO NGF. RPTD 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST. DIV

Originator's Number I 664

Date 24

In Reply to Number

(Write horizontally)

| | | | | | |
|--------------------|---------------------|-------------|-------------|----------|----|
| documents captured | LABABIA | RIDGE | and | 5 | |
| GOODVIEW JUNC. | ref. | map | KONNATUMI | 10 | |
| 707918 | 21 Jun | give | details of | 15 | |
| HQ. bb | regt | with | 1 and 2 Bns | 20 | |
| in | attack | LABABIA | RIDGE that | 25 | |
| date | 0 | bb regt | came by | 30 | |
| plane | destroyer submarine | to | FINSCHAFFEN | 35 | |
| over | period | MARCH. | to MAY | 40 | |
| 0 | relieved | 102 regt | in | RECENT | 45 |
| WEEKS | preliminary | translation | and | 50 | |
| all | documents | found | at | earliest | 55 |
| | | | | 60 | |
| | | | | 65 | |
| | | | | 70 | |
| | | | | 75 | |
| | | | | 80 | |
| | | | | 85 | |
| | | | | 90 | |
| | | | | 95 | |
| | | | | 100 | |
| | | | | 105 | |
| | | | | 110 | |
| | | | | 115 | |
| | | | | 120 | |
| | | | | 125 | |
| | | | | 130 | |

Added passed to 73 ind Coy

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Important

TIME OF ORIGIN

1955

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 2086 | | Bloussac | Sig | | | | | | | | |

T.H.I. 2007

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

CIPHER SECRET

IN

No. of Groups GR.

570
277

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

(1) 15 AUST INF BDE (2) 17 AUST INF BDE (3) 24 BN (4) 2/7 BN (5) 57/60 BN

FROM

3 AUST DIV

Originator's Number

03 526

Date

24

In Reply to Number

| | | | | | |
|-------|----------|------|-----------|-------|-----------------|
| D by | 57/60 | AUST | INF | BN | will |
| be | referred | to | by | that | will |
| take | and | NOT | MARILINAN | FORCE | or |
| other | code | name | @ | all | referred |
| egw | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

1630

T.H.I. 2057

T.O.R. 2150

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

2305

MESSAGE FORM

Serial No. 10

No. of Groups

GR.

120

TIME DATE STAMP

579

CALL AND INSTRUCTIONS.

IN

Z LIC

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO APTD 15 BDE

FROM 3AUST DIV

Originator's Number

03531

Date

25

In Reply to Number

| (Write horizontally) | | | | |
|----------------------|-----------|-------------|-----------------------|---------------|
| SECRET | MISSIM | Subv | 132 to | 0800K 25 |
| 25 | japs seen | AREA | at | 1910K 24 |
| one | inch | MUBO | 753006 | SALAWAU 15 |
| H | BOSTONS | AREA | accurately bombed and | 1104K 24 |
| shuffled | DRY CK | BED | BIANANA | PATCH 25 |
| and | ARCHWAY | MUBO | AREA | AREA 30 |
| 24 | line | Tracks from | BASE CAMP | to 35 |
| LABABIA | OP | and | VICKERS | RIDGE 40 |
| reported | clear | of enemy | JAP TRACK | 50 |
| reced | to | 694847 | MUBO | 1125000 55 |
| no | mut | seen but | number | of 60 |
| weapons | pits | found | to the | south 65 |
| and | most | of | own | possis 70 |
| patrols | all | round | area | other 75 |
| no | mut | evening | 24 JUNE | apart 80 |
| from | 2/3 | indep | copy | wached 85 |
| and | reports | VIALS | Track | clear of 90 |
| enemy | had | informed | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0825

SIGNATURE ORIGINATOR MAY DELETE "EXCEPT" AND INSERT INCLUDING

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

0858

MESSAGE FORM

IN 585 14

| | | | | |
|------------------------|-----|--------|---------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | TO WIC | No. of Groups | OFFICE DATE STAMP |
| | OUT | | GR. | |
| | | | 28 | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15AUST INF BDE

FROM 3AUST DIV

Originator's Number
03532

Date
25

In Reply to Number

| (Write horizontally) | | | | |
|----------------------|--------|-----------|----------------------|----|
| last | report | B coy | 58/59 bn was | 5 |
| at BAIKHE | on | night | 23/24 | 10 |
| have | they | arrived | PILMUNG | 15 |
| | | | | 20 |
| | | | | 25 |
| | | | | 30 |
| | | | | 35 |
| | | | | 40 |
| | | | | 45 |
| | | | | 50 |
| | | | | 55 |
| L 0959 | 2 | Dismissed | 0930 0948 1012 | |

P/A

MESSAGE FORM

22

| | | | | | |
|------------------------|-----|---------|-----|----------------------------|--|
| CALL AND INSTRUCTIONS. | IN | Z X O 2 | LIC | No. of Groups GR. 85 | Serial No. OFFICE DATE STAMP 391 |
| | OUT | | | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

#668

Date

25

In Reply to Number

(Write horizontally)

| | | | |
|----|------------|-----------|----------------|
| 5 | whistle | signals | for use within |
| 10 | dash | attack | dash |
| 15 | advance | dash | halt |
| 20 | retreat | dash | right |
| 25 | left | dash dash | assemble |
| 30 | one | dash dash | two |
| 35 | three | dash dash | understand |
| 40 | 3 Coy 1 bn | bb regt | MUBO 21 jun |
| 45 | | | 1015 |
| 50 | | | 1028 |
| 55 | | | 1055 |
| 60 | | | |

MESSAGE FORM

594
Serial No. 321

| | | | | |
|-----------------------|-----|-------|---------------|-------------------|
| CALL AND INSTRUCTIONS | IN | 2 LIC | No. of Groups | OFFICE DATE STAMP |
| | OUT | | GR. | |
| | | | 24 | |

TO (ABOVE THIS LINE FOR SIGNALS USE ONLY.)

15 bdc

| | | | | |
|---------|------------|---------------------|------|--------------------|
| FROM | 3 aust Div | Originator's Number | Date | In Reply to Number |
| | | I 673 | 25 | |
| ref | 3 | japs | 21 | juni |
| 7806916 | KOMINTSUM | 1/25000 | 0 | on |
| which | directions | are | japs | traveling |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1145

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1240 | | Wright | | | | | | | | |

T.H.I. 1231

T.O.R. 1205

MESSAGE FORM

Serial No. 58

CALL AND INSTRUCTIONS

IN

OUT

RRS PG. 2. LHC

No. of Groups
GR.

OFFICE DATE STAMP

0331

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

99756

Date

25

In Reply to Number

0303/23

*your amenities officer cannot be called
I find for h.o. duties @ you should
get any additional h.o.'s
from without your comd*

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1505

T.H.I.
1602

T.O.R.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>1631</i> | <i>Blanc</i> | <i>Sig</i> | | | | | | | | |

MESSAGE FORM

IN

Serial No. _____

No. of Groups **GR.** _____

OFFICE DATE STAMP **623**

CALL AND INSTRUCTIONS

IN *PG 2 LIC (P)*

OUT _____

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *15 Aust inf Bde*

FROM

3 Aust Div

Originator's Number

03338

Date

25

In Reply to Number

0320

| | | | | | | | |
|------------|--|--|--|--|--|--|--|
| <i>ack</i> | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Important

TIME OF ORIGIN

2035

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *2043*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>W</i> | <i>2056</i> | <i>Boyle</i> | | | | | | | | | |

T.O.R.

MESSAGE FORM

IN

CALL AND INSTRUCTIONS.

IN PG 2 LIC
OUT

No. of Groups GR.

Serial No. OFFICE DATE STAMP

124

627

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO Rtd 15 Aust inf Bde

FROM 3 Aust Div

Originator's Number

03537

Date

25

In Reply to Number

(Write horizontally)

| | | | | | | |
|----------|------------|----------|-----------|----------|-----|-----|
| SECRET | Sitrep | 133 | Ad | 2000K/25 | 5 | |
| © | SALAMAWA | OP | © | 0650K/25 | 10 | |
| © | Hq | bomber | dropped | 5 | 15 | |
| bombs | on | POLICE | BARRACKS | area | 20 | |
| Salamawa | 1/25000 | 734015 | © | MISSIM | 25 | |
| AREA | © | 1900K/25 | HQ | 58/59 | 30 | |
| bn | HQ. | coy | A coy | MISSIM. | 35 | |
| B coy | less | Awo | pls | SELEBUB | 40 | |
| Awo | pls | PIHIMUNG | © coy | less | 45 | |
| Awo | pls | MISSIM | two | pls | 50 | |
| SELEBUB | © | 1400K/25 | WELLS | OP. | 55 | |
| Report | footbridge | mouth | FRANCISCO | river | 60 | |
| repaired | © | MWBO | area | © | 65 | |
| 1800K/25 | D | coy | 2/6 | bn | 70 | |
| plus | 4 | pl | HQ | coy. | 75 | |
| arrived | June | BITOI | and | BUYAWIM | 80 | |
| RIVERS | from | LABABIA | RIDGE | on ? one | 85 | |
| pl | D | coy | 2/5 | bn | 90 | |
| now | at | BASE | CAMP | © wau | 95 | |
| bulolo | area | © | 1220 | 28K/25 | one | 100 |
| Type | DINAH | over | WAW. | BUKOKO | 105 | |
| alla | informed | | | | 110 | |
| | | | | | 115 | |
| | | | | | 120 | |
| | | | | | 125 | |
| | | | | | 130 | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2021

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2030

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| 2051 | | Boyle | | | | | | | | | |

MESSAGE FORM

IN 630

CALL AND INSTRUCTIONS.

IN

2 X01

OUT

No. of Groups GR.

91

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

03536

Date

25

In Reply to Number

(Write horizontally)

| | | | | | |
|-------------|---------|-------------|-------------|-----------|----|
| one | L O | for | each | 15 | 5 |
| bde | and | 17 | bde | will | 10 |
| leave | this | H Q | am 26 | jun | 15 |
| prior | to | d day | they should | | 20 |
| be | given | opportunity | to | visit | 25 |
| food | areas | | from | d | 30 |
| day | they | will | remain | at | 35 |
| respective | bde | H Q | to return | when | 40 |
| called | for | by | this | H Q | 45 |
| | unless | bde | comd | requires | 50 |
| there | earlier | return | for | urgent | 55 |
| operational | reasons | | CAPT | BREEDLOVE | 60 |
| is | also | proceeding | to | 17 | 65 |
| bde | for | liaison | duties | between | 70 |
| 17 | bde | and | MACMECKNIE | | 75 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2227

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 2250

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

2359

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

PG 7
IN

No. of Groups
GR.

6316

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

RPTD. 15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

03541

Date

26

In Reply to Number

secret

0

search

136 40

0800K/26

0

signature

all

informal

IN

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0800

T.H.I.
0835

T.O.R.

0850

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|------------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>0835</i> | <i>Blomfield</i> | <i>Sib</i> | | | | | | | | |

MESSAGE FORM

Serial No. *101*

CALL AND INSTRUCTIONS

IN *2*

OUT *BMS*

No. of Groups

GR. *29*

OFFICE DATE STAMP

IN 658

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *15 BDE*

FROM *3 DIV*

Originator's Number

1677

Date

26

In Reply to Number

*Graded
ODRNS
each
AD 14*

*oblique
27 Jun
AA 11
AE 15*

*Air
⊙
AE 1-2
ack*

*photos despatched
2 copies
AC 13
receipt*

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2115

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 2118

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>2118</i> | <i>[Signature]</i> | <i>[Signature]</i> | | | | | | | | |

T.O.R. 2215

MESSAGE FORM

Serial No. 62
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

99

W 658

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE

FROM 3 DW

Originator's Number
03553

Date
26

In Reply to Number

(Write horizontally)

| | | | | | |
|-----------------|-----------------|--------------------|----------------------|----------------------|-----|
| <u>Secret</u> | <u>①</u> | <u>Setup</u> | <u>137 to</u> | <u>2000K/26</u> | 5 |
| <u>patrols</u> | <u>MUBO</u> | <u>Area</u> | <u>①</u> | <u>26 Jun</u> | 10 |
| <u>report</u> | <u>both</u> | <u>sides</u> | <u>gap</u> | <u>track</u> | 15 |
| <u>694856</u> | <u>sounds</u> | <u>of</u> | <u>enemy</u> | <u>activity</u> | 20 |
| <u>AREA</u> | <u>MUBO</u> | <u>1/25000</u> | <u>①</u> | <u>MARAWINAN</u> | 25 |
| <u>bound</u> | <u>①</u> | <u>24 Jan</u> | <u>3 police boys</u> | | 30 |
| <u>natives</u> | <u>and</u> | <u>beaten</u> | <u>by</u> | <u>MARUM VILLAGE</u> | 35 |
| <u>rifles</u> | <u>LP</u> | <u>9037</u> | <u>MARKHAM STRAT</u> | <u>①</u> | 40 |
| <u>escaped</u> | <u>and</u> | <u>amm. stolen</u> | <u>①</u> | <u>boys</u> | 45 |
| <u>white</u> | <u>①</u> | <u>report</u> | <u>threats</u> | <u>against</u> | 50 |
| <u>Libby</u> | <u>miss</u> | <u>WAV</u> | <u>BULOLO</u> | <u>AREA</u> | 55 |
| <u>height</u> | <u>10227</u> | <u>1033 K</u> | <u>26</u> | <u>1 type</u> | 60 |
| <u>sun</u> | <u>over</u> | <u>WAV</u> | <u>Buloko</u> | <u>SUNSHINE</u> | 65 |
| <u>informed</u> | <u>20000 ft</u> | <u>①</u> | <u>morning</u> | <u>26</u> | 70 |
| | <u>B</u> | <u>coy</u> | <u>IB</u> | <u>less</u> | 75 |
| | <u>arrived</u> | <u>WAV</u> | <u>Buloko</u> | <u>all</u> | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

210216

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING"

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2038

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | <u>2104</u> | | | | | | | | | | |

T.O.R.

2215

MESSAGE FORM

Serial No.

| | | | | |
|------------------------------|-----|--------------------|---------------|-------------------|
| CALL AND INSTRUCTIONS | IN | Pd - Z - X01 - LIC | No. of Groups | OFFICE DATE STAMP |
| | OUT | | GR. 32 | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15 aust inf bde rptd 17 aust inf bde

FROM 3 aust div

| | | |
|---------------------|------|--------------------|
| Originator's Number | Date | In Reply to Number |
| 03551 | 26 | |

advise @ one @ map ref BASE 4 @
two @ what the are in this area

Area 2' sheet 13. 692 929
See Bpe strength 15.

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1615

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.
1015

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|----------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1639 | OK | S. J. G. | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

z BHC

No. of Groups
GR.

78

OFFICE DATE STAMP

IN 669

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Rptd 15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

03559

Date

27

In Reply to Number

Secret

0

Sitrep

138

to

0800K/27

0

MARKHAM AREA

0

0602

- 0608K/27 3

in

mortar

fired

36

bombs into

jap

camp

in

vicinity

565432

NADZAB

1

in

jap

replicated with

10

mortar

bomb

0

our

casualties nil

enemy

NOT

known

0

mission area

1700K/26

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

0945

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|----------|-----|-------|-----|---------|------|
| A | COY | 58/59 | bn | arrived | BASE |
| CAMP | © B | COY | and | whole | of |
| C | COY | now | at | MISSIM. | all |
| informed | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0817K

T.H.I. 0830

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

Z Lie (P)

No. of Groups
GR.

54

OFFICE DATE STAMP

677

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15 Aust inf Bde

FROM 3 Aust Div

Originator's Number

03559

Date

27

In Reply to Number

secret @ further to my. @ 3554 of 26 June
 @ vickers gun postm att 697970 was
 NOT included owing to difficulty of
 indicating target to the dir
 force @ advise if you can deal
 with this target from your own
 resources without air support

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 *(EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN GYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

Important.

SIGNATURE
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

TIME OF ORIGIN

0945K

T.H.I. 0951

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

Log 0945K
 Post

MESSAGE FORM

Serial No. 2

CALL AND INSTRUCTIONS

IN

OUT

~~OUT~~ PG. Z XO2 216 (P)

No. of Groups

GR. 27

OFFICE DATE STAMP

27/11/67

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

17 AUST INF BDE rptd 15 Aust Inf Bde

FROM

3 Aust Div.

Originator's Number

03558

Date

27

In Reply to Number

6 BOSTONS will attack PIMPLE and BUIG AP
CK. (T) TOT 0800 hrs.

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

Important

TIME OF ORIGIN

0250

SIGNATURE _____
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 0300

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|-----------------|-----------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <u>P</u> | <u>0305</u> | <u>G. G. G.</u> | <u>G. G. G.</u> | | | | | | | | |

MESSAGE FORM

Serial No. _____
 No. of Groups _____
 OFFICE DATE STAMP
 GR. **11/683**
 18

CALL AND INSTRUCTIONS

IN

BRK 2 LIC

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

03563

Date

27

In Reply to Number

I 357

in series

future

give

references on

1/25000

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 *(EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

1036

SIGNATURE _____
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1042*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|-------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>h</i> | <i>1125</i> | <i>Boyd</i> | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

Z

LIC

OUT

No. of Groups

GR.

OFFICE DATE STAMP

20

IN 684

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

I682

Date

27.

In Reply to Number

#1

my ref

I659

OF

23 ⊕

expedited

staging camp

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1115

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

1120

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | | Kayle | | | | | | | | | |

MESSAGE FORM

Serial No. *25*

CALL AND INSTRUCTIONS

IN

OUT

AAO 2 LIC

No. of Groups

GR.

265

OFFICE DATE STAMP

IN 687

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

1500ST INF BDE

FROM

200ST DIV

Originator's Number

I 683

Date

217

In Reply to Number

despatched

air photos

1682

prints

59

to

be

odd

numbers

only

ack

when

received

THIS MESSAGE MAY BE SENT **AS WRITTEN** *(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1242

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 1245

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

T.O.R.

Handwritten marks in the bottom left grid

MESSAGE FORM

Serial No. **34**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
OUT

1W6

No. of Groups
GR. 43

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **150UST INF BDE**

FROM **300UST DIV**

Originator's Number
I 686

Date
27

In Reply to Number

| | | | | | |
|---------|---------|----------|-------|-------------|----------------|
| Further | to | my | I 683 | ⊙ | interpretation |
| of | photos | reveals | but | in southern | |
| def | room | KOMIATUM | has | been | destroyed |
| since | 23 | may | and | two | new |
| huts | 520 | yds | SW | of KOMIATUM | Have |
| been | erected | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1500

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I. 1507

T.O.R. 1520

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

ME Z LIC/N

No. of Groups

GR.

OFFICE DATE STAMP

7 53/6

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

RPTD 15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

0 3564

Date

27

In Reply to Number

SECRET

⊙

itrep

139

As 2000 H/27

⊙

MARKHAM

AREA

⊙

1545 H/26

⊙

patrol

observed three marks and 17 ship between island approx

30 ft power launches with native outriggers on sand south bank MARKHAM RIVER and 580428 NADZAB one inch all

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2032

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *2041*

T.O.R. *2105*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|-------------|--------------------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L</i> | <i>2010</i> | <i>[Signature]</i> | <i>[Signature]</i> | | | | | | | | |

MESSAGE FORM

Serial No. 7

CALL AND INSTRUCTIONS

IN

OUT

~~AAW~~ Z XO 1 N LC

No. of Groups

GR.

HW

OFFICE DATE STAMP

28

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

03566

Date

2/8

In Reply to Number

ONE MITCHELL missing 27 gun from
 flight of four dropping supplies
 last seen at 1410 K flying
 WEST just past SELEBOB
 4500 please make all possible
 investigations and advise

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 *(EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN
0800

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.
0707
 T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|------------|-----------|--------------------|--------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <u>2/8</u> | <u>20</u> | <u>[Signature]</u> | <u>[Signature]</u> | | | | | | | | |

MESSAGE FORM

Serial No. 8

| | | | | |
|------------------------------|-----|-----|---------------|-------------------|
| CALL AND INSTRUCTIONS | IN | PCT | No. of Groups | OFFICE DATE STAMP |
| | OUT | MAG | GR. 48 | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO RPTD 15AUST INF BDE

FROM 2AUST DIV

Originator's Number

03567

Date

28

In Reply to Number

| | | | | |
|----------------|------|----------|-----------------|----------|
| SECRET | (1) | SITREP | 140 to 0800K/28 | (1) |
| MUBO AREA | 0855 | 0930K/27 | air attack by | |
| BOSTONS | DN | KITCHEN | GREEN BILLY | |
| PIMPLE | (1) | 2H BOMBS | dropped | 26 |
| straffing runs | | made | reported very | accurate |
| all informed | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815

T.H.I.

T.O.R. 1155

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. 8

| | | | | | | |
|-----------------------|-----|----|---|----|---------------|-------------------|
| CALL AND INSTRUCTIONS | IN | PH | Z | LC | No. of Groups | OFFICE DATE STAMP |
| | OUT | | | | GR 48 | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO RPTD 15AUST INF BDE

FROM 3AUST DIV

Originator's Number

03567

Date

28

In Reply to Number

| | | | | |
|--------------|------|----------|-----------------|----------|
| SECRET | ① | SITREP | 140 to 0800K/28 | ① |
| MUBO AREA | 0855 | 0930K/27 | air attack by | |
| BOSTONS | DN | KITCHEN | GREEN BILLY | |
| PIMPLE | ① | 2H BOMBS | dropped | 26 |
| strapping | mins | made | reported very | accurate |
| all informed | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0815
T.H.I.
0835

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

2 LC

No. of Groups

OR.

21

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

15 Aust Inf Bde

FROM

3 Aust Div

Originator's Number

61152

Date

28

In Reply to Number

Ref
to

our signal
acknowledged.

1658

of

23 June

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1540

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 1541

T.O.R.

1615

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| D | | Hayden | | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 BDE

FROM 308 T DIV

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | | |
|----------|----------|----------|--------------|-------|-----|
| secret | (.) | setref | 141 to | 2000 | 5 |
| K/28 | (.) | MARKHAM | AREA | (.) | 10 |
| 1345 | R/28 | COY PIB | less | 7 | 15 |
| pl | arrived | SUNSHINE | and | came | 20 |
| under | comd | 24 | bn | (.) | 25 |
| area | (.) | 1530 K | 28 | HQ | 30 |
| arrived | (.) | MEARS CK | 643974 | | 35 |
| KOMIATUM | 1/25000 | (.) | mu to | area | 40 |
| (.) | 28jun | patrol | perid | one | 45 |
| found | taps | at | 694849 | MUBO | 50 |
| 1/25000 | (.) | one yak | believed hit | (.) | 55 |
| man | bulolo | area | (.) | 1058- | 60 |
| 1118 | K/28 | one type | DINAH | over | 65 |
| WAV | BULOLO | at | 20000 | ft | 70 |
| all | informed | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

2020

T.H.I. 2042

T.O.R.

2103

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. **48**

CALL AND INSTRUCTIONS.

IN

OUT

22 X013

No. of Groups

GR.

68

OFFICE DATE STAMP

754

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **3AUST INF BDE RPTD 24AUST INF BN DECOY 24AUST INF BN**

FROM

3AUST DR

Originator's Number

03576

Date

28

In Reply to Number

0343

NOT to 24 bn **(C)** 24 Aust inf bn are arranged for three mortar personnel to report to D Coy 24 BN to man 3 inch mortars already with D Coy personnel will move **NOTE** on 29 July all ack.

acked I377 234010/28

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2240K

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2252

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

| | | | | | | |
|----|---------|---------|----------|-------|---------|-----|
| | | | | | 75 | |
| | Z. | LIC. | GR | 20 IN | 789 | 80 |
| | | | | | | 85 |
| To | 15 AUST | INF BDF | | | | 90 |
| | 3 AUST | DIV | I699 | 29. | - | 95 |
| | your | intrep | 10 @ | send | 1/25000 | 100 |
| | maps | to | Salamana | op. | | 105 |
| | | | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 BY ANY MEANS: (*(EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|-----------------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1505 | B | Com. dir Sig | | | | | | | | |

1439
1455

| | | | | |
|--------------------|--------------------|--------|----------|----------|
| | | | | 80 |
| <i>[Signature]</i> | 1330h | | | 85 |
| 29 | <i>[Signature]</i> | Z | LIC | 19 |
| | | | | 90 |
| | | | | 95 |
| | RPTCL 15 BDL | | | 100 |
| | 3 AVST DIV | 03578 | 29 | 105 |
| SECRET | ⊙ | sitrep | 142 A0 | 0800K/29 |
| ⊙ | SITNOR | all | informed | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (*(EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0812

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0822

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-----------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 0925 | W. Walker | Arg | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

BB.
1116

Z T X012 LIC. (P)

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

13N
797

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 AUST INF BDE. rptd. 2/3 AUST IND COY SIGS. 3 AUST DIV*

FROM *3 AUST DIV*

Originator's Number

03583

Date

29

In Reply to Number

(Write horizontally)

| | | | | | |
|-----------------------|-----------------------------|------------------|--------------------|-------------------|-----|
| <i>following</i> | <i>message</i> | <i>received</i> | <i>Quote</i> | <i>5 AF</i> | 5 |
| <i>rptd</i> | <i>15 BDE</i> | <i>from</i> | <i>2/3 IND COY</i> | <i>text</i> | 10 |
| <i>air</i> | <i>flash</i> | <i>102 japs</i> | <i>in</i> | <i>close</i> | 15 |
| <i>formation</i> | <i>moving</i> | <i>SOUTH.</i> | <i>towards</i> | <i>KOMIATUM</i> | 20 |
| <i>is expected to</i> | <i>reach</i> | <i>KOMIATUM</i> | <i>0930 hrs</i> | | 25 |
| <i>clouds</i> | <i>3000 visibility fair</i> | <i>unquote</i> | <i>air</i> | | 30 |
| <i>flash</i> | <i>procedure is to</i> | <i>be</i> | <i>used</i> | | 35 |
| <i>only</i> | <i>for</i> | <i>reporting</i> | <i>ENEMY</i> | <i>A/C.</i> | 40 |
| <i>is address of</i> | <i>above message in-</i> | <i>correct</i> | | | 45 |
| <i>should</i> | <i>have</i> | <i>been</i> | <i>3 AUST DIV</i> | <i>RPTD</i> | 50 |
| <i>15 BDE</i> | <i>is for</i> | <i>QUICK</i> | <i>REPORTING</i> | <i>targets</i> | 55 |
| <i>for</i> | <i>air</i> | <i>attack</i> | <i>priority</i> | <i>AIR IMMED.</i> | 60 |
| <i>-GATE</i> | <i>is correct</i> | <i>is</i> | <i>result</i> | <i>of above</i> | 65 |
| <i>message</i> | <i>was</i> | <i>that</i> | <i>fighter</i> | <i>control</i> | 70 |
| <i>warned</i> | <i>fighter</i> | <i>cover</i> | <i>them</i> | <i>in</i> | 75 |
| <i>air</i> | <i>and</i> | <i>possibly</i> | <i>that</i> | <i>jap</i> | 80 |
| <i>formation</i> | <i>A/C.</i> | <i>your</i> | <i>area</i> | <i>which</i> | 85 |
| <i>may</i> | <i>result</i> | <i>in no</i> | <i>dropping</i> | <i>in your</i> | 90 |
| <i>area</i> | <i>today</i> | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

Important

1200

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|---------------|---------|-------------------|------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>L 1309</i> | | <i>Blancidini</i> | <i>Sig</i> | | | | | | | | |

T.H.I.
1211

T.O.R.

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN *2* *WPN* *8*

No. of Groups
GR. *284*

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *RPTD 15 BUST INF BDE*

FROM *3 BUST DIV* Originator's Number *03592* Date *29* In Reply to Number

(Write horizontally)

SECRET

1 *MARKHAM* *Area* *1113* *to* *2000K/29* *5*

214 *by* *mustard* *fixed* *6* *rounds* *into* *10*

1/4 *def* *posns* *square* *5643* *NADZUS* *15*

one *inch* *1* *1/4* *replied* *with* *20*

25 *rounds* *from* *believed* *70* *mm* *25*

gun *probably* *on* *north* *bank* *30*

MARKHAM *1* *0905K* *29* *party* *appro* *35*

20 *1/4* *s* *ambushed* *at* *545430* *1* *40*

enemy *casualties* *6* *killed* *5* *wounded* *45*

1 *our* *casualties* *one* *1* *enemy* *50*

withdrew *but* *covered* *the* *body* *55*

with *L.M.C.* *1* *1145K/29* *wounded* *60*

front *a* *further* *28* *rounds* *into* *65*

1/4 *posns* *incl* *L.M.C.* *posn* *1* *70*

1155 *—* *1202* *K/29* *1/4* *gun* *replied* *75*

with *9* *shells* *1* *130K/29* *80*

8 *coy* *PIB* *less* *7* *pl* *arrived* *MUMENGT* *85*

from *SUNSHINE* *1* *maruban* *area* *90*

1 *0930K/28* *7* *pl* *PIB* *and* *100*

det *1/4* *3* *div* *arrived* *TSILI* *TSILI* *105*

1 *7* *pl* *PIB* *established* *SURAK* *110*

OK *958295* *wamen* *one* *inch* *1* *115*

MISSIM *AREA* *1* *0800K/29* *120*

HQ *15* *BDE* *1* *PIB* *in* *125*

1 *MISSIM* *same* *time* *1* *C* *coy* *130*

| | | | | | | | | | | | | | | | |
|---|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|----------------|--|--|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN | | | |
| SIGNATURE | | | | SIGNATURE | | | | | | | | | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | | T.H.I. | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | T.O.R. | | | |
| | | | | | | | | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

WJ 806

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | |
|------------|-----------------------|---------------|-----|
| 58/59 | B. reading for day at | 669974 | 5 |
| KOMIATUM | 1/25000 | reading party | 10 |
| 6 men | to KEKA HILL | area | 15 |
| on | by jap sentry on top | | 20 |
| of KEKA | sentry reinforced | | 25 |
| on party | withdraw to MEARS | CK | 30 |
| 150K/29 | large column | | 35 |
| make | SAKAMAWA | 1/25000 | 40 |
| after | one jpc had been | over | 45 |
| area | MUBO AREA | | 50 |
| FWD | elements D Coy | 2/6 | 55 |
| at 810827 | mubo | 1/25000 | 60 |
| 11848 | 1645 K 29 | lababia | 65 |
| reports by | bombing | and | 70 |
| DVANI | NASSAU BAY | all | 75 |
| | | informed | 80 |
| | | | 85 |
| | | | 90 |
| | | | 95 |
| | | | 100 |
| | | | 105 |
| | | | 110 |
| | | | 115 |
| | | | 120 |
| | | | 125 |
| | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: *(EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
*ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING"

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

2045

T.H.I. 2056

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

| | | | | | |
|--------|-----------|----------|---------|----|---------|
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| 15 | AUST | INF | BDE | | |
| 3 | AUST | DIV | I 8 90 | 29 | I 369 |
| report | future | or | current | | patrols |
| in | intrep | only | 0 | | results |
| of | patrols | required | in | | sitrep |
| lif | important | | | | |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

Z LIC
 W W J
 80 28

THIS MESSAGE MAY BE SENT AS WRITTEN
 BY ANY MEANS: (*(EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN
 1220

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
 1230
 T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1346 | | W W J | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

BB
~~BB~~ one copy to Se L.I.C.

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

36W

809

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF. BDE

FROM 3 AUST DIV

Originator's Number

Q1128

Date

29

In Reply to Number

(Write horizontally)

| | | | | |
|----------|------------|-----------|----------------|-----|
| WIRRAWAY | dropping | programme | 30 June | 5 |
| 0 | GUADAGAZAH | one | air | 10 |
| craft | 1st | mission | boots | 15 |
| his | one | air-craft | second mission | 20 |
| D. 3 | cable | 4 coils | 0 selebot one | 25 |
| aircraft | first | mission | RATION | 30 |
| 0 | one | aircraft | second mission | 35 |
| D. 3 | cable | 4 | coils | 40 |
| all | informed | | | 45 |
| | | | | 50 |
| | | | | 55 |
| | | | | 60 |
| | | | | 65 |
| | | | | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2100

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2151

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| W2337 | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

SNW **BB** LIC

OUT

42.

8090

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 Aust Inf Bde

FROM 3 Aust Div

Originator's Number

2703

Date

29

In Reply to Number

(Write horizontally)

| | | | | |
|---------|----------|-------------|----------|-----|
| coy | 24 bn | reports | 1930K/28 | 5 |
| bright | light | seen | top | 10 |
| feature | possible | 960558 | WAIMIE | 15 |
| nick | 0 | shone | for | 20 |
| mins. | 0 | answered by | flashes | 25 |
| north | that | feature | probably | 30 |
| across | MARKHAM | | | 35 |
| | | | | 40 |
| | | | | 45 |
| | | | | 50 |
| | land | seen | | 55 |
| | BM | seen | | 60 |
| | | | | 65 |
| | | | | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2220

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2227

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

~~BB~~

SNW.

Z SC.

LIC. X01.

(P)

~~HHH~~

one copy to SC.

No. of Groups
GR.

20

Serial No.

OFFICE DATE STAMP

511

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 AUST INF BDE 17 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

Q045

Date

30

In Reply to Number

—

(Write horizontally)

no

dropping

mission

anticipated

30 June

L0315

B Considerine sig

Important.

0215

0215

5
10
15
20
25
30
35
40

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN *2-2 LIC. (OP)*

OUT

No. of Groups
GR.
52

Serial No.
OFFICE DATE STAMP
IN 814

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 AVST INF BDE RPTD 58/59 AVST INF BN*

FROM *3 AVST DIV*

Originator's Number
03595

Date
30

In Reply to Number

(Write horizontally)

5 Air Force admin order says will

attack PEACH before 0900 hrs if weather

permits. Bearing of attack 200 degrees

parachute planes will indicate

completion of attack & warn hrs

weather likely prevent this

attack

58/59 Av Coy } informed by phone 0540 hrs. by BM B.A.S.

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY
Immediate

TIME OF ORIGIN
0500

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
0508

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-------------|---------|----------|---------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>2052</i> | | <i>B</i> | <i>Con...</i> | | | | | | | | |

MESSAGE FORM

| | | | | | | |
|-------------------------------|-----|----|---|-----|-----------------------------|--|
| CALL AND INSTRUCTIONS. | IN | BB | Z | LIC | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | | | 31 | 10/18/18 |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | | |
|------|------------------------|---------------------|-----------|--------------------|
| TO | <i>15 Aust Inf Bde</i> | Originator's Number | Date | In Reply to Number |
| FROM | <i>1 Aust Div</i> | <i>03590</i> | <i>29</i> | |

| | | | | |
|-----------------------------|----------------------|-----------------|---------------------------|-----|
| <i>(Write horizontally)</i> | <i>GUINN</i> | <i>from</i> | <i>BARICE</i> | 5 |
| <i>good</i> | <i>luck</i> | <i>happy</i> | <i>hunting you</i> | 10 |
| <i>and</i> | <i>your</i> | <i>command</i> | <i>Am</i> | 15 |
| <i>confident</i> | <i>success</i> | <i>o</i> | <i>everything working</i> | 20 |
| <i>smoothly</i> | | | | 25 |
| | | | | 30 |
| | | | | 35 |
| | <i>Answered 0355</i> | | | 40 |
| | | <i>0635 hrs</i> | <i>30 Jun</i> | 45 |
| | | <i>BBB</i> | | 50 |
| | | | | 55 |
| | | | | 60 |
| | | | | 65 |
| | | | | 70 |
| | | | | 75 |
| | | | | 80 |
| | | | | 85 |
| | | | | 90 |
| | | | | 95 |
| | | | | 100 |
| | | | | 105 |
| | | | | 110 |
| | | | | 115 |
| | | | | 120 |
| | | | | 125 |
| | | | | 130 |

| | | | | | | | | | | | |
|--|---|---|---|------------|----------|--------|--------|------------|----------|--------|--------|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS</p> <p>SIGNATURE.....</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE.....</p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> | <p>TIME OF ORIGIN</p> <p style="font-size: 1.5em; text-align: center;"><i>2020K</i></p> <hr/> <p>T.H.I. <i>2042</i></p> <hr/> <p>T.O.R.</p> | | | | | | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| <i>h</i> | <i>000</i> | <i>BBB</i> | <i>BBB</i> | | | | | | | | |

MESSAGE FORM

| | | | | |
|-------------------------------|-----|----------------------|-----------------------------|--|
| CALL AND INSTRUCTIONS. | IN | <u>BB</u> L. LIC. OP | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | 46 | 819 |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | |
|-----------------------|------------------------------|------------|--------------------|
| TO 15 AUST INF BDE | Originator's Number A6781 | Date 29 | In Reply to Number |
| FROM 3 AUST DIV | | | |

(Write horizontally)

SECRET. Difficulties of communication particularly inability to speak to comd for staff capt indicate that staff capt should remain at RIKIMUNG as supply is of major importance strongly recommend this course please advise

Noted Bde Comd
B.M. BMT 29 Jun.
B.M. (K)
Sc. Sun

Assumed 0356 0638 hrs 30 Jun
B.M.

| | | | |
|--|--|--|---|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS SIGNATURE: _____ <small>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</small> | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. SIGNATURE: _____ | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY <i>Immediate</i> | TIME OF ORIGIN 2125 T.H.I. 2150 T.O.R. |
|--|--|--|---|

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-----------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L 1200 | | B. J. [unclear] | Sig | | | | | | | | |

15 AUGST
3 AUGST

INF BDE
DIV

03596

30

0348

ack

IN 831

AMB

65
70
75
80
85
90
95
100
105
110
115
120
125
130

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: (*(EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING"

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

0735

T.H.I. 0740

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

Handwritten signature in blue ink.

MESSAGE FORM

**CALL
AND
INSTRUC-
TIONS.**

IN

OUT

641
LIC BB

No. of Groups
GR:

64

Serial No.

OFFICE DATE STAMP

837

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD 15 AUST INF BDE

FROM 3 AUST DIV

Originator's Number

03597

Date

30

In Reply to Number

(Write horizontally)

| | | | | | | |
|-------------|------------|---------|----------|---------|----------|----|
| Secret | ① | retrep | 144 | 10 | 0800K/30 | 5 |
| ① | MUBO | AREA | ① | | D coy | 10 |
| 2/b | in | report | no | contact | with | 15 |
| enemy | ① | fwd | elements | | within | 20 |
| 600 yds | of | beach | ① | sounds | | 25 |
| of | mo - fort. | engines | through | - | | 30 |
| out | night | ① | come | NOT | yet | 35 |
| established | with | MACK | ECHNIE | ALL | | 40 |
| informed | | | | | | 45 |
| | | | | | 0820 | 50 |
| | | | | | 0834 | 55 |
| | | | | | | 60 |
| | | | | | | 65 |

MESSAGE FORM

CALL
AND
INSTRUC-
TIONS.

IN

OUT

BB
Z, NIC

No. of Groups
GR.

22
/N

Serial No.
OFFICE DATE STAMP

845

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

02598

Date

30

In Reply to Number

0341

(Write horizontally)

AF

advise

aircraft

carried

occupants

please

investigate

further

0832

0937

1005

L 0955

Bumpig

MESSAGE FORM

INSTRUCTIONS AND CALL

OUT

IN

5 PIC

GR. No. of Groups

254M

OFFICE DATE STAMP

2007

Serial No.

FROM 30021

DIV

Original Number

Base

Serial Number

12001 WFE BRF
 (ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

(Write horizontally)

AF

00000

00000

00000

00000

00000

00000

00000

00000

00000
 00000

You will
 tell
 Helmut
 to
 come
 on
 direct
 line
 no
 direct

20
 22
 24
 26
 28
 30
 32
 34
 36
 38
 40
 42
 44
 46
 48
 50

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

1 M

859

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *IO. 15 Aust Sig Bde*

FROM *3 Aust Dir.*

Originator's Number

Date
27

In Reply to Number

| | | | | | |
|------------------|-----------------|----------------|---------------|----------------|-----------------------|
| <i>have with</i> | <i>1682</i> | <i>press</i> | <i>Do NOT</i> | <i>give us</i> | <i>template</i> |
| <i>refs</i> | <i>as</i> | <i>we</i> | <i>only</i> | <i>hold</i> | <i>alternate</i> |
| <i>press</i> | <i>⊙</i> | <i>backs</i> | <i>by</i> | <i>pass</i> | <i>work/operation</i> |
| <i>aid</i> | <i>2/3</i> | <i>width</i> | <i>lay</i> | <i>maps -</i> | <i>check</i> |
| <i>before</i> | <i>you</i> | <i>rely</i> | <i>too</i> | <i>much</i> | <i>on it.</i> |
| <i>—</i> | <i>ack here</i> | <i>press —</i> | <i>acked</i> | <i>0357</i> | <i>BM 9am</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE *Wabers*
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE *Wabers*

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

IN 86

CALL
AND
INSTRUC-
TIONS.

IN *2 LIC*

OUT

No. of Groups
GR. *37*

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 Aust inf Bde*

FROM *3 Aust Div*

Originator's Number

03601

Date

30

In Reply to Number

I381

(Write horizontally)

| | | | | | |
|-------------------------|------------------|---------------|-----------|------------------|----|
| <i>15</i> | <i>copies</i> | <i>NADZAB</i> | <i>1</i> | <i>inch will</i> | 5 |
| <i>be</i> | <i>forwarded</i> | <i>DRHS</i> | <i>30</i> | <i>june</i> | 10 |
| <i>⊙</i> | <i>map</i> | <i>refs</i> | <i>on</i> | <i>MARKHAM</i> | 15 |
| <i>STRAT</i> | <i>⊙</i> | <i>first</i> | <i>⊙</i> | <i>approx</i> | 20 |
| <i>LR 5744</i> | <i>⊙</i> | <i>second</i> | <i>⊙</i> | <i>LR 5644</i> | 25 |
| | | | | | 30 |
| | | | | | 35 |
| <i>L 215 Doyle sign</i> | | | | <i>1123</i> | 40 |
| | | | | <i>1135</i> | 45 |
| | | | | | 50 |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

W 861
CIPHER SECRET

R 94

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 AUST INF BDE*

FROM *3 AUST DIV*

Originator's Number
03577

Date
28

In Reply to Number

(Write horizontally)

| | | | | | |
|------------------|-----------------|--------------------|------------------|----------------|-----|
| <i>MOST</i> | <i>SECRET</i> | <i>0</i> | <i>DOUBLET</i> | <i>0</i> | 5 |
| <i>1st</i> | <i>your</i> | <i>op</i> | <i>order</i> | <i>number</i> | 10 |
| <i>1</i> | <i>of</i> | <i>22</i> | <i>JUN</i> | <i>para</i> | 15 |
| <i>3</i> | <i>0</i> | <i>your</i> | <i>phase</i> | <i>2</i> | 20 |
| <i>rpt</i> | <i>2</i> | <i>will</i> | <i>NOT</i> | <i>rpt</i> | 25 |
| <i>NOT</i> | <i>Commence</i> | <i>until</i> | <i>Confirmed</i> | <i>by</i> | 30 |
| <i>This</i> | <i>HQ</i> | <i>as</i> | <i>it</i> | <i>is</i> | 35 |
| <i>desired</i> | <i>to</i> | <i>Co-ordinate</i> | <i>the</i> | <i>summing</i> | 40 |
| <i>according</i> | <i>to</i> | <i>progress</i> | <i>of</i> | <i>ops</i> | 45 |
| <i>in</i> | <i>APPLE</i> | <i>rpt</i> | <i>APPLE</i> | <i>area</i> | 50 |
| <i>0</i> | <i>ACK</i> | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

0344
29/5

Alfred
0114

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY
Immediate

TIME OF ORIGIN
2326K/28

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *0035*
T.O.R. *0054*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

MESSAGE FORM

CALL
AND
INSTRUC-
TIONS.

IN

OUT

IN.

No. of Groups
GR.

88

Serial No.

OFFICE DATE STAMP

866.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *APLA 15 BDE*

FROM *3 AVST DIV*

Originator's Number

03603

Date

30

In Reply to Number

(Write horizontally)

| | | | | | |
|------------------|------------------|------------------|------------------|-----------------|----|
| <i>SECRET</i> | <i>○</i> | <i>at the</i> | <i>145</i> | <i>to</i> | 5 |
| <i>1145 K/30</i> | <i>○</i> | <i>MUBO</i> | <i>area</i> | <i>○</i> | 10 |
| <i>no</i> | <i>definite</i> | <i>news</i> | <i>MALKECHNI</i> | <i>yet</i> | 15 |
| <i>to</i> | <i>hand</i> | <i>○</i> | <i>DI roy</i> | <i>2/6 bn.</i> | 20 |
| <i>reports</i> | <i>all</i> | <i>quiet</i> | <i>there</i> | <i>front</i> | 25 |
| <i>but</i> | <i>can</i> | <i>hear</i> | <i>reple</i> | <i>area</i> | 30 |
| <i>mortar</i> | <i>fire</i> | <i>to</i> | <i>south</i> | <i>○</i> | 35 |
| <i>MISSIM</i> | <i>area</i> | <i>○</i> | <i>no</i> | <i>detailed</i> | 40 |
| <i>report</i> | <i>of air</i> | <i>attack</i> | <i>BOBDVB</i> | <i>yes</i> | 45 |
| <i>available</i> | <i>but</i> | <i>OPs</i> | <i>report</i> | <i>sound</i> | 50 |
| <i>of</i> | <i>bombing</i> | <i>and</i> | <i>strafing</i> | <i>that</i> | 55 |
| <i>area</i> | <i>0745</i> | <i>0915 K/30</i> | <i>also</i> | <i>that</i> | 60 |
| <i>18</i> | <i>MITCHELLS</i> | <i>bombed</i> | <i>SALAMAVA</i> | <i>area</i> | 65 |
| <i>at</i> | <i>1103 K/30</i> | <i>all</i> | <i>informed</i> | <i>to</i> | 70 |
| | | | | <i>1230</i> | 75 |
| | <i>1310</i> | | | <i>1240</i> | 80 |
| | | | | <i>1325</i> | |

MESSAGE FORM

IN 878

B/B

CALL AND INSTRUCTIONS.

IN

X03

LIC

OP

No. of Groups GR.

Serial No. OFFICE DATE STAMP

OUT

BWA

33

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO NGF Rptd 41 US DIV 15 BDE 17 BDE

FROM 3 AVST DIV.

Originator's Number 0 3605

Date 30

In Reply to Number

(Write horizontally)

| | | | | | |
|--------|---------|------------------|-----------|------|----|
| | TAC / R | 1316 K/30 | reports | 19 | 5 |
| badges | on | beach | NASSAU | BAY | 10 |
| U.S. | troops | along | foreshore | 0 | 15 |
| no | sign | enemy | activity | | 20 |
| | | | | | 25 |
| | | | | 1350 | 30 |
| | | | | 1408 | 35 |
| | L 1420 | W. Wilhoft sg | | | 40 |
| | | | | | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |

| | | | | | | |
|-----|------------------------|----------|-----------|-----------|----------|-----------|
| 50 | | | | | | |
| 55 | | | | | | |
| 60 | I | Z | | L | 168 | 882 |
| 65 | 15 AUST | INF | BDE | | | |
| 70 | 3 AUST | DIV | | 03600 | 30 | 0348 |
| 75 | SECRET MOST | SECRET | | (.) | 1 (.) | you |
| 80 | cannot | delay | movt | 07 | (.) | 2/3 |
| 85 | Coys | from | MISSIM | until | | 4 Jul (.) |
| 90 | Coys | will | have | to | move | |
| 95 | without | awaiting | return | | | LEWINS |
| 100 | MALOTO | party | and | therefore | | |
| 105 | should | be | available | to | move | 1 |
| 110 | Jul | at | latest | (.) | 2 | (.) |
| 115 | Consider | it | unsound | to | move | |
| 120 | 2/3 | Coys | via | BASE | 3 | as during |
| 125 | period | of | movt | your | man | |
| 130 | reserve | too | distant | from | BOB DUBI | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 BY ANY MEANS: (^{*(EXCEPT)}) WIRELESS

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

1 N. 882

| | | | |
|------------------------|-----|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

| | | | |
|------|---------------------|------|--------------------|
| FROM | Originator's Number | Date | In Reply to Number |
|------|---------------------|------|--------------------|

(Write horizontally)

since 5
 exploitation 10
 depending on success at BOBDUBI 15
 it would appear sound to 20
 move 2/3 coy via MEARS 25
 CK NEW BOBDUBI VIALS 30
 mount on this route will 35
 have advantage of keeping 40
 coy on main axis of 45
 advance and available to 50
 support 58/59 BN if required 55
 and still not alter the final 60
 METHOD of approach to KOMIATUM 65
 as planned by you 70
 by commencing mount from MISSIM 75
 your advise earliest date you 80
 plan attack KOMIATUM also 85
 your views on paras 2 and 90
 93 above ack 95
 100
 105
 110
 115
 120
 125
 130

0365
 BH5
 30 June

| | | | | | | | | | | | | | | | |
|---|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|----------------|--|--|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN | | | |
| SIGNATURE | | | | SIGNATURE | | | | Emergency Operations | | | | 050 | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | | T.H.I. | | | |
| | | | | | | | | | | | | 7059 | | | |
| | | | | | | | | | | | | T.O.R. | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

Z. KIC

IN-101

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

883

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO RPTD. 15 BDE

FROM 3AUST DIV

Originator's Number

03607

Date

30

In Reply to Number

(Write horizontally)

| | | | | | |
|------------------|----------|-----------|----------------|------------|-----|
| SECRET | suprep | 146 40 | 11400K/30 | MARKHAM | 5 |
| AREA | morning | 30 June | 24 bn | ambush | 10 |
| MARKHAM PT. | with | - drawn | to | | 15 |
| 524433 | NADZAB | 1 inch | owing flooding | | 20 |
| DEEP CK. | | MUBO | AREA | result | 25 |
| TAC | R. DUAL | NASSAU | BAY | | 30 |
| 1316 K/30 | 03 empty | barges | re-turning | | 35 |
| LASANG A. ISLAND | | | 19 barges | beached | 40 |
| NASSAU BAY | | approx | 831/38 | BAIDEN BAY | 45 |
| 1 inch | US. | the | observed | along | 50 |
| coastal | | track | and | in | 55 |
| lush | on | foreshore | | no | 60 |
| seen | | any | enemy | | 65 |
| WPAU | BUKULO | area | | | 70 |
| some | DINAH | over | WPAU | BUKULO | 75 |
| height | 14000ft | all | informed | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

BAS
Ben

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1425
11/32

T.O.R.

1550

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

60
65
70
75
80
85
90
95
100
105
110
115
120
125
130

Z (P)

20.

IN.

886

15

BDE

3

DIV

03611

30

0372

state objective

maps
B. coy

refs.

VICERS post and

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: *(EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

1600.

SIGNATURE..... * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. 1604

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|-------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| L | 1646 | at tollgate | sig | | | | | | | | |

T.O.R.

1650.

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN WZC 2 LIC (6P)

No. of Groups GR.

109.

OUT

899

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 Aust inf Bde

FROM 3 Aust Div

Originator's Number

03616

Date

30

In Reply to Number

0373.

(Write horizontally)

| | | | | |
|--------------|--------------|----------|--------------|-----|
| first | object | approved | but | 5 |
| no | exploitation | south | of | 10 |
| CK | 6989 | mubo | 1/25000 | 15 |
| be | carried | out | second | 20 |
| concentrated | coy | MVST | be | 25 |
| as | far | as | possible | 30 |
| in | ONE | area | achieve | 35 |
| on | TAMBU | SADDLE | as | 40 |
| by | you | prepared | this | 45 |
| to | be | for | all | 50 |
| round | defence | third | BASE | 55 |
| if | desired | strong | det | 60 |
| to | to | guard | west | 65 |
| fourth | exploitation | limited | to | 70 |
| southward | will | be | must | 75 |
| strong | patrol | which | NOT | 80 |
| be | such | as | to | 85 |
| main | posh | fifth | alternatives | 90 |
| plans | cannot | be | considered | 95 |
| present | ach | | | 100 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE & ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

Immediate

1820

T.H.I. 1831

T.O.R.

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | 1850 | | | | | | | | | | |

1850 [Signature]

900

MESSAGE FORM

**CALL
AND
INSTRUC-
TIONS.**

IN

OUT

MIM " 2

No. of Groups
GR.

23

Serial No.

OFFICE DATE STAMP

903

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

15 Aust inf Bde

FROM

3 Aust Div

Originator's Number

03617

Date

30.

In Reply to Number

(Write horizontally)

| | | | | |
|---------------|----------------|--------------|-------------------|----|
| <i>all</i> | <i>future</i> | <i>map</i> | <i>references</i> | 5 |
| <i>must</i> | <i>be</i> | <i>given</i> | <i>on</i> | 10 |
| <i>series</i> | <i>ref</i> | <i>our</i> | <i>03563</i> | 15 |
| | | <i>NO</i> | | 20 |
| | <i>L Doyle</i> | | | 25 |
| | <i>sig</i> | | <i>1843</i> | 30 |
| | | | <i>1909</i> | |

Army Form C.2128
(Adapted, Large)
(Pads of 100)

Reprinted October, 1942—a.w. 10m pads.

MESSAGE FORM

11V

904

CALL
AND
INSTRUC-
TIONS.

IN

Handwritten scribble

Z LIC

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

OUT

21

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

15 AUST INF BDE

FROM

3 AUST DIV

Originator's Number

03613

Date

30

In Reply to Number

(Write horizontally)

request further details of results of

our attack ~~by~~ BoBDeBI ridge

*L 1707 B Consideration
Sig*

5
10
15
20
25
30

1609

MESSAGE FORM

IN 908

| | | | | |
|------------------------|-----|-------------|-------------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | MM 2 HC (P) | No. of Groups GR. | Serial No. |
| | OUT | | 36 | OFFICE DATE STAMP |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 15 Aust inf Bde

FROM 3 Aust Div

| | | |
|---------------------|------|--------------------|
| Originator's Number | Date | In Reply to Number |
| 03623 | 30 | |

(Write horizontally)

| | | | | | |
|---------|---------|-------------|-----------|----------|----|
| elbost | SECRET | ⊙ | ref | 3 aust | 5 |
| Div | G 12/32 | of | 22 june | ⊙ | 10 |
| Current | column | compromised | reserve | | 15 |
| column | becomes | effective | 1000 hrs | | 20 |
| 1 | jul | ack | all | informed | 25 |
| | | | | | 30 |
| | L 2143 | sig | Important | 2025 | 35 |
| | | | | 2044 | 40 |
| | | | | | 45 |
| | | | | 2150 | 50 |
| | | | | | 55 |

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN *MM# 2*

OUT

(OP)

IN 910

No. of Groups
GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *15 Aust inf Bde*

FROM *3 Aust Div*

Originator's Number
03625

Date
30

In Reply to Number

(Write horizontally)

| | | | | | |
|---------------|-----------------|------------------|-----------------|---------------------|-----|
| <i>ref</i> | <i>why</i> | <i>03616</i> | <i>©</i> | <i>amend</i> | 5 |
| <i>para 2</i> | <i>to</i> | <i>read ©</i> | <i>quote</i> | <i>©</i> | 10 |
| <i>boy</i> | <i>MUST</i> | <i>be</i> | <i>kept</i> | <i>concentrated</i> | 15 |
| <i>as</i> | <i>far</i> | <i>as</i> | <i>possible</i> | <i>in</i> | 20 |
| <i>ONE</i> | <i>area</i> | <i>astride</i> | <i>track</i> | <i>on</i> | 25 |
| <i>TAMBU</i> | <i>SADDLE</i> | <i>to</i> | <i>be</i> | <i>decided</i> | 30 |
| <i>by</i> | <i>you</i> | <i>©</i> | <i>this</i> | <i>area</i> | 35 |
| <i>will</i> | <i>be</i> | <i>prepared</i> | <i>for</i> | <i>all</i> | 40 |
| <i>round</i> | <i>defense</i> | <i>©</i> | <i>unquote</i> | <i>©</i> | 45 |
| <i>GOC</i> | <i>wishes</i> | <i>to</i> | <i>stress</i> | <i>that</i> | 50 |
| <i>2/3</i> | <i>must</i> | <i>indep</i> | <i>coy</i> | <i>is</i> | 55 |
| <i>to</i> | <i>be</i> | <i>used</i> | <i>as</i> | <i>an</i> | 60 |
| <i>inf-</i> | <i>coy</i> | <i>and</i> | <i>NOT</i> | <i>split</i> | 65 |
| <i>into</i> | <i>numerous</i> | <i>scattered</i> | | <i>dets</i> | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN-CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY
Immediate

TIME OF ORIGIN
2110K/30.

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *2118*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-------------|---------|---------------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| <i>2130</i> | | <i>gopher</i> | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

MM Z OP

OUT

No. of Groups
GR.

1N. 31

917

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

15 Aust Inf Bde

FROM

3 Aust Div

Originator's Number

03626

Date

30

In Reply to Number

0379

(Write horizontally)

| | | | |
|--------|--------------|-------------|----|
| Advise | one | has | 5 |
| A | captured | ORODUBI | 10 |
| two | has | C | 15 |
| coy | captured old | VICKERS GUN | 20 |
| POSN | | | 25 |
| | Immediate | 2150 | 30 |
| | | 2156 | 35 |
| | | | 40 |
| | | 2220 | 45 |
| | | | 50 |

MESSAGE FORM

| | | | | |
|------------------------|-----|---------|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | 2 - LIC | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO Rptd 15 Bacc

FROM 3 durt div

Originator's Number 03629

Date 30

In Reply to Number

| | | | | |
|--------------------------------|---------------|------------------|---------------------|-------------|
| (Write horizontally) SECRET | ⊙ | SITREP | 148 to 2330K/30 | 5 |
| MISSIM | AREH ⊙ | 24 | SITREP | 127 ⊙ |
| MAROLO | raiding party | were | attacked by 30 JAPS | 15 |
| who | were | later reinforced | by 40 ⊙ | 20 |
| enemy | casualties | 12 killed | certain | 25 |
| nil ⊙ | five | missing | having | returned |
| ⊙ | afternoon | 30 June | A Coy 58/59 bn | attacked |
| ORODUBI | not | SUCCESSFUL | ⊙ 1700K/30 | D Coy |
| moving | to | OLD BODUBI | 704977 | KOMBATUN |
| 1/5000 | ⊙ casualties | reported | to 1900 K/30 | A Coy |
| 1 killed | 3 wounded | C Coy | & killed | 4 wounded |
| MUBO | area ⊙ | MACK | force | reports |
| 17 Coy's | and 1 L Co | on | beach | probably |
| all | wrecked | by heavy seas | 1920K/30 | 1920K/30 |
| Coy C | TABILI | no | enemy | contacted |
| Coy A | most | of | BITOI | SOUTH |
| ARM | contacted. | unknown | number | enemy |
| ⊙ beach | BITOI | to TABILI | clear of | enemy |
| much | mortar | amm | wire | and |
| other | equip | lost | in | landing |
| not | known | casualties ⊙ | MACKECHNIE | dot |
| yet | made | contact | with | D Coy 2/6bn |
| other | than | beach | party ⊙ | all |
| informed | | | | |

| | | | |
|---|--|--|----------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN |
| SIGNATURE | SIGNATURE | | 2352 |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | T.H.I. |
| SYSTEM IN | TIME IN | READER | SENDER |
| L 0130 | | | |
| SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | |
| | | | T.O.R. |

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

MM. 2

No. of Groups
GR.

111

263

929

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *Apud 15 Bde*

FROM *3 Aust Div*

Originator's Number
03622

Date
30

In Reply to Number

(Write horizontally)

| | | | | | |
|-----------------------|--------------------|-------------------|--------------------|--------------------|----------------|
| <i>Secret</i> | <i>0</i> | <i>Sikep</i> | <i>147</i> | <i>do</i> | <i>5</i> |
| <i>2000K/30</i> | <i>0</i> | <i>MARKHAM</i> | <i>area</i> | <i>0 1600K/29</i> | <i>10</i> |
| <i>patrol from</i> | | <i>B coy</i> | <i>24 bn</i> | <i>established</i> | <i>15</i> |
| <i>ambush posn</i> | | <i>mouth</i> | <i>BUANG</i> | <i>river</i> | <i>20</i> |
| <i>1530 K/30</i> | <i>B</i> | <i>coy</i> | <i>PIB less</i> | <i>7 pl</i> | <i>25</i> |
| <i>arrived timmer</i> | <i>0</i> | <i>angan</i> | <i>patrol</i> | <i>do</i> | <i>30</i> |
| <i>new</i> | <i>chivasing</i> | <i>221510</i> | <i>WAIME</i> | <i>1 inch</i> | <i>35</i> |
| <i>reports</i> | <i>village</i> | <i>burnt</i> | <i>3 canoes</i> | <i>destroyed</i> | <i>40</i> |
| <i>no</i> | <i>natives</i> | <i>contacted</i> | <i>but</i> | <i>were</i> | <i>45</i> |
| <i>in</i> | <i>close</i> | <i>proximity</i> | <i>0 MISSIM</i> | | <i>50</i> |
| <i>area</i> | <i>0</i> | <i>evening</i> | <i>29 June 2/3</i> | | <i>55</i> |
| <i>ind</i> | <i>coy</i> | <i>raiding</i> | <i>party</i> | <i>do</i> | <i>60</i> |
| <i>MAHOI</i> | <i>area</i> | <i>surprised</i> | <i>by</i> | <i>japs</i> | <i>65</i> |
| <i>at</i> | <i>deserted</i> | <i>village</i> | <i>700039</i> | <i>SALAMAU</i> | <i>70</i> |
| <i>1/25000</i> | <i>party</i> | <i>split</i> | <i>0</i> | <i>5 men</i> | <i>missing</i> |
| <i>0</i> | <i>enemy</i> | <i>casualties</i> | <i>11</i> | <i>killed</i> | <i>0</i> |
| <i>party</i> | <i>now</i> | <i>in</i> | <i>ambush</i> | <i>posn</i> | <i>85</i> |
| <i>632027</i> | <i>0</i> | <i>0605K/30</i> | <i>HQ</i> | <i>58/59</i> | <i>90</i> |
| <i>bn</i> | <i>established</i> | <i>682977</i> | <i>Komiatum</i> | | <i>95</i> |
| <i>1/25000</i> | <i>0</i> | <i>1230K/30</i> | <i>A</i> | <i>coy</i> | <i>100</i> |
| <i>attack</i> | <i>on</i> | <i>ORODUBI</i> | <i>commenced</i> | | <i>105</i> |
| <i>0</i> | <i>1355K/30</i> | <i>C</i> | <i>coy</i> | <i>occupied</i> | <i>110</i> |
| <i>huts</i> | <i>at</i> | <i>695969</i> | <i>0</i> | <i>do</i> | <i>115</i> |
| <i>estimated</i> | <i>enemy</i> | <i>casualties</i> | <i>0</i> | <i>own</i> | <i>120</i> |
| <i>1</i> | <i>wounded</i> | <i>0</i> | <i>on</i> | <i>attempting</i> | <i>125</i> |
| <i>to</i> | <i>take</i> | <i>old</i> | <i>VICKERS</i> | <i>GUN</i> | <i>130</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

114 929

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | | | |
|----------|-----------|-----------|-------------------|----------|--------|-----|
| posn | 702973 | met | opposition | 5 | | |
| from | 2 | MGS | and light | 10 | | |
| mortar | fire | © 17 | 25K/30 | 15 | | |
| attached | | | | | | |
| this | position | supported | by | 20 | | |
| 3 | in mortar | © | B coy moving | 25 | | |
| along | dop | of | spur to | 30 | | |
| 405 | 964 | © | MLIBD | 35 | | |
| area | © | 0015 | | | | |
| and | 0100K/30 | portion | first and | 40 | | |
| second | waves | bn | combat team | 45 | | |
| 162 | LS | regt | landed MASSALI | 50 | | |
| Bay | © | 2B | casualties during | 55 | | |
| landing | © | heavy | surf many | 60 | | |
| boats | beached | © | 1430K/30 | 65 | | |
| pl | d Coy | 2/6 bn | encountered | 70 | | |
| booby | traps | 826826 | MLIBD | 75 | | |
| © | enemy | MGS | opened fire | 80 | | |
| from | 30 | yds east | and | 85 | | |
| light | mountain | gun | fired | 2 rounds | 90 | |
| from | approx | 628827 | © | enemy | 95 | |
| could | not | be | enticed | from | 100 | |
| posn | © | 15 | 10K/30 | pl | withdr | 105 |
| slightly | all | informed | | | | 110 |
| | | | | | | 115 |
| | | | | | | 120 |
| | | | | | | 125 |
| | | | | | | 130 |

BEV

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (*EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE *ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

2035
2042

OUT TO 3 DIV.

Original Copies.

1 JUNE TO 30 JUNE 43.

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

OUT 44

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 AVST DIV

FROM

15 AVST INF BDE

Originator's Number

I-185

Date

2

In Reply to Number

-

SECRET

0

SITREP

10

to

1900K/2

Priority at

Packing supplies at POWER

for forward to HOUSE

to

completed pref. A Coy

least 50/50

Avst maps

by

Avst BUREAU

single 1 inch

can use 253753

monthly

Diary

attached

to

POWER

HOUSE

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1837

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

GR.

OUT 45

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3AUST DIV

FROM

15 AUST INF BDE.

Originator's Number

I 186

Date

3

In Reply to Number

-

SECRET

©

SIT REP

11

to

0700 K/3

©

All

preparations complete

for

move.

by

His

HQ

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 * (EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN GYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 46

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 Aust Div.

FROM

15 Aust Inf Bde

Originator's Number

T187

Date

3

In Reply to Number

SECRET

○

SIT REP

12

to

1900K/3

○

Unit

departed

BULWA

0720

has

and

reached

POWER HOUSE

for

midday

meal

0930

has

○

Departed

for

BRANCH

CREEK

at

1130

has

and

arrived

1500

has

○

all

ranks

fit

Morale

high

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

1840

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups OFFICE DATE STAMP

GR.

OUT 47.

TO

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

3 Anst Div

FROM

15 Anst Inf Bde

Originator's Number

I 188.

Date

4

In Reply to Number

Secret

0

Sit Rep

13

to

0700K/4

Sit Rep

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0700

SIGNED

SIGNED

H. H. Harris

Immediate

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *0401*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 49

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 AUST DIV.

FROM

15 AUST INF BDE

Originator's Number

I189

Date

4

In Reply to Number

SECRET

⊙

SITREP

14

No

1900K/4

⊙

Bde

HQ

departed

BRANCH

CREEK

0745

hrs

⊙

Arrived

PARTEP

4

1410

hrs

for

midday

meal

⊙

Departed

1500

hrs

and

arrived

BAIUNE

1700

hrs

⊙

These

trains

upper

to

leading

↳

⊙

all

↳

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

Immediate

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

SIGNED

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I189

4

~~not~~

NOT

in

at

1900

ms

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT **IN CYPHER.**

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1900

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

Immediate

T.H.I.

1905

SIGNED

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

1905

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 51.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 AVST DIV*

FROM *15 AVST INF BDE*

Originator's Number
I 190

Date
5

In Reply to Number

SECRET

o

SITREP

15

to

0700K/5

o

all

tho

of

bde

HQ

arrived

BALUNE

1930K/4

o

58/59

and

by

Bn

so

1900K/4

training

in

by

area

except

B

and

c

Caps

rifle

range

map ref

BULOLO

1 INCH

253953

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0720

SIGNED

*Bn James
Hoy*

immediate

T.H.I.

0730

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

SIGNED

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

00153

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust Div

FROM

15 Aust Rec

Originator's Number

I 191

Date

6

In Reply to Number

SECRET

⊙

SITREP

17 10

0700 R/6

⊙

SITNOR

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0800

T.H.I. 0807

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OVT Serial No. *55*
No. of Groups *5* OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 and Div

FROM

15 and Inf Bde

Originator's Number

0185

Date

5

In Reply to Number

03290

ack

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0720.

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0730

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|-----------------------------|------------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP <i>out 58</i> |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 ansst air*

| | | | |
|------------------------------|------------------------------------|------------------|--------------------|
| FROM <i>15 ansst inf ldr</i> | Originator's Number <i>2190</i> | Date <i>5</i> | In Reply to Number |
|------------------------------|------------------------------------|------------------|--------------------|

| | | | | |
|-----------------|--------------|---------------------|----------------------|-------------------------|
| <i>SECRET</i> | <i>0</i> | <i>subrep 16 to</i> | <i>1900/K</i> | <i>5</i> |
| <i>0</i> | <i>ldr</i> | <i>HQ</i> | <i>5</i> | <i>510</i> |
| <i>departed</i> | <i>AMVNE</i> | <i>OSLO has</i> | <i>arrived</i> | <i>6010/11 MOUNTAIN</i> |
| <i>500</i> | <i>has</i> | <i>departed</i> | <i>1545 has</i> | <i>arrived</i> |
| <i>1805</i> | <i>has</i> | <i>0</i> | <i>party</i> | <i>arrived</i> |
| <i>ranko</i> | <i>in</i> | <i>at</i> | <i>1900</i> | <i>has</i> |
| <i>have</i> | <i>met</i> | <i>NO</i> | <i>personnel yet</i> | <i>no</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |
| <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> | <i>Handwritten text</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1902

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

DOT 70

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust Div

FROM

15 Aust Bde

Originator's Number

I 194

Date

6

In Reply to Number

| LOCATION | STATEMENT | | | | |
|------------|--------------|-----------------|------------|------------|----------------|
| <i>L</i> | <i>see</i> | <i>Ligo</i> | <i>Bde</i> | <i>HQ</i> | <i>and</i> |
| <i>one</i> | <i>with</i> | <i>530000</i> | <i>at</i> | <i>MT</i> | <i>MISSIM</i> |
| <i>see</i> | <i>HQ</i> | <i>and</i> | <i>L</i> | <i>see</i> | <i>details</i> |
| <i>at</i> | <i>BULWA</i> | <i>B 262972</i> | | | <i>Ligo</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1857

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUCTIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 75

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust Sw

FROM

15 Aust Bde

Originator's Number

I 198

Date

7

In Reply to Number

SECRET

⊙

SITREP

to

0700/K

7

⊙

SITNOR

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

Pgd Capt Hugo

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0903

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *amc.*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT
Serial No. *77*
OFFICE DATE STAMP

| | |
|-----------------------|-----|
| CALL AND INSTRUCTIONS | IN |
| | OUT |

| | |
|----------------------|-------------------|
| No. of Groups GR. | OFFICE DATE STAMP |
|----------------------|-------------------|

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 Aust Div*

| | | | |
|-------------------------|-------------------------------------|------------------|--------------------|
| FROM <i>15 Aust Bde</i> | Originator's Number <i>I 196</i> | Date <i>7</i> | In Reply to Number |
|-------------------------|-------------------------------------|------------------|--------------------|

| | | | | | |
|---------------|-------------|---------------|--------------|----------------|--------------|
| <i>SECRET</i> | <i>⊙</i> | <i>SITREP</i> | <i>19 to</i> | <i>1900 K/</i> | <i>7</i> |
| <i>⊙</i> | <i>B.M.</i> | <i>B.M(L)</i> | <i>SC.</i> | <i>by O.</i> | <i>moved</i> |
| <i>out</i> | <i>for</i> | <i>MISSIM</i> | <i>at</i> | <i>0900 K/</i> | <i>7</i> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | |
|---|--|---|-------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY <i>Immediate</i> | TIME OF ORIGIN <i>1903</i> |
| SIGNATURE..... * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | SIGNATURE..... <i>Thompson Capt</i> | (BELOW THIS LINE FOR SIGNALS USE ONLY.) | T.H.I. |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 80

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 and Sw*

FROM *15 and Bele*

Originator's Number

I 197

Date

8

In Reply to Number

SECRET

⊙

SITREP

20 to

0700 K/

8

⊙

SITNOR

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0700

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *0700*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 Aust. Div.**

FROM **15 Aust. Inf. Bde.**

Originator's Number

I 200

Date

8

In Reply to Number

SECRET

⊙

SITREP

21

to

1900 K/

8

⊙

58/59

Aust.

Inf.

Bn.

D

Coy.

arrived

PILIMUNG

1800 K/

8.

⊙

B.M(L)

BT O

SC

returned

to

PILIMUNG

from

MISSIM

⊙

BM

Sig O

left

MISSIM

on

walkabout

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1948

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 1950

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. _____
OFFICE DATE STAMP
90

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

007

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 Aust. Div.**

FROM **15 Aust. Inf. Bde.**

Originator's Number
I 202

Date
9

In Reply to Number

| | | | | | |
|----------------|-----------|--------------------|-----------------|---------------|----------------|
| SECRET | 0 | SITREP | 22 | to | 0700 K |
| 9 | 0 | SITREP | 15 | Bde | assumed |
| cond | of | the | in | MISSIM | area |
| and | on | POWER HOUSE | PILIMUNG | Log C | at |
| 2359K/8 | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0700

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. **0715**

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

0715

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
GR.

OFFICE DATE STAMP

96

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *Sigs 3 and Sec*

FROM *15 and Sig Sec*

Originator's Number

I 209

Date

9

In Reply to Number

6

*Ref
Jun*

*Appointment Code
ack*

cancellation date

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1504

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|-----------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

IN 99

OUT 98

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 Aust div

FROM 15 Aust inf bat

Originator's Number

0195

Date

9

In Reply to Number

0335-1

| | | | | | |
|----------|----------|----------|----------|---------|-------------|
| sitrep | 21 | to | 1900 K/8 | cleared | PILMUNG |
| 2055 K/8 | ⊙ | sitrep | 22 | to | 0700 K/9 |
| cleared | PILMUNG | 0840 K/9 | ⊙ | my | skipping |
| KOMIATUM | ⊙ | this | HQ | can | NOT |
| all | KOMIATUM | and | this | HQ | did |
| NOT | assume | could | of | area | kill |
| 2359 hrs | 8 Jun | ⊙ | 3 Aust | div | 03334 refus |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1556

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups OFFICE DATE STAMP
GR. 99

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 Aust. Div.

FROM 15 Aust. Inf. Bde.

Originator's Number

Date

In Reply to Number

I 205

9

SECRET

0

SITREP

21

to

1900 K/

8

0

58/59

Aust.

Inf.

Bde.

0

Coy.

arrived

PILIMUNG

1800 K/

8

0

BM(L)

B.I.O.

S.C.

returned

to

PILIMUNG

from

MISSIM

0

BM

Sig 0

left

MISSIM

on

walkabout

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

A. Evans

Deferred

1605

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1614

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups GR.

OFFICE DATE STAMP

OUT

100

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 Aust. Div.*

FROM *15 Aust. Inf. Bde.*

Originator's Number
I 206

Date
9

In Reply to Number

SECRET

0

SITREP

22

to

0700K/

9

0

15

Bde.

assumed

comd.

of

tps.

in

MISSIM

area

and

on

POWER

HOUSE

PILIMUNG

L of C

at

2359/K

8.

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

1605
T.H.I.

1614
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

Out 105

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3rd Div

FROM

1st Div Sig Bde

Originator's Number

I 208

Date

9

In Reply to Number

10

*3
27*

and received

sw

Location

Statement

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

SIGNED

Medley Cpl

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1920

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1923

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 106

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 Aust Div

FROM

15 Aust Inf Bde

Originator's Number

I 207

Date

9

In Reply to Number

SECRET

⊙

SITREP

23

to

1900 K/9

⊙

2/3

Aust

Index

roy

⊙

Comm.

out

will

ford

SITREP

on

receipt

⊙

58/59

Aust

Ind

low

⊙

D

roy

engaged

building

staging

camp

PILMUNG

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

Immediate

1935:

T.H.I.

1937

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 112

| | | | |
|------------------------|-----|-------------------|------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 and 4*

FROM *15 and 16 bde* Originator's Number *I 209* Date *10* In Reply to Number

| | | | | | |
|---------------------------------------|-----------|--------------|------------|------------|-----|
| <i>(Write horizontally)</i> SECRET | ⊙ | SITREP | 24 | to | 5 |
| 0700K/10 | ⊙ | 2/3 | and | Indign | 10 |
| coy | inform | to | 1800K/9 | ⊙ | 15 |
| WELLS | OP | ⊙ | Between | 1900 | 20 |
| to | 2000K/8 | unidentified | plane | circled | 25 |
| SALAMAVA | 0615K/9 | 8 | loud | explosions | 30 |
| from <i>heard from</i> | direction | KELA | HILL | ⊙ | 35 |
| Between | 1000 | and | 1200K/9 | 52 | 40 |
| JAPS | 120 | rookies | moved | NORTH | 45 |
| from | KOMIATUM | towards | SALAMAVA | in | 50 |
| 4 | perkins | well | discovered | ⊙ | 55 |
| 2 | wireless | poles | at | Green | 60 |
| roofed | house | approx | 500 | pls | 65 |
| NORTH | of | WESTERN | end | 9 | 70 |
| chrome | now | camouflaged | with | white | 75 |
| Painted | sections | ⊙ | Rece | patrol | 80 |
| NORTH | from | NAMLING | 7/9 | Jim | 85 |
| report | JAPS | occupying | GWAIBOLUM | 705983 | 90 |
| and | old | coy | HQ | sq | 95 |
| map | SAT | 701987 | and | huts | 100 |
| 692987 | with | patrol | posted | approx | 105 |
| 200 | yes | WEST | of | GWAIBOLUM | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | |
|--|---|--|-------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: <i>(EXCEPT)</i> WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY <i>Immediate</i> | TIME OF ORIGIN <i>0732</i> |
| SIGNATURE <i>[Signature]</i> | SIGNATURE <i>[Signature]</i> | (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | |
| SYSTEM IN | TIME IN | READER | SENDER |
| SYSTEM OUT | TIME OUT | READER | SENDER |
| T.H.I. <i>0734</i> | | | |
| T.O.R. | | | |

MESSAGE FORM

Serial No. *2*

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT

119

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 ams swi

FROM

15 ams inf base

Originator's Number

I-211

Date

10

In Reply to Number

SECRET

⊙

SITREP

25

2/3

ams

indep

copy

to

0700 K/10

⊙

NUNNS

OP

reports

1610 K/9

one

JAP

in

khaki

moved

from

*CENTRE
74000*

COCONUTS

710 001

towards

NEW

BOB DUBI

⊙

1630 K/9

two

JAPS

moved

from

NEW

BOB DUBI

to

710001

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

At Kelly left

Immediate

1107

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. *I 212*

| | | | |
|------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 auct dw rptd 17 auct inf bde 2/3 auct indep Coy 58/59 auct inf Bn*

| | | | | |
|------|------------------------|-------------------------------------|-------------------|--------------------|
| FROM | <i>15 auct inf bde</i> | Originator's Number <i>I 212</i> | Date <i>10</i> | In Reply to Number |
|------|------------------------|-------------------------------------|-------------------|--------------------|

| | | | | | |
|------------------|------------------|-----------------|-----------------|----------------|-------------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>26</i> | <i>to</i> | <i>1900K/10</i> |
| <i>0</i> | <i>2/3</i> | <i>auct</i> | <i>indep</i> | <i>coy</i> | <i>0</i> |
| <i>C</i> | <i>PL</i> | <i>rece</i> | <i>patrol</i> | <i>NORTH</i> | <i>of</i> |
| <i>FRANCISCO</i> | <i>reports</i> | <i>K/9</i> | <i>12</i> | <i>JAPS</i> | <i>observed</i> |
| <i>digging</i> | <i>in</i> | <i>CENTRE</i> | <i>COCONUTS</i> | <i>BOBDUBI</i> | <i>RIDGE</i> |
| <i>710001</i> | <i>0</i> | <i>0615K/9</i> | <i>14</i> | <i>loud</i> | <i>explosions</i> |
| <i>heard</i> | <i>direction</i> | <i>SALAMAVA</i> | <i>0</i> | <i>58/59</i> | <i>auct</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

| | | | |
|------|-------------------------------------|-------------------|--------------------|
| FROM | Originator's Number <i>E 212</i> | Date <i>10</i> | In Reply to Number |
|------|-------------------------------------|-------------------|--------------------|

| | | | | | |
|----------------|-----------------|-------------------|-------------------------|---------------|-------------------|
| <i>ref</i> | <i>br</i> | <i>0</i> | <i>D</i> | <i>roy</i> | <i>less</i> |
| <i>18</i> | <i>pe</i> | <i>no</i> | <i>change</i> | <i>0</i> | <i>18</i> |
| <i>pe</i> | <i>moved</i> | <i># 0900K/10</i> | <i>SELEB</i> | <i>SELEB</i> | <i>0</i> |
| <i>rece</i> | <i>party</i> | <i>8</i> | <i>offs</i> | <i>50</i> | <i>O.R.</i> |
| <i>arrived</i> | <i>PILIMUNG</i> | <i>1800K/10</i> | <i>0</i> | <i>supply</i> | <i>A/C planes</i> |
| <i>circled</i> | <i>PILIMUNG</i> | <i>no</i> | <i>dropping</i> | <i>bad</i> | <i>weather</i> |
| <i>0</i> | <i>all</i> | <i>informed</i> | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

B. H. O. aum.
hraj.
SIGNED

Immediate

1900.

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
1910

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|-------------|----------------|--------------|------------|----------|--------|--------|
| | | | | <i>L</i> | <i>1938</i> | <i>W. Ryan</i> | <i>hraj.</i> | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

Out 28

TO

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

3 ams to 17 ams inf bde

FROM

17 ams inf bde

Originator's Number

I 213

Date

10

In Reply to Number

SECRET

⊙

SITREP

27

⊙

2/3

amb

indep

roy

to

1830 K/10

⊙

BUGASU

JUNCTION

⊙

smoke

observed

1730 K/10

SW

of

KELA

HILL

⊙

WELLS

OP

⊙

during

day

4

JAPS

moved

SOUTH

along

track

towards

KOMIATUM

3

JAPS

NORTH

Arwards

SALAMAU

⊙

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 213

10

*between
mound
large
0*

*1430
from
O
acc*

*and
SALAMAUA
BU
informed*

*1600 K/10
across
returned*

*161
footbridge
empty*

*persons
carrying
handed*

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

2010.
T.H.I.

2011
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 132

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

I 216

Date

10

In Reply to Number

I 625

sketch showing required info being forwarded as possible

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2130

SIGNED

SIGNED

R. H. ...

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

2131

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

one 136

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 amst div

FROM

15 amst inf base

Originator's Number

I 217

Date

11

In Reply to Number

0 3371

*current
fuel*

visibility

*cloud
from*

ceiling

estimated

3000

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0630

SIGNED

[Signature]

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0632

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

Out 137

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 amsat dno rptd 17 amsat inf bde 58/19 amsat inf bde 2/3 amsat inf bde

FROM

15 amsat inf bde

Originator's Number

I 218

Date

11

In Reply to Number

| | | | | | |
|-----------------|----------------------|---------------|---------------|-----------|-----------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>26</i> | <i>As</i> | <i>0700R/11</i> |
| <i>0</i> | <i>2/3</i> | <i>amsat</i> | <i>amsat</i> | <i>As</i> | <i>SITREP</i> |
| <i>0</i> | <i>58/19</i> | <i>amsat</i> | <i>inf</i> | <i>As</i> | <i>0</i> |
| <i>inf</i> | <i>SITREP</i> | <i>26</i> | <i>18</i> | <i>pl</i> | <i>being</i> |
| <i>status</i> | <i>communication</i> | <i>Rate</i> | <i>SECRET</i> | <i>0</i> | <i>all</i> |
| <i>informed</i> | | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0700

SIGNED

SIGNED

[Signature]

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0705

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

Out 140

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 airt div*

FROM *15 airt inf bde*

Originator's Number

0 207

Date

11

In Reply to Number

weather possible

clearing P.M.V.N.C.

Sunny

0

consider

dropping

B.H.G.

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

SIGNED

Bl Newman

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

immediate

TIME OF ORIGIN

0835

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

BB

OUT

148

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 ansst dw rptd 17 ansst inf bde

FROM

15 ansst inf bde

Originator's Number

I 220

Date

11

In Reply to Number

Approve to from fuded

*SO 0935 K/11
fins when*

Send in HQ. available

*explosions heard
and*

*heard
EASTERLY
Further*

*0935
direction
info*

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

SIGNED

*BB for ansst
maj*

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1005.

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1012

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 149

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 amsc no rptd 17 amsc my bde

FROM

15 amsc my bde

Originator's Number

I 221

Date

"

In Reply to Number

*Further
NORTH
SALAMAVA
lights*

*to
AMERICAN
093
A/A*

*to
MITCHELLS
to
fire*

*I 220
0945 R/11*

*⊙
and
⊙*

*10
snaffle
some*

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

*B. H. Ramsay. Important
maj.*

1022

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1023

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN *GRB*

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 150

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 and div*

FROM *15 and inf base*

Originator's Number

0216

Date

11

In Reply to Number

| | | | | | |
|----------------|------------------|------------------|--------------|----------------|------------------|
| <i>one</i> | <i>native</i> | <i>suspected</i> | <i>enemy</i> | <i>agent</i> | <i>departed</i> |
| <i>PILMUNG</i> | <i>with</i> | <i>police</i> | <i>boy</i> | <i>carrier</i> | <i>0730 K/11</i> |
| <i>0</i> | <i>suspect</i> | <i>will</i> | <i>be</i> | <i>sent</i> | <i>ANGAU</i> |
| <i>HR</i> | <i>BULOLO</i> | <i>ETA</i> | <i>POWER</i> | <i>HOUSE</i> | <i>1800 K/12</i> |
| <i>0</i> | <i>interview</i> | <i>report</i> | <i>will</i> | <i>be</i> | <i>forwarded</i> |
| <i>carrier</i> | <i>0700 K/12</i> | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

BN James way
SIGNED

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1210

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1211

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

om 153

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 cdust Div rptd 17 cdust Inf Bde 58/59 aust inf bn

FROM 15 aust inf bn

Originator's Number
I 222

Date
11

In Reply to Number

SECRET @ SITREP 29 @ 2/3 aust ind coy @ WELLS OP @
at 0940H/11 8 thin tailed double engined bombers made
several low level attacks on foot bridge
SALAMAN destroying about 30 yds @ A/A fired from
KELA HILL junc of isthmus and mainland also
SOUTH end of runway @ they MG fire heard
@ I 220 I 221 refer @ all informed

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1235

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

Important

T.H.L.
1240

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 157

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 amsc dnr rptd 17 amsc my bde 58/59 amsc my bde 2/3*

FROM *15 amsc my bde*

Originator's Number

Date

In Reply to Number

I 223

11

| | | | | | |
|---------------|------------------|---------------|------------------|-----------------|------------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>30</i> | <i>to</i> | <i>1900 K/11</i> |
| <i>0</i> | <i>2/3</i> | <i>amsc</i> | <i>my bde</i> | <i>log</i> | <i>0</i> |
| <i>WELLS</i> | <i>OP</i> | <i>0</i> | <i>to</i> | <i>of</i> | <i>results</i> |
| <i>of</i> | <i>bombing</i> | <i>0930</i> | <i>0900 K/11</i> | <i>JAPS</i> | <i>moving</i> |
| <i>boats</i> | <i>to</i> | <i>cross</i> | <i>my bde</i> | <i>of</i> | <i>FRANCISCO</i> |
| <i>0</i> | <i>0630 K/11</i> | <i>6</i> | <i>JAPS</i> | <i>observed</i> | <i>in</i> |
| <i>OROUSI</i> | <i>appear</i> | <i>to</i> | <i>be</i> | <i>camped</i> | <i>0</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *1901*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

Out 157

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

I 223

Date

11

In Reply to Number

D

OH EBE

24

am

msg

for

0

back

by

MO

see

function

DH MO

and

WU

river

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

SIGNED

B. J. James
msg

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

1900

T.H.I.

1901

T.O.R.

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT

165

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3 units due report received and later SB/59 and may be 2/3 units

FROM

15 units and later

Originator's Number

I 275

Date

12

In Reply to Number

SECRET

0

SITREP

31

10

0700R/12

SITREP

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

Be Newman Capt

Immediate

0705

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

0712

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. *27*

| | | | |
|-----------------------|----------------------------|------------------------------------|--------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. <i>117</i> | OFFICE DATE STAMP <i>11</i> |
| | OUT <i>MM-2-X04-LIC-OP</i> | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *Send out report Mammot inf base SB/19 cannot inf be*

| | | | |
|--------------------------------|-------------------------------------|-------------------|--------------------|
| FROM <i>15 cannot inf base</i> | Originator's Number <i>E 226</i> | Date <i>12</i> | In Reply to Number |
|--------------------------------|-------------------------------------|-------------------|--------------------|

| | | | | | |
|-----------------|-----------------|------------------|------------------|------------------|-----------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>32</i> | <i>2/3</i> | <i>and</i> |
| <i>index</i> | <i>copy</i> | <i>to</i> | <i>0700 K/12</i> | <i>0</i> | <i>BUGASU</i> |
| <i>JUNE</i> | <i>0</i> | <i>1415 K/11</i> | <i>3</i> | <i>figures</i> | <i>in</i> |
| <i>brown</i> | <i>moved</i> | <i>to</i> | <i>COCONUT</i> | <i>RIDGE</i> | <i>from</i> |
| <i>BOB DUBI</i> | <i>0</i> | <i>1525 K/11</i> | <i>3</i> | <i>figures</i> | <i>observed</i> |
| <i>on</i> | <i>BOB DUBI</i> | <i>RIDGE</i> | <i>0</i> | <i>1715 K/11</i> | <i>figure</i> |
| <i>in</i> | <i>white</i> | <i>observed</i> | <i>sitting</i> | <i>on</i> | <i>ridge</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE _____
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No. *171*

No. of Groups
GR. *UT*

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | |
|------------------|--------------|------------------------------|------------------|-------------|
| <i>1730 K/11</i> | <i>smoke</i> | <i>observed</i> | <i>EAST</i> | <i>side</i> |
| <i>ridge</i> | <i>no</i> | <i>movement</i> | <i>all</i> | <i>day</i> |
| <i>1700 K/11</i> | <i>track</i> | <i>JAPS</i> | <i>shell</i> | <i>at</i> |
| <i>KOMIATUM</i> | <i>JAPS</i> | <i>reconstructing bridge</i> | <i>at</i> | <i>of</i> |
| <i>ORODUBI</i> | <i>of</i> | <i>FRANCISCO</i> | <i>0900 K/12</i> | <i>of</i> |
| <i>and</i> | <i>indep</i> | <i>loy</i> | <i>took</i> | <i>over</i> |
| <i>round</i> | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

DI 206

12

58/59

of ans

DCoy inf

less bar

18

pe

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

Immediate

0936

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

L 0955

Lloyd

T.H.I.

T.C.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR. **1**

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 Amer. av. rpta. 17 Aust. Inf. Bde. 58/59 Aust. Inf. Bn. 2/3 Aust. Indep. Coy.**

FROM **15 Aust. Inf. Bde.**

Originator's Number
1227

Date
12.

In Reply to Number

| | | | | | |
|-----------------|----------------------|----------------|-------------|--------------|-----------------|
| SECRET. | 0 | SITREP | 33 | To | 1900K/12 |
| 0 | 58/59 | Aust. | Inf. | Bn. | 0 |
| D | Coy | less | 18 | PL | arrived |
| SELE BOB | ≡ 1200 K/12 0 | | 2/3 | Aust. | Indep |
| Coy. | 0 | SITMOR. | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
Handwritten signature

Immediate **1930**

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 182

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 Aust. Div. (pt. 17 Aust. Inf. Bde. 55/59 Aust. Inf. Bn)

FROM 15 Aust. Inf. Bde. 1220 12.

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | | |
|-----------|----------|-----------|-----------|------------|-----|
| SECRET | ○ | SITREP | 34 | to | 5 |
| 1830 K/12 | ○ | 2/3 | Aust. | Indep. | 10 |
| 1600 K/12 | ○ | WELLS | O.P. | ○ | 15 |
| Subs | 3 | vessels | within | | 20 |
| LAE | moving | from | SALAMAUVA | towards | 25 |
| B | returned | SALAMAUVA | 1630 K/12 | ○ | 30 |
| Secs. | Pl. | H.R. | plus | | 35 |
| 0900 K/12 | moved | to | BHSE | 3 | 40 |
| BUGHSU | Recon | to | patrol | from | 45 |
| BURRIS | junc. | to | junc. | W/O | 50 |
| Reports | returned | returned | 1600 K/12 | ○ | 55 |
| but | no | japs | inf | near | 60 |
| loading | trucks | from | near | | 65 |
| HOTE | to | BOBDUBI | (base) | tracks | 70 |
| native | and | BUGHSU | ○ | habitation | 75 |
| found | village | of | 8 | huts | 80 |
| mile | approx. | Three | quarters | of | 85 |
| of | from | river | junc. | direction | 90 |
| laden | HOTE | ○ | 1530 K/12 | 20 | 95 |
| spot | Japs | mean | south | across | 100 |
| on | bridge | Jap | quarry | posted | 105 |
| 150 | ORODUBI | NAMLING | track | approx | 110 |
| ○ | yards | with | of | ORODUBI | 115 |
| used | Portkono | appear | to | be | 120 |
| BUGHSU | to | repair | pathing | ○ | 125 |
| | junc. | reports | 1830 K/12 | daily | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: ((EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 182

Serial No.

No. of Groups OFFICE DATE STAMP
GR.

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

1228

12.

(Write horizontally)

| | | | | | |
|---------|----------|-----------|----------|------------|-----|
| patrol | to | KUNDA | bridge | area | 5 |
| area | one | jap | dressed | in | 10 |
| white | moving | about | CENTRE | COCA NUTS | 15 |
| o | one | jap | observed | moving | 20 |
| south | along | KOMHATUM | track | o | 25 |
| 58/59 | dist. | Inf. | Br | o | 30 |
| D | Co. | less | one | pl | 35 |
| arrived | MISSIM | 1945 K/12 | o | BRIG | 40 |
| arrived | PILIMUNG | from | MISSIM | 1630 K/12. | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: ((EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

2125
2134

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

GR.

out 157

CALL AND INSTRUCTIONS

IN

OUT

copy

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3rd Div Apr 17 Aust Army Bde

FROM

15 Aust Bde

Originator's Number

I 230

Date

13

In Reply to Number

| | | | | | |
|-------------------------|--------------------|----------------|-------------------|------------------|-----------|
| <i>Approx direction</i> | <i>27</i> | <i>loud</i> | <i>explosions</i> | <i>heard</i> | <i>in</i> |
| <i>direction</i> | <i>KOM 119 TUM</i> | <i>between</i> | <i>0655</i> | <i>0710 K/13</i> | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0715

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....
W. Newman

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *0716*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

out 189

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ansse dw rpt 17 ansse inf hq 58/159 ansse inf hq

7/3 ans

FROM

15 ansse inf hq

Originator's Number

I 231

Date

13

In Reply to Number

SECRET

0

SITREP

35

to

0700 K/13

0

2/3

ansse

indep

coy

0

D

coy

20

ansse

inf

hq

0

8

pl

sec

2

sec

move

to

OHIBE

2

sec

to

B0B9DU

K/12

0

otherwise

SITNOR

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0725

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

immediate

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL
AND
INSTRUC-
TIONS

IN

OUT

OUT 1946

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 Aust. Div. repta. 17 aust inf bde. 58/59 aust inf bn. *2/3 Aust indep coy*

FROM

15 aust ^{int} bde.

Originator's Number

I 232

Date

13.

In Reply to Number

| | | | | | |
|---------|-------|-----------|-----------|----------|-----------|
| SECRET | ⊙ | SITREP | 36 | to | 1900 K/13 |
| ⊙ | 2/3 | aust | indep | coy | ⊙ |
| WELLS | O.P. | ⊙ | 0645 K/13 | size | BOSTONS |
| bomber | and | shaffer | KOMIATUM | SALAMAUA | track |
| 40 | mins. | ⊙ | light | M.G | fire |
| heard | ⊙ | CISSEMBOB | ⊙ bags | patrol | reports |
| finding | gap | sleeping | bags | about | three |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No. **196**

No. of Groups
GR. **1**

OFFICE DATE STAMP

CALL
AND
INSTRUC-
TIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

I 232

Date

13.

In Reply to Number

| | | | | | |
|-----------------|---------------|--------------|-------------|------------------|--------------|
| <i>mch</i> | <i>sld</i> | <i>ref</i> | <i>map</i> | <i>SALAMAUVA</i> | <i>one</i> |
| <i>inch</i> | <i>6903</i> | <i>0</i> | <i>D</i> | <i>copy</i> | <i>less</i> |
| <i>one</i> | <i>pl.</i> | <i>58/59</i> | <i>asst</i> | <i>inf</i> | <i>less</i> |
| <i>relieved</i> | <i>C</i> | <i>pl.</i> | <i>2/3</i> | <i>asst</i> | <i>indep</i> |
| <i>copy</i> | <i>BUGASU</i> | <i>JUNC.</i> | <i>area</i> | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....
B. Newman
Capt

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

1925

T.H.L.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

OUT

No. of Groups
GR. **2**

OFFICE DATE STAMP

204

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 units due up to 17 units in base SB/59 units in base

FROM

5 units in base

Originator's Number

I 235

Date

14

In Reply to Number

| | | | | | |
|-----------------|------------------|---------------|-----------------|--------------------------|-----------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>37</i> | <i>to</i> | <i>0700K/14</i> |
| <i>0</i> | <i>4/3</i> | <i>units</i> | <i>in base</i> | <i>copy</i> | <i>0</i> |
| <i>BUGASV</i> | <i>AREA</i> | <i>0</i> | <i>between</i> | <i>1540</i> | <i>cont</i> |
| <i>1630K/13</i> | <i>5</i> | <i>JAPS</i> | <i>observed</i> | <i>on</i> | <i>COCONOT</i> |
| <i>RIDGE</i> | <i>0</i> | <i>WELLS</i> | <i>OP</i> | <i>0</i> | <i>JAPS</i> |
| <i>still</i> | <i>in</i> | <i>OROVES</i> | <i>0</i> | <i>smoke</i> | <i>seen</i> |
| <i>at</i> | <i>GINABOLON</i> | <i>but</i> | <i>NO</i> | <i>movement observed</i> | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT
201

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 235

14

| | | | | | |
|------------------|------------------|----------------|-----------------|-----------------|----------------|
| <i>0</i> | <i>40</i> | <i>JARS</i> | <i>own</i> | <i>small</i> | <i>parties</i> |
| <i>unduly</i> | <i>separated</i> | <i>moved</i> | <i>down</i> | <i>back</i> | <i>towards</i> |
| <i>SALAMAUVA</i> | <i>12</i> | <i>towards</i> | <i>KOMINTUM</i> | <i>1520K/13</i> | <i>0</i> |
| <i>Ref</i> | <i>own</i> | <i>SITREP</i> | <i>36</i> | <i>0</i> | <i>BAGS</i> |
| <i>should</i> | <i>read</i> | <i>BAYS</i> | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

Immediate

0726

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT
209

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 and 4

FROM

15 and by Bde

Originator's Number

I 234

Date

13

In Reply to Number

05042

*MISSING
608966*

ref

map

SALAMAUVA one

encls

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2275

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR. 222

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div. reptd. 17 aust. inf bde. 58/59 aust. inf bde. 2/3 aust indep coy*

FROM *15 aust. inf bde.*

Originator's Number
I 237.

Date
14.

In Reply to Number

CRET
0

0
SITNOR.

SITREP

38

to

1900 K/14

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
EG Newman
Capt

immediate

1925

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1930*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 219

| | | | |
|------------------------------|-----|--|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. 219 | |
| | OUT | | OFFICE DATE STAMP |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 aust. div. repta. 17 aust. inf bde. 58/59 aust. inf. bn.

FROM 15 aust. inf. bde. Originator's Number I 238. Date 14. In Reply to Number

| | | | | | |
|----------|------|----------|--------|--------|-------------|
| SECRET | 0 | SITREP | 38 | to | disposition |
| D | Coy. | 58/59 | aust. | inf | bn. |
| 0 | Coy. | H.Q. | and | one | sec. |
| 17 | pl. | DROPPING | GROUND | ref | map |
| SALAMAUA | one | inch | 620990 | 0 | 16 |
| pl | less | one | sec | MEARES | CREEK |
| one | Sec | 16 | pl | NUNNS | POST |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE _____
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 2008

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

OUT
219

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR. *219*

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

1238

Date

19

In Reply to Number

| | | | | | |
|-------------|-------------------|---------------|---------------|--------------|------------|
| <i>0</i> | <i>17</i> | <i>pl.</i> | <i>less</i> | <i>one</i> | <i>sec</i> |
| <i>plus</i> | <i>detachment</i> | <i>mortar</i> | <i>BUGASU</i> | <i>POST.</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: () WIRELESS
*(EXCEPT)

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

immediate

TIME OF ORIGIN

2005

SIGNATURE.....

SIGNATURE.....

W Newman Capt

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 2005

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT 2

No. of Groups
GR. *24*

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 amsd div*

FROM *15 amsd inf bde*

Originator's Number

F240

Date

14

In Reply to Number

03415

| | | | | | |
|-----------------|---------------|--------------|-------------|------------|--------------|
| <i>KOMIATUM</i> | <i>125000</i> | <i>NOT</i> | <i>held</i> | <i>0</i> | <i>could</i> |
| <i>refs</i> | <i>be</i> | <i>given</i> | <i>on</i> | <i>one</i> | <i>rich</i> |
| <i>series</i> | <i>please</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2210

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....
1080 Newman

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No. **240**
OFFICE DATE STAMP
No. of Groups **GR.**

CALL AND INSTRUCTIONS.

IN
OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 and det rpt 17 and inf base 2/3 and inf base*
FROM *15 and inf base*
Originator's Number **I 241** Date **15** In Reply to Number

(Write horizontally)

| | | | | | |
|-----------|-----------|-----------|-----------|----------|-----|
| SECRET | 0 | SITREP | 39. | To | 5 |
| 0700 K/15 | 0 | 2/3 | and | only | 10 |
| copy | 0 | WELLS | OP | 0 | 15 |
| 0630 K/14 | 30 | laden | and | moved | 20 |
| SOUTH | across | FRANCISCO | bridge | 0 | 25 |
| 1045 K/14 | 2 | JAP | shelter | cases | 30 |
| 25 | and | moved | towards | SALAMANA | 35 |
| on | KOMIATUM | track | 1575 K/14 | 35 | 40 |
| JAPS | moved | same | direction | 0 | 45 |
| BUGASU | AREA | 0 | patrol | reports | 50 |
| 2 | while | objects | seen | in | 55 |
| BOBUBI | message | thought | to | be | 60 |
| shuts | on | lap | laps | 0 | 65 |
| MUNAS | POST | 0 | 2 | JAPS | 70 |
| seen | moving | SOUTH | along | KOMIATUM | 75 |
| track | 1720 K/14 | 0 | 5 | all | 80 |
| informed | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE *B.H. Havers*

immediate

0730

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 241

Serial No. OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 aust div
FROM 15 aust inf bde
Originator's Number Z 242
Date 15
In Reply to Number 03415

| | | | | | |
|----------------------|-----------|--------|----------|-------------|-----|
| (Write horizontally) | | | | | |
| track | known | has | been | used | 5 |
| twice | by | 2/3 | indep | coy | 10 |
| patrols | o | leaves | main | KOMIATUM | 15 |
| track | just | SOUTH | of | BURAH | 20 |
| ck | rejoining | approx | 2 | mls | 25 |
| SOUTH | o | good | bench | cut | 30 |
| track | but | over | grown | well | 35 |
| used | SOUTH | end | only | see | 40 |
| see | report | the | WALPOLE | 2/3 | 45 |
| indep | coy | funded | by | this | 50 |
| HQ | 14 | just | para | 3 | 55 |
| sub para | f | o | this | area | 60 |
| twice | used | by | our | ambush | 65 |
| parties | probably | JAP | patrols | responsible | 70 |
| for | track | being | well | worn | 75 |
| o | no | enemy | most | seen | 80 |
| by | OPs | on | track | o | 85 |
| side | track | to | KOMIATUM | visible | 90 |
| from | NAMLING | and | natives | report | 95 |
| it | is | booby | trapped | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | | | | | | | | | | | |
|---|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|----------------|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN | |
| SIGNATURE | | | | SIGNATURE | | | | | | | | 1150. | |
| * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | | | | (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | T.H.I. 1204. | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | T.O.R. | |
| | | | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
GR.

242

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div septa. 58/59 aust inf. bn. 2/3 aust indep*

FROM *15 aust. inf bde.*

Originator's Number

1243

Date

15

In Reply to Number

| | | | | | |
|------------------|------------------|------------------|----------------|-------------------|-----------------------|
| <i>ref</i> | <i>maps</i> | <i>this</i> | <i>area</i> | <i>⊙</i> | <i>intend</i> |
| <i>preparing</i> | <i>master</i> | <i>traces</i> | <i>all</i> | <i>maps</i> | <i>prepared</i> |
| <i>by</i> | <i>2/3</i> | <i>indep</i> | <i>coy</i> | <i>⊙</i> | <i>will</i> |
| <i>find</i> | <i>same</i> | <i>soon</i> | <i>as</i> | <i>possible</i> | <i>⊙</i> |
| <i>enact</i> | <i>refs.</i> | <i>can</i> | <i>them</i> | <i>be</i> | <i>given.</i> |
| <i>⊙</i> | <i>corrected</i> | <i>SALANAVA</i> | <i>revised</i> | <i>docs</i> | <i>NOT</i> |
| <i>show</i> | <i>all</i> | <i>available</i> | <i>inform.</i> | <i>as held by</i> | <i>2/3 indep coy.</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1153

T.H.I. *1204*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 must do report 17000 my base 58159 and my base*

FROM *1 must my base*

Originator's Number *1745* Date *15* In Reply to Number

| | | | | | |
|---------------|------------------|---------------|------------------|--------------------------|------------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>to</i> | <i>to</i> | <i>1900 K/15</i> |
| <i>0</i> | <i>2/3</i> | <i>curse</i> | <i>indep.</i> | <i>log</i> | <i>0</i> |
| <i>MELLS</i> | <i>OP</i> | <i>0</i> | <i>from</i> | <i>1330 to 1700 K/15</i> | <i>1700 K/15</i> |
| <i>total</i> | <i>405</i> | <i>JAPS</i> | <i>slow</i> | <i>moving</i> | <i>SOUTH</i> |
| <i>along</i> | <i>KOMIATUM</i> | <i>break</i> | <i>0</i> | <i>JAPS</i> | <i>check</i> |
| <i>moving</i> | <i>when</i> | <i>report</i> | <i>sent</i> | <i>how</i> | <i>OP</i> |
| <i>up</i> | <i>1700 K/15</i> | <i>0</i> | <i>1430 K/15</i> | <i>from</i> | <i>UNGSU</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
 GR.

251

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

E 245

Date

15

In Reply to Number

AREA

Large

fires

seen

WEST

NOMINATION

back

of

1200 K/15

from

Red

150

two

columns

of

smoke

seen

vicinity

sq

7501

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: () WIRELESS
 *(EXCEPT)

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

1950

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

OUT

No. of Groups
GR. *26*

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *340000000 170000000 58/59 2/3 and index copy*

FROM *150000000* Originator's Number *I 247* Date *16* In Reply to Number

| | | | | | |
|---------------|---------------|---------------|-----------|-----------|------------------|
| <i>SECRET</i> | <i>G</i> | <i>SITREP</i> | <i>41</i> | <i>10</i> | <i>0700 K/16</i> |
| <i>①</i> | <i>SITREP</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
[Signature]

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0725

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

(ABOVE THIS LINE FOR SIGNALS USE ONLY)

| IN | | OUT | | IN | | OUT | | IN | | OUT | |
|----------|------|----------|------|----------|------|----------|------|----------|------|----------|------|
| RECEIVED | SENT | RECEIVED | SENT | RECEIVED | SENT | RECEIVED | SENT | RECEIVED | SENT | RECEIVED | SENT |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

TO
FROM
IN
OUT

TO
FROM
IN
OUT
MESSAGE
DATE

Messin

Bayan

Q. M. M.

(BELOW THIS LINE SIGNALS USE ONLY)

Handwritten notes in the signal section

Handwritten signature or mark at the bottom right

MESSAGE FORM

Serial No. **67**

No. of Groups
GR. **267**

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 aust div. rept. 17 aust. inf. bde. 58/59 aust. inf. bn. ANGRAU PILIMUNG**

FROM **15 aust. inf. bde.**

Originator's Number
I 248

Date
16

In Reply to Number

| | | | | | |
|----------------|-----------------|-------------|------------------|---------------|-----------------|
| SECRET. | @ | 2/3 | aust | indep. | com |
| SITREP | 57 | to | 0915K/16 | @ | WELLS |
| O.P. by | reports | 3 | heavy | laden | launches |
| arrived | SHEPPHUR | from | direction | LRE | 1711K/15 |
| @ | total | japs | move | SOUTH | 15 jms |
| 786. | | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 1007.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

~~LA 04 T~~

12

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 airtel dno

FROM

15 airtel inf bde

Originator's Number

0253

Date

15

In Reply to Number

| | | | | | |
|------|--------|-----|---------|---------|----------|
| Capt | BARNES | Sgt | COULTER | arrived | 1330 hrs |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1400

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
GR. 280

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div rept 17 aust inf bde ANGAU PILIMUNG.*

FROM *15 aust inf bde.*

Originator's Number

I 250

Date

16.

In Reply to Number

SECRET

⊙

SITREP

42

⊙

2/3

aust.

indep

ccy

to

1150K/16

⊙

appro

80

japs

manua

SOUTH

across

FRANCISCO

bridge

1150K/16.

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

*1555
may immediate*

1555.

T.H.I. 1558

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT

No. of Groups
GR. *28*

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div.*

FROM *15 aust inf bde.*

Originator's Number
I 251

Date
16

In Reply to Number
G 12/11

Acty.

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY
deferred

TIME OF ORIGIN
1745

T.H.L.
1747

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
GR.

OFFICE DATE STAMP

287

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div. septa. 17 aust inf bde. ANGAU PILIMUNG*

FROM *15 aust inf bde.*

Originator's Number

T252

Date

16

In Reply to Number

| | | | | | |
|------------------|-----------------|----------------|-------------------|----------------------------|-----------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>43</i> | <i>to</i> | <i>1900K/16</i> |
| <i>0</i> | <i>2/3</i> | <i>aust</i> | <i>indep</i> | <i>copy</i> | <i>0</i> |
| <i>BVGASU</i> | <i>POST</i> | <i>reports</i> | <i>2</i> | <i>unidentified planes</i> | |
| <i>flw</i> | <i>overhead</i> | <i>0830</i> | <i>hrs.</i> | <i>0</i> | <i>NUNNS</i> |
| <i>POST</i> | <i>report</i> | <i>5</i> | <i>BOSTONS</i> | <i>attached</i> | <i>MUBO</i> |
| <i>area</i> | <i>1200 hrs</i> | <i>0</i> | <i>WELLS O.P.</i> | <i>reports</i> | <i>163 japs</i> |
| <i>60 coelis</i> | <i>moved</i> | <i>towards</i> | <i>KOMIATUM</i> | <i>as to</i> | <i>1730K/16</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

OUT

No. of Groups
GR. 289

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 252

16

| | | | | | |
|----------------|--------------|--------------|----------------|-----------------|-----------|
| <i>0</i> | <i>MUNNS</i> | <i>POST</i> | <i>reports</i> | <i>smoke</i> | <i>on</i> |
| <i>BOBDUBI</i> | <i>ridge</i> | <i>SOUTH</i> | <i>of</i> | <i>coconuts</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
W. J. ...

Immediate

1925

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

*T.H.I.
1930*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 291

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups GR.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 aust dis

FROM 15 aust inf bde

Originator's Number

0263

Date

16

In Reply to Number

(Write horizontally)

| | | | | | |
|------------|----------|------------|-----|------------|-----|
| my | my | 0233 | 10 | following | 5 |
| from | 2/3 | map | 10 | 0 | 10 |
| MENZIES | patrol | ran | 15 | booby | 15 |
| trap | up | map | 20 | revised | 20 |
| 698902 | 0 | four | 25 | all | 25 |
| stretchers | cases | incl | 30 | MENZIES | 30 |
| capt | HIGGS | 0 | 35 | detachment | 35 |
| sent | by | 2/3 | 40 | coy | 40 |
| to | evacuate | casualties | 45 | ends | 45 |
| 0 | inquiry | reveals | 50 | time | 50 |
| 0 | WARFE | thinks | 55 | have | 55 |
| happened | this | AM | 60 | no | 60 |
| back | known | to | 65 | on | 65 |
| this | spur | 0 | 70 | HANCOCK | 70 |
| will | go | to | 75 | and | 75 |
| take | command | area | 80 | | 80 |
| | | | 85 | | 85 |
| | | | 90 | | 90 |
| | | | 95 | | 95 |
| | | | 100 | | 100 |
| | | | 105 | | 105 |
| | | | 110 | | 110 |
| | | | 115 | | 115 |
| | | | 120 | | 120 |
| | | | 125 | | 125 |
| | | | 130 | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

1705

1706

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 293

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf base

Originator's Number

0259

Date

16

In Reply to Number

| | | | | | |
|-------------|--------------|---------------|----------------|------------|------------------------|
| <i>2/3</i> | <i>indep</i> | <i>coy</i> | <i>request</i> | <i>for</i> | <i>top of rap base</i> |
| <i>rece</i> | <i>a</i> | <i>supply</i> | <i>of</i> | <i>35</i> | <i>MM</i> |
| <i>plan</i> | <i>O</i> | <i>phase</i> | <i>advised</i> | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0956

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
W. H. ...

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

OUT 294

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

| | | | |
|------|----------------|------------------------------|------------|
| TO | 3 and div | | |
| FROM | 15 and inf bde | Originator's Number 0 260 | Date 16 |

| | | | | | |
|---|---|--|--|--|--|
| for of GUINEA daily this world | G III (1) news GOLD by will events | ① other be convinced insure ① | owing fronts forwarded this ① reasonable please | acute request this when knowledge of advise | shortage copy HQ received of |
|---|---|--|--|--|--|

| | | | |
|--|--|--|---|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS</p> <p>SIGNATURE _____</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE <i>BH [unclear] maj [unclear]</i></p> <p>(BELOW THIS LINE FOR SIGNALS USE ONLY.)</p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> <p><i>deferred</i></p> | <p>TIME OF ORIGIN</p> <p style="font-size: 1.5em;">1026</p> |
|--|--|--|---|

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 295

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 auct dw rptd 58/59 auct inf

FROM

15 auct inf bde

Originator's Number

0 257

Date

15

In Reply to Number

owing to heavy signal traffic HQ with sitreps

request 58/59 intreps

heavy div auct

signal HQ inf

traffic dial

direct re

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1924

T.H.I. *1930*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

OUT 300

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 airt div repld 2/3 airt indep copy.

FROM 15 airt inf bde

Originator's Number

0267

Date

16

In Reply to Number

03435

(Write horizontally)

| | | | | | |
|-----------|------------|----------|-------------|----------|-----|
| definite | inform | can | NOT | be | 5 |
| given | till | meaning | 17 Jun | in | 10 |
| need | attended | position | 0 | one | 15 |
| 0 | map | up | proposed | ambush | 20 |
| position | GOODVIEW | JUNC | 714 934 | now | 25 |
| proposed | set | ambush | night | 19/20 | 30 |
| Jun | 0 | two | eyes 0 | yes | 35 |
| operation | proceeding | 0 | state three | 0 | 40 |
| date | of | raid | and | return | 45 |
| can | NOT | be | given | till | 50 |
| 17 Jun | 0 | possible | raid | may | 55 |
| NOT | now | be | able | to | 60 |
| take | place | 0 | NO | inform | 65 |
| yet | JAP | reaction | after | booby | 70 |
| trap | incident | 0 | in | any | 75 |
| case | raid | can | NOT | go | 80 |
| on | before | night | 19/20 | Jun | 85 |
| 0 | four | 0 | bases | to | 90 |
| which | tps | return | will | be | 95 |
| standing | patrol | left | PIONEER | JUNC | 100 |
| 683931 | remainder | VEILS | BASE | 3 | 105 |
| 0 | air | strike | could | safely | 110 |
| be | arranged | SOUTH | of | good | 115 |
| 88 | OR | NORTH | of | KOMIATUM | 120 |
| village | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

2220

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

007 Serial No. **306**

| | | | |
|------------------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 AUST DIV rptd 17 AUST INF BDE ANGAU PILIMUNG.**

| | | | |
|-------------------------|---------------------|-----------|--------------------|
| FROM | Originator's Number | Date | In Reply to Number |
| 15 AUST INF BDE. | I 254 | 17 | |

| | | | | | |
|---------------|-----------------|----------------|-----------------|----------------|-----------------|
| SECRET | ⊙ | SIT REP | 45 | to | 0800K/17 |
| ⊙ | 2/3 | indep | 504 | ⊙ | WELLS |
| OP | reported | between | 1500 | and | 1545K/16 |
| 58 | japs | heavily | laden | widely | spread |
| moved | NORTH | along | track | towards | SALAMAU |
| ⊙ | 1550K/16 | 10 | japs | as | above |
| moved | SOUTH | towards | KOMIATUM | ⊙ | Total |

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT Serial No. *306*

| | | | |
|------------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

| | | | |
|-------------|---------------------|------|--------------------|
| FROM | Originator's Number | Date | In Reply to Number |
|-------------|---------------------|------|--------------------|

| | | | | | |
|-------------|-----------------|----------------|----------------|-----------------|-----------------|
| <i>jap</i> | <i>movement</i> | <i>16</i> | <i>pin</i> | <i>173</i> | <i>japs</i> |
| <i>60</i> | <i>aculis</i> | <i>SOUTH</i> | <i>towards</i> | <i>KOMIATUM</i> | <i>58</i> |
| <i>japs</i> | <i>NORTH</i> | <i>towards</i> | <i>SALAMAU</i> | <i>⊙</i> | <i>6</i> |
| <i>japs</i> | <i>still</i> | <i>in</i> | <i>ORODUBI</i> | <i>⊙</i> | <i>A copy</i> |
| <i>24</i> | <i>ant</i> | <i>inf</i> | <i>br</i> | <i>to</i> | <i>0700K/17</i> |
| <i>⊙</i> | <i>sitron</i> | | | | |

| | | | |
|--|---|---|--------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN |
| SIGNATURE _____ | SIGNATURE _____ | <i>immediate</i> | <i>1826</i> |
| * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | (BELOW THIS LINE FOR SIGNALS USE ONLY.) | | T.H.I. <i>0840</i> |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R. *0900*

MESSAGE FORM

OUT
Serial No. **311**

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 Aust div**

FROM **15 Aust inf base**

Originator's Number

1250

Date

11

In Reply to Number

| | | | | | |
|------------------|--------------|------------|-------------|----------------|---------------|
| msg | party | 18 | pl | D | copy |
| 58/59 | aust | inf | base | arrived | BOBAOJ |
| 1900 K/16 | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0952.

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

007
324

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

I cannot do, rptd 2/3 and indep say 17 and my file Angou

PLANNING

FROM

is not my file

Originator's Number

1258

Date

17

In Reply to Number

—

| | | | | | |
|-----------------|---------------|---------------|--------------|-----------------|-----------------|
| <i>SECRET</i> | <i>⊙</i> | <i>SITREP</i> | <i>46</i> | <i>to</i> | <i>1400K/17</i> |
| <i>⊙</i> | <i>2/3</i> | <i>and</i> | <i>indep</i> | <i>say</i> | <i>⊙</i> |
| <i>-rece</i> | <i>party</i> | <i>58/59</i> | <i>and</i> | <i>id</i> | <i>in</i> |
| <i>informed</i> | <i>to</i> | <i>HEARES</i> | <i>CREAK</i> | <i>⊙</i> | <i>one</i> |
| <i>MITCHELL</i> | <i>number</i> | <i>note</i> | <i>2</i> | <i>very</i> | <i>low</i> |
| <i>level</i> | <i>number</i> | <i>runs</i> | <i>over</i> | <i>SALADADA</i> | <i>at</i> |
| <i>0755K/17</i> | <i>⊙</i> | <i>fresh</i> | <i>on</i> | <i>KELA</i> | <i>Hills</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT

Serial No. *24*

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 268

17

| | | | | | |
|------------|------------|------------------|-------------|------------------|-----------------|
| <i>air</i> | <i>air</i> | <i>QUARRIES</i> | <i>air</i> | <i>on</i> | <i>ISTHMIUS</i> |
| <i>air</i> | <i>air</i> | <i>light</i> | <i>A/A</i> | <i>and</i> | <i>MG.</i> |
| <i>air</i> | <i>air</i> | <i>REMARKS</i> | <i>over</i> | <i>forwarded</i> | <i>by</i> |
| <i>air</i> | <i>air</i> | <i>1245 K/17</i> | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
 *(EXCEPT)
 BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
 IF LIABLE TO INTERCEPTION OR TO FALL
 INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
 DEGREE OF PRIORITY

TIME OF ORIGIN

1915

SIGNATURE.....
 * ORIGINATOR MAY DELETE "EXCEPT" AND
 INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

327

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 ams dw, rptd 2/3 ams indep coy*

FROM *15 ams inf lde*

Originator's Number

Date

In Reply to Number

I 260

17

03 435

| | | | | | |
|--------------|----------------|----------------|-------------|-------------|-------------|
| <i>parab</i> | <i>will</i> | <i>be</i> | <i>WEST</i> | <i>of</i> | <i>GRID</i> |
| <i>70</i> | <i>SALVADO</i> | <i>revised</i> | <i>one</i> | <i>inch</i> | <i>⊙</i> |
| <i>lmsd</i> | <i>rights</i> | <i>19/20</i> | <i>JUNE</i> | <i>Q</i> | <i>ack.</i> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *S. Hedley Capt.*

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

2040

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

007
35

TO

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

ANGAD P...
3 cannot dir rptd 17 units of bde 2/3 and indep coy

FROM

15 units of bde

Originator's Number

E 273

Date

R

In Reply to Number

SECRET

0

SITREP

47

to

0700R/18

0

2/3

and

indep

coy

0

MEARS

CRIBER

0

2

unidentified man

FRANKISCO

explosive

working

in

band

of

ministry

R

below

coronets

710001

0

man

magazine

with

dog

signed

half

way

between

PILIMUNG

SELEDOB

0

not

further

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

TO

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

FROM

Originator's Number

Date

In Reply to Number

details today

at

present

3

fatal

investig

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNED

SIGNED *[Signature]*

IMMEDIATE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 340

| | | | | |
|-----------------------|-----|----------------------|--------------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | Serial No. 340 | OFFICE DATE STAMP |
| | OUT | | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO ~~3rd Aust Div.~~ **11 Fighter Control Sub Sector BVLOLO repto**

FROM **15 Aust. inf bde.**

Originator's Number: **1274** Date: **18** In Reply to Number:

| | | | | | |
|----------------|-----------------|--------------------|----------------|----------------|--------------------|
| 2/3 | aust | indep | copy | reports | JAR |
| rece | plane | identified | as | VAL | type |
| 99 | NAVY | DIVE BOMBER | circled | low | General |
| MISSILE | and | HOT F | 0630K1K | 0 | undoubtedly |
| plane | reported | over | SELEPOE | same | time |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE **[Signature]**

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

AIR FLASH

TIME OF ORIGIN
0903

T.H.I.

T.O.R.
0900

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

70 until 19/20 Night

In East of Lid bus 70
Salamanca Rev. will be
clear of our sp until
night 19/20. Ref
to message re air strike
03435

fill with message

ask to I 260?

over

MESSAGE FORM

OUT 351

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 30mst det rptd 17mst inf lde 73 lmp lndgr lny
FROM 15mst inf lde

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | | |
|------------|-----------|-----------|-----------|-----------|-----|
| SECRET | 0 | SITREP | 48 | to | 5 |
| 1900 K/18 | 0 | 2/3 | lndgr | lndgr | 10 |
| lny | 0 | BUGASU | area | 0 | 15 |
| lndgr | to | area | NORTH | 9 | 20 |
| BOBU JB | lndgr | report | hearing | sound | 25 |
| lndgr | summarize | drill | from | direct | 30 |
| SALAMANA | 1100 | to | 1170 K/17 | 0 | 35 |
| NUMINS | POST | 0 | 1600 K/18 | U/I | 40 |
| A/c | flew | SOUTH | over | MUBO | 45 |
| area | 3 | heavy | explosion | heard | 50 |
| 0 | 1635 K/18 | 3 | U/I | A/c | 55 |
| flew | SOUTH | over | MUBO | area | 60 |
| 0 | WELLS | 0 | 0 | 0 | 65 |
| JAPS | 2nd | NORTH | toward | SALAMANA | 70 |
| 1230 K/18 | 0 | CASSIMBO | area | 0 | 75 |
| lndgr | explosion | heard | close | to | 80 |
| 0 | 1400 K/18 | to | A/c | activity | 85 |
| over | SALAMANA | heard | 0900 K/18 | 0 | 90 |
| A/a | opened | lndgr | barrage | 0 | 95 |
| Jap | reun | plane | arrested | over | 100 |
| CASSIMBO | DAMO | SEALS | camp | lndgr | 105 |
| between | 0600 | 0645 K/18 | 0 | lndgr | 110 |
| HQ | 0 | 2 | vessels | unstable | 115 |
| sign | observed | from | PILIM JMG | EAST | 120 |
| of | SALAMANA | 0 | 4 | reunlndgr | 125 |
| explosions | heard | SOUTH | EAST | 9 | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

007351

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 276 18

(Write horizontally)

| | | | | | |
|----------|-----------|---------|-----|--------|-----|
| PILIMUNG | 1615 K/18 | 6 | A/C | heard | 5 |
| same | direction | | and | unable | 10 |
| to | state | numbers | | | 15 |
| | | | | | 20 |
| | | | | | 25 |
| | | | | | 30 |
| | | | | | 35 |
| | | | | | 40 |
| | | | | | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: (* (EXCEPT)) WIRELESS

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

Immediate

TIME OF ORIGIN

0732

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

352

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aush air

FROM

15 aush inf hde

Originator's Number

I 277

Date

18

In Reply to Number

| | | | | | |
|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| <i>ref</i> | <i>own</i> | <i>BITREP</i> | <i>48</i> | <i>0</i> | <i>[scribble]</i> |
| <i>[scribble]</i> | <i>[scribble]</i> | <i>[scribble]</i> | <i>[scribble]</i> | <i>[scribble]</i> | <i>[scribble]</i> |
| <i>ref</i> | <i>MOUNT</i> | <i>MISSIM</i> | <i>first</i> | <i>switch</i> | <i>0</i> |
| <i>52 HES</i> | <i>camp</i> | <i>location</i> | <i>585034</i> | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2022

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *[Signature]*

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *2026*

T.O.R. *2030*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|--|--|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. <i>OUT</i> | OFFICE DATE STAMP <i>560</i> |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

| | | | | |
|-------------|------------------------|----------------------------|-------------|---------------------------|
| TO | <i>3 Aust Div</i> | Originator's Number | Date | In Reply to Number |
| FROM | <i>15 Aust Inf Bde</i> | <i>I 279</i> | <i>18</i> | <i>AQ 720</i> |

| | | | | | |
|------------|--|--|--|--|--|
| <i>Ack</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | |
|--|--|---|---|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS</p> <p>SIGNATURE.....</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE.....</p> <p><i>[Signature]</i></p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> | <p>TIME OF ORIGIN</p> <p><i>0130</i></p> <p><i>I 279</i></p> <p>T.H.I.</p> |
|--|--|---|---|

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

Over 363

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 most det signal station base 2/3 must indep copy

FROM

15 must indep base

Originator's Number

I 280

Date

19

In Reply to Number

| | | | | | |
|------------------|----------------|---------------|-----------------|----------------|------------------|
| <i>SECRET</i> | <i>⊙</i> | <i>SITREP</i> | <i>49</i> | <i>to</i> | <i>0900 K/19</i> |
| <i>⊙</i> | <i>2/3</i> | <i>must</i> | <i>indep</i> | <i>copy</i> | <i>⊙</i> |
| <i>FRACK</i> | <i>OP</i> | <i>665047</i> | <i>⊙</i> | <i>load</i> | <i>expensive</i> |
| <i>board</i> | <i>very</i> | <i>also</i> | <i>to</i> | <i>OP</i> | <i>1400 K/17</i> |
| <i>⊙</i> | <i>further</i> | <i>info</i> | <i>repeated</i> | <i>⊙ from</i> | <i>OP</i> |
| <i>⊙</i> | <i>WELLS</i> | <i>OP</i> | <i>⊙</i> | <i>further</i> | <i>report</i> |
| <i>1245 K/17</i> | <i>3</i> | <i>JAPS</i> | <i>moved</i> | <i>SOUTH</i> | <i>from</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

J 280

19

5.4.44.44

0

Base

1st

0

4

fares

rumbling

explosions

heard

direction

EAST

to

SE

between

0630

0712 H/19

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

IMMEDIATE

720

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 377

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust Div up'd 17th Aust Inf Bde 2/3 Ind Coy ~~ANZAC~~

FROM

15 Aust Inf Bde.

Originator's Number

I 252.

Date

19

In Reply to Number

-

| | | | | | |
|----------|----------|----------|----------|------|----------|
| SECRET | 3 | 517 | 50 | 10 | 19000/19 |
| | 2/3 | cont | ind. Coy | 10 | |
| MARCO | T. P. C. | O.P. | 3. | 6 | branches |
| sum | one | SECRET | EAST | side | of |
| in house | one | 15 | from | e | of house |
| cont | Mounting | hand | net | day | is |
| in | 3 | at house | 517 | 5 | table |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 377

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

1252

19

| | | | | | |
|-------------|-----|--------|---------|----------|------|
| HQ | 3 | capt | NEWMAN | AM/PL | capt |
| BARNES | and | lieut | COULTER | returned | from |
| independent | in | MISSIM | AUGASU | DAHO | area |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

IMMEDIATE

1912.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

1923

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|---------------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. <i>Out</i> | OFFICE DATE STAMP <i>384</i> |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 and idw*

FROM *17 and my lde*

Originator's Number
I 734

Date
19

In Reply to Number

| | | | | | |
|------------|-----------------|------------------|-----------|--------------|---------------|
| <i>Reg</i> | <i>location</i> | <i>statement</i> | <i>no</i> | <i>2</i> | <i>⊙</i> |
| <i>E</i> | <i>pl</i> | <i>less</i> | <i>no</i> | <i>see</i> | <i>status</i> |
| <i>at</i> | <i>BOBADI</i> | <i>is</i> | <i>at</i> | <i>CHIBE</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN
2157

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|-------------------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. out 386 | OFFICE DATE STAMP 386 |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *Signal div - 17 and 18 and 19 and 20 and 21 and 22 and 23 and 24 and 25 and 26 and 27 and 28 and 29 and 30 and 31 and 32 and 33 and 34 and 35 and 36 and 37 and 38 and 39 and 40 and 41 and 42 and 43 and 44 and 45 and 46 and 47 and 48 and 49 and 50 and 51 and 52 and 53 and 54 and 55 and 56 and 57 and 58 and 59 and 60 and 61 and 62 and 63 and 64 and 65 and 66 and 67 and 68 and 69 and 70 and 71 and 72 and 73 and 74 and 75 and 76 and 77 and 78 and 79 and 80 and 81 and 82 and 83 and 84 and 85 and 86 and 87 and 88 and 89 and 90 and 91 and 92 and 93 and 94 and 95 and 96 and 97 and 98 and 99 and 100*

FROM *15 and inf bde*

Originator's Number **I 286**

Date **20**

In Reply to Number

| | | | | | |
|---------------|----------|---------|--------|-------|----------|
| SECRET | 0 | SITREP | 51 | To | 0700R/20 |
| 0 | 2/3 | and | indiv | by | 0 |
| UB 130 | front | reports | SITREP | indiv | by |
| 7c | 0700R/20 | | | | |

| | | | |
|--|---|---|-------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY IMMEDIATE | TIME OF ORIGIN 0723 |
| SIGNATURE..... | SIGNATURE..... | | |

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|-----------------------|-----|--|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. <i>out 392</i> | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *11 Fighter control sub sector rptd 3rd div*

FROM *13 and 14 Sde* Originator's Number *1289* Date *20* In Reply to Number

| | | | | | |
|-----------------|-----------------|-------------|-----------|-------------|-------------|
| Time | <i>1055</i> | <i>hrs</i> | Direction | <i>WEST</i> | <i>to</i> |
| EWT | <i>height</i> | <i>low</i> | number | <i>7</i> | <i>type</i> |
| <i>believed</i> | <i>altitude</i> | <i>1164</i> | | | |

| | | | |
|--|--|---|-------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS SIGNATURE..... * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. SIGNATURE..... (BELOW THIS LINE FOR SIGNALS USE ONLY.) | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY <i>AIR FLASH</i> | TIME OF ORIGIN <i>1055</i> |
| | | | |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

1 Sketch of Rankes Key patents
2 Evans Patent & Rank

also used for
correcting sheets

W an Evans Toolscap

THIS LINE FOR SIGNALS USE ONLY
A 15 25 31 11

WELL
30
DATE
OFFICE

GR
OFFICE

L.O.R.
1923

MESSAGE FORM

OUT 107

Serial No. OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN
OUT

No of Groups GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3rd and 4th regts 17th and 18th Divs 73rd and 74th Divs*
FROM *15th and 16th Divs*

Originator's Number

Date

In Reply to Number

I 289 29, 20

20

(Write horizontally)

| | | | | | |
|-----------------|--------------------|---------------|------------------|--------------------|-----|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>52</i> | <i>to</i> | 5 |
| <i>1400K/20</i> | <i>0</i> | <i>2/2</i> | <i>and</i> | <i>under</i> | 10 |
| <i>by</i> | <i>0</i> | <i>Ref</i> | <i>map</i> | <i>SALAMANCA</i> | 15 |
| <i>one</i> | <i>note</i> | <i>0</i> | <i>line</i> | <i>SWANN'S</i> | 20 |
| <i>patrol</i> | <i>to</i> | <i>QUARRY</i> | <i>730021</i> | <i>GULLY</i> | 25 |
| <i>KNOLL</i> | <i>700005</i> | <i>RIDGE</i> | <i>KNOLL</i> | <i>721007</i> | 30 |
| <i>0</i> | <i>Patrol</i> | <i>under</i> | <i>reach</i> | <i>QUARRY</i> | 35 |
| <i>dense</i> | <i>undergrowth</i> | <i>KNOLLS</i> | <i>found</i> | <i>unavailable</i> | 40 |
| <i>M.M.C.</i> | <i>marker</i> | <i>sites</i> | <i>0</i> | <i>no</i> | 45 |
| <i>sign</i> | <i>activity</i> | <i>area</i> | <i>traversed</i> | <i>0</i> | 50 |
| <i>streets</i> | <i>POST</i> | <i>0</i> | <i>during</i> | <i>0</i> | 55 |
| <i>0</i> | <i>SALAMANCA</i> | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

SIGNATURE

IMMEDIATE

1920

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 409

Serial No. OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 aust dws repta 17 aust inf bde ANGAU PILIMUNG

FROM 15 aust inf bde
Originator's Number 1292
Date 20
In Reply to Number

| | | | | | |
|----------------------|----------|----------|-------------------|------------|-----|
| (Write horizontally) | | | | | |
| SECRET | 0 | SITREP | 53 | to | 5 |
| 2000 K/20 | 0 | 2/3 | aust | indep | 10 |
| coy | 0 | NUMMS | POST | 0 | 15 |
| during | attack | on | SALAMAUA | 0500 | 20 |
| hrs | by | 2 | planes | 6 | 25 |
| explosions | and | intense | light | A/A | 30 |
| heard | 0 | BUGASU | POST | 0 | 35 |
| 1530 | hrs | 5 | bombers | 6 | 40 |
| fighters | flew | from | NORTH | over | 45 |
| SALAMAUA | and | SOUTH | along | coast | 50 |
| 0 | 1538 | hrs | 8 | bombers | 55 |
| 7 | fighters | same | direction | 0 | 60 |
| 2 | A/c | A/c | over | MUBO | 65 |
| area | 1538 | hrs | 3 | explosions | 70 |
| heard | 0 | 1545 | hrs | 2 | 75 |
| w/i | A/c | very | high | over | 80 |
| MUBO | area | 0 | MISSIM | 0 | 85 |
| 1055 | hrs | 7 | LILY | type | 90 |
| bombers | 5 | fighters | flew | EAST | 95 |
| over | MISSIM | 0 | BUGASU | DROPPING | 100 |
| 0 | 1450 | hrs | one | VAL | 105 |
| type | rece | plane | strapped | HOTE | 110 |
| area | 0 | WELLS | OP | 0 | 115 |
| 0730 | hrs | 9 | japs | seen | 120 |
| leaving | ORODUBI | 0 | smoke observed at | | 125 |
| GWAIBOLOM | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY IMMEDIATE

SIGNATURE [Signature]

SIGNATURE [Signature]

TIME OF ORIGIN 1015

T.H.I. 2026

T.O.R.

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | | | | | | | | | |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
007
GR.

OFFICE DATE STAMP

4 11

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 am SW

FROM

Swans and base

Originator's Number

I 293

Date

*20
Nov*

In Reply to Number

| | | | | | |
|-------------|---------------|-----------|--------------|-------------------|---------------|
| <i>Ref</i> | <i>SITREP</i> | <i>52</i> | <i>0</i> | <i>alteration</i> | <i>SWANS</i> |
| <i>page</i> | <i>to</i> | <i>be</i> | <i>known</i> | <i>as</i> | <i>number</i> |
| <i>3</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN GYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2135

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT 413

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Stand down report 17 and my base 2/3 and my base

AVGAV P12110

FROM

15 and my base

Originator's Number

2299

Date

24

In Reply to Number

*CRPT
2/24*

Q

517REP

54

6

0700A

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

IMMEDIATE

07

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

OUT 422

**CALL
AND
INSTRUC-
TIONS.**

IN

OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *170000Z 17 APR 42 170000Z 17 APR 42*

FROM *150000Z 17 APR 42*

Originator's Number *I 296* Date *21* In Reply to Number

| (Write horizontally) | | | | | |
|----------------------|-----------------|----------------|----------------|-------------------|-----|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>55</i> | <i>to</i> | 5 |
| <i>CG 100 K/21</i> | <i>0</i> | <i>W</i> | <i>Unit</i> | <i>under</i> | 10 |
| <i>log</i> | <i>0</i> | <i>Ref</i> | <i>SITREP</i> | <i>52</i> | 15 |
| <i>and</i> | <i>drapping</i> | <i>7</i> | <i>NOTE</i> | <i>0</i> | 20 |
| <i>place</i> | <i>had</i> | <i>NOT</i> | <i>attack</i> | <i>NOTE</i> | 25 |
| <i>under</i> | <i>0</i> | <i>points</i> | <i>file</i> | <i>BURRI</i> | 30 |
| <i>R</i> | <i>NORTH</i> | <i>7</i> | <i>NUNNS</i> | <i>P. JT</i> | 35 |
| <i>to</i> | <i>the</i> | <i>dropped</i> | <i>same</i> | <i>area</i> | 40 |
| <i>0</i> | <i>WILLS</i> | <i>OP</i> | <i>0</i> | <i>1730K/20</i> | 45 |
| <i>6</i> | <i>TAPI</i> | <i>moved</i> | <i>SOUTH</i> | <i>towards</i> | 50 |
| <i>R. MINTON</i> | <i>14</i> | <i>ASTG</i> | <i>D975</i> | <i>0</i> | 55 |
| <i>1100K/2</i> | <i>26</i> | <i>TAPS</i> | <i>Command</i> | <i>FOOTBRIDGE</i> | 60 |
| <i>...</i> | <i>...</i> | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: (*EXCEPT*) WIRELESS

SIGNATURE _____

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE *...*

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY *IMMEDIATE*

TIME OF ORIGIN *0935*

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

OUT 422

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 30000 hrs rptd 17000 hrs base ANAGANU PALIMUNE

FROM 15000 hrs base

Originator's Number
5296

Date
21

In Reply to Number

| (Write horizontally) | | | | | 5 |
|----------------------|----------|----------|---------|-------------|-----|
| SECRET | 0 | SITREP | 55 | to | |
| 0900 K/21 | 0 | 43 | answ | indep | 10 |
| log | 0 | ref | SITREP | 52 | 15 |
| and | drapping | of | NOTE | 0 | 20 |
| plane | did | NOT | attack | NOTE | 25 |
| area | 0 | books | fell | BURRI | 30 |
| R | NORTH | of | MUNNS | POST | 35 |
| A/C | then | strapped | same | area | 40 |
| 0 | WELLS | OP | 0 | 1530 K/20 | 45 |
| 6 | TAPS | moved | SOUTH | toward | 50 |
| KUMIATUA | ref | ASP9 | D975 | 0 | 55 |
| 1600 K/20 | 26 | TAPS | crossed | FOOT BRIDGE | 60 |
| | SOUTH | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

IMMEDIATE

TIME OF ORIGIN

0935

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT

Serial No. 427

| | | | |
|------------------------------|-----|--------------------------|--------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 11 fighter control sub sector upsta 3 anst die.

FROM 13 anst inf base.

Originator's Number 1298

Date 21

In Reply to Number

| | | | | | |
|---------|-----------|-----------|-----------|---------|--------|
| Dinner | 1152 K/21 | direction | circling | SELEBOB | height |
| 2.00 | ft. | No. | one | type | sub |
| engined | 1st | plan | 0 | also | sub |
| ion | 2nd | NORTH | 1411M JWG | | |
| | | | | | |
| | | | | | |

| | | | |
|---|---|--|--|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS</p> <p>SIGNATURE.....</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE.....</p> <p>(BELOW THIS LINE FOR SIGNALS USE ONLY.)</p> | <p>ORIGINATOR'S INSTRUCTIONS</p> <p>DEGREE OF PRIORITY</p> <p style="font-size: 1.5em; color: blue; text-align: center;">AIR FLASH</p> | <p>TIME OF ORIGIN</p> <p style="font-size: 1.5em; color: blue; text-align: center;">1150</p> |
|---|---|--|--|

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

4

Serial No. 27

| | | | |
|-----------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 11 fighter control sub sector up to 3 airt dno.

FROM 15 airt inf base. Originator's Number 2298 Date 21 In Reply to Number

| | | | | | |
|--------|-----------|-----------|----------|---------|---------|
| Line | 1152 K/21 | direction | circling | SELEBOB | height |
| 200 | lt | no. | one | type | visible |
| engine | 1st Lt | plane | Q | also | seen |
| ion | 1st Lt | WORTH | ALLIMUNG | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY
AIR FLASH

TIME OF ORIGIN
1150

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

007
428

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

11 Fighter Control and Sector Field Service

FROM

15 and my base

Originator's Number

Greg

Date

31

In Reply to Number

| | | | | | |
|---------------|-------------|--------------------|------------------|-------------|---------------|
| <i>Time</i> | <i>1140</i> | <i>hrs</i> | <i>direction</i> | <i>WOPM</i> | <i>along</i> |
| <i>course</i> | <i>over</i> | <i>Sitings 400</i> | <i>Height</i> | <i>High</i> | <i>Number</i> |
| <i>type</i> | <i>type</i> | <i>medium</i> | <i>bombers</i> | <i>up</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

AIR FLASH

TIME OF ORIGIN

1205

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **479**
No. of Groups **4**
GR. **7**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ams dms

FROM

15 ams sup ldr

Originator's Number

5300

Date

21

In Reply to Number

| | | | | | |
|-----------------|------------------|--------------------|-------------|----------------|-------------|
| <i>23</i> | <i>lead</i> | <i>expressions</i> | <i>lead</i> | <i>between</i> | <i>1213</i> |
| <i>1215 K/4</i> | <i>formation</i> | <i>has</i> | <i>has</i> | <i>in</i> | <i>air</i> |
| <i>EASTERLY</i> | <i>direction</i> | <i>from</i> | <i>has</i> | <i>NO</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....
L. Hedley Capt

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1216

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR. **4**

OFFICE DATE STAMP

OUT
32

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3rd Div

FROM

15 Div Sig Code

Originator's Number

T 301

Date

21

In Reply to Number

| | | | | | |
|------------------|------------------|-------------------|----------------|------------------|-------------|
| <i>Approx 12</i> | <i>loud</i> | <i>sup common</i> | <i>heard</i> | <i>between</i> | <i>1435</i> |
| <i>1437K/21</i> | <i>on</i> | <i>am</i> | <i>EMT ERU</i> | <i>direction</i> | <i>from</i> |
| <i>thru</i> | <i>the</i> | <i>0</i> | <i>up</i> | <i>of</i> | <i>thru</i> |
| <i>zone</i> | <i>direction</i> | <i>0</i> | <i>can</i> | <i>still</i> | <i>hear</i> |
| <i>thru</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE *L.R. Hedges*

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1438

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

440

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 2nd div Rptd 17 Cde ANZAC PHIMUNY 43 and
FROM 15 avb of Cde
Originator's Number: I 303
Date: 21
In Reply to Number:

| (Write horizontally) | | | | | |
|----------------------|-----------|------------|-----------|----------|-----|
| SECRET | 0 | SITREP | 56 | to | 5 |
| 1900 4/21 | 6 | 43 | and | under | 10 |
| by | 0 | part 2 | to | MAFO 60 | 15 |
| area | report | 0 | no | organ | 20 |
| of | part | part | day | NOTE | 25 |
| part | back | 0 | part | part | 30 |
| from | area | all | afternoon | 19 | 35 |
| in | using | explosives | 0 | 1700K/19 | 40 |
| by | launch | from | direction | LAF | 45 |
| called | at | village | of | MISTY | 50 |
| AREA | 2nd | about | 3 | 690068 | 55 |
| for | direction | 0 | and | part | 60 |
| direction | submarine | 0 | 0 | part | 65 |
| can | can | board | 0 | part | 70 |
| the | small | fire | in | part | 75 |
| then | map | make | in | part | 80 |
| 0 | part | part | name | part | 85 |
| 690068 | from | NOTE | who | part | 90 |
| friendly | names | of ex | EMPTY | part | 95 |
| 650061 | now | living | in | HIDDEN | 100 |
| will 1942 | about | 650065 | 0 | part | 105 |
| names | delete | JMPS | avoid | part | 110 |
| 0 | gain | following | infir | 0 | 115 |
| only | 5 | JAPS | part | 0 | 120 |
| 5 | JAP | village | 690068 | part | 125 |
| JMPS | from | Business | part | part | 130 |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN

OUT

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

(Write horizontally)

| | | | | | |
|---------|---------|-----------|----------|---------|-----|
| | | | JHPS | on | 5 |
| 0 | no | other | | at | 10 |
| whole | area | 0 | JHPS | day | 15 |
| in 1942 | watch | break | during | | 20 |
| ships | at | nights | 0 | JHPS | 25 |
| who | arrived | USSR, BOB | reported | landed | 30 |
| from | out | lands | in 1942 | by 1942 | 35 |
| note | 0 | 53 | whether | case | 40 |
| landed | to | SALVADORA | after | NOTE | 45 |
| of | 0 | all | ASIAN | nature | 50 |
| from | JHPS | and | watch | 1942 | 55 |
| made | on | then | about | 0 | 60 |
| 5/2/42 | must | and | in | 0 | 65 |
| the | any | but | BAINNE | 0 | 70 |
| by | BAINNE | OK | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

out 4th

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 ansr dw rptd 17 ansr inf ltr ANGAO PILLI MAUNG*

FROM *15 ansr inf ltr* Originator's Number *I 305* Date *21* In Reply to Number

| | | | | | |
|--|-----------------|-------------------|-----------------|------------------|------------|
| <i>(Write horizontally) SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>58</i> | <i>to</i> | <i>5</i> |
| <i>2035K/21</i> | <i>0</i> | <i>2/3</i> | <i>ansr</i> | <i>insp</i> | <i>10</i> |
| <i>any</i> | <i>0</i> | <i>M EARS</i> | <i>OP</i> | <i>0</i> | <i>15</i> |
| <i>1423K/21</i> | <i>loud</i> | <i>explosions</i> | <i>heard</i> | <i>direction</i> | <i>20</i> |
| <i>MUBs</i> | <i>0</i> | <i>WELLS</i> | <i>OP</i> | <i>0</i> | <i>25</i> |
| <i>AM K/21</i> | <i>K/21</i> | <i>80</i> | <i>JAPS</i> | <i>crossed</i> | <i>30</i> |
| <i>footbridge</i> | <i>to</i> | <i>SALAMANA</i> | <i>seen</i> | <i>to</i> | <i>35</i> |
| <i>be</i> | <i>carrying</i> | <i>12</i> | <i>sketches</i> | <i>0</i> | <i>40</i> |
| <i>1300K/21</i> | <i>145</i> | <i>network</i> | <i>and</i> | <i>6</i> | <i>45</i> |
| <i>sketches</i> | <i>moved</i> | <i>NORTH</i> | <i>from</i> | <i>KOMIATUM</i> | <i>50</i> |
| | | | | | <i>55</i> |
| | | | | | <i>60</i> |
| | | | | | <i>65</i> |
| | | | | | <i>70</i> |
| | | | | | <i>75</i> |
| | | | | | <i>80</i> |
| | | | | | <i>85</i> |
| | | | | | <i>90</i> |
| | | | | | <i>95</i> |
| | | | | | <i>100</i> |
| | | | | | <i>105</i> |
| | | | | | <i>110</i> |
| | | | | | <i>115</i> |
| | | | | | <i>120</i> |
| | | | | | <i>125</i> |
| | | | | | <i>130</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE.....
[Signature]

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

immediate
to 3rd Div
17 Row

TIME OF ORIGIN
2040

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

Serial No.

OFFICE DATE STAMP

mt **444**

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3rd Aust div rptd 17 Aust inf ltr ANGAU PILIMUN*

FROM *15 Aust inf ltr* Originator's Number *I 204* Date *21* In Reply to Number

(Write horizontally)

| | | | | | |
|------------------|------------------|-----------------|-----------------|-------------------|------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>57</i> | <i>0</i> | <i>5</i> |
| <i>Ref</i> | <i>ambush</i> | <i>at</i> | <i>GOODVIEW</i> | <i>JUNE</i> | <i>10</i> |
| <i>MISSIM</i> | <i>AREA</i> | <i>21</i> | <i>with</i> | <i>that</i> | <i>15</i> |
| <i>3</i> | <i>713927</i> | <i>0</i> | <i>four</i> | <i>now</i> | <i>20</i> |
| <i>land</i> | <i>ambush</i> | <i>right</i> | <i>beside</i> | <i>back</i> | <i>25</i> |
| <i>0</i> | <i>superior</i> | <i>take</i> | <i>prisoner</i> | <i>frustrated</i> | <i>30</i> |
| <i>by</i> | <i>sig</i> | <i>were</i> | <i>from</i> | <i>ambush</i> | <i>35</i> |
| <i>to</i> | <i>OP</i> | <i>catching</i> | <i>in</i> | <i>bush</i> | <i>40</i> |
| <i>and</i> | <i>attacking</i> | <i>TAPS</i> | <i>noise</i> | <i>0</i> | <i>45</i> |
| <i>all</i> | <i>three</i> | <i>shot</i> | <i>dead</i> | <i>0</i> | <i>50</i> |
| <i>1</i> | <i>sgt</i> | <i>2</i> | <i>OR</i> | <i>0</i> | <i>55</i> |
| <i>dressed</i> | <i>blues</i> | <i>shorts</i> | <i>khaki</i> | <i>too dull</i> | <i>60</i> |
| <i>trousers</i> | <i>rag</i> | <i>puttees</i> | <i>boots</i> | <i>dusty</i> | <i>65</i> |
| <i>and</i> | <i>ragged</i> | <i>0</i> | <i>all</i> | <i>on</i> | <i>70</i> |
| <i>feet</i> | <i>ropes</i> | <i>belts</i> | <i>on</i> | <i>backs</i> | <i>75</i> |
| <i>0</i> | <i>one</i> | <i>wearing</i> | <i>AUST</i> | <i>web</i> | <i>80</i> |
| <i>Belt</i> | <i>braces</i> | <i>and</i> | <i>pouch</i> | <i>one</i> | <i>85</i> |
| <i>with</i> | <i>AUST</i> | <i>ground</i> | <i>shot</i> | <i>0</i> | <i>90</i> |
| <i>one</i> | <i>unarmed</i> | <i>one</i> | <i>LMG</i> | <i>one</i> | <i>95</i> |
| <i>rifle</i> | <i>with</i> | <i>brass</i> | <i>muzzle</i> | <i>cover</i> | <i>100</i> |
| <i>0</i> | <i>bodies</i> | <i>dragged</i> | <i>away</i> | <i>brass</i> | <i>105</i> |
| <i>erased</i> | <i>0</i> | <i>diary</i> | <i>badges</i> | <i>of</i> | <i>110</i> |
| <i>rank</i> | <i>papers</i> | <i>being</i> | <i>sent</i> | <i>by</i> | <i>115</i> |
| <i>owner</i> | <i>at</i> | <i>earliest</i> | <i>0</i> | <i>weapon</i> | <i>120</i> |
| <i>following</i> | <i>later</i> | <i>0</i> | <i>no</i> | <i>new</i> | <i>125</i> |
| <i>types</i> | <i>equipment</i> | <i>found</i> | | | <i>130</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE: * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE: *W. J. Evans* *Immediate*

2000

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

out 451

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

I 309

Date

21

In Reply to Number

03494

ack

Refers to 58/59 sending it up to bde instead of Div - for further

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....
W. J. Kelly Capt

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2310

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 452

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 amsd div

FROM

15 amsd inf bde

Originator's Number

I 306

Date

21

In Reply to Number

| | | | | | |
|---------------|----------------|------------|--------------|---------------|--------------------|
| <i>yellow</i> | <i>flare</i> | <i>aim</i> | <i>SOUTH</i> | <i>07</i> | <i>MISSISSIPPI</i> |
| <i>⊙</i> | <i>bearing</i> | <i>109</i> | <i>area</i> | <i>approx</i> | <i>distance</i> |
| <i>2</i> | <i>miles</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
*ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

imp

TIME OF ORIGIN

2123

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

TO: *2000000*
 FROM: *1000000*

~~Ref Libel 57.0 further to
 GOODVIEW JUNE anchored
 5 sec morning to DIERKE
 MISSM AREA 2 in 697943
 6 sec night 20/21.~~

vicinity
 from GOODVIEW June
 following observed
 12 Japs with big packs
 no arms towards
 MVB 0930 K/20 15 Jap most
 less packs a rifles
 tried and stung as towards
 KOMIATUM 1300 to 1330 K/20
 0 no more seen 1345
 to 1545 K/20

1000000

450

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

on 1456

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf bde*

Originator's Number

I 307

Date

2-1

In Reply to Number

| | | | | | |
|-------------------|----------------|-----------------|----------------|-----------------|--------------------|
| <i>patrol</i> | <i>numbers</i> | <i>1</i> | <i>0</i> | <i>NEW 3000</i> | <i>151 village</i> |
| <i>unoccupied</i> | <i>0</i> | <i>no</i> | <i>signs</i> | <i>mount</i> | <i>ULIAP</i> |
| <i>ok</i> | <i>0</i> | <i>sanitary</i> | <i>seen</i> | <i>early</i> | <i>19</i> |
| <i>just</i> | <i>at</i> | <i>OLD</i> | <i>COY</i> | <i>HQ</i> | <i>MISSION</i> |
| <i>AREA</i> | <i>2</i> | <i>with</i> | <i>698988</i> | <i>0</i> | <i>info</i> |
| <i>L.M.G</i> | <i>five</i> | <i>heard</i> | <i>1500420</i> | <i>2 am</i> | <i>direction</i> |
| <i>also</i> | <i>OLD</i> | <i>VICKERS</i> | <i>POSN</i> | <i>699995</i> | <i>0</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

out 476
Serial No. *476*

| | | | |
|------------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

2
~~*I 307*~~

| | | | | | |
|----------------|-----------------|-----------------|-----------------|---------------|----------------|
| <i>village</i> | <i>697989</i> | <i>deserted</i> | <i>0</i> | <i>one</i> | <i>jan</i> |
| <i>seen</i> | <i>COCONUT</i> | <i>made</i> | <i>vicinity</i> | <i>705997</i> | <i>0</i> |
| <i>no</i> | <i>booby</i> | <i>traps</i> | <i>found</i> | <i>0</i> | <i>KUNDA</i> |
| <i>bridge</i> | <i>688996</i> | <i>could</i> | <i>be</i> | <i>easily</i> | <i>crossed</i> |
| <i>using</i> | <i>prepared</i> | <i>looking</i> | <i>for</i> | <i>breach</i> | <i>0</i> |
| <i>kanai</i> | <i>cut</i> | <i>for</i> | <i>fire</i> | <i>lanes</i> | <i>around</i> |
| <i>OLD</i> | <i>VICKER:</i> | <i>POSN</i> | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

2145

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|-----------------------------|-------------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP OUT 418 |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 airtel air*

FROM *15 airtel inf bde*

Originator's Number

I 3-08

Date

21

In Reply to Number

| | | | | | |
|----------------|-----------------|------------------|-----------------|-----------------|-------------------|
| <i>ref</i> | <i>STREP</i> | <i>57</i> | <i>3</i> | <i>from</i> | <i>vicinity</i> |
| <i>GODVIEW</i> | <i>JUNG</i> | <i>following</i> | <i>spanned</i> | <i>13</i> | <i>12</i> |
| <i>JAPS</i> | <i>with</i> | <i>big</i> | <i>packs</i> | <i>ms</i> | <i>arms</i> |
| <i>howards</i> | <i>WUBO</i> | <i>0930 hrs</i> | <i>15</i> | <i>JAPS</i> | <i>ms</i> |
| <i>less</i> | <i>packs</i> | <i>or</i> | <i>rifle</i> | <i>ties</i> | <i>appearance</i> |
| <i>howards</i> | <i>KOMINTOM</i> | <i>1340</i> | <i>1330 hrs</i> | <i>0</i> | <i>ms</i> |
| <i>mod</i> | <i>seen</i> | <i>1345</i> | <i>ms</i> | <i>1505 hrs</i> | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

Out 459

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|----------------|---------------|---------------|-----------|-----------------|-----------------|
| <i>SECRET</i> | <i>①</i> | <i>21750P</i> | <i>49</i> | <i>22</i> | <i>07-01-42</i> |
| <i>①</i> | <i>21750P</i> | <i>49</i> | <i>22</i> | <i>07-01-42</i> | <i>1000</i> |
| <i>1/20/42</i> | <i>to</i> | <i>A</i> | <i>49</i> | <i>22</i> | <i>1120</i> |
| <i>1/20</i> | <i>to</i> | <i>Com</i> | <i>49</i> | <i>22</i> | <i>1120</i> |
| <i>1/20</i> | <i>to</i> | <i>1st Lt</i> | <i>49</i> | <i>22</i> | <i>1120</i> |
| <i>1/20</i> | <i>to</i> | <i>1st Lt</i> | <i>49</i> | <i>22</i> | <i>1120</i> |
| <i>1/20</i> | <i>to</i> | <i>1st Lt</i> | <i>49</i> | <i>22</i> | <i>1120</i> |
| <i>1/20</i> | <i>to</i> | <i>1st Lt</i> | <i>49</i> | <i>22</i> | <i>1120</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

4 59
Serial No.

| | | | |
|------------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

~~IE 311~~

| | | | | | |
|--------------|-------------|-------------|------------------|------------|------------------|
| <i>3</i> | <i>cy</i> | <i>RM</i> | <i>stae</i> | <i>pus</i> | <i>BULWA</i> |
| <i>and</i> | <i>date</i> | <i>more</i> | <i>1030 1/22</i> | <i>0</i> | <i>afternoon</i> |
| <i>situa</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0739

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 1462

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3-ant div

FROM

1st ant div hq

Originator's Number

2311

Date

22

In Reply to Number

02497

MISSIM 1825/12

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *0817*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL
AND
INSTRUC-
TIONS

IN

OUT

out 467

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 and down

FROM

15 and up down

Originator's Number

I 31-

Date

22

In Reply to Number

PX 24384

*up
down*

F

J

BURNHEIM

arrived

1500 1/22

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
A. Kelly

deferred

1517.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No. **368**

| | | | |
|------------------------------|-----|--------------------------|--------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 FUST DIV**

FROM **15 FUST INF BOE**

Originator's Number
0 273

Date
19

In Reply to Number
03470

| | | | | | |
|------------|--|--|--|--|--|
| <i>ack</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN
1130

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
W. Hedley Capt.
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.
1131
T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
007
GR.

OFFICE DATE STAMP
368

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 AUST DIV

FROM

15 AUST INF BDE

Originator's Number

0273

Date

19

In Reply to Number

03470

ack

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1130

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

M Hedley Capt.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.A.
1130

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|-----------------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 and dms

FROM

15 and my bde

Originator's Number

0 275

Date

19

In Reply to Number

| | | | | | |
|----------------|---------------|-------------------|-----------------|----------------|---------------|
| <i>capt</i> | <i>BARNES</i> | <i>lieut</i> | <i>COULTER</i> | <i>will</i> | <i>depart</i> |
| <i>PILMUNG</i> | <i>lov</i> | <i>POWERHOUSE</i> | <i>20 June</i> | <i>⊙</i> | <i>please</i> |
| <i>have</i> | <i>4pt</i> | <i>POWERHOUSE</i> | <i>1700 hrs</i> | <i>21 June</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1925

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
[Signature]

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN
OUT

No. of Groups
GR.

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 ant d w*

FROM *15 ant inf ldr*

Originator's Number
0289

Date
21

In Reply to Number
G 21/9

ACK

copies

1

to

5

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

B. H. [Signature]
SIGNATURE.....
may

Deferred.

1610

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bat

Originator's Number

0 292

Date

22

In Reply to Number

| | | | | | |
|--------------|-----------------|----------------|----------------|----------------|---------------|
| <i>for</i> | <i>G.I.</i> | <i>from</i> | <i>Lt. col</i> | <i>GUINN</i> | <i>0</i> |
| <i>maps</i> | <i>NOT</i> | <i>arrived</i> | <i>0</i> | <i>request</i> | <i>fresh</i> |
| <i>issue</i> | <i>urgently</i> | <i>0</i> | <i>COULTER</i> | <i>has</i> | <i>inform</i> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
D. H. Evans
map.

Immediate

1035.

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

GR. *469*

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf base

Originator's Number

0295

Date

22

In Reply to Number

| | | | | | |
|----------------|---------------------------|------------------|----------------|-----------------|-----------------|
| <i>message</i> | <i>received</i> | <i>from</i> | <i>HANCOCK</i> | <i>2/3</i> | <i>indip</i> |
| <i>copy</i> | <i>1230 K/22</i> | <i>⊙</i> | <i>begins</i> | <i>⊙</i> | <i>consider</i> |
| <i>that</i> | <i>japs</i> | <i>disturbed</i> | <i>by</i> | <i>GOODVIEW</i> | <i>incident</i> |
| <i>⊙</i> | <i>two</i> | <i>⊙</i> | <i>they</i> | <i>will</i> | <i>discuss</i> |
| <i>our</i> | <i>immediate approach</i> | <i>⊙</i> | <i>⊙</i> | <i>three</i> | <i>⊙</i> |
| <i>they</i> | <i>will</i> | <i>NOT</i> | <i>attempt</i> | <i>push</i> | <i>far</i> |
| <i>up</i> | <i>GOODVIEW</i> | <i>ridge</i> | <i>⊙</i> | <i>will</i> | <i>NOT</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1500

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I. *1503*

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

469

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

0295

22

| | | | | | |
|-------------|--------|----------|----------|----------|----------|
| attempt | strike | again | in | this | area |
| but | same | it | for | later | ○ |
| intentions | ○ | one | ○ | withdraw | GOODVIEW |
| 23 June | ○ | two | ○ | near | for |
| approach to | | jap | h of c | vicinity | square |
| 7191 | frp | map | KOMIATUM | 2 inch | ○ |
| estimate | strike | position | 26 | June | ○ ends |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1502.

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No. _____
OFFICE DATE STAMP _____
No. of Groups _____
GR. **Out 473**

CALL AND INSTRUCTIONS.

IN _____
OUT _____

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO **3 areas du**
FROM **15 areas inf bde**
Originator's Number **F 117**
Date **22**
In Reply to Number _____

| | | | | | |
|----------------------|-------------------|----------|-----------------|-----------|-----|
| (Write horizontally) | | | | | 5 |
| Ref | patrol | 2 | ① | three | |
| retires | brings | me | by | patrol | 10 |
| interrogated | by ANGAU | ① | following | inf | 15 |
| ① | name | of | empty | village | 20 |
| is | WAMASU | ① | name | of | 25 |
| village | at | MISSIM | AREA | 2" | 30 |
| sheet | 3 | 694068 | BURKUP | WAMASU | 35 |
| retires | have | NOT | carved | for | 40 |
| JAPS | ① | there | have | been | 45 |
| no | JAP | parties | in | vicinity | 50 |
| of | patrol | WAMASU | with | ① | 55 |
| ASINI | natives | are | being | and | 60 |
| then | village | and | working | for | 65 |
| JAPS | ① | JAPS | are | supported | 70 |
| to | patrol | to | MAROLO | each | 75 |
| day | returning | to | 694068 | at | 80 |
| night | ① | JAPS | armed | with | 85 |
| LMG's | ① | natives | questioned | NOT | 90 |
| intelligent | but | ANGAU | expecting | WAMASU | 95 |
| LUBUAI | soon | with | more | reliable | 100 |
| inf | ① | stepping | of | ASINI | 105 |
| village | may | also | natives | allegedly | 110 |
| to | JAPS | or | at | least | 115 |
| dispense | them | for | several | days | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS
SIGNATURE _____
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.
SIGNATURE **W. J. ...**

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY **Important**

TIME OF ORIGIN **1830**
T.H.I.

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

out 475

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Signal Co 17 ans of 1st 7/30 ans of 2nd

FROM

1st ans of 1st

Originator's Number

E 218

Date

In Reply to Number

| | | | | | |
|---------------|----------------|------------------|------------------|--------------|----------------|
| <i>SECRET</i> | <i>U</i> | <i>SECRET</i> | <i>60</i> | <i>h</i> | <i>6000/20</i> |
| <i>3 AM</i> | <i>5/8/59</i> | <i>ans</i> | <i>15</i> | <i>ans</i> | <i>C</i> |
| <i>coy</i> | <i>h</i> | <i>ans</i> | <i>1700 X/22</i> | <i>0</i> | <i>C</i> |
| <i>comb</i> | <i>arrived</i> | <i>DILIMUNIS</i> | <i>pe</i> | <i>at</i> | <i>BRIVNE</i> |
| <i>coy</i> | <i>ans</i> | <i>ans</i> | <i>at</i> | <i>POWER</i> | <i>NO USE</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN
BY ANY MEANS: () WIRELESS
*(EXCEPT)

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1915

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT
493

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf base*

Originator's Number

I 319

Date

21

In Reply to Number

*For
paper*

*Capt
ARCUS*

*Bowie
brand*

*Wilson
medium*

⊙

Dyeline

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Deferred

TIME OF ORIGIN

2100

T.H.I.

2115

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 495

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust div

FROM

15 Aust inf bde

Originator's Number

I 322

Date

23

In Reply to Number

| | | | | | |
|---------------|---------------|---------------|------------------------|-----------------|---------------|
| <i>20p</i> | <i>eqpt</i> | <i>taken</i> | <i>from</i> | <i>bodies</i> | <i>at</i> |
| <i>MISSIM</i> | <i>AREA</i> | <i>2</i> | <i>truck</i> | <i>sheet</i> | <i>3</i> |
| <i>713927</i> | <i>my</i> | <i>I 304</i> | <i>refers</i> | <i>0</i> | <i>number</i> |
| <i>found</i> | <i>on</i> | <i>papers</i> | <i>and</i> | <i>canvases</i> | <i>bag</i> |
| <i>03</i> | <i>0</i> | <i>others</i> | <i>slight personal</i> | <i>numbers</i> | <i>0</i> |
| <i>on</i> | <i>papers</i> | <i>03792</i> | <i>and</i> | <i>49207</i> | <i>0</i> |
| <i>eqpt</i> | <i>and</i> | <i>papers</i> | <i>leaving</i> | <i>here</i> | <i>now</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Emergency ops

TIME OF ORIGIN

0825

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT. 4 94

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3rd Lt Rly Rpt 17 Ed

FROM

1st Lt Rly Rpt

Originator's Number

1321

Date

23

In Reply to Number

1700R122

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT. 4-99

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 Aust Div*

FROM *15 Aust Inf BDE*

Originator's Number

I 323

Date

23

In Reply to Number

| | | | | | |
|----------------|-----------------------|---------------|------------------|---------------|-----------------|
| <i>Ref</i> | <i>I 322</i> | <i>0</i> | <i>Egypt</i> | <i>found</i> | <i>consists</i> |
| <i>0</i> | <i>from</i> | <i>Sqts</i> | <i>body</i> | <i>0</i> | <i>Personal</i> |
| <i>photos</i> | <i>correspondence</i> | <i>diary</i> | <i>identity</i> | <i>tag</i> | <i>badge</i> |
| <i>rank</i> | <i>sundry</i> | <i>papers</i> | <i>0</i> | <i>from</i> | <i>Ptes</i> |
| <i>books</i> | <i>0</i> | <i>Badges</i> | <i>rank</i> | <i>rifle</i> | <i>tag</i> |
| <i>medical</i> | <i>issue</i> | <i>ration</i> | <i>sundry</i> | <i>papers</i> | <i>books</i> |
| <i>0</i> | <i>complete</i> | <i>lost</i> | <i>following</i> | <i>list</i> | <i>cover</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0950

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *G. Newman*

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I. *1000*

T.O.R.

MESSAGE FORM

5

99

Serial No. _____

No. of Groups _____

GR. _____

OFFICE DATE STAMP _____

CALL AND INSTRUCTIONS

IN _____

OUT _____

BOOTH

B. B.

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf bde*

Originator's Number

0 301

Date

23

In Reply to Number

| | | | | | |
|---------------|---------------|-----------------|-----------------|-----------------|-----------------|
| <i>lt col</i> | <i>GUINN</i> | <i>lt col</i> | <i>STARR</i> | <i>major</i> | <i>TRIVERS</i> |
| <i>and</i> | <i>capt</i> | <i>HEDLEY</i> | <i>left</i> | <i>0930 hrs</i> | <i>for</i> |
| <i>rece</i> | <i>fwd</i> | <i>⊙</i> | <i>tonight</i> | <i>BUGASU</i> | <i>JUNE</i> |
| <i>⊙</i> | <i>20 jun</i> | <i>MEARESCK</i> | <i>and</i> | <i>return</i> | <i>MISSIM</i> |
| <i>⊙</i> | <i>25 jun</i> | <i>return</i> | <i>PILIMUNG</i> | <i>approx</i> | <i>1200 hrs</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE _____

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1135

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 512

| | | | | | |
|------------------------|-----|---|-------------------|------------|-------------------|
| CALL AND INSTRUCTIONS. | IN | 2 | No. of Groups GR. | Serial No. | OFFICE DATE STAMP |
| | OUT | | | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 AUST DIV RPTD LAPO

FROM LEIKA

Originator's Number Q 186 Date 23

In Reply to Number

| (Write horizontally) | | | | | |
|----------------------|------------------|------------------|----------|----------|----|
| Following | stationery | is | urgently | required | 5 |
| for | this | units | i | section | 10 |
| ⊙ | Rubbers | the 6 | ⊙ | Pencils | 15 |
| H. Eqty | 6 | ⊙ | Pencils | 2 | 20 |
| H. d | Qty | 6 | ⊙ | Tracing | 25 |
| paper | 10 | yds | ⊙ | 18 | 30 |
| inch | rulers | 2 | ⊙ | Sheets | 35 |
| foolscap | 4 | doz | ⊙ | Drawing | 40 |
| pins | 3 | doz | ⊙ | Pins | 45 |
| 2 | P.K.W. | | | | 50 |
| | u 1124 K. B. ... | reg. | | | 55 |

100 1105
 111 1105 113

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

00513

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 auct div*

FROM *15 auct inf bde*

Originator's Number
0 303

Date
23

In Reply to Number

| | | | | | |
|------------------|--------------|------------------|-----------------|------------------|--------------------|
| <i>HIGGS</i> | <i>Lt 1</i> | <i>evacuated</i> | <i>⊙</i> | <i>NOT</i> | <i>considered</i> |
| <i>desirable</i> | <i>draw</i> | <i>on</i> | <i>57/60 bn</i> | <i>for</i> | <i>replacement</i> |
| <i>at</i> | <i>this</i> | <i>stage</i> | <i>⊙</i> | <i>Lieutants</i> | <i>EWART</i> |
| <i>L.O.</i> | <i>and</i> | <i>EVANS</i> | <i>acting</i> | <i>L.O.</i> | <i>will</i> |
| <i>have</i> | <i>to</i> | <i>serve</i> | <i>three</i> | <i>unholy</i> | <i>reparated</i> |
| <i>areas</i> | <i>each</i> | <i>distinct</i> | <i>units</i> | <i>⊙</i> | <i>could</i> |
| <i>be</i> | <i>WHITE</i> | <i>even 0</i> | <i>be</i> | <i>obtained</i> | <i>from</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

0 *07* *513*

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

0 303

| | | | | | |
|-------------------|-------------------|------------------|--------------------|-----------------|------------|
| <i>near</i> | <i>to</i> | <i>act</i> | <i>temporarily</i> | <i>⊙</i> | <i>has</i> |
| <i>sufficient</i> | <i>experience</i> | <i>knowledge</i> | <i>⊙</i> | <i>transfer</i> | <i>to</i> |
| <i>amen</i> | <i>service</i> | <i>NOT</i> | <i>completed</i> | <i>yet</i> | <i>⊙</i> |
| <i>lieut</i> | <i>LESH</i> | <i>can</i> | <i>carry</i> | <i>on</i> | <i>at</i> |
| <i>near</i> | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1435

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

E. Steinhilber
Capt

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT
515

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust div

FROM

15 Aust inf bde

Originator's Number

1326

Date

23

In Reply to Number

1658

ack.

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1215

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 575

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

James Star report 1700000 and 1000 2/3 and 1000 1000

FROM

15 Aust Inf Bde

Originator's Number

I 342

Date

25

In Reply to Number

SECRET

0

SECRET 65 to

0700 R/25

0

1400000

POST

0

1400000

25

2900

753006

51290000

25

2900

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0720

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **578**

OFFICE DATE STAMP

| | | |
|------------------------------|-----|--|
| CALL AND INSTRUCTIONS | IN | |
| | OUT | |

| | |
|-----------------------------|--|
| No. of Groups GR. | |
|-----------------------------|--|

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 amsst div 17 amsst inf bde**

| | | | |
|------------------------------|--------------------------------------|-------------------|--------------------|
| FROM 15 amsst inf bde | Originator's Number 0 305- | Date 23 | In Reply to Number |
|------------------------------|--------------------------------------|-------------------|--------------------|

| | | | | | |
|----------|---------|--------|----------|-----------|--------|
| 2/3 | und can | report | patrol | no. 3 | sgt- |
| TOMPKINS | and | two | CR | departing | BASE 4 |
| 24 jun | for | MATMAT | area | ⊙ | will |
| my | contact | 2/7 bn | ⊙ | route | by |
| VEINS | track | ⊙ | expected | arrive | MATMAT |
| area | NOT | before | 25 jun | NOT | later |
| 27 jun | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS

SIGNATURE **C. Newman**

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

important

TIME OF ORIGIN

15-05-

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 521

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 Aust div*

FROM *15 Aust inf bde*

Originator's Number
0307

Date
23

In Reply to Number

| | | | | | |
|---------------------|--------------------|-----------------|-----------------------|-----------------------|-----------------------|
| <i>large stores</i> | <i>pinnacle at</i> | <i>on JETTY</i> | <i>schooner NORTH</i> | <i>unloading side</i> | <i>heavy SALAMAUA</i> |
| <i>ISTHMUS</i> | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *C. Newman*

immediate

1512

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

OUT 52

No. of Groups
GR 3

Serial No.

OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 camps dur

FROM 15 east inf base

Originator's Number

I 327

Date

23

In Reply to Number

(Write horizontally)

| | | | | | |
|-----------|------------|---------|---------|---------|-----|
| Ref | PATROL | 2 | and | I 117 | 5 |
| ⊙ | additional | details | ⊙ | MISSIM | 10 |
| AREA | 2" | check | 3 | ⊙ | 15 |
| EMPTY | VILLAGE | at | 686058 | named | 20 |
| MALAGOWAN | ⊙ | village | at | 692057 | 25 |
| BUKAUP | ⊙ | village | at | 689058 | 30 |
| WAMASU | ⊙ | village | at | 680065 | 35 |
| NEW | WAMASU | ⊙ | village | at | 40 |
| 707057 | NEW | ASINI | ⊙ | ABELUNI | 45 |
| 15 | name | NORTH | ⊙ | NEW | 50 |
| ASINI | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE
68 Newman

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

1635

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

✓ please ensured

will send for NES

what also mean
12/11/1941

will you

repeat cipher
MSGE GR 4
11233 TH 11052

The

1002 received here 11/4

[Faint, mostly illegible handwritten notes and markings, including a large blue checkmark and various scribbles.]

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT

525

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf bde*

Originator's Number

1328

Date

23

In Reply to Number

G 12/11

Ack

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1750

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1852.*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM.

529

CALL AND INSTRUCTIONS.

IN
OUT

OUT

No. of Groups GR.

Serial No. OFFICE DATE STAMP

TO

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

FROM

Originator's Number.

Date.

In Reply to Number.

(Write horizontally)

| | | | | | |
|-------------------|------------------|----------------------|----------------------|---------------------|----|
| SECRET | 0 | SYTRERO | 62 | | 5 |
| 1900 K/23 | 0 | 2/3 | ans | andys | 10 |
| copy | 0 | WVWU | OP | 0 | 15 |
| between moved | 1200 SOUTH JAPS | 1545 K/23 over moved | 105 footbridge SOUTH | JAPS 1600 K/23 over | 20 |
| 60 | 0 | 1512 R/23 | loud | copy | 25 |
| 0 | D | copy | 24 | copy | 30 |
| 0 | 0 | copy | copy | copy | 35 |
| 0 | 0 | copy | copy | copy | 40 |
| B 16 | pe | copy | copy | copy | 45 |
| DAHO TI JUNE AREA | 0 one 24 | one se milk | 644029 sheet | DOVER MISSION | 50 |
| 0 | 18 | pe | copy | copy | 55 |
| 6200 36 | CISSEMB 0 | one | copy | 664053 | 60 |
| MISSION 3 | 0 | 2 | copy | copy | 65 |
| 0 | 0 | 52/59 | copy | copy | 70 |
| PILIMUNE at | 1700 K/23 BAIUNE | 0 | B | copy | 75 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS ("EXCEPT") WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY.

TIME OF ORIGIN
1910

SIGNATURE
* Originator may delete "except" and insert "including."

SIGNATURE
(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
T.O.R.

| SYSTEM IN. | TIME IN. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. |
|------------|----------|---------|---------|-------------|-----------|---------|---------|-------------|-----------|---------|---------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups
GR. 5

OFFICE DATE STAMP
57

CALL AND INSTRUCTIONS

IN
OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0 309

Date

23

In Reply to Number

ANGAU
lit-
2220

SELEBUB
up
his

reports
shoreline
⊙

searchlight
for
weather

off
few
clear

SALAMAVA
seconds

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2235

SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

immediate

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

OUT

No. of Groups
GR.

5

OFFICE DATE STAMP

38

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0310

Date

23

In Reply to Number

I 659

LIPNOS

gardens

map

ref

MISSIM

AREA

two

inches

sheet

no 3

698904

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2240

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *Weyman*
Capt
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 aust div signal 17 aust inf bat 2/3 aust in dep coy

FROM 15 aust inf bat

Originator's Number

Date

In Reply to Number

4333

24

SECRET
①

SITNOR
①

SITREP

63

40

0700 K/24

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

immediate

0720

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No. **515**

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ant sup repl 17 loc AITBAN PHILIPP

FROM

15 ant sup base

Originator's Number

2334

Date

24

In Reply to Number

| | | | | | |
|------------------|------------------|-------------------|-----------------|-----------------|-----------------|
| <i>SIT REP</i> | <i>74</i> | <i>to</i> | <i>0600K/24</i> | <i>0</i> | <i>WELLS</i> |
| <i>OP</i> | <i>0</i> | <i>9</i> | <i>gap</i> | <i>Moved</i> | <i>NORTH</i> |
| <i>the words</i> | <i>SALOMAU</i> | <i>1430K/23</i> | <i>0</i> | <i>NUMNIS</i> | <i>POST</i> |
| <i>0</i> | <i>1500K/23</i> | <i>explosions</i> | <i>loads</i> | <i>in</i> | <i>SALOMAU</i> |
| <i>through</i> | <i>to</i> | <i>be</i> | <i>blasting</i> | <i>0</i> | <i>1810K/23</i> |
| <i>loads</i> | <i>explosion</i> | <i>on</i> | <i>SALOMAU</i> | <i>possibly</i> | <i>P/A</i> |
| <i>0</i> | <i>otherwise</i> | <i>SITREP</i> | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

immediate

TIME OF ORIGIN

0940

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *0952*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT. 547.

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

30000 du

FROM

15 and my 100

Originator's Number

I 336

Date

24

In Reply to Number

| | | | | |
|-----------------|------------------------|-----------------|------------------|--------------|
| <i>loud</i> | <i>reception heard</i> | <i>in</i> | <i>direction</i> | <i>of</i> |
| <i>Sgt. ...</i> | <i>09:00/24</i> | <i>0130/124</i> | <i>lane</i> | <i>where</i> |
| <i>of</i> | <i>black</i> | <i>smoke</i> | <i>SW</i> | <i>...</i> |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1105

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT.

No. of Groups
GR.

OFFICE DATE STAMP

549.

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 airt div repta 17 airt inf bde 58/59 airt inf bde D Coy 24 Bn. ANGAN PILIMUNG*

FROM *15 airt inf bde.*

Originator's Number
I 337

Date
24.

In Reply to Number

| | | | | | |
|---------------|----------------|-------------------|-------------------|-----------------|-----------------|
| <i>WELLS</i> | <i>OP</i> | <i>reports</i> | <i>0815 K/24</i> | <i>0.</i> | <i>9</i> |
| <i>allied</i> | <i>bombers</i> | <i>bombed</i> | <i>and</i> | <i>strapped</i> | <i>SALAMAUA</i> |
| <i>RUNWAY</i> | <i>and</i> | <i>footbridge</i> | <i>destroying</i> | <i>part</i> | <i>of</i> |
| <i>bridge</i> | <i>and</i> | <i>igniting</i> | <i>oil</i> | <i>dump</i> | <i>south</i> |
| <i>of</i> | <i>drome</i> | <i>to</i> | <i>smoke</i> | <i>rising</i> | <i>to</i> |
| <i>1000</i> | <i>feet</i> | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *E. Newman*

immediate

1122

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM.

Out 563

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups GR.

Serial No. OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3rd unit due after 17th unit and for 3/24 unit and for* *Arakan* *Per 10000*

FROM *15th unit and for* Originator's Number. *E 334* Date. *24* In Reply to Number.

| | | | | | |
|--|----------------|--------------------|----------------|-------------------|----|
| <i>(Write horizontally)</i> <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>60</i> | <i>As</i> | 5 |
| <i>1410 K/24</i> | <i>0</i> | <i>2/3</i> | <i>ans</i> | <i>undep</i> | 10 |
| <i>Coy</i> | <i>0</i> | <i>WALLS</i> | <i>OP</i> | <i>0</i> | 15 |
| <i>1500 K/24</i> | <i>39</i> | <i>JAPS</i> | <i>heavily</i> | <i>equipped</i> | 20 |
| <i>with</i> | <i>MG.</i> | <i>and</i> | <i>rifle</i> | <i>more</i> | 25 |
| <i>NORTH</i> | <i>from</i> | <i>KOMIYANAN</i> | <i>0</i> | <i>ULIAP</i> | 30 |
| <i>BBDUBI</i> | <i>had</i> | <i>had</i> | <i>BBDUBI</i> | <i>mission</i> | 35 |
| <i>NOT</i> | <i>entered</i> | <i>but</i> | <i>no</i> | <i>indication</i> | 40 |
| <i>of</i> | <i>JAP</i> | <i>occupation</i> | <i>0</i> | <i>SOUTH</i> | 45 |
| <i>up</i> | <i>ULIAP</i> | <i>CR</i> | <i>above</i> | <i>694996</i> | 50 |
| <i>MISSION</i> | <i>AREA</i> | <i>2</i> | <i>mid</i> | <i>sheet</i> | 55 |
| <i>3</i> | <i>0</i> | <i>20</i> | <i>sign</i> | <i>JAP</i> | 60 |
| <i>sig</i> | <i>cable</i> | <i>undisturbed</i> | <i>0</i> | <i>acting</i> | 65 |
| <i>on</i> | <i>NAMLINE</i> | <i>action</i> | <i>action</i> | <i>patrol</i> | 70 |
| <i>moved</i> | <i>up</i> | <i>to</i> | <i>within</i> | <i>50</i> | 75 |
| <i>yes</i> | <i>SW</i> | <i>GWAIBOLON</i> | <i>no</i> | <i>JAPS</i> | |
| <i>seen</i> | <i>but</i> | <i>indication</i> | <i>8</i> | <i>Lev</i> | |
| <i>presence</i> | <i>order</i> | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS ("EXCEPT") WIRELESS SIGNATURE * Originator may delete "except" and insert "including."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY. *immediate*

TIME OF ORIGIN *1925*

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I. *1930*

T.O.R.

| SYSTEM IN. | TIME IN. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. |
|------------|----------|---------|---------|-------------|-----------|---------|---------|-------------|-----------|---------|---------|
| | | | | | | | | | | | |

MESSAGE FORM.

OUT 566

| | | | |
|------------------------|-----|-------------------|------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *1st Aust indpt Coy D Coy 24 Aust indpt Coy 57/59 Aust indpt Coy*

FROM *15th Aust indpt Coy base*

Originator's Number. *E 301* Date. *24* In Reply to Number.

(Write horizontally)

| | | | | | |
|-------------------|-----------------|-----------------|-----------------|------------------|----|
| SECRET | 0 | SITREP | 131 | 3 | 5 |
| <i>1st Aust</i> | <i>dur</i> | <i>A</i> | <i>2000 K/W</i> | <i>0</i> | 10 |
| <i>M 1131M</i> | AREA | 0 | <i>SALAMINA</i> | <i>OP</i> | 15 |
| 0 | <i>near</i> | <i>miss</i> | <i>ov</i> | <i>ODEAS</i> | 20 |
| <i>house</i> | <i>during</i> | <i>bombing</i> | <i>0515 K/W</i> | <i>0</i> | 25 |
| <i>hit</i> | <i>on</i> | <i>oil</i> | <i>dump</i> | <i>confirmed</i> | 30 |
| 0 | <i>MVB</i> | <i>area</i> | 0 | <i>H</i> | 35 |
| <i>17</i> | <i>1st Aust</i> | <i>inf</i> | <i>base</i> | <i>closed</i> | 40 |
| <i>SKINDEWAI</i> | <i>0900 K/W</i> | <i>required</i> | <i>same</i> | <i>time</i> | 45 |
| <i>GUADAGASAL</i> | 0 | <i>all</i> | <i>improved</i> | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |

| | | | | | | | | | | | | | |
|---|----------|---------|---------|--|-----------|---------|---------|---|-----------|---------|---------|----------------|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS ("EXCEPT") | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY. | | | | TIME OF ORIGIN | |
| WIRELESS | | | | SIGNATURE <i>[Signature]</i> | | | | <i>Deferred</i> | | | | 2200 | |
| * Originator may delete "except" and insert "including." | | | | (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | T.H.I. | |
| SYSTEM IN. | TIME IN. | HEADER. | SENDER. | SYSTEM OUT. | TIME OUT. | HEADER. | SENDER. | SYSTEM OUT. | TIME OUT. | HEADER. | SENDER. | T.O.R. | |
| | | | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 582

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 and dw

FROM

15 and wj bde

Originator's Number

I 343

Date

25

In Reply to Number

| | | | | | |
|---------------|---------------|-------------|----------------------|----------------|----------------|
| <i>patrol</i> | <i>2</i> | <i>0</i> | <i>further</i> | <i>to</i> | <i>our</i> |
| <i>INTREP</i> | <i>9</i> | <i>of</i> | <i>24</i> | <i>Jan</i> | <i>and</i> |
| <i>Signal</i> | <i>I 117</i> | <i>0</i> | <i>interrogation</i> | <i>by</i> | <i>eye</i> |
| <i>SEALE</i> | <i>ANGAU</i> | <i>of</i> | <i>WOMASU</i> | <i>natives</i> | <i>reveals</i> |
| <i>0</i> | <i>10</i> | <i>JAPS</i> | <i>stationed</i> | <i>at</i> | <i>BUKAUP</i> |
| <i>5</i> | <i>of</i> | <i>whom</i> | <i>parole</i> | <i>to</i> | <i>MALOLO</i> |
| <i>daily</i> | <i>return</i> | <i>in</i> | <i>evening</i> | <i>0</i> | <i>GWADO</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Out 582

Serial No.

| | | | |
|-----------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

| | | | |
|------|-------------------------------------|-------------------|--------------------|
| FROM | Originator's Number <i>I 343</i> | Date <i>25</i> | In Reply to Number |
|------|-------------------------------------|-------------------|--------------------|

| | | | | | |
|----------------|-------------------|------------------|---------------|-----------------|-------------|
| <i>network</i> | <i>discovered</i> | <i>on</i> | <i>area</i> | <i>HUON</i> | <i>GULF</i> |
| <i>4</i> | <i>miles</i> | <i>(L)R 6214</i> | <i>⊙</i> | <i>few</i> | <i>JAPS</i> |
| <i>at</i> | <i>BUSAMA</i> | <i>one</i> | <i>prayer</i> | <i>speaking</i> | <i>⊙</i> |
| <i>NEW</i> | <i>WOMASU</i> | <i>village</i> | <i>on</i> | <i>BIBONG</i> | <i>R</i> |
| <i>which</i> | <i>enters</i> | <i>sea</i> | <i>at</i> | <i>BUSAMA</i> | |

| | | | |
|--|---|---|-------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN <i>1030</i> |
| SIGNATURE..... * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | SIGNATURE..... <i>[Signature]</i> | (BELOW THIS LINE FOR SIGNALS USE ONLY.) | T.H.I. |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

OUT 589

FROM

15 aust inf bde

Originator's Number

0 317

Date

25

In Reply to Number

0 3532

| | | | | | |
|------------|-----------------|-----------------|--|--|--|
| <i>yes</i> | <i>1800 hrs</i> | <i>24 found</i> | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1840

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 590

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 amsst dw*

FROM

15 amsst wry hde

Originator's Number

I 344

Date

25

In Reply to Number

| | | | | | |
|-----------------|------------------|--------------|----------------|----------------|-------------|
| <i>log</i> | <i>LOCATIONS</i> | <i>58/59</i> | <i>amsst</i> | <i>wry</i> | <i>hde</i> |
| <i>G</i> | <i>BHQ</i> | <i>HQ</i> | <i>log</i> | <i>MISSION</i> | <i>0</i> |
| <i>A</i> | <i>log</i> | <i>moved</i> | <i>from</i> | <i>MISSION</i> | <i>for</i> |
| <i>BASE</i> | <i>III</i> | <i>this</i> | <i>morning</i> | <i>0</i> | <i>8</i> |
| <i>log</i> | <i>PILIMUNG</i> | <i>0</i> | <i>C</i> | <i>log</i> | <i>left</i> |
| <i>PILIMUNG</i> | <i>0600K/25</i> | <i>for</i> | <i>MISSION</i> | <i>0</i> | <i>D</i> |
| <i>log</i> | <i>BUSASU</i> | <i>AREA</i> | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1055

SIGNATURE

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT 598

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust Div

FROM

15 Aust inf bde

Originator's Number

I 347

Date

25

In Reply to Number

I 673

gaps

travelling

NORTH

when

ambushed

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1425

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 001

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0 318

Date

25

In Reply to Number

| | | | | | |
|--------------------|-------------|-------------------|---------|-----|-------|
| lt col returned | GUINN HQ | major 1500 hrs | TRAVERS | and | party |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1515

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE *[Signature]*

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

deperes

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM.

Serial No.

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups GR.

OFFICE DATE STAMP

OUT

17

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO 3 and 4... 17... 58/59...

FROM 15...
Originator's Number. 5348
Date. 25
In Reply to Number.

(Write horizontally)

| | | | | | |
|------------|------------|-----------|-----------|-----------|----|
| SECRET | ○ | SITREP | 66 | To | 5 |
| 900 K/25 | ○ | SB/57 | auth | and | 10 |
| bn | ○ | B HQ | HQ | A | 15 |
| Coy | MISSIM | ○ | B Coy | less | |
| two | pls | SELEB-B | ○ | two | 20 |
| pls | B | Coy | PILIMUNG | ○ | |
| C Coy | less | two | pls | MISSIM | 25 |
| two | pls | C | Coy | SELEB-B | |
| ○ | WUNNAS | POST | ○ | 1035 K/25 | 30 |
| smoke | seen | BOB DUBI | RIDGE | ○ | |
| 1300 K/25 | explosives | heard | over | LA E | 35 |
| AREB | ○ | 2/3 | and | and | |
| ○ | ○ | WELLS | ○ | ○ | 40 |
| K/24 | JAPS | seen | in | ORODUBI | |
| appeal | to | the | guarding | NAMI LINE | 45 |
| TRACK | ○ | between | 1000 | 1600 K/25 | |
| SO | JAPS | moved | SOUTH | across | 50 |
| footbridge | ○ | 1315 K/25 | 4 | fully | |
| equipped | JAPS | with | packs | entered | 55 |
| ORODUBI | from | direction | KOMIATUM | TRACK | |
| ○ | footbridge | repaired | by | 1400 K/24 | 60 |
| ○ | 1400 K/25 | 40 | JAPS | moved | |
| along | track | NORTH | towards | SALAMAU | 65 |
| ○ | 1430 K/25 | 1 | stretch | case | |
| 15 | coolies | moved | towards | SALAMAU | 70 |
| ○ | 1530 K/25 | 45 | fully | equipped | |
| JAPS | moving | SOUTH | from | SALAMAU | 75 |
| across | footbridge | ○ | 1550 K/25 | 15 | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS ("EXCEPT")

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPT OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY.

TIME OF ORIGIN

SIGNATURE (Originator may delete "except" and insert "including.")

SIGNATURE (BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| M | TIME IN. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. | SYSTEM OUT. | TIME OUT. | READER. | SENDER. |
|---|----------|---------|---------|-------------|-----------|---------|---------|-------------|-----------|---------|---------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM.

OUT 617

| | | | |
|------------------------|-----|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number. *L 348*

Date. *25*

In Reply to Number.

| | | | | | |
|---|-----------------------------|-------------------------------|------------------------------|---------------------------------|----|
| <i>(Write horizontally)</i> <i>JAPS</i> <i>tracks</i> | <i>with</i> <i>moved</i> | <i>rifles</i> <i>SOUTH</i> | <i>and</i> <i>terrace</i> | <i>large</i> <i>KOMIATUM</i> | 5 |
| | | | | | 10 |
| | | | | | 15 |
| | | | | | 20 |
| | | | | | 25 |
| | | | | | 30 |
| | | | | | 35 |
| | | | | | 40 |
| | | | | | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS (*EXCEPT) WIRELESS

THIS MESSAGE MUST BE SET IN CYPHER IF LIABLE TO INTERCEPT OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS IN DEGREE OF PRIORITY.

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

TIME OF ORIGIN *1930*

T.H.I.

T.O.R.

| | | | | | | | | | | |
|------|--------|---------|--------|------|---------|---------|--------|------|---------|---------|
| TIME | READER | SENDER. | SYSTEM | TIME | READER. | SENDER. | SYSTEM | TIME | READER. | SENDER. |
| IN | | | OUT. | OUT. | | | OUT. | OUT. | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 656

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div.*

FROM *15 aust inf bde.*

Originator's Number
I 355

Date
26

In Reply to Number

| | | | | | |
|------------------|-----------------|--------------|------------------|----------------|---------------|
| <i>SECRET</i> | <i>⊙</i> | <i>58/59</i> | <i>aust</i> | <i>inf</i> | <i>bde</i> |
| <i>LOCATIONS</i> | <i>⊙</i> | <i>A</i> | <i>coy</i> | <i>arrived</i> | <i>BASE</i> |
| <i>3</i> | <i>1700R/26</i> | <i>⊙</i> | <i>B</i> | <i>and</i> | <i>C</i> |
| <i>copy</i> | <i>MISSIM</i> | <i>⊙</i> | <i>otherwise</i> | <i>no</i> | <i>change</i> |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2150

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN
OUT

Copy OUT 655

No. of Groups
GR.

Serial No.
OFFICE DATE STAMP

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *Our report 17 Dec 43, 58159, D Coy 24 Bn, ANZAC.*
FROM *15 Bde* Originator's Number *I 380* Date *76* In Reply to Number

(Write horizontally)

| | | | | | |
|-----------------|-----------------|------------------|-------------------|-------------------|-----|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | | <i>to</i> | 5 |
| <i>1400K/76</i> | <i>0</i> | <i>7/3</i> | <i>and</i> | <i>may</i> | 10 |
| <i>copy</i> | <i>0</i> | <i>WENS</i> | <i>OP</i> | <i>0</i> | 15 |
| <i>1605K/25</i> | <i>be</i> | <i>shelter</i> | <i>and</i> | <i>copy</i> | 20 |
| <i>20</i> | <i>rookie</i> | <i>crossed</i> | <i>footbridge</i> | <i>from</i> | 25 |
| <i>SOUTH</i> | <i>0</i> | <i>0930K/21</i> | <i>to</i> | <i>TAPS</i> | 30 |
| <i>moved</i> | <i>same</i> | <i>direction</i> | <i>0</i> | <i>1100K/26</i> | 35 |
| <i>19</i> | <i>TAPS</i> | <i>moved</i> | <i>NORTH</i> | <i>from</i> | 40 |
| <i>KOMIATUM</i> | <i>0</i> | <i>all</i> | <i>heavily</i> | <i>laden</i> | 45 |
| <i>0</i> | <i>between</i> | <i>1400</i> | <i>1500K/26</i> | <i>continuous</i> | 50 |
| <i>not</i> | <i>of</i> | <i>rookie</i> | <i>carrying</i> | <i>cargo</i> | 55 |
| <i>from</i> | <i>SOUTH</i> | <i>back</i> | <i>to</i> | <i>NORTH</i> | 60 |
| <i>across</i> | <i>ambush</i> | <i>and</i> | <i>returning</i> | <i>supply</i> | 65 |
| <i>handed</i> | <i>0</i> | <i>me</i> | <i>shelter</i> | <i>and</i> | 70 |
| <i>20</i> | <i>will</i> | <i>disappear</i> | <i>TAPS</i> | <i>moved</i> | 75 |
| <i>NORTH</i> | <i>from</i> | <i>KOMIATUM</i> | <i>0</i> | <i>observed</i> | 80 |
| <i>only</i> | <i>possible</i> | <i>for</i> | <i>periods</i> | <i>owing</i> | 85 |
| <i>to</i> | <i>miss</i> | <i>and</i> | <i>clouds</i> | <i>0</i> | 90 |
| <i>0</i> | <i>pe</i> | <i>heard</i> | <i>moved</i> | <i>down</i> | 95 |
| <i>STEPHENS</i> | <i>TRAC</i> | <i>to</i> | <i>TAP</i> | <i>L</i> | 100 |
| <i>70</i> | <i>C</i> | <i>AM</i> | <i>76</i> | <i>from</i> | 105 |
| <i>0</i> | <i>no</i> | <i>sign</i> | <i>of</i> | <i>enemy</i> | 110 |
| <i>0</i> | <i>all</i> | <i>informed</i> | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
*ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

Immediate

1945

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

Out 662

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|---------------|---------------|---------------|-----------|-----------|----------------|
| <i>SECRET</i> | <i>0</i> | <i>SITING</i> | <i>09</i> | <i>10</i> | <i>0700/27</i> |
| <i>0</i> | <i>SITING</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0710

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

out 665

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 and down*

FROM *15 ansong base* Originator's Number *I 357* Date *27* In Reply to Number *03551*

| | | | | | |
|---------------|---------------|--------------------|-------------|-----------------|-------------|
| <i>one</i> | <i>0</i> | <i>MISSIM</i> | <i>AREA</i> | <i>2</i> | <i>end</i> |
| <i>SHEET</i> | <i>3</i> | <i>692, 29</i> | <i>0</i> | <i>two</i> | <i>0</i> |
| <i>5</i> | <i>see</i> | <i>B</i> | <i>pe</i> | <i>strength</i> | <i>15</i> |
| <i>2/3</i> | <i>ansong</i> | <i>indep</i> | <i>way</i> | <i>①</i> | <i>this</i> |
| <i>base</i> | <i>was</i> | <i>established</i> | <i>by</i> | <i>patrol</i> | <i>to</i> |
| <i>across</i> | <i>as</i> | <i>retreating</i> | | <i>position</i> | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0935

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE.....
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT 686

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

0330

FROM

15 aust inf bat

Originator's Number

~~0329~~

Date

27

In Reply to Number

I 682

| | | | | |
|---------------|----------------|--------------------|---------------|-------------|
| <i>you</i> | <i>I 659</i> | <i>answered by</i> | <i>my</i> | <i>0310</i> |
| <i>of</i> | <i>23</i> | <i>0</i> | <i>radio</i> | <i>0</i> |
| <i>LIPNOS</i> | <i>gardens</i> | <i>map</i> | <i>MISSIM</i> | <i>area</i> |
| <i>two</i> | <i>inches</i> | <i>sheet</i> | <i>698904</i> | <i>0</i> |
| | | | | |
| | | | | |
| | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1200

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
W. J. ...

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

1201

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

E 358

26

| | | | | | |
|-----------------|------------------|-----------------------|------------------|-----------------|----------------|
| <i>0</i> | <i>all</i> | <i>heavily</i> | <i>laden</i> | <i>0</i> | <i>between</i> |
| <i>1400</i> | <i>1500 hrs</i> | <i>continuous</i> | <i>not</i> | <i>of</i> | <i>routes</i> |
| <i>carrying</i> | <i>cargo</i> | <i>from</i> | <i>SOUTH</i> | <i>to</i> | <i>NORTH</i> |
| <i>across</i> | <i>FRANCIS</i> | <i>footbridge and</i> | <i>returning</i> | <i>empty</i> | |
| <i>handed</i> | <i>0</i> | <i>one</i> | <i>shopper</i> | <i>and</i> | <i>20</i> |
| <i>will</i> | <i>disappear</i> | <i>FAP</i> | <i>move</i> | <i>NORTH</i> | <i>from</i> |
| <i>KOBIATUM</i> | <i>0</i> | <i>observation</i> | <i>only</i> | <i>possible</i> | <i>for</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I 354

26

| | | | | | |
|-----------------|--------------|--------------|-------------|-------------|------------------|
| <i>person</i> | <i>away</i> | <i>to</i> | <i>must</i> | <i>move</i> | <i>clouds</i> |
| <i>0</i> | <i>B</i> | <i>to</i> | <i>have</i> | <i>move</i> | <i>down</i> |
| <i>STEPHENS</i> | <i>TRACK</i> | <i>to</i> | <i>TAP</i> | <i>6</i> | <i>9</i> |
| <i>C</i> | <i>AM</i> | <i>20</i> | <i>for</i> | <i>0</i> | <i>no</i> |
| <i>sign</i> | <i>of</i> | <i>enemy</i> | <i>0</i> | <i>all</i> | <i>performed</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
sgt B. H. Havers

immediate

19 25

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. 19 26

| ITEM | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

711

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

SECRET

⊙

SITREP

70

to

1900/27

⊙

37

and

enough

log

⊙

WELL

OR

⊙

0730K/27

4

where

cases

moved

NORTH

from

KOMINTUM

⊙

during

AM

17

JAPS

moved

NORTH

from

KOMINTUM

and

small

well

depressed

groups

and

at

long

interview

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

*ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

SYSTEM IN

TIME IN

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

SYSTEM OUT

TIME OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

one 711

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

1362

27

58/59

asst

inf

br

5

SITWOR

0

0

coy

24

asst

inf

br

located

3

N/A

gun

0

beams

will

be

stripped

when

received

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

immediate

1930

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

| | | | | |
|-------------------------------|-----|-----|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | OUT | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | 7 | 14 |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | | |
|------|------------|------------------------------|------------|--------------------|
| TO | 3cuss dw | | | |
| FROM | (5cuss dw) | Originator's Number L 363 | Date 27 | In Reply to Number |

| | | | | | |
|---------------------------------------|-----------|------------|-----------|-------------|-----|
| <i>(Write horizontally)</i> patrol | 7 | 6 | sgt | TOMPKINS | 5 |
| contacted | 76 | Pr | MAT MAT | K/20 | 10 |
| returned | base | 4 | 1300 K/27 | wiki | 15 |
| one | mt | OR | of | 2/5 | 20 |
| hrs | hr | collect | inform | re | 25 |
| tracks | mi | MT | TAMBU | area | 30 |
| 0 | OR | retraining | 2/5 | hr | 35 |
| K/18 | 0 | patrol | 10 | 0 | 40 |
| lieut | ERSKINE | contacted | find | patrol | 45 |
| 2/6 | hr | BUIPAL | CR | 0 | 50 |
| contacted | JAP | patrol | NORTH | of | 55 |
| BUISELLA | CK | 0 | time | base | 60 |
| 4 | hr | MAT MAT | 3 1/2 | hrs | 65 |
| 0 | patrol | 11 | 0 | pts | 70 |
| LEWIS | returned | VEILS | 1500K/27 | 0 | 75 |
| reports | 0 | no | sign | JAPS | 80 |
| NANLING | any | time | 0 | reached | 85 |
| GRAVEYARD | VICKERS | POIN | KOMTATUM | 1/25000 | 90 |
| approx | 696947 | observed | ORODUBI | for | 95 |
| two | hrs | 6 | JAPS | seen | 100 |
| 0 | voices | heard | direction | track | 105 |
| EAST | of | from | 0 | patrol | 110 |
| withdrew | to | NANLING | night | 26/27 | 115 |
| Jan | 0 | 27 | Jan | moved | 120 |
| to | approx | 200 | pts | SOUTH | 125 |
| of | GWAIBOLON | 2 1/2 | hrs | observation | 130 |

| | | | | | | | | | | | |
|--|---|---|-----------------------|------------|----------|--------|--------|------------|----------|--------|--------|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS</p> <p>SIGNATURE.....</p> <p>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</p> | <p>THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</p> <p>SIGNATURE.....</p> | <p>ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY</p> | <p>TIME OF ORIGIN</p> | | | | | | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | | | | | | | | | |
| T.H.I. | | | | | | | | | | | |
| T.O.R. | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT

No. of Groups
GR. *7*

OFFICE DATE STAMP

14

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

I 363

Date

27

In Reply to Number

| | | | | | |
|-------------|--------------|-------------------|---------------|------------------|--------------|
| <i>no</i> | <i>work</i> | <i>seen</i> | <i>0</i> | <i>attempted</i> | <i>scrub</i> |
| <i>back</i> | <i>to</i> | <i>GWAI BOLON</i> | <i>failed</i> | <i>0</i> | <i>moved</i> |
| <i>down</i> | <i>ULIAP</i> | <i>CR</i> | <i>and</i> | <i>to</i> | <i>VEILS</i> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

Important

TIME OF ORIGIN

2100

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *2105*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN
OUT

OUT 72

No. of Groups
GR.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 Band det rptd 17 Band and 18 Band and 19 Band*

FROM *15 Band and 16 Band* Originator's Number *E 365* Date *26* In Reply to Number

(Write horizontally)

| | | | | | |
|-------------------|------------------|-----------------|--------------|-------------------|-----|
| <i>SECRET</i> | ⊙ | <i>SIT REP</i> | <i>71</i> | <i>A</i> | 5 |
| <i>OTW/27</i> | ⊙ | <i>2/3</i> | <i>and</i> | <i>indep</i> | 10 |
| <i>log</i> | ⊙ | <i>WELLS</i> | <i>OP</i> | ⊙ | 15 |
| <i>17-27</i> | 11 | <i>check</i> | <i>class</i> | <i>100</i> | 20 |
| <i>persons</i> | <i>probably</i> | <i>colts</i> | <i>moved</i> | <i>cross</i> | 25 |
| <i>footbridge</i> | <i>inward</i> | <i>Squad</i> | <i>0</i> | <i>1 2 5 K/27</i> | 30 |
| <i>9</i> | <i>JAPS</i> | <i>moved</i> | <i>SOUTH</i> | <i>prop</i> | 35 |
| <i>KOMATIA</i> | ⊙ | <i>out</i> | <i>same</i> | <i>time</i> | 40 |
| <i>20</i> | <i>personnel</i> | <i>moved</i> | <i>SOUTH</i> | <i>cross</i> | 45 |
| <i>footbridge</i> | ⊙ | <i>ST/59</i> | <i>and</i> | <i>inf</i> | 50 |
| <i>br</i> | ⊙ | <i>SIT-NOR.</i> | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS.

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE
*ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

immediate

0725

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

No. of Groups
GR.

OFFICE DATE STAMP
123

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ams di

FROM

15 ams inf bde

Originator's Number

I 366

Date

28

In Reply to Number

| | | | | | |
|---------------|------------------|---------------|--------------------|--------------------|---------------|
| <i>native</i> | <i>report</i> | <i>flaw</i> | <i>cached</i> | <i>DOH</i> | <i>27</i> |
| <i>you</i> | <i>o</i> | <i>wo</i> | <i>WELCH</i> | <i>and</i> | <i>more</i> |
| <i>OR</i> | <i>departing</i> | <i>here</i> | <i>immediately</i> | <i>with</i> | <i>two</i> |
| <i>native</i> | <i>guides</i> | <i>o</i> | <i>do</i> | <i>not</i> | <i>expect</i> |
| <i>report</i> | <i>for</i> | <i>at</i> | <i>least</i> | <i>5</i> | <i>hours</i> |
| <i>o</i> | <i>will</i> | <i>notify</i> | <i>you</i> | <i>immediately</i> | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
AP Kelly Capt

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0755

T.H.I. *0809*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

out

745

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0341

Date

28

In Reply to Number

03566

| | | | | | |
|-----------------------|----------------|-----------------|-----------------------|------------|---------------|
| <i>party</i> | <i>located</i> | <i>MITCHELL</i> | <i>BOMBER</i> | <i>had</i> | <i>an</i> |
| <i>broken</i> | <i>NORTH</i> | <i>of</i> | <i>DOLI</i> | <i>my</i> | <i>map</i> |
| <i>MISSIM</i> | <i>one</i> | <i>which</i> | <i>506071</i> | <i>⊙</i> | <i>plane</i> |
| <i>total</i> | <i>loss</i> | <i>⊙</i> | <i>located</i> | <i>two</i> | <i>bodies</i> |
| <i>unrecognisable</i> | <i>⊙</i> | <i>no</i> | <i>identification</i> | | |
| <i>found</i> | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1755

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|-----------------------|-----|---------------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. <i>one</i> | OFFICE DATE STAMP <i>740</i> |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

| | | | |
|-----------------------------|-------------------------------------|-------------------|-------------------------------------|
| FROM <i>15 aust inf bde</i> | Originator's Number <i>I 371</i> | Date <i>28</i> | In Reply to Number <i>G-1152</i> |
|-----------------------------|-------------------------------------|-------------------|-------------------------------------|

| | | | | | |
|----------------|--------------|--------------|----------------|-----------------|--------------|
| <i>you</i> | <i>I 658</i> | <i>acked</i> | <i>by</i> | <i>my</i> | <i>I 326</i> |
| <i>cleared</i> | <i>by</i> | <i>rip</i> | <i>PIRIMUR</i> | <i>1540 KP3</i> | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY
deferred

TIME OF ORIGIN
1630

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

SECRET

0

SITREP

72

hr

1900R/28

0

2/3

same

under

copy

0

WELL

OP

0

0800R/28

9

JAPS

moved

NORTH

toward

SILAMBA

one

JAP

SOUTH

toward

KOMIATUM

0

0945R/28

22

JAPS

moved

SOUTH

toward

KOMIATUM

0

5/59

same

copy

hr

0

BAM

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

I372

28

| | | | | | |
|---------------|--------------|-----------------|-----------|-----------------|----------------|
| <i>643974</i> | <i>to</i> | <i>MEARES</i> | <i>CK</i> | <i>KOMINTUM</i> | <i>1/25000</i> |
| | <i>annul</i> | <i>1530K/28</i> | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

1905

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I. *1907*

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

| | | | | |
|------------------------------|-----|-----|---------------|-------------------|
| CALL AND INSTRUCTIONS | IN | OUT | No. of Groups | OFFICE DATE STAMP |
| | OUT | | GR. | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

| | | | | | | | |
|---------|------------------------|---------------------|---------|-------------------------|----|--------------------|--|
| TO | 3 arnst div | | | | | | |
| FROM | 15 arnst inf bde | Originator's Number | 0 342 | Date | 28 | In Reply to Number | |
| | MOST SECRET | ⊙ | doublet | ⊙ | | ny | |
| 3 | div | op | or an | No | | 1 | |
| para | 12 | (a) | ⊙ | 58/59 | | bn | |
| ana | MEARES | CK | BUGASU | JUNC | | ⊙ | |
| 2/3 | indip | coy | MISSIM | BASE | | 43 | |
| special | parties | as | per | ny | | 0 336 | |
| K/28 | ⊙ | D | coy | XXXXXXXXXXXX | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1925

T.H.I. 1926

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

OUT

No. of Groups

GR. *7*

OFFICE DATE STAMP

99

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

0342

Date

28

In Reply to Number

24

on

CISSEMA BOD HOTE

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

*Cipher
important*

TIME OF ORIGIN

1925

T.H.I. *1926*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

OUT

No. of Groups
GR. *750*

OFFICE DATE STAMP

TO

3 Aust div

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

FROM

15 Aust inf bat

Originator's Number

0343

Date

In Reply to Number

| | | | | |
|----------------|---------------|---------------|----------------|----------------------|
| <i>request</i> | <i>24</i> | <i>mortar</i> | <i>pl</i> | <i>personnel</i> |
| <i>to</i> | <i>NOTE</i> | <i>area</i> | <i>to</i> | <i>immediately</i> |
| <i>with</i> | <i>mortar</i> | <i>at</i> | <i>present</i> | <i>allocated</i> |
| <i>coy</i> | <i>24</i> | <i>on</i> | <i>0</i> | <i>this</i> |
| <i>for</i> | <i>loan</i> | <i>from</i> | <i>2/3</i> | <i>indep</i> |
| | <i>depend</i> | <i>of</i> | <i>area</i> | <i>CSSEMBOR NOTE</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

Immediate

2000

T.H.I. *2004*

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT 785

| | | | |
|------------------------|-----|-------------------|------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *Janet due night 17/11/42 and later SB/13/42 across long bar* *Down 74 Br*
 FROM *15 across long bar* Originator's Number *E378* Date *29* In Reply to Number

| | | | | | |
|--------------------|-------------------|--------------------|--------------------|--------------------|------------|
| <i>SECRET</i> | <i>0</i> | <i>SITREP</i> | <i>73</i> | <i>to</i> | <i>5</i> |
| <i>0700 K/29</i> | <i>0</i> | <i>WELLS</i> | <i>UP</i> | <i>0</i> | <i>10</i> |
| <i>1030 K/28</i> | <i>15</i> | <i>JAPS</i> | <i>crossed</i> | <i>footbridge</i> | <i>15</i> |
| <i>NORTH</i> | <i>0</i> | <i>1100 K/28</i> | <i>to</i> | <i>JAPS</i> | <i>20</i> |
| <i>NORTH</i> | <i>from</i> | <i>KOMIATUM</i> | <i>0</i> | <i>1415 K/28</i> | <i>25</i> |
| <i>SE</i> | <i>JAPS</i> | <i>crossed</i> | <i>footbridge</i> | <i>NORTH</i> | <i>30</i> |
| <i>4</i> | <i>JAPS</i> | <i>NORTH</i> | <i>from</i> | <i>KOMIATUM</i> | <i>35</i> |
| <i>0</i> | <i>1430 K/28</i> | <i>70</i> | <i>hear</i> | <i>laden</i> | <i>40</i> |
| <i>figures</i> | <i>apparently</i> | <i>cooks</i> | <i>crossed</i> | <i>footbridge</i> | <i>45</i> |
| <i>NORTH</i> | <i>to</i> | <i>South</i> | <i>proceeded</i> | <i>along</i> | <i>50</i> |
| <i>South</i> | <i>bank</i> | <i>FRISCO</i> | <i>0</i> | <i>1544 hrs</i> | <i>55</i> |
| <i>120 figures</i> | <i>crossed</i> | <i>Foot BRIDGE</i> | <i>to</i> | <i>SALAMAUA</i> | <i>60</i> |
| <i>0</i> | <i>1625 hrs</i> | <i>2</i> | <i>cooks</i> | <i>0</i> | <i>65</i> |
| <i>JAPS</i> | <i>South</i> | <i>towards</i> | <i>KOMIATUM</i> | <i>0</i> | <i>70</i> |
| <i>1615 hrs</i> | <i>30</i> | <i>figures</i> | <i>crossed</i> | <i>Foot BRIDGE</i> | <i>75</i> |
| <i>to</i> | <i>SALAMAUA</i> | <i>32</i> | <i>crossed</i> | <i>NORTH</i> | <i>80</i> |
| <i>to</i> | <i>South</i> | <i>0</i> | <i>1625</i> | <i>hrs</i> | <i>85</i> |
| <i>90</i> | <i>figures</i> | <i>crossed</i> | <i>Foot BRIDGE</i> | <i>to</i> | <i>90</i> |
| <i>SALAMAUA</i> | <i>0</i> | <i>1625</i> | <i>hrs</i> | <i>67</i> | <i>95</i> |
| <i>JAPS</i> | <i>NORTH</i> | <i>from</i> | <i>KOMIATUM</i> | <i>0</i> | <i>100</i> |
| <i>Minimum</i> | <i>Number</i> | <i>NORTH</i> | <i>and</i> | <i>SOUTH</i> | <i>105</i> |
| <i>after</i> | <i>allowing</i> | <i>for</i> | <i>some</i> | <i>parties</i> | <i>110</i> |
| <i>being</i> | <i>observed</i> | <i>twice</i> | <i>0</i> | <i>NORTH</i> | <i>115</i> |
| <i>27 JAPS</i> | <i>240</i> | <i>0/1</i> | <i>persons</i> | <i>0</i> | <i>120</i> |
| <i>South</i> | <i>23</i> | <i>10 JAPS</i> | <i>70</i> | <i>cooks</i> | <i>125</i> |
| <i>32</i> | <i>0/1</i> | <i>persons</i> | <i>0</i> | <i>total</i> | <i>130</i> |

| | | | |
|---|--|--|----------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN |
| SIGNATURE..... | SIGNATURE..... | | |

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | | | | | | | | | |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | | | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

IN 780 3

| | | | |
|------------------------|-----|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | |
|------|---------------------|------|--------------------|
| TO | Originator's Number | Date | In Reply to Number |
| FROM | | | |

| | | | | | |
|----------------------|---------|-------------|-------|-----|------------|
| (Write horizontally) | | | | | 5 |
| 710 | X 71 mt | foot-bridge | alone | 0 | |
| NORTH | 71 | gaps | 240 | 0/1 | persons 10 |
| 0 SOUTH | 70 | rookies | 32 | 0/1 | persons 15 |
| 0 TOTAL | | KOMIATUM | RIDGE | | alone 20 |
| 0 NORTH | 90 | gaps | south | 23 | gaps 25 |
| 22 | rookies | | | | |
| | | | | | 30 |
| | | | | | 35 |
| | | | | | 40 |
| | | | | | 45 |
| | | | | | 50 |
| | | | | | 55 |
| | | | | | 60 |
| | | | | | 65 |
| | | | | | 70 |
| | | | | | 75 |
| | | | | | 80 |
| | | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | | | | | | | | | | | | | |
|---|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|------------------------|--|--|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN 0600 | | | |
| SIGNATURE..... | | | | SIGNATURE..... | | | | (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | T.H.I. 0625 | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | T.O.R. | | | |
| 4 | 0713 | | | | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

out 790

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf ltr

Originator's Number

0346

Date

29

In Reply to Number

SITREP

to

0600 K/29

0

58/59

C

coy

up

MEARS

CA

has

and

are

resting up

day

at

669974

KONTIATUM

and

25000

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1415

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.H.I.

T.O.R.

MESSAGE FORM

Out
Serial No. *790*
No. of Groups
GR.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS
IN
OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 amot des*

FROM *15 amot my 1st* Originator's Number *0346* Date *29* In Reply to Number

| | | | | | |
|---------------|--------------|-----------------|-------------------|--------------|-------------|
| <i>SITREP</i> | <i>to</i> | <i>0600K/29</i> | <i>0</i> | <i>58/59</i> | <i>br</i> |
| <i>C</i> | <i>Coys</i> | <i>apv</i> | <i>MEARS</i> | <i>CK</i> | <i>2330</i> |
| <i>was</i> | <i>and</i> | <i>are</i> | <i>resting up</i> | | <i>for</i> |
| <i>day</i> | <i>at</i> | <i>069974</i> | <i>KOMBATUM</i> | | <i>1</i> |
| <i>and</i> | <i>25000</i> | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY
Urgent

TIME OF ORIGIN
1415
T.H.I.
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|-----------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP 792 |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust div

FROM

15 Aust div HQ

Originator's Number

0350

Date

29

In Reply to Number

03583

| | | | | | |
|-------------|------------------|------------|-------------|----------------|-------------|
| <i>this</i> | <i>matter</i> | <i>has</i> | <i>been</i> | <i>handled</i> | <i>by</i> |
| <i>the</i> | <i>attention</i> | <i>of</i> | <i>4/3</i> | <i>indep</i> | <i>copy</i> |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

2007

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

and 756

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf bde*

Originator's Number

I 375

Date

28

In Reply to Number

*cards 8
report*

*8
back*

*and
cases*

12

0

nil

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2135

SIGNED

SIGNED

A. H. [Signature]

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

out 757

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

by 3 units down

FROM

11 units up lde

Originator's Number

E376

Date

28

In Reply to Number

SIGS 157

ack

*message to
up (re call
signal)*

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2150

SIGNED

SIGNED

[Signature]

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

Chart 758

TO

3000000000

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

FROM

1500000000

Originator's Number

5377

Date

28

In Reply to Number

03576

ack

153576 the III 752

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

2840

SIGNED

SIGNED

AK Kelly

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

GR. *out*

759

CALL AND INSTRUCTIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

I 313

Date

29

In Reply to Number

| | | | | |
|---------------------------|----------------|----------------|---------------|----------------|
| <i>following observed</i> | <i>from</i> | <i>WELLS</i> | <i>OP</i> | <i>within</i> |
| <i>last</i> | <i>days</i> | <i>0</i> | <i>ref</i> | <i>maps</i> |
| <i>SALAMAVA</i> | <i>1/25000</i> | <i>0</i> | <i>one</i> | <i>0</i> |
| <i>parties</i> | <i>about</i> | <i>40</i> | <i>men</i> | <i>seen</i> |
| <i>several</i> | <i>on</i> | <i>rocks</i> | <i>either</i> | <i>fishing</i> |
| <i>or</i> | <i>ref</i> | <i>763054</i> | <i>0</i> | <i>two</i> |
| <i>0</i> | <i>which</i> | <i>appears</i> | <i>to</i> | <i>be</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

2313

| | | | | | |
|---------------|-----------------|---------------|------------------|-----------------|---------------|
| <i>barrel</i> | <i>of</i> | <i>big</i> | <i>gun</i> | <i>near</i> | <i>759032</i> |
| <i>of</i> | <i>three</i> | <i>of</i> | <i>suspected</i> | <i>A/A</i> | <i>gun</i> |
| <i>756032</i> | <i>of</i> | <i>four</i> | <i>of</i> | <i>flash</i> | <i>of</i> |
| <i>gun</i> | <i>some</i> | <i>during</i> | <i>A/A</i> | <i>fire</i> | <i>753018</i> |
| <i>of</i> | <i>five</i> | <i>of</i> | <i>by</i> | <i>MG</i> | <i>on</i> |
| <i>roof</i> | <i>of</i> | <i>002AS</i> | <i>of</i> | <i>of</i> | <i>swi</i> |
| <i>of</i> | <i>probable</i> | <i>camp</i> | <i>in</i> | <i>cocoanut</i> | <i>grove</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3

FROM

Originator's Number

Date

In Reply to Number

5313

at

744007

and

745998

0

Seven

0

have

with

red

roy

at

732992

appear

to

be

a

state

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2115

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No. _____
OFFICE DATE STAMP _____
No. of Groups GR. *Out 502*

CALL AND INSTRUCTIONS.
IN _____
OUT _____

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 const dir*
FROM *15 const inf velle*
Originator's Number *0347* Date *29* In Reply to Number _____

(Write horizontally)
~~SECRET~~ *raiding party*
KE LA HILL area
top of KE LA
gap guard opened
with LMG as
reinforced with more LMG
morning fire
pursued our party
owing to heavily timbered
to NORTH and SOUTH
back party are unable
to explode camp other
of approach
withdrawn to 58/59
MEARS CK
reported above by
his

6
intercepted
hill
fire
once
and
then
back
country
of
to
means
therefore
area
SWAN
1900

5
10
15
20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130

| | | | | | | | | | | | | | | | |
|--|---------|--------|--------|--|----------|--------|--------|--|----------|--------|--------|----------------|--|--|--|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: *(EXCEPT) WIRELESS | | | | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | | | | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | | | | TIME OF ORIGIN | | | |
| SIGNATURE _____ | | | | SIGNATURE <i>B. H. ...</i> | | | | <i>immediate</i> | | | | <i>1930</i> | | | |
| (BELOW THIS LINE IS FOR SIGNALS USE ONLY.) | | | | | | | | | | | | T.H.I. | | | |
| | | | | | | | | | | | | T.O.R. | | | |
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 analdis rptd 58/59 anal rptd 2/3 anal rptd 2/4 anal rptd

FROM

15 anal rptd

Originator's Number

I 499

Date

29

In Reply to Number

| | | | | | |
|----------|-----------|------------|-----------------|----------|-------|
| SECRET | 0 | SITREP | To | 1900K/29 | 0 |
| 58/59 | anal | rptd | to | NUNNS | port |
| 0 | 1045 hrs | explosions | land | MG | fire |
| heard | direction | MUBO | 0 | 1155 hrs | one |
| up i | a/c | from | direction | SALAMAVA | A/A |
| fire | seen | and | large | column | smoke |
| vicinity | SALAMAVA | 1125000 | 757 027 | 0 | 2/3 |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|-----------------------|-----|-----------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP 822 |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf batn*

Originator's Number *0356*

Date *03090*

In Reply to Number *AR781*

| | | | | |
|----------------|---------------|------------------------|-----------------------|------------|
| <i>SECRET</i> | <i>MISSIM</i> | <i>essential staff</i> | <i>captain</i> | <i>...</i> |
| <i>at</i> | <i>move</i> | <i>staff</i> | <i>captain</i> | <i>...</i> |
| <i>will</i> | <i>remain</i> | <i>PILMUNG</i> | <i>gun</i> | <i>and</i> |
| <i>remain</i> | <i>there</i> | <i>will</i> | <i>communications</i> | |
| <i>improve</i> | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

0638

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

OFFICE DATE STAMP

No. of stops

IN

CALL AND

OUT

INSTRUCTIONS

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

Handwritten message content, including "0643" and various illegible words.

THIS MESSAGE MAY BE SENT AS WRITTEN
 BY ANY MEANS: () WIRELESS
 SIGNATURE
 ORIGINATOR MAY PRINT "SECRET" AND
 PRINT "ENCLOSURE"

THIS MESSAGE IS TO BE SENT IN CLEAR
 IN PLACE OF A MESSAGE OR TO FALL
 INTO BATTERY RANGE
 ORIGINATOR'S INSTRUCTIONS
 (BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM TIME IN | READER | SENDER | SYSTEM TIME OUT | READER | SENDER | SYSTEM TIME IN | READER | SENDER | SYSTEM TIME OUT | READER | SENDER |
|----------------|--------|--------|-----------------|--------|--------|----------------|--------|--------|-----------------|--------|--------|
| | | | | | | | | | | | |

Handwritten "0643" with a red checkmark.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
OUT

OUT. 823

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ansa dis

FROM

15 ansa inf bde

Originator's Number

0355

Date

30

In Reply to Number

03590

for thanks we

GEN for will

SAVIGE the may

from good our

GUINN luck part

⊙
⊙

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0635

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
A. H. ...
(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

| | | |
|-------------------|---------------|-----------------------|
| Serial No. | No. of groups | CALL AND INSTRUCTIONS |
| | | IN |
| OFFICE DATE STAMP | OR. | OUT |

(ABOVE THIS LINE FOR SIGNALS USE ONLY)

| | | | |
|-------|---------------------|--------------------|--|
| TO | | FROM | |
| James | | James | |
| Date | Originator's Number | In Reply to Number | |
| 30 | 410 | 05270 | |

| | | | | | | | |
|---|----|--|--------|--|--------|----------------------|-------------|
| <p>THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY METHOD () WITHOUT SIGNATURE</p> <p>ORIGINATOR MAY DELETE "SENT" AND "RECEIVED" INCLUDING</p> | | <p>THIS MESSAGE MUST BE SENT IN CIPHER IF LABEL FOR INTERCEPTION OR TO CALL INTO BATTLE HARDS</p> <p>SIGNATURE</p> | | <p>ORIGINATOR'S INSTRUCTIONS</p> <p>DEGREE OF SECURITY</p> | | <p>TIME OF ORDER</p> | |
| (BELOW THIS LINE FOR SIGNALS USE ONLY) | | | | | | | |
| IN | IN | READER | READER | SENDER | SENDER | SYSTEM TIME | SYSTEM TIME |
| | | | | | | OUT | OUT |
| | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

web

8/26

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

| | | | | | |
|---------------|---------------|----------------|-----------|-----------|---------------|
| <i>SECRET</i> | <i>0</i> | <i>517 834</i> | <i>75</i> | <i>30</i> | <i>0700KJ</i> |
| <i>0</i> | <i>517W08</i> | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

[Handwritten signature]
SIGNED

0730

SIGNED

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups
GR.

OFFICE DATE STAMP

007
828

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3rd Aust div

FROM

15 Aust inf bat

Originator's Number

0357

Date

20

In Reply to Number

ACK

receipt of

7

1682

prints

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

0800.

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS.

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

04A 833

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO

3rd Aust div

FROM

15 Aust inf bde

Originator's Number

I 351

Date

30

In Reply to Number

03592

NADZAB

one

marks

not

keep

at

this

HQ

0

request

give

map

ref

on

MARKHAM

STRAT

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS.

IF LIABLE TO BE INTERCEPTED OR FALL INTO ENEMY HANDS, THIS MESSAGE MUST BE SENT IN CYPHER.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

0845

SIGNED

SIGNED

BH Havers

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

| | | | |
|------------------------------|-----|----------------------|-------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. | OFFICE DATE STAMP |
| | OUT | | |

out 849

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

| | | | |
|------|------------------------------|------------------------------------|--------------------|
| TO | <i>3 amsx dms</i> | | |
| FROM | <i>15 amsx inf below</i> | Originator's Number <i>0359</i> | Date <i>30</i> |
| | <i>cond moved forward to</i> | | <i>cond post</i> |
| | <i>0700 hrs @ cond</i> | <i>post</i> | <i>situated in</i> |
| | <i>map KOMIATUM</i> | <i>613973</i> | |

| | | | |
|---|---|--|--------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN <small>*(EXCEPT)</small> BY ANY MEANS: () WIRELESS SIGNATURE..... <small>* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."</small> | THIS MESSAGE MUST BE SENT IN CYPHER <small>IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.</small> SIGNATURE..... | ORIGINATOR'S INSTRUCTIONS <small>DEGREE OF PRIORITY</small> <i>Important</i> | TIME OF ORIGIN <i>0925.</i> |
|---|---|--|--------------------------------|

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR. *out 841*

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Panabain

FROM

15 and my own

Originator's Number

0360

Date

30

In Reply to Number

ACK

receipt

two

sets

gridded no

11-15

BUIRALI CK

SAT. AM. 1944

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred.

TIME OF ORIGIN

0938

T.H.I.

T.O.R.

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN
OUT

No. of Groups

GR.

out

OFFICE DATE STAMP

846

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div*

FROM *15 aust inf bde*

Originator's Number

0 362

Date

30

In Reply to Number

0 3578

| | | | | | |
|-----------------|----------------|-----------------|----------------|--------------------|---------------|
| <i>C.S.M.</i> | <i>WELCH</i> | <i>and</i> | <i>party</i> | <i>were</i> | <i>sent</i> |
| <i>to</i> | <i>crated</i> | <i>plane</i> | <i>to</i> | <i>burn</i> | <i>two</i> |
| <i>bodies</i> | <i>and</i> | <i>obtained</i> | <i>further</i> | <i>information</i> | <i>⊙</i> |
| <i>expended</i> | <i>return</i> | <i>today</i> | <i>⊙</i> | <i>full</i> | <i>report</i> |
| <i>on</i> | <i>arrival</i> | | | | |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS.

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

deferred

TIME OF ORIGIN

1012

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....
W. J. ...
capt

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

| | | | |
|-----------------------|-----|---------------------------------|---------------------------------|
| CALL AND INSTRUCTIONS | IN | No. of Groups GR. 001 | OFFICE DATE STAMP 849 |
| | OUT | | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

| | | | |
|------------------|------------------------|------------------------------------|-------------------|
| TO | <i>Faust div</i> | | |
| FROM | <i>15 aust inf bde</i> | Originator's Number <i>0363</i> | Date <i>30</i> |
| <i>BASE</i> | <i>3</i> | <i>reports</i> | <i>1143</i> |
| <i>MITCHELLS</i> | <i>bombing</i> | <i>airfield</i> | <i>SALAMAUVA</i> |
| <i>(1)</i> | <i>ceiling</i> | <i>1105 K</i> | <i>5000</i> |
| <i>ft.</i> | | | <i>to</i> |
| | | | <i>7000</i> |

| | | | |
|---|--|---|--------------------------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN * (EXCEPT) BY ANY MEANS: () WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY <i>Important</i> | TIME OF ORIGIN <i>1105.</i> |
| SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING." | SIGNATURE <i>[Signature]</i> | (BELOW THIS LINE FOR SIGNALS USE ONLY.) | T.H.I. |

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No. **857**
OFFICE DATE STAMP

| | | | | |
|-----------------------|-----|------------|---------------|----------|
| CALL AND INSTRUCTIONS | IN | OUT | No. of Groups | 7 |
| | OUT | | GR. | |

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *Signal div*

FROM *15 anti-air div* Originator's Number *0354* Date *30* In Reply to Number

| | | | | | |
|------------|-------------|-------------|----------|------------|------------|
| <i>ACK</i> | <i>copy</i> | <i>2</i> | <i>3</i> | <i>ans</i> | <i>ans</i> |
| <i>of</i> | <i>with</i> | <i>No 6</i> | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN** BY ANY MEANS: () WIRELESS
*(EXCEPT)

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

170.

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
007
GR.

OFFICE DATE STAMP
854

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

Tarant de

FROM

15 ans of hde

Originator's Number

0365

Date

30

In Reply to Number

03600

ACK

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1140.

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

No. of Groups

OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN

OUT

GR.

OUT 865

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO **3 ant-aw**

FROM **15 ant-my hae**

Originator's Number

0369

Date

30

In Reply to Number

| | | | | |
|-----------|--------------|-------------------|------------|--------------------|
| 3 | ant- | aw | G | circulation |
| 14 | ⊙ | indication | of | unit- |
| ⊙ | query | line | 1st | appearance |
| ⊙ | 24 | ant- | my | br |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1335

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 867

Serial No. _____
OFFICE DATE STAMP _____
No. of Groups _____
GR. _____

CALL AND INSTRUCTIONS

IN _____
OUT _____

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO *3 aust div rptd 17 Bde*

FROM *15 aust inf bde*

Originator's Number *0368* Date *30* In Reply to Number _____

| | | | | | |
|----------------|-------------------|------------------|---------------|--------------|-----------------|
| <i>message</i> | <i>from</i> | <i>member</i> | <i>LEWINS</i> | <i>party</i> | <i>MALOLO</i> |
| <i>states</i> | <i>japs</i> | <i>surprised</i> | <i>party</i> | <i>at</i> | <i>DESERTED</i> |
| <i>VILLAGE</i> | <i>morning</i> | <i>29</i> | <i>just</i> | <i>0</i> | <i>LEWINS</i> |
| <i>party</i> | <i>split</i> | <i>up</i> | <i>0</i> | <i>5</i> | <i>massing</i> |
| <i>0</i> | <i>remains at</i> | | <i>TRACK</i> | <i>OP</i> | <i>0</i> |
| <i>map</i> | <i>SAN AMARA</i> | | <i>in</i> | <i>25000</i> | <i>640028</i> |
| <i>0</i> | <i>canal has</i> | <i>erupted</i> | <i>in</i> | <i>0</i> | <i>no</i> |

THIS MESSAGE MAY BE SENT **AS WRITTEN** * (EXCEPT) BY ANY MEANS: () WIRELESS

SIGNATURE _____

* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT **IN CYPHER** IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

SIGNATURE _____

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT
Serial No. **867**
No. of Groups **GR.**
OFFICE DATE STAMP

CALL AND INSTRUCTIONS

IN
OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

0368

30

Further
of

details at
deserted village

1230 K
is

⊙
700039

ref

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

Very important

1350

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

OUT 873

| | | | |
|------------------------|-----|----------------------|---------------------------------|
| CALL AND INSTRUCTIONS. | IN | No. of Groups GR. | Serial No. OFFICE DATE STAMP |
| | OUT | | |

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 div 57th, 58/59 aust inf bn, 2/3 aust ind coy, 2/2 1st amb, ASC BELMONT, D Coy 24 Aust*

17 Bde

FROM *15 aust ind bde* Originator's Number *7283* Date *30* In Reply to Number

| | | | | | |
|---------------------------------------|----------|-------------|-----------|----------|-----|
| <i>(Write horizontally)</i> Sitrep | no | 75 | to | 1400h/30 | 5 |
| (.) | ref | map | SALAMUA | HOSIATUM | 10 |
| 1 in 25000 | (.) | 58/59 bn | (.) | BN HQ | 15 |
| established | 0005k | 682977 | (.) | A Coy | 20 |
| (.) | WELLS | OP | reports | attack | 25 |
| on | ORODUBI | started | 1230k | still | 30 |
| in | progress | 1230k | (.) | C Coy | 35 |
| (.) | reported | progressing | 1230k | (.) | 40 |
| WELLS | and | WELLS | OP | reports | 45 |
| to | 1230k | (.) | mortar | fire | 50 |
| heard | unable | to | pin-point | or | 55 |
| determine | whether | ours | or | enemy | 60 |
| believe | from | HOSIATUM | (.) | LAHINA | 65 |
| party | in | ambush | position | 632027 | 70 |
| (.) | only | five | missing | (.) | 75 |
| reports | 11 | JAPS | killed | (.) | 80 |
| all | informed | | | | 85 |
| | | | | | 90 |
| | | | | | 95 |
| | | | | | 100 |
| | | | | | 105 |
| | | | | | 110 |
| | | | | | 115 |
| | | | | | 120 |
| | | | | | 125 |
| | | | | | 130 |

| | | | |
|---|--|--|----------------|
| THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS | THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS. | ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY | TIME OF ORIGIN |
| SIGNATURE | SIGNATURE <i>W. J. ...</i> | <i>immediate</i> | <i>1428</i> |

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

| | | | | | | | | | | | |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
| | | | | | | | | | | | |

T.H.I.
T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT

880

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO 3 amsl dw 17 amsl inf bde

FROM 15 amsl inf bde

Originator's Number

Date

In Reply to Number

0372

30

| | | | | | |
|---------|----------|-----------|------------|-----------|--------|
| secret | ⊙ | setup | 76 | 1400 K/30 | ⊙ |
| map | ref | KOMINTUM | 19075000 | ⊙ | C Coy |
| SS/Sgln | occupied | huts | 695969 | 1355 hrs | ⊙ |
| now | moving | towards | VICKERS | POSITION | ⊙ |
| 8 no | estimate | enemy | Casualties | ⊙ | own |
| one | walking | wounded | ⊙ | B Coy | moving |
| through | to | objective | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1415

SIGNATURE.....

SIGNATURE *R. G. [unclear]*

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.H.I.

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL
AND
INSTRUC-
TIONS

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 and dno

FROM

15 and my lde

Originator's Number

0375

Date

30

In Reply to Number

03611

| | | | | | |
|-----------|-------|---------|----------|-------------|----------|
| ref | map | sheet | 3 | enlargement | SALAMANA |
| KOMIATUM | ⊙ | VICKERS | POSITION | 699995 | ⊙ |
| objective | B Coy | GOVT | BENCH | CUT | TRACK |
| from | incl | creek | crossing | 705987 | to |
| back | from | 708993 | ⊙ | refer | over |
| 0322 | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1705

SIGNATURE.....
* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

Serial No.

CALL
AND
INSTRUC-
TIONS

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT
890

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 Aust div rptd 17 bar

FROM

15 Aust inf bde

Originator's Number

0377

Date

30

In Reply to Number

SECRET *0*

SITREP

77

to

1725/K

0

58/59

in

c

Coy

clear

VILLAGE

697989

attempted to

occupy

OLD

VICKERS

GUN

position 699995

0

met

considerable opposition

in

from

of

two

HMG

LMG

and

light

water

fire

0

attack

being

launched

1725/K

THIS MESSAGE MAY BE SENT AS WRITTEN
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

001 *890*

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

FROM

Originator's Number

Date

In Reply to Number

0377

30

*with three inch mortar cover
B Coy moving along top
spur towards objective area 705 987
~~D~~ ~~towards~~ ~~objective~~ ~~area~~ ~~705 987~~
~~towards objective area 705 987~~*

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

1730.

T.H.I.

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No.

No. of Groups
GR.

OFFICE DATE STAMP

CALL
AND
INSTRUC-
TIONS

IN

OUT

OUT 897

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

~~3 and air~~

FROM

15 and inf base

Originator's Number

0378

Date

20

In Reply to Number

03616

| | | | | | | | | | | |
|-----|--|--|--|--|--|--|--|--|--|--|
| ACK | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
" (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

1915

SIGNATURE

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

OUT

907

No. of Groups

OFFICE DATE STAMP

GR.

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0381

Date

30

In Reply to Number

| | | | | | |
|-----------------|---------------|------------------|-----------------------|-----------------|-------------------|
| <i>report</i> | <i>LEWINS</i> | <i>party</i> | <i>0</i> | <i>30</i> | <i>japs</i> |
| <i>attached</i> | <i>own</i> | <i>position</i> | <i>at</i> | <i>MALAGWAN</i> | |
| <i>700039</i> | <i>at</i> | <i>1645 K/29</i> | <i>0</i> | <i>12</i> | <i>japs</i> |
| <i>killed</i> | <i>for</i> | <i>entire</i> | <i>0</i> | <i>own</i> | <i>casualties</i> |
| <i>NIL</i> | <i>0</i> | <i>me</i> | <i>own</i> | <i>found</i> | <i>to</i> |
| <i>withdraw</i> | <i>when</i> | <i>40</i> | <i>reinforcements</i> | | <i>arrived</i> |

THIS MESSAGE MAY BE SENT AS WRITTEN
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2130.

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

No. of Groups

GR.

OFFICE DATE STAMP

OUT 909

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0382

Date

30

In Reply to Number

03623

ack

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2145

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

OUT

Serial No. 916

No. of Groups
GR.

OFFICE DATE STAMP

**CALL
AND
INSTRUC-
TIONS**

IN

OUT

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 aust div

FROM

15 aust inf bde

Originator's Number

0384

Date

30

In Reply to Number

SECRET

SITREP 79

To

2210 K/30 0

58/59

in

A Coy

attached ORB DUBI

unsuccessfully

pr

K/30

0

opposed

by

estimated two

6 MGs

0

THIS MESSAGE MAY BE SENT **AS WRITTEN**
* (EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

unsuccessful

2211

T.H.I.

SYSTEM
IN

TIME
IN

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

SYSTEM
OUT

TIME
OUT

READER

SENDER

T.O.R.

MESSAGE FORM

Serial No.

CALL AND INSTRUCTIONS

IN

OUT

No. of Groups
GR.

OFFICE DATE STAMP

OUT.

918

(ABOVE THIS LINE FOR SIGNALS USE ONLY.)

TO

3 ant div

FROM

15 ant inf ldr

Originator's Number

0386

Date

30

In Reply to Number

03626

| | | | | | |
|-------------|---------------------------------|-----------------------|-----------------------|---------------|-----------------------|
| <i>one</i> | <input type="radio"/> | <i>NO</i> | <i>me</i> | <i>0384</i> | <input type="radio"/> |
| <i>two</i> | <input type="radio"/> | <i>no</i> | <i>detail</i> | <i>yet</i> | <i>to</i> |
| <i>hand</i> | <i>2240/K</i> | <input type="radio"/> | <i>me</i> | <i>HQ</i> | <i>has</i> |
| <i>NO</i> | <i>map</i> | <i>either</i> | <input type="radio"/> | <i>detail</i> | <i>will</i> |
| <i>be</i> | <i>forwarded when available</i> | | | | |

THIS MESSAGE MAY BE SENT **AS WRITTEN**
*(EXCEPT)
BY ANY MEANS: () WIRELESS

THIS MESSAGE MUST BE SENT **IN CYPHER**
IF LIABLE TO INTERCEPTION OR TO FALL
INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS
DEGREE OF PRIORITY

TIME OF ORIGIN

2245

SIGNATURE.....

* ORIGINATOR MAY DELETE "EXCEPT" AND
INSERT "INCLUDING."

SIGNATURE.....

(BELOW THIS LINE FOR SIGNALS USE ONLY.)

Important

T.H.I.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

T.O.R.

MESSAGE FORM

Serial No.
OFFICE DATE STAMP

CALL AND INSTRUCTIONS.

IN
OUT

No. of Groups
GR.

OUT. 919.

(ABOVE THIS LINE IS FOR SIGNALS USE ONLY.)

TO *3 amsd dwe*
FROM *15 amsd inf bde* Originator's Number *0385* Date *30* In Reply to Number *03617*

| | | |
|-----------------------------|-------------------------------------|-----|
| <i>(Write horizontally)</i> | <i>all names BOBDUBI area taken</i> | 5 |
| <i>from</i> | <i>MISSIM AREA 2</i> | 10 |
| <i>compiled by</i> | <i>2/3 indep</i> | 15 |
| <i>0</i> | <i>different to purport these</i> | 20 |
| <i>positions on</i> | <i>1/25000 series</i> | 25 |
| <i>last of detail</i> | <i>0</i> | 30 |
| <i>map references</i> | <i>ORODUBI GWA. BOLOM</i> | 35 |
| <i>GARDEN AREA</i> | <i>(referred to in</i> | 40 |
| <i>my 0377</i> | <i>as VILLAGE)</i> | 45 |
| <i>OLD VICKERS</i> | <i>one</i> | 50 |
| <i>in 15</i> | <i>bde op</i> | 55 |
| <i>No 1</i> | <i>Amendment 1</i> | 60 |
| <i>all references my</i> | <i>0377 refer</i> | 65 |
| <i>to MISSIM AREA</i> | <i>two</i> | 70 |
| <i>0 in</i> | <i>future will</i> | 75 |
| <i>all references on</i> | <i>1/25000 series</i> | 80 |
| | | 85 |
| | | 90 |
| | | 95 |
| | | 100 |
| | | 105 |
| | | 110 |
| | | 115 |
| | | 120 |
| | | 125 |
| | | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (* (EXCEPT)) WIRELESS
SIGNATURE
* ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.
[Signature]
SIGNATURE

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN
2240.

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.
T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |

MESSAGE FORM

CALL AND INSTRUCTIONS.

IN

OUT

OUT

No. of Groups GR.

924

Serial No.

OFFICE DATE STAMP

TO 3 div rptd, (ABOVE THIS LINE IS FOR SIGNALS USE ONLY.) 50/50 bn 1 coy, casualties

FROM 15 aust inf bde Originator's Number 0 370 Date 30 In Reply to Number

| | | | | | |
|--------------------------------|----------|-------------|----------|------------|-----|
| (Write horizontally) sitrep | no | 73 | to | 1300k/30 | 5 |
| (.) | ref | KOMIATUM | 1/25000 | (.) | 10 |
| 50/50 bn 1 coy, casualties | one | killed | 3 | seriously | 15 |
| wounded | (.) | BASS | 3 | reports | 20 |
| one | section | sent | to | 090039 | 25 |
| not | returned | (.) | B Coy | moving | 30 |
| round | right | flank | of | C Coy | 35 |
| to | their | objective | (.) | C Coy | 40 |
| captured | VILLAGE | 090039 | 1355k | (.) | 45 |
| attacked | OLD | VICKERS | POSITION | 090070 | 50 |
| and | forced | back | (.) | casualties | 55 |
| killed | one | officer | one | OR | 60 |
| wounded | two | stretchers | one | two | 65 |
| walking | wounded | (.) | 1200/k | attack | |
| launched | on | OLD | VICKERS | POSITION | |
| (.) | B Coy | 1700/k | moving | from | 80 |
| KUNDA | ISLAND | towards | OLD | POUNCE | 85 |
| 704977 | (.) | 2/3 | aust | Indep | 90 |
| coy | (.) | HELLS | OF | 1100/k | 95 |
| BS | JAPS | moved | HEATH | from | 100 |
| KOMIATUM | (.) | no | firing | heard | 105 |
| ORODUBI | between | 1430/k | and | 1000/k | 110 |
| (.) | 1735/k | SAA | and | 3 inch | 115 |
| mortar | fire | heard | (.) | LEVIN | 120 |
| partly PARTY | (.) | 5 missing | ref my | 0300 | 125 |
| all returned | (.) | B COY 24 BN | SITREP | (.) | 130 |

THIS MESSAGE MAY BE SENT AS WRITTEN BY ANY MEANS: (EXCEPT) WIRELESS

THIS MESSAGE MUST BE SENT IN CYPHER IF LIABLE TO INTERCEPTION OR TO FALL INTO ENEMY HANDS.

ORIGINATOR'S INSTRUCTIONS DEGREE OF PRIORITY

TIME OF ORIGIN

SIGNATURE * ORIGINATOR MAY DELETE "EXCEPT" AND INSERT "INCLUDING."

SIGNATURE

(BELOW THIS LINE IS FOR SIGNALS USE ONLY.)

T.H.I.

T.O.R.

| SYSTEM IN | TIME IN | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER | SYSTEM OUT | TIME OUT | READER | SENDER |
|-----------|---------|--------|--------|------------|----------|--------|--------|------------|----------|--------|--------|
| | | | | | | | | | | | |