
AWM78

Reports of Proceedings, HMA Ships and Establishments

[Harbour Defence Motor Launch] HDML 1324

Item number: 150/2

Title: October 1944 - August 1945. Duplicate



AWM78-150/2

AUSTRALIAN WAR MEMORIAL ACCESS STATUS

OPEN


HDML 1324 (d)

Declassification Authority—Defence Records
This record has been reviewed and has been declassified by the Department of Defence (Navy) with effect from: 1000 1990
Authority Dig (N) Admin 1940

Reviewer: LCUR R. L. Smith (RANEM)

Signature Date: 10090





From Commanding Officer H. M. A. M. L. 1324.

Date 4th. September 1945.

9th. August 45.)

Naval Board (Through Naval Officer in Charge, Darwin)
Copy to the Secretary, Naval Board.

Subject Report of Proceedings, August 1945.

M. L. 1324 returned to Darwin from operations at 1900IK 6th. (This is covered by Top Secret report to N. O. I. C. Darwin, dated

2. Boom patrol at Darwin was carried out for 24 hour periods commencing at 1800IK on the 11th., 15th., 19th., 22nd. and 25th. of August.

3. At 0615IK/9th. slipped and proceeded to Abbott Shoal and placed pilots aboatd H. M. A. S. Southern Cross, returning to harbour at 1845IK.

4. At 2030IK/12th. slipped and proceeded outside the boom, and placed pilot aboard U.S. ship "Fkagship Sinco", returning to Main Jetty at 2130IK.

5. Health, welfare and conduct of the ship's company has been satisfactory during the month. The ship is in good condition.

6. Monthly figures (vide Navy Order 237/43)

Distance steamed	1368 miles.
Hours under way	143 hours.
Fuel Consumption	1347 gallons.
Ave. distance per gallon	1. O. miles.

Tatal figures.

Distance steamed since commissioning (12-6-44)

12,810 miles.


Average speed of


8.8 knots.

Hours under way


1457 hours.

Lieutenant R. A. N. R. Commanding Officer.





AUSTRALIAN WAR MEMORIAL



DEPARTMENT OF THE NAVY. MINUTE PAPER.

3644.

SUBJECT: H.M.A. M.L. 1324. proceedings.

S.o.c.C

DPS

DTSR.

DCNS.

AUSTRALIAN WAR MEMORIAL

RCDIG1074535

Promise NAVY Romanding Officer H.M.A ML 1324 oug 2026 - 7 - /389

Date: 9th, August 1945

Promise Navy Registration of 1945

To:

Naval Board Through Naval Officer in Charge, Darwin. (Copy to Secretary Naval Board)

Subject:

Report of Proceedings for the Month of July 1945

HM.

Submitted:

Boom patrol at Darwin was carried out for 24 hour periods commencing at 1730IK on 2nd, 7th, 11th, 15th, & 20th, respectively.

- 2. At 0845TK/5th, slipped and proceeded to No.1 buoy, and intercepted U.S Ship's "San Antonio" & "Tolumne Meadows" to place pilots aboard and dis-embark pilot from "Esso Manhattan" returning to harbour at 1800TK/5th,
- 3. General inspection was carried out by Staff Officer Coastal Craft Darwin AM 6th, July.
- 4. At 0745IK/13th, slipped and proceeded to No.1 buoy, and intercepted U.S Ship "Buena Vista" and disembarked pilot returning to harbour at 1430IK.
- 5. At 0825 IK/14th, slipped and proceeded with ML 1322 in company for practice A.A and surface shoot in the vicinity of harbour approaches. Practice was completed at 1410 IK and both ships entered harbour 1228 IK.
- 6. At 0803IK/17th, slipped and proceeded to No.1 buoy and intercepted U.S ships "Cottonwoods" and "Kenyon" placing pilots aboard. Returned to harbour at 1815IK.
- 7. At 0945IK/23rd, slipped and proceeded to no.1 buoy and intercepted U.S ships "Hadley" Wwellesley" and "Musgrove Hills" and placed pilots on board.

 Disembarked pilot from "Prairie Grove" and returned to harbour at 1930IK.
- 8. At 0001IK/27th, slipped and proceeded on operations. (This is covered by Top Secret report to NOICD dated 9th, August 1945).
- 9. Health, welfare and conduct of the ship's company has been satisfactory during the month.

29/1

The ship is in good condition.

10. Monthly figures (Vide Navy Order 237/43)

Distance steamed

Hours under way
Fuel consumption

Average distance per gall. of

fuel

1258 Miles
154 Hours
176 Galls.

1.1 Miles

Total figures:

Distance steamed since commissioning 12/6/44 Average speed Hours under way

11,442 Hiles 8.7 Knots 1314 Hours.

Lieut R.A.N.R Commanding Officer. From:

Commanding Officer H.M.A. "M.L.1324"

Date:

3rd. July 1945

To:

Naval Board, through Naval Officer in Charge Darwin.

(Copy to The Secretary Naval Board)

Subject:

Report of Proceedings: June 1945.

Submitted:-

CONFIDENTIAL

Boom patrol at Darwin was carried out for 24 hour periods commencing at 1730IK on 3rd.,7th.,11th., and 15th. June.

2.At 1215IK/9th. slipped and proceeded to No.1 buoy, and embarked pilot from U.S. ship Frederick Billings, and placed N.C.S. Officer on board, returning to harbour at 1540IK.

3.At 0615 IK/10th. slipped and proceeded to No.1 buoy, and embarked pilots from U.S. ships Perote and Gaines Mill. At 1500 Proceeded from No.1 buoy through Clarence Straits to H.M.A.S. Southern Cross at Abbott Shoal, and disembarked pilots at 2010IK. Returned to harbour and entered boom at 0230IK/11th.

4.At 1700IK/12th. proceeded from boom to No.1 buoy and embarked pilot from "Molino Del Rey" returning to harbour at 2303IK.

5.At 1045IK/13th. slipped and proceeded to No.1 buoy, intercepted U.S. ship Lookout Mountain, embarked pilot and passed routeing instructions, returning to harbour at 1500IK.

6.Departmental inspection by Base Gunnery Officer was carried out P.M. 6th. June.

7. Vessel was slipped at 1230IK/18th, and top overhaul of main engines was commenced. Vessel was under refit for the remainder of the month, and during this time each watch of the ship's company spent four days at the Adelaide River Rest Camp. Vessel was unslipped at 1630IK/25th.

8. Health welfare and conduct of the ship's company has been satisfactory during the month. The ship is in excellent condition.

9. Monthly figures (vide Navy Order 237/43.)

Distance steamed 1084 miles.

Hours under way 123 hours.

Fuel consumption 813 gals.


Average dist. per gal. 1.3 mbles.

Total figures

Distance steamed since commissioning(12-6-44) 10,184 miles. Average speed of 8.8 knots. Hours under way 1160 hours.

Lieutenant R.A.N.R. Commanding Officer.

ACK. BY. A.S. 1330Y (Commanding Officer, H.M.A. "H.D.M.L.1324's" REPORT dated H.M.A. "H.D.M.L.1324" - MONTHLY REPORT OF PROCEEDINGS JUNE 1945. CONFIDENTIAL N.T.0600/59 The Secretary, NAVAL BOARD. Submitted for the information of the Naval Board. A/Commander, R.A.N. for A/Captain, R.A.N. (A.O.D) Naval Officer-in-Charge, Darwin Naval Headquarters, DARWIN 12th July 1945. 1/2B DN/(N.H.R.O)+



DEPARTMENT OF THE NAVY.

MINUTE PAPER. 2026/1/1169.

Socc

D.P.S

DTSR

0.00

DENS

ISTAM

145

ACK, BY, A.S. 1330Y

From: Commanding Officer H.M.A "M.L 1324"

Date:

3rd. June 1945.

To:

Naval Board, Through N.O.I.C Darwin. (Copy i

Secretary, Naval Board).

Subject: Report of Proceedings For Month of May 1945.

Boom patrol was carried out at Darwin for 24 hour periods commencing at 1730IK on 3rd, 6th, 9th, 22nd, 26th, and 29th, of May.

- 2. At 0715IK/11th, slipped and proceeded to No.1 buoy and intercepted U.S ship "Wellesley" and placed pilot on board, returning to harbour at 1600IK.
- awaited the arrival of R.F.A "Green Ranger" and U.S "Washita" and placed pilots on board, returning to harbour at 10051K/16th.
- 4. At 1945IK/28th, slipped and proceeded under orders to identify a boat that entered harbour across the boom at 1900IK. Proceeded down harbour towards boom sweeping both sides of the channel with the searchlight but the boat was not sighted. It is felt that a more effective search could have been carried out if Army searchlights had assisted. At 2130IK received instructions to patrol between boom and Admiralty docks. This patrol was maintained until 1050IK/29th when ship was recalled and returned to berth.
- 5. Health, welfare and conduct of the ship's company has been satisfactory during the minth. Ship is in good condition.

6. Monthly figures:-(vide Navy Order 237/43)

Distance steamed

1724 miles.

Hours under way

195 hours.

Fuel consumption

1324 gallons.

Average distance per gallon of fuel.

1.3 miles per gallon.

Total figures:

Distance steamed since commissioning(12th.June 44) 9100 miles.

Average speed of

8.8 knots.

Hours under way

1037 hours.

Lieutenant R.A.N.R.

1/60

DEPARTMENT OF THE NAVY.
MINUTE PAPER.

2026/7/1169

Why Subject: Ama "AAM, 132H" Report of A roccedunger april, 1945

Soce de 174

D.P.S

DISR

DOD

DENS

ISTAM

N5

M

Ack. By. A.S. 1320Y

CONFIDENTIAL

From Ay 1 Gomending Officer H.M.A. JOHN. 1324

Date Asea. May 1945.

To Mayal Board (Through Naval-Officer-In-Charge, Shorth)

Copy to The Secretary, Naval Board.

Subject Report of Proceedings For The Month Of April 1945.

Boom patrol at Darwin was carried out for 24 hour periods commencing at 1730 IK on 2nd, 7th, 9th, 12th, 14th, 16th, 17th, 19th, 22nd, 24th, and 26th, patrols being carried out under way, on and after the 15th, in accordance with orders from N.O.I.C Darwin.

- 2. At 1005 IK/17th, slipped and proceeded to NO.1 buoy, and intercepted U.S ship "Cape Sandy" at 1334 IK, and placed pilot on board returning to harbour at 1600 IK.
- AtbOL15 IK/21st, slipped and proceeded to No.1 buoy, and intercepted U.S ship "Charles E.Smith" and placed pilot on board returning to harbour at 1109 IK.
- At 0255 IK/21st, slipped and proceeded via searched channel to rendezvous with Dutch submarine K 14 in position 120 105'S 1300 22.5'E. Sighted and identified K 14 in marking at 0647 IK and escorted her into harbour passing through the boom at 1035 IK/21st.
- At 0320 TK/30th, slipped and proceeded to rendezvous with U.S ship "Santiago" in position 120 10'S 1300 22'E. Sighted and identified Santiago" at 0547 TK and placed pilot abourd. Proceeded to No.1 buoy to await arrival of R.F.A "Loma Novia". Remained in vicinity of No.1 buoy until 2300 TK, when, "Loma Novia" not having been sighted, ship returned to herbour.
- has been satisfactory during the month. The ship is in good condition.
- 7. Monthly Figures (vide Navy Order 237/43).

Distance seemed

Hours under way

Fuel consumption

Average distance per gallon

of fuel

1718 miles.

203 hours.

1320 gallons.

1.3 miles

Total Figures.

Distance steamed since commissioning, 12.6.44. 7376 miles Average speed of 8.8 knots Hours under way 842 hours.

Micut.R.A.N.X.R Commanding Officer.

5/3

DEPARTMENT OF THE NAVY. 2026/7/1169.
MINUTE PAPER.

SUBJECT: Ama "M.L. 132H" Report of Proceedings march

S.occ

D.P.S

DISR


0,00


D.C.N.S

ISTAM

N5







Commanding Officer HMA ML 1324 3rd, April 1945.

The Secretary, Naval Board, (Through Naval Officer in Charge Darwin) (Copy to Secretary, Naval Board).

Subject:- Report of Proceedings: H.M.A "ML 1324": March 42

Boom patrol at Darwin was carried out for twenty four hour periods commencing at 1730IK on 8th, 11th, 14th, 18th, 22nd, 25th, and 28th, March.

- At 0830IK/28th, ship slipped and proceeded in 2. company with ML's 813 (S.O), 814 and 807 for flotilla exercises in the vicinity of the harbour approaches. Manoeuvres were carried out using British and American procedure by both flags and R/T. These exercises are considered essential for maintaining the efficiency of the ship.
- Ze. On approaching the harbour entrance ship was detached by Senior Officer to carry out a test of loop defences as requested by X.D.O. Test was satisfactorily completed by 1730IK and ship assumed boom patrol at 1800IK.
- Health, welfare and conduct of the ship's Lie company has been satisfactory during the month. The ship is in good condition.
 - Monthly figures, (Vide Navy Order 237/43). Se.

Distance steamed Hours under way Fuel consumption Average distance per gallon of fuel

431 miles. 47 hours. 407 gallons. 1.05 miles.

Total figures.

Distance steamed since commissioning

12.6.44

5658 miles 8.9 knots.

Average speed Hours under way

639 hours.

Lieut. R.A.N.R Cormanding Officer. # 1613 CRET DEPARTMENT OF THE N. MINUTE PAPER.

2026/7/1169

364

SUBJECT: HMA "MY 132H" Report of Proceedings February 1945

Soce

DPS

DISK

DOD

DENS

ISTAM

N 5

AM.

From

Commanding Officer H.M.A.M.L. 1324.

Date

3rd Harch 1945.

To

Secretary, Naval Board (through N.O.I.C. Darwin). (Copy to Secretary, Naval Board)

Subject:

Monthly Report of Proceedings : February, 1945.

Boom patrol at Darwin was carried out for 24 hour periods commencing at 1800 IK on the 3rd, 5th, 8th, and 11th. of February.

- 2. Top overhaul on main engines was commenced by Base staff on 13th February. Ship was slipped on Fairmile slipway on that date for underwater inspection, being unslipped on 15th. Electrical and other minor defects were made good, and overhaul was completed on the 23th.
- Health, welfare and conduct of the ship's company has been satisfactory during the month. Whilst the ship was under overhaul each watch of the ship's company spont six days at the Rest Camp, Adelaide River. This was a very necessary break from the monotony and harder living conditions experienced on board, and should have a beneficial influence on worsle. The ship is in good condition.

4. Monthly figures:

Distance steamed

Nours under way

Fuel consumption

Average distance per gallon of fuel

42 miles

5 hours

45 gallons

0.94 miles

Total figures;

Distance steamed since commisioning on 5227 miles
42th Fune 4944.

Average speed
Hours under way

592 hours

MA

figutement R.A.N.R.

Commanding Officer.

14/2016

CONFIDENTPALIA 2020-7-169

COMMONWEALTH OF AUSTRALIA

DEPARTMENT OF THE NAVY

The Commanding Officer, H.M.A. "ML1324", 8th February 1945.

The Secretary,

NAVAL BOARD.

(Through Naval Officer-in-Charge,

DARWIN.

Through Naval Officer-in-Charge,

DARWIN.

Copy to Secretary, NAVAL BOARD.)

REPORT OF PROCEEDINGS: H.M.A. "ML1324": JANUARY, 1945.

Boom patrol at Darwin was carried out on 4th, 6th, 8th, 10th, 13th, 16th, 19th, 22nd, 25th, 28th, and 29th of January.

- At 0800IK/12th slipped and proceeded in company with ML807 for gunnery practice. Commenced firing at 0950 at sleeve target towed by aircraft. Practice ceased at 1030IK, when ship returned in company with ML.807, arriving Darwin at 1245IK. Such practices are unvaluable in maintaining the efficiency of the ship and it is considered that at least one surface target and one A.A. target should be made available every month.
- assistance to aircraft crashed inshore of Charles Point.
 First aid party was landed in skiff at 1055, returning at 1500, having failed to locate aircraft which was approximately four miles inshore behind thick swamp country. Ship returned to harbour at 1700IK.
- 4. Slipped and proceeded at 1229IK/31st to proceed via Clarence and Dundas Straits to intercept U.S. ship "Andrew D. White" escorted by H.M.A.S. "PARKES". Intercepted at 1609IK and assumed escort duties, relieving "PARKES" at 1620IK. "Andrew D. White" anchored at 1950 and patrol was maintained around her. Proceeded at 2230IK and entered Darwin at 0140IK/1st February.
- satisfactory during the month. Health has declined during the month, and more than 50per cent of the ship's company were treated by the doctor for skin complaints, which we considered due to the living conditions in this type of sh vessel in tropical areas. The ship is in good condition.
- 6. Monthly figures (vide Navy Order 237/43)

Distance steamed 647 miles. Fuel Consumption 691 gallons. Hours under way 109 hours. Average distance per gallon of fuel .94 miles.

Total figures

Distance steamed since commissioning (12/6/44) 5185 miles.

Average speed of 8.8 knots.

Hours under way 587 hours.

19/20

Lieutenant R.A.N.R. COMMANDING OFFICER.

ROYAL AUSTRALIAN NAVY.

The Commanding Officer, H.D.M.L.1324.

The Secretary, Naval Board (Through N.O.I.C. Darwin, ECRET 26 JAN 1945 Copy to: The Secretary, Naval Board)

DATE: 21st Hannary 1945.

SUBJECT: REPORT OF PROCEEDINGS - M.L. 1324 - DECEMBER 1944.

2026.7.1169

to 11th December, when A & A.s including the installation of additional water tanks were completed and ship prepared for sea.

- Slipped and proceeded at 0805K/llth to sail to Townsville via Capricorn Channel, under orders of N.O.I.C.Brisbane, Caloundra light was abeam at 1214K and course was set for Townsville, speed 11 knots.
- Arrived Townsville at 0800K/14 and secured to Hynes wharf. From 14th to 20th of December ship remained at Townsville, where fuel tanks were cleaned out by ship's staff, and minor electrical and other defects were made good by base staff.
- Slipped and proceeded from Townsville at 1610K/20th under sailing orders from N.O.I.C. Townsville to proceed to Thursday Island and arrived at Cairns at 0900K/21st to replenish with fuel, water and fresh provisions.
- Slipped and proceeded to Thursday Island from Cairns at 1055K/22nd. H.J.M.S.1322 and 1323 were passed southward bound at 0745/23rd. Arrived Thursday Island at 1045K/24th and secured to Engineers Jetty.
- Slipped and proceeded from Thursday Island at 1400K/28th under orders from N.O.I.C. Thursday Island to proceed to Darwin. At 0030K/29 H.M.A.S. "HEROS" was sighted towing "MOMBAH" and proceeding on an easterly course. Clocks were retarded half and hour to zone -9% at 1800K/30th.
- Cape Don light was passed at 04071.K./31st and ship proceeded through Dundas and Clarence Straits passing through the boom at 1405I.K./31st, securing to Main Jetty at 1430 I.K.
- Health and welfare and conduct of the ships company has 8. been satisfactory during the month. The ship is in very good condition.
- Monthly figures (vide Navy Order 237/43) 9.

Distance steamed Hours under way Fuel consumption 2698 gallons Average distance per gallon .82 miles. of fuel.

2195 miles 208 hours

TOTAL FIGURES.

Distance steamed since commissioning(12.6.44) Average speed. Hours under way.

4538 miles.

9.5 knots. 478 26/60 hours.



M.L. 1324-Report of Proceedings-October 1944.

Submitted:

Ship was secured at Garden Island from 1st to 6th October, when refit was completed.

- 2. Slipped and proceeded at 1430 K/6th for Oerlikon gun trials, which were satisfactory, ship returning to Rushcutter at 1600K. Ship was fuelled at Gore Bay A.M. 9th and proceeded to Garden Island for compass swing.
- 3. Slipped and proceeded at 1330K for sea trials to test for any movement of main engines, returning to Garden Island at 1700 K.
- 4. Proceeded to Rushcutter at 0810K/10th and ship was inspected by C.O. Rushcutter prior to sailing.
- 5. Slipped and proceeded at 1215K/10th in Company with M.L.1329 (Senior Officer) under sailing orders from N.O.I.C. Sydney to proceed to Brisbane. Cleared Port Jackson Heads at 1248K and set course N. 5° E (M) at 1300K. Norah Head was abeam at 1625K.
- 6. Port forward stern tube bearing began to overheat during the afternoon watch, and gland was slackened and cooled with water. This was ineffective and at OOlOK/llth requested to Senior Officer that speed be reduced. Reduced to 600 revs at OOSOK. Course was altered to Sloo W (M) at O140K and to North (M) at O457K on orders of Senior Officer.
- at dawn requested to Senior Officer that M.L. 13 24 be detached to proceed to the nearest port or return Sydney to investigate cause of overheating.
- 8. Ship was detached by S.O. at 1200K/llth to proceed to Port Stephens. Port engine was stopped at 1600K owing to overheating. M.L. 1324 arrived Port Stephens at 0715K/12th and port shaft and bearings were checked by Eng. Lt. Cmdr. from "ASSAULT", who advised against use of port engine. Ship proceeded to Sydney at 0930K, under orders from N.O.I.C. Sydney, entering Port Jackson Heads at 1815K and secured Rushcutter at 1855K/12th.
- 9. Repairs were effected by base staff and trials were carried out A.M. on 14th. Fuelled at Gore Bay at 1235K/14th, and returned to Rushcutter.
- 10. Shipped and proceeded from Rushcutter at 0805K/15th to sail for Brisbane, clearing heads at 0835K. Received signal by V/S from H.M.A.S. "YUNNAN" at 1550K to close, and message was passed by "YUNNAN" in Naval Code by V/S and asking for P.L. version, which was passed at 1830K.
- 11. Speed was reduced to 600 revs at 2345K/15th owing to heavy head seas. Ship was sighted at 061 o bearing S40° W (M) and was identified as H.M.A.S. "STRACHAN" Position was checked by V/s.
- 12. Speed was reduced to 500 revs at 1640K/16th as wind and sea were steadily increasing, and an amended E.T.A. Signal was made to N.O.I.C. Brisbane. South Solitary Island was abeam at 2235K/16th.
- 13. Cape Byron was abeam at 1159K/17th and Point Lookout

abeam at 0032K/18th, and ship entered Moreton Bay at 0620K/18th and proceeded by main channel to Brisbane River securing at M.L. Base at 1420K/18th.

14. In the heavy seas experienced there was a considerable number of leaks, through the deakhead and forward hatch, causing some damage to electrical equipment. Engine and electrical defects were remedied by Base Staff, and at 1600K/24th ship was towed by M.L. 821 to Norman Wrights' yard, where decks are being canvassed and other leaks remedied.

15. Health, welfare and conduct of the Ships' Company has been excellent throughout the month.

Monthly figures (vide Navy Order 237 of 1943) 16.

Distance steamed 1055 miles

Hours under way 138-45/60 hrs.

Average dist. per gal of fuel 1.08 miles

Total figures:

Distance steamed since commissioning (12/6/44)

2343 miles

Average speed of

8.7 knots

Total hours under way

268-36/60 hours

(Sgd) R.J. Evans, Lieut. R.A.N.R. COMMANDING OFFICER H.M.A. M.L.1324

AMM 78.