Product Name: Baracuda Mineral Max Page: 1 of 4

This revision issued: Oct 2021

SAFETY DATA SHEET

Poisons Information Centre: 13 1126 for Australia and 0800 764 766 in New Zealand Product Name: Baracuda Mineral Max 5L

This version issued: 26 Oct. 21

Zodiac # X0657900

Rev # A

Section 1 - Identification of The Material and SupplierChemical nature:Magnesium Chloride Concentrate + Trace Elements & Macro MineralsTrade Name:Baracuda Mineral Max 5LProduct Code:WC000361Product Use:Pool maintenance product.Creation Date:October 2021This version issued:October 2021 and is valid for 5 years from this date.

Section 2 - Hazards Identification

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA.

Not a Dangerous Good according to the Australian Dangerous Goods (ADG) Code.

Risk Phrase:R36 (irritating to eyes) R37 (irritating to respiratory system) R38 (irritating to skin)Safety Phrase:S26 (in case of contact with eyes, rinse immediately with plenty of water and seek medical advice)SUSMP:None AllocatedADG Classification:None allocated

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

GHS Signal word: NONE. Not hazardous.

Emergency Overview

Physical Description & Colour: Cloudy liquid

Odour: No odour.

Major Health Hazards: no significant risk factors have been found for this product.

Potential Health Effects

Inhalation:

Short Term Exposure: Available data indicates that this product is not harmful. In addition product is unlikely to cause any discomfort or irritation.

Long Term Exposure: No data for health effects associated with long term inhalation.

Skin Contact:

Short Term Exposure: Available data indicates that this product is not harmful. It should present no hazards in normal use. However product may be irritating, but is unlikely to cause anything more than mild transient discomfort. **Long Term Exposure:** No data for health effects associated with long term skin exposure.

Eye Contact:

Short Term Exposure: This product may be irritating to eyes, but is unlikely to cause anything more than mild transient discomfort.

Long Term Exposure: No data for health effects associated with long term eye exposure.

Ingestion:

Short Term Exposure: Significant oral exposure is considered to be unlikely. However, this product may be irritating to mucous membranes but is unlikely to cause anything more than transient discomfort.

Long Term Exposure: No data for health effects associated with long term ingestion.

Carcinogen Status:

SWA: No significant ingredient is classified as carcinogenic by SWA.

NTP: No significant ingredient is classified as carcinogenic by NTP.

IARC: No significant ingredient is classified as carcinogenic by IARC.

Product Name: Baracuda Mineral Max

Page: 2 of 4 This revision issued: Oct 2021

Section 3 - Composition/Information on Ingredients				
Ingredients	CAS No	Conc,%	TWA (mg/m ³) STEL (mg/m ³	3)
Water		69.3		
Sodium Chloride		2.5		
Magnesium Chloride		20.5		
Magnesium Sulphate		6.7		
Trace elements		<1%		

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non hazardous ingredients are also possible.

The SWA TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that may be equalled (but should not be exceeded) for no longer than 15 minutes and should not be repeated more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

Section 4 - First Aid Measures

General Information:

You should call The Poisons Information Centre if you feel that you may have been poisoned, burned or irritated by this product. The number is 13 1126 from anywhere in Australia (0800 764 766 in New Zealand) and is available at all times. Have this SDS with you when you call.

Inhalation: Remove patient to fresh air. Seek medical attention for any breathing difficulty.

Ingestion: High water (or milk) intake facilitates urinary excretion and relief of oedema and temporary

elevated blood pressure. Provide liquid slowly but as much as casualty will drink.

CAUTION: NEVER MAKE AN UNCONSCIOUS PERSON VOMIT OR DRINK FLUIDS. In serious cases get medical attention.

Eyes: Immediately flush eyes with plenty of water for at least 15mins. Keep eyelids well apart while rinsing and ensure no particles are lodged behind eyelids.

Skin: Wash exposed areas with water (and soap if available). Seek medical attention if irritation develops.

Advise to doctor: Nil.

Ingestion: If product is swallowed or gets in mouth, do NOT induce vomiting; wash mouth with water and give some water to drink. If symptoms develop, or if in doubt contact a Poisons Information Centre or a doctor.

Section 5 - Fire Fighting Measures

Fire and Explosion Hazards: There is no risk of an explosion from this product under normal circumstances if it is involved in a fire.

No fire decomposition products are expected from this product at temperatures normally achieved in a fire. Fire decomposition products from this product are not expected to be hazardous or harmful.

Extinguishing Media: Not combustible. Use extinguishing media suited to burning materials.

Fire Fighting: If a significant quantity of this product is involved in a fire, call the fire brigade.

······································	
Flash point:	Does not burn.
Upper Flammability Limit:	Does not burn.
Lower Flammability Limit:	Does not burn.
Autoignition temperature:	Not applicable - does not burn.
Flammability Class:	Does not burn.

Section 6 - Accidental Release Measures

Accidental release: Minor spills do not normally need any special cleanup measures. In the event of a major spill, prevent spillage from entering drains or water courses. As a minimum, wear overalls, goggles and gloves. Suitable materials for protective clothing include cotton, rubber, PVC. Eye/face protective equipment should comprise as a minimum, protective goggles. If there is a significant chance that dusts are likely to build up in cleanup area, we recommend that you use a suitable Dust Mask.

Stop leak if safe to do so, and contain spill. Sweep up and shovel or collect recoverable product into labelled containers for recycling or salvage, and dispose of promptly. Consider vacuuming if appropriate. Recycle containers wherever possible after careful cleaning. After spills, wash area preventing runoff from entering drains. If a significant quantity of material enters drains, advise emergency services. This material may be suitable for approved landfill.

Product Name: Baracuda Mineral Max Page: 3 of 4

This revision issued: Oct 2021

Ensure legality of disposal by consulting regulations prior to disposal. Thoroughly launder protective clothing before storage or re-use. Advise laundry of nature of contamination when sending contaminated clothing to laundry.

Section 7 - Handling and Storage

Handling: Keep exposure to this product to a minimum, and minimise the quantities kept in work areas. Check Section 8 of this SDS for details of personal protective measures, and make sure that those measures are followed. The measures detailed below under "Storage" should be followed during handling in order to minimise risks to persons using the product in the workplace. Also, avoid contact or contamination of product with incompatible materials listed in Section 10.

Storage: Make sure that containers of this product are kept tightly closed. Keep containers dry and away from water. Make sure that the product does not come into contact with substances listed under "Incompatibilities" in Section 10. Check packaging - there may be further storage instructions on the label.

Section 8 - Exposure Controls and Personal Protection	
Exposure Limits:	Oral rat LD50: 3000mg/kg Inhalation rat LC50: > 42g/m³ / h1
Personal Protection:	Under normal circumstances protective wear is not required. However, under particular dusty conditions a dust mask is recommended. Rubber gloves, safety goggles, overalls, etc. may be used for personal comfort.
Engineering Controls:	Structural integrity of ferrous based equipment and structures regularly checked as corrosion is accelerated by salt (especially in damp conditions).

Ventilation: No special ventilation requirements are normally necessary for this product. However make sure that the work environment remains clean and that dusts are minimised.

Eye Protection: Eye protection such as protective glasses or goggles is recommended when product is being used. **Skin Protection:** You should avoid contact even with mild skin irritants. Therefore you should wear suitable impervious elbow-length gloves and facial protection when handling this product. See below for suitable types. **Protective Material Types:** We suggest that protective clothing be made from the following materials: cotton, rubber, PVC.

Respirator: If there is a significant chance that dusts are likely to build up in the area where this product is being used, we recommend that you use a suitable Dust Mask.

Safety deluge showers should, if practical, be provided near to where this product is being handled commercially.

Section 9 - Physical and Chemical Properties:	
Appearance:	Clear to turbid liquid
Physical Form:	Liquid
Odour:	Odourless
Melting Point:	n/a
Boiling Point:	n/a
SG:	1.28 – 1.31
pH:	n/a
Flash Point:	n/a
Solubility in water:	n/a
Molecular Weight:	n/a
Vapour Pressure:	n/a
Risk Codes:	n/a
Flammability:	Not Allocated

Section 10 - Stability and Reactivity

Reactivity: This product is unlikely to react or decompose under normal storage conditions. However, if you have any doubts, contact the supplier for advice on shelf life properties.**Conditions to Avoid:** Keep containers tightly closed. Containers should be kept dry.

Incompatibilities: strong acids.

Fire Decomposition: No significant quantities of decomposition products are expected at temperatures normally achieved in a fire.

Polymerisation: This product will not undergo polymerisation reactions.

Product Name: Baracuda Mineral Max Page: 4 of 4 This revision issued: Oct 2021

Section 11 - Toxicological Information

Ingestion: Excessive ingestion may cause oedema or elevated blood pressure

Eyes: Causes irritation, redness and pain.

Skin: Irritant to some sensitive persons or when applied to open cuts or abrasions.

Inhalation: Irritant to mucous membranes. May cause sneezing

Classification of Hazardous Ingredients

Ingredient

Risk Phrases

No ingredient mentioned in the HSIS Database is present in this product at hazardous concentrations.

Section 12 - Ecological Information

This product is unlikely to adversely effect the environment. Salts, acids and bases are typically diluted and neutralised when released to the environment in small quantities.

Section 13 - Disposal Considerations

Disposal: This product may be recycled if unused, or if it has not been contaminated so as to make it unsuitable for its intended use. If it has been contaminated, it may be possible to separate the contamination in some way. Only if neither of these options is suitable, consider landfill.

Section 14 - Transport Information

ADG Code: This product is not classified as a Dangerous Good. No special transport conditions are necessary unless required by other regulations.

Section 15 - Regulatory Information

AICS: All of the significant ingredients in this formulation are compliant with NICNAS regulations.

Methods Of Analysis:	ASTM International Standard E 534
	Standard Test Methods for Chemical
	Analysis of Sodium Chloride "Reporting And Analysis".
	Calcium and Magnesium Reference: ASTM International Standard E534 "Calcium and Magnesium"
	"Calcium & Magnesium" (atomic absorption)
	Sulphate Reference: "AS 2093.1977 Appendix M"
	Used: turbidimetric analysis on UV-vis spectrophotometer
	Sodium AS 2134
Shelf Life:	Infinite (with no testing required)

Section 16 - Other Information

This SDS contains only safety-related information. For other data see product literature.

Acronyms:		
ADG Code	Australian Code for the Transport of Dangerous Goods by Road and Rail (7 th edition)	
AICS	Australian Inventory of Chemical Substances	
SWA	Safe Work Australia, formerly ASCC and NOHSC	
CAS number	Chemical Abstracts Service Registry Number	
IARC	International Agency for Research on Cancer	
NOS	Not otherwise specified	
NTP	National Toxicology Program (USA)	
R-Phrase	Risk Phrase	
SUSMP	Standard for the Uniform Scheduling of Medicines & Poisons	
UN Number	United Nations Number	
THIS SDS SUMMARISES OUR BEST KNOWLEDGE OF THE HEALTH AND SAFETY HAZARD INFORMATION OF THE PRODUCT AND HOW TO SAFELY HANDLE AND USE THE PRODUCT IN THE WORKPLACE. EACH USER MUST REVIEW THIS SDS IN THE CONTEXT OF HOW THE PRODUCT WILL BE HANDLED AND USED IN THE WORKPLACE.		
	R INFORMATION IS NEEDED TO ENSURE THAT AN APPROPRIATE RISK ASSESSMENT CAN BE MADE, THIS COMPANY SO WE CAN ATTEMPT TO OBTAIN ADDITIONAL INFORMATION FROM OUR SUPPLIERS	
OUR RESPONSIBILITY FOR PRODUCTS SOLD IS SUBJECT TO OUR STANDARD TERMS AND CONDITIONS, A COPY OF WHICH IS SENT TO OUR CUSTOMERS AND IS ALSO AVAILABLE ON REQUEST.		

Please read all labels carefully before using product.

This SDS is prepared in accord with the SWA document "National Code of Practice for the Preparation of Safety Data Sheets" 2nd Edition [NOHSC:2011(2003)]