

15 December 2017

Mr. Chris Ritchie
Director – Industry Assessments
Department of Planning and Environment
23-33 Bridge Street
SYDNEY NSW 2000
GPO Box 39
SYDNEY NSW 2001

Dear Chris,

**SINTER PLANT WASTE GAS CLEANING PLANT (DA 26-02-01), GYPSUM PLANT (DA – 26-02-01 MOD 50-4-2005-i), ORE PREPARATION UPGRADE PROJECT (MP 06-0229 Mod 1),
Tri-ennial Review**

We refer to your correspondence dated 24th November 2017 and attach the Tri-ennial Environmental Review for the Sinter Plant Waste Gas Cleaning Plant, Gypsum Plant and Ore Preparation Upgrade Project, for 1st July 2014 to 30th June 2017 Reporting Period.

The report has been prepared, in accordance with the *“Post – Approval Requirements for State Significant Mining Developments – Annual Review Guidelines dated October 2015”*, to comply with conditions 7.4 of Development Consent DA 26-02-01 (**Consent**) for the Sinter Plant Waste Gas Cleaning Plant (**WGCP**) and 7.2 of Development Consent (MP 06-0229 Mod 1) - Ore Preparation Upgrade Project (OPUP)

Should you have any enquiries in respect to the attached report, please contact Mr. Lawrence Zammit on 0409669149.

Yours Sincerely



David Scott
Manager Cokemaking and Ironmaking
BlueScope Steel (AIS) Pty Ltd