

Propclean Safety Data Sheet

Section 1 Chemical Product and Company Identification

Product: Propclean

Product Code: PCW10

Product Use: Specialised cleaner

Supplier: Oceanmax International Ltd

PO Box 83 232 Edmonton Auckland 0652 New Zealand

www.propspeed.com

Telephone: 0800 LESS FUEL (0800 5377 3835)

Fax: +64 9 813 5246

24 Hour Emergency Response Telephone: +64 274 337 928

(24 hours, 365 days)

NZ National Poisons Centre Telephone: 0800 POISON (0800 764 766)

Date of SDS Preparation: 03 August 2015

Section 2 Hazards Identification

Hazardous Status: Classified as hazardous according to the criteria in the Hazardous Substances (Minimum

Degrees of Hazard) Regulations 2001.

EPA Approval Code: Cleaning Products Flammable – HSR002528

GHS Certificate: Highly Flammable liquid and Vapour, Cat 2

Causes serious eye irritation, Cat 1

Suspected of damaging fertility or the unborn child, Cat 2

May cause damage to organs through prolonged or repeated exposure, $\operatorname{\mathsf{Cat}} 2$

GHS Pictograms:







GHS Signal Word: DANGER

Product Name: Propspeed Propclean - Denatured Alcohol

Date of SDS: 03/08/15

HSNO Classification	Hazard Code	Hazard Statement	Category
3.1B	H225	Highly flammable liquid and vapour	2
6.4A	H319	Causes serious eye irritation	1
6.8B	H361	Suspected of damaging fertility or the unborn child	2
6.9B (repeated exposure)	H373	May cause damage to organs through prolonged or repeated	
		exposure	2

Precautionary Statements	Prevention
P103	Read label before use.
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood,
P210	Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical/ventilating/lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P260	Do not breathe mist/vapours/spray.
P264	Wash thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Response Code	Response Statement
P303 + P361 + P353	IF ON SKIN (or hair): Remove/take off immediately all containminated clothing. Rinse skin with
	water/shower.
P305 + P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present
	and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/attention.
P308 + P313	If exposed or concerned: Get medical advice/attention.
P314	If you feel unwell: Get medical advice/attention.
P370 + P378	In case of fire: Use foam, carbon dioxide or dry chemical powder for extinction.

Storage Code	Storage Statement
P403 + P235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.

Disposal Code	Disposal Statement
P501	Do not let this product enter the environment. Do not dispose of in waterways or sewers.
	Dispose of this material and its container as hazardous waste, via a licensed hazardous waste
	contractor. See local council for disposal/recycling information.

Potential Health Effects:

Acute Health Effects

Swallowed Accidental ingestion of the material may be harmful; animal experiments indicate that ingestion

of less than 150 grams may be fatal or may produce serious damage to the health of the

individual.

Eye Evidence exists, or practical experience predicts, that the material may cause eye irritation in

a substantial number of individuals and/or may produce significant ocular lesions which are present twenty-four hours or more after instillation in the eye(s) of experimental animals.

Repeated or prolonged eye contact may cause inflammation characterized by temporary redness (similar to windburn) of the conjunctiva (conjunctivitis); temporary impairment of vision and/or

other transient eye damage/ulceration may occur.

Product Name: Propspeed Propclean - Denatured Alcohol

Skin

Skin contact with the material may be harmful; systemic effects may result following absorption. Limited evidence exists, or practical experience predicts, that the material either produces inflammation of the skin in a substantial number of individuals following direct contact, and/or produces significant inflammation when applied to the healthy intact skin of animals, for up to four hours, such inflammation being present twenty-four hours or more after the end of the exposure period. Skin irritation may also be present after prolonged or repeated exposure; this may result in a form of contact dermatitis (nonallergic). The dermatitis is often characterized by skin redness (erythema) and swelling (oedema) which may progress to blistering (vesiculation), scaling and thickening of the epidermis. At the microscopic level there may be intercellular oedema of the spongy layer of the skin (spongiosis) and intracellular oedema of the epidermis.

Inhaled

Harmful by inhalation.

Limited evidence exists, or practical experience predicts, that the material produces irritation of the respiratory system in a significant number of individuals following inhalation.

Vapours potentially cause drowsiness and dizziness*.

Chronic Health Effects

Cumulative effects may result following exposure*.

On the basis, primarily, of animal experiments, concern has been expressed that the material may produce carcinogenic or mutagenic effects; in respect of the available information, however, there presently exists inadequate data for making a satisfactory assessment.

Principal routes of exposure are skin contact and inhalation of vapour and ingestion. Prolonged or repeated skin contact will result in drying and cracking of skin, with irritation and possible dermatitis following. Contact with broken skin can be painful but this is transient. Contact with eyes is painful and tissue damage may occur if contact is prolonged.

Acute inhalation exposure of high vapour concentrations may result in increased reaction times, fatigue and loss of co-ordination, central nervous system depression and symptoms of intoxication. Ingestion may result in intoxication, drunkenness and in chronic form may result in liver damage, alcoholism, blindness from methanol poisoning and even death.

Section 3 Composition / Information On Ingredients

NAME	CAS RN	%
Ethanol	64-17-5	<95
Methanol	67-56-1	<5
Water	7732-18-5	balance

Section 4 First Aid Measures

Swallowed

- -IF SWALLOWED, REFER FOR MEDICAL ATTENTION, WHERE POSSIBLE, WITHOUT DELAY.
- -For advice, contact a Poisons Information Centre or a doctor.
- -Where Medical attention is not immediately available or where the patient is more than 15 minutes from a hospital or unless instructed otherwise:
- -For advice, contact a Poisons Information Centre or a doctor.
- -Urgent hospital treatment is likely to be needed.
- -If conscious, give water to drink
- -INDUCE vomiting with finger down the back of the throat, ONLY IF CONCIOUS.

Lean patient forward or place on left side (head-down position, if possible) to maintain open airway and prevent aspiration.

NOTE: Wear a protective glove when inducing vomiting by mechanical means.

- -In the meantime, qualified first-aid personnel should treat the patient following observation and employing supportive measures as indicated by the patient's condition.
- -If the services of a medical officer or medical doctor are readily available, the patient should be placed in his/her care and a copy of the MSDS should be provided. Further action will be the responsibility of the medical specialist.
- -If medical attention is not available on the worksite or surroundings send the patient to a hospital together with a copy of the MSDS.

Product Name: Propspeed Propclean - Denatured Alcohol

Eye

If this product comes in contact with the eyes:

- -Immediately hold eyelids apart and flush the eye continuously with running water.
- -Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
- -Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes.
- -Transport to hospital or doctor without delay.
- -Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

Skin

If skin contact occurs:

- -Immediately remove all contaminated clothing, including footwear. -Flush skin and hair with running water (and soap if available).
- -Seek medical attention in event of irritation.

Inhaled

- -If fumes or combustion products are inhaled remove from contaminated area.
- -Lay patient down. Keep warm and rested.
- -Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures.
- -Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bagvalve mask device, or pocket mask as trained. Perform CPR if necessary.
- -Transport to hospital, or doctor.

Notes to Physician

For acute or short term repeated exposures to ethanol:

- -Acute ingestion in non-tolerant patients usually responds to supportive care with special attention to prevention of aspiration, replacement of fluid and correction of nutritional deficiencies (magnesium, thiamine pyridoxine, Vitamins CK)
- -Give 50 % dextrose (50-100ml) IV to obtunded patients following blood draw for glucose determination.
- -Comatose patients should be treated with initial attention to airway, breathing, circulation and drugs of immediate importance (glucose, thiamine).
- -Decontamination is probably unnecessary more than 1 hour after a single observed ingestion. Cathartics and charcoal may be given but are probably not effective in single ingestions.
- -Fructose administration is contra-indicated due to side effects.

Section 5

Fire Fighting Measures

Extinguishing Media

- -Water spray or fog. Foam.
- -Carbon dioxide.
- -Dry chemical powder.
- -Bromochlorodifluoromethane (BCF) (where regulations permit).

Fire Fighting

- -Alert Fire Brigade and tell them location and nature of hazard.
- -May be violently or explosively reactive.
- -Wear breathing apparatus plus protective gloves.
- -Prevent, by any means available, spillage from entering drains or water course.
- -Consider evacuation (or protect in place)
- -Fight fire from a safe distance, with adequate cover.
- -If safe, switch off electrical equipment until vapour fire hazard removed.
- -Use water delivered as a fine spray to control the fire and cool adjacent area.
- -Avoid spraying water onto liquid pools.
- Do not approach containers suspected to be hot.
- -Cool fire exposed containers distance to source of ignition.
- -Heating may cause expansion / decomposition with violent rupture of containers.
- -On combustion, may emit toxic fumes of carbon monoxide (CO)

Fire Incompatibility

Avoid reaction with, oxidizers, peroxides, strong acids, acid chlorides, acid anhydrides, strong alkalis.

Product Name: Propspeed Propclean - Denatured Alcohol

Section 6 Accidental Release Measures Minor Spills -Remove all ignition sources. -Clean up all spills immediately. -Avoid breathing vapours and contact with skin and eyes. -Control personal contact by using protective equipment. -Contain and absorb small quantities with vermiculite or other absorbent material. -Wipe up. -Collect residues in a flammable waste container. **Major Spills** -Clear area of personnel and move upwind. -Alert Fire Brigade and tell them location and nature of hazard. -May be violently or explosively reactive. -Wear breathing apparatus plus protective gloves. -Prevent, by any means available, spillage from entering drains or water course. -No smoking, naked lights or ignition sources. -Increase ventilation. -Stop leak if safe to do so. -Water spray or fog may be used to disperse/absorb vapour. -Contain spill with sand, earth or vermiculite. -Use only spark-free shovels and explosion proof equipment. -Collect recoverable product into labeled containers for recycling. -Absorb remaining product with sand, earth or vermiculite. -Collect solid residues and seal in labeled drums for disposal.

Section 7	Handling and Storage
Section /	nanuling and Storage

Dunnadium	£	Handlina
Procedure	TOI	manuung

-Avoid all personal contact, including inhalation.

-Wash area and prevent runoff into drains.

- -Wear protective clothing when risk of exposure occurs.
- -Use in a well-ventilated area.
- -Prevent concentration in hollows and sumps
- -DO NOT enter confined spaces until atmosphere has been checked.

-lf contamination of drains or waterways occurs, advise emergency services.

- -Avoid smoking, naked lights, heat or ignition sources.
- -When handling, DO NOT eat, drink or smoke.
- -Vapour may ignite on pumping or pouring due to static electricity.
- -Use spark-free tools when handling.
- -Avoid contact with incompatible materials.
- -Keep containers securely sealed.
- -Always wash hands with soap and water after handling.
- -Work clothes should be laundered separately.
- -Use good occupational work practice.
- -Observe manufacturer's storing and handling recommendations.
- -Atmosphere should be regularly checked against established exposure standards to ensure safe working conditions.

Storage Requirements

- -Store in original containers in approved flame-proof area.
- -No smoking, naked lights, heat or ignition sources.
- -DO NOT store in pits, depressions, basements or areas where vapours may be trapped.
- -Keep containers securely sealed.
- -Store away from incompatible materials in a cool, dry well ventilated area.
- -Protect containers against physical damage and check regularly for leaks.
- -Observe manufacturer's storing and handling recommendations.

Product Name: Propspeed Propclean - Denatured Alcohol

Section 8 Exposure Controls / Personal Protection

Personal Protection

Eye -Safety glasses with side shields; or as required.

-Chemical goggles.

-Contact lenses pose a special hazard; soft lenses may absorb irritants and all lenses

concentrate them.

Hands/Feet -Wear chemical protective gloves, eg. PVC

-Wear safety footwear.
-Welding gloves

Other -Overalls

-Impervious protective clothing

-Barrier cream -Eyewash unit.

- Ensure there is ready access to a safety shower. Avoid generating and breathing mist and

vapour

Engineering ControlsNone required when handling small quantities.

Section 9 Physical and Chemical Properties

Appearance: Colourless Liquid

Odour: Alcohol

Odour Threshhold: Data not available pH (at 20°C): Data not available

Melting Point/Freezing Point (°C): -117

Initial Boiling Point

& Boiling Range (°C): 78
Flash Point (°C): 13

Flammability (solid, gas):

Explosive Limits:

Vapour Pressure (Pa):

Data not available
3.0 - 19 vol%
5700

Vapour Density: Data not available

Relative Vapour Density (air = 1): 1.59

Solubility(ies): Completely miscible with water

Partition Co-efficient

n-octanol/water: Data not available
Auto-ignition Temperature: Data not available
Decomposition Temperature: Data not available
Kinetic Viscosity: Data not available
Particle Characteristics: Data not available

Evaporation Rate: 3.2 Fast Specific Gravity at 20°C (water = 1): 0.79

Section 10 Chemical Stability and Reactivity Information

Conditions Contributing to instability -Presence of incompatible materials.

-Product is considered stable.

-Hazardous polymerization will not occur.

Product Name: Propspeed Propclean - Denatured Alcohol

Section 11 Toxicological Information

Ethanol Denatured WP99 -Not available. Refer to individual constituents.

-Unless otherwise specified data extracted from RTECS – Register of Toxic Effects of Chemical

Substances.

Ethanol

Toxicity		Irritation	
Oral (rat) LD50	7060 mg/kg	Skin (rabbit)	20mg/24hr-moderate
Oral (human) LDLo	1400 mg/kg	Skin (rabbit)	400 mg (open)-mild
Oral (man) TDLo	50 mg/kg	Eye (rabbit):	100mg/24hr-moderate
Oral (man) TDLo:	1.40 mg/kg	Eye (rabbit)	500 mg SEVERE
Oral (woman) TDLo:	256 mg/kg/12 wks		
Inhalation (rat) LC50	20,000 ppm/10h		

Methanol

Toxicity		Irritation	
Oral (human) LDLo	143 mg/kg	Skin (rabbit)	20mg/24hr-moderate
Oral (man) LDLo	6422 mg/kg	Eye (rabbit)	40mg moderate
Oral (man) TDLo	3429 mg/kg	Eye (rabbit)	100mg/24hr-moderate
Oral (rat) TDLo	5628 mg/kg		
Inhalation (human) TCLo	86000 mg/m ³		
Inhalation (human) TCLo	300 ppm		
Inhalation (rat) LC50	64000 ppm/4h		
Dermal (rabbit) LD50:	15800 mg/kg		

Water

No significant acute toxicological data identified in literature search.

Section 12	Ecological Information	
Toxicity Fish	• •	-15mg/L 00mg/L (trout)
Toxicity Arthropoda	NOEL 10 g/L/48Hr Da DO NOT discharge into sew	phnia) (ICI) er or waterways.
Water	No data.	
Mobility	No data.	
Degradability	No data.	

Section 13 Disposal Considerations

-Consult manufacturer for recycling options and recycle where possible.

No data.

- -Consult State Land Waste Management Authority for disposal.
- -Incinerate residue at an approved site.

Bioaccumulation

Product Name: Propspeed Propclean - Denatured Alcohol

⁻Recycle containers if possible, or dispose of in an authorized landfill.

Section 14

Transport Information

UN/NA Number 1170

Proper Shipping Name ETHANOL SOLUTION

Class 3
ADR Number 33
Packing Group II

Labels Required Flammable Liquid

Additional Shipping Information International Transport Regulations

IMO3Hazchem2YEMarine PollutantNo



Section 15 Regulatory Information

Group Standard: HSR002528 - Cleaning Products - Flammable

HSNO Classification: 3.1B, 6.4A, 6.8B, 6.9B

HSNO Controls: Level 2:

SDS required when any quantity is present in a workplace.

Fire Extinguishers: At least 2 x 4.5kg powder extinguishers required when 250L is present in a

workplace.

Level 3:

Emergency Response Plan and Secondary Containment required when >1,000L is present in a

vorkplace.

Flammable signage required when >250L is stored.

Location and transit depot test certification required for quantities greater than:

100L (closed containers >5L), 250L (closed containers up to 5L), 50L (open containers)

Hazardous atmosphere zone required for quantities greater than:

100L (closed containers), 25L (decanting), 5L (open occasionally), 1L (open containers in

continuous use).

Tracking

Not required.

Approved Handler

Required when present in quantities greater than 250L (containers >5L), or 500L (containers up

to 5L).

Section 16 Other Information

NEW ZEALAND POISONS INFORMATION CENTRE

0800 POISON (0800 764 766) NZ EMERGENCY SERVICES: 111

Product Name: Propspeed Propclean - Denatured Alcohol