

- Digital control milk volume
- Short time delay
- Stable temperature
- Preset six types of foam





Achieve various types of foam...
Cold/hot or thick/thin

The Milk Bot has the ability to preset six types of foam.

Thick foam with good liquidity can be achieved for professional baristas.

All the parameters can be preset respectively and testing can be carried out at any time during the parameter adjustment.



Free setting of hot and cold.

The heating temperature can be set freely.

Air ratios of cold and hot foam are adjustable respectively.

Foaming without steam is silkier and sweeter.







HIGHLY EFFICIENT AND STABLE

High efficiency:

250 cups/hour(250ml/cup) ±2°C Short time delay

Stable temperature:

±2°C after 200 cups Max temperature 85°C



Specially designed milk nozzle


- Easy to dismantle and clean
- Long replacement cycle filter
- Reusable and low maintenance costs

Fully automatic cleaning programs

Fully automatic cleaning and rinsing programs ensure a hygienic system and trouble free operation

INTELLIGENT DETECTION SYSTEM

The Milk Bot has a complete statistical centre convenient for maintenance, repair, testing and historical data.





DESCRIPTION	MANUAL AIR RTO	DIGITAL AIR RTO
MODEL	MILK BOT-TI	MILK BOT-T2
WATT	3100W	3100W
PRESET AIR RATIOS	1	6
PRESET TYPES OF FOAM	6	6
MAX PRODUCTIVITY	250 cups/hour(250ml/cup)	250 cups/hour(250ml/cup)
MAX TEMPERATURE	85°C	85°C
DISPLAY	4.3" touch screen	4.3" touch screen
SIZES	490(L)*190(W)*480(H)mm	490(L)*190(W)*480(H)mm
NET WEIGHT	28KG	28KG



For enquiries contact Pelican Rouge 03 8761 6697 Email: sales@pelicanrouge.com.au