









About

From humble beginnings in 1989 to a global powerhouse in 2024: the history of CFMOTO is a storied one and a nod to the single minded dedication of a company to succeed in the pressure-cooker environment of global motorcycle and powersports markets.

Now in its third decade of manufacturing, CFMOTO has an ever-expanding portfolio of motorcycles, quads (ATVs), utility side-by-side vehicles (UTVs) and sports side-by-side vehicles (SSVs), as well as an unwavering commitment to expand its electric vehicle footprint.

Indeed, CFMOTO has already launched an electric motorcycle sub-brand called ZEEHO, conceived to provide a design-led lifestyle to young generations through tech-driven and environmentally conscious urban mobility.

Backed by a 280,000sqm high-tech manufacturing facility, CFMOTO is easily China's largest exporter of ATVs and UTVs.

Now with new manufacturing facilities in Thailand and Mexico, boosting the annual production capacity of up to 590,000 units, distributed to more than 100 countries.

Closer to home, CFMOTO has sold more than 50,000 vehicles since its Australian debut in 2005 through its robust network of more than 80 dealers.

CFMOTO's motorcycle trajectory has expanded enormously over the last decade, which is not only a function of its own R&D initiatives but also a technical partnership with KTM.

The collaboration was inaugurated in 2013 to produce small-capacity KTM-badged models for China, a market of which is approaching 20 million motorcycle sales a year. The CFMOTO/KTM joint venture now comprises an office, R&D building and manufacturing facility in Hangzhou, and for Australian customers the all-new 450MT adventure bike is the most tangible sign of the two companies working together. The joint venture will further expand CFMOTO's R&D team, which currently comprises more than 300 employees across five countries – in addition to CFMOTO's workforce of more than 6000 employees worldwide.

Modern facilities, technical wherewithal and a huge focus on providing extraordinary value for money: CFMOTO is in the fast lane to becoming a premium global powersports brand.

Brand Ambassadors



Now into their 16th season, Australia's No. 1 adventure, fishing and 4x4 show will see the two hosts – Jase and Simon – continue to explore some of the most remote parts of the country with CFMOTO joining them on every step of the way.













Best value

When it comes to value for money, the CFORCE 400 stands alone. A 400cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.



Ultimate work machine

Loaded with all the same features as its CFORCE 400 workmate, the EPS model adds power steering, alloy wheels and a heavy-duty winch to get even more out of your workday.

- 30hp, 400cc engine Bosch EFI
- CVT transmission Engine braking
- 2WD/4WD with locking front differential
- Hydraulic disc brakes Front and rear dual A-Arm independent suspension
- Steel wheels 24-inch 6ply tyres
- 3.5-inch display Halogen headlights
- Steel carrier racks 612 kg tow capacity
- 30 kg / 60 kg rack capacity● 2 Year Warranty

- 30hp, 400cc engine Bosch EFI
- CVT transmission
 Engine braking
- 2WD/4WD with locking front differential
- Hydraulic disc brakes Power steer
- Front and rear dual A-Arm independent suspension ● Alloy wheels
- 24-inch 6ply tyres Steel carrier racks
- 2500lb winch 612 kg tow capacity

● 30 kg / 60 kg rack capacity ● 2 Year Warranty

Hunter Green

Lava Orange













Unbeatable Value

Now available in a no-frills package at an unbeatable price for a 500cc ATV. Introducing the CFORCE 520, a 495cc, 4WD ATV loaded with workready features and a two-year factory warranty.



Out in the paddock, you'll love the CFORCE 520 EPS with its bigger 495cc engine. This guad is loaded with extras including power steering, a big 5-inch LCD display, ultra-bright LED lights, winch, handguards and 12-inch alloy wheels with larger 25-inch rubber.



HUNT edition

The CFORCE 520 EPS HUNT is designed to meet the demands of outdoor enthusiasts and hunters alike, including front and rear steel protection bars, rugged HPDE A-Arm guards, and an exclusive Camo colour scheme.

- 38hp, 495cc engine Bosch EFI
- CVT transmission Engine braking
- 2WD/4WD with locking front differential
- Hydraulic disc brakes

Hunter Green

- Front and rear dual A-Arm independent suspension
- Steel wheels 25-inch 6ply tyres
- 3.5-inch display Halogen headlights
- Premium carrier racks 612 kg tow capacity
- 30 kg / 60 kg rack capacity 2 Year Warranty

- 38hp, 495cc engine Bosch EFI
- CVT transmission Engine braking Power steer
- 2WD/4WD with locking front differential
- Hydraulic disc brakes
- Front and rear dual A-Arm independent suspension
- Alloy wheels 25-inch 6ply tyres Premium carrier racks
- Handguards 5-inch LCD display LED headlights
- 2500lb winch 612 kg tow capacity
- 30 kg / 60 kg rack capacity 2 Year Warranty

- 38hp, 495cc engine Bosch EFI CVT transmission
- Engine braking Power steer 2WD/4WD with locking front differential ● Hydraulic disc brakes
- Front & rear protector bar HDPE A-arm guards
- Front and rear dual A-Arm independent suspension
- Alloy wheels 25-inch 6ply tyres Premium carrier racks
- Handguards 5-inch LCD display LED headlights
- 2500lb winch 612 kg tow capacity
- 30 kg / 60 kg rack capacity 2 Year Warranty



Force Red



CFMOTO's engineers left no stone unturned when it came to reviewing the robust CFORCE 625

Key refinements

- Bigger 612 kg tow capacity
- More power with 45hp and 51Nm of torque
- New cylinder head features revised intake and exhaust channels
- New combustion chamber design
- Optimised coolant channels and camshaft profile
- Complemented by larger-diameter intake and exhaust valves
- New forged piston for greater strength with reduced weight and vibration
- A Diamond-Like Coating (DLC) piston ring to enhance engine durability.
- New UP6.0 ECU platform. Far more powerful than before, delivering improved throttle connection, smoother control, and increased comfort
- New ride-by-wire throttle lever and throttle body
- Choice of two drive modes, Normal or Work
- New engine mounting to reduce noise, vibration, and harshness







Next generation

CFMOTO's largest capacity, single-cylinder ATV, the CFORCE 625 EPS, has undergone a series of technical updates and refinements for MY23, taking the already impressive package to new heights.



The 625 TOURING comes with all the goodies that its smaller sibling gets, plus a longer wheelbase for two-up riding as well as a pillion backrest with grab handles.

- 45hp, 580cc engine Bosch EFI, ride-by-wire
- Two drive modes CVT transmission
- Engine braking Power steer
- 2WD/4WD with locking front & rear differential
- All 4 wheel hydraulic disc brakes
- Dual A-Arm independent suspension
- Alloy wheels 25-inch 6ply tyres Handguards
- 3000lb winch 612 kg tow capacity
- 30 kg / 60 kg rack capacity 2 Year Warranty

- 45hp, 580cc engine Bosch EFI, ride-by-wire
- Two drive modes CVT transmission
- Dual seat with pillion backrest and grab handles
- Engine braking Power steer
- 2WD/4WD with locking front & rear differential
- All 4 wheel hydraulic disc brakes
- Dual A-Arm independent suspension
- Alloy wheels 25-inch 6ply tyres Handguards
- 3000lb winch 612 kg tow capacity
- 30 kg / 60 kg rack capacity 2 Year Warranty







After relentless R&D and rigorous testing in demanding conditions like the Gobi Desert and European forests, the CFORCE 850 and 1000 has reached new heights.

Key refinements

CFORCE 850 TOURING

- Engine output among the best in 800-850cc
- New CFMOTO CVT System
- 285mm ground clearance
- 820kg towing capacity
- 17% tighter turning radius
- Multiple power modes
- Multiple EPS modes
- Descent Assist Control
- 3500 lb. powerful electric winch
- High-intensity LED lights

CFORCE 1000 TOURING

- Maximum engine output
- New CFMOTO CVT System
- Leading ground clearance 305mm
- Class-leading towing capacity 820kg
- Class-leading maximum load capacity 300kg
- Class-leading multiple power modes
- Innovative TFT gauge
- 3500 lb. electric winch
- Unmistakable design and style





Rise beyond challenge

More power, more advanced technology and capability, unbeatable functionality, with an undiluted dose of off-road excitement. New CFORCE 850 TOURING.

- 75hp, 800cc V-twin engine Bosch EFI
- Three drive modes CFMOTO CVT System
- Three level power steer Dual muffler
- 2WD/4WD with locking front & rear differential
- Long wheelbase, 2 seat with pillion backrest
- 3000lb winch 820 kg tow capacity
- 300 kg carry capacity 2 Year Warranty

Tundra Grey







Big V-twin grunt

Same new platform as the CFORCE 850 TOURING, armchair-like comfort, big 1000cc V-twin power and loaded with all the gear you'd expect from CFMOTO.



Burger with the lot

The OVERLAND needs no introduction. Factory-fitted extras including beadlock rims, front & rear protector bars, LED riding lights, an 8mm full-length skid plate, premium paint, fender extenders and windshield.

- Electronic hill descent control

- Trailing arm rear suspension 7-inch display
- Alloy wheels 26-inch tyres Handguards

- 90hp, 963cc V-twin engine Bosch EFI
- Three drive modes CFMOTO CVT System
- Electronic hill descent control
- Three level power steer Dual muffler
- 2WD/4WD with locking front & rear differential
- Long wheelbase, 2 seat with pillion backrest
- Piggyback gas shocks, compression/rebound adjustable
- 7-inch display Alloy wheels 27-inch tyres
- Handguards 3000lb winch 820 kg tow capacity
- 300 kg carry capacity 2 Year Warranty



Camouflage

- 963cc V-twin engine Bosch EFI
- CVT transmission Power steer
- 2WD/4WD with locking front differential
- Long wheelbase, 2 seat with pillion backrest
- Beadlock rims Front & rear protector bars
- LED riding lights Intergrated handguards and screen
- 8mm bashplate Fender extenders 3000lb winch
- 300 kg tow capacity 280 kg carry capacity
- 2 Year Warranty





Midnight Camo









No-frills utility

A no-frills UTV that offers unbeatable value in CFMOTO's all-new UFORCE 600 utility platform.

- 41hp, 580cc engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control
- 2WD/4WD with locking front differential
- Hydraulic disc brakes Steel wheels
- Bench seat 96 litres of storage
- 35 litre fuel tank Roof kit
- 680 kg tow capacity 250 kg tray capacity
- 2 Year Warranty

Twilight Blue







The stronger all-rounder

A package that represents a quantum leap in design, performance and ergonomics, with key updates including electronic hill descent control and a limited-slip rear differential.

- 41hp, 580cc engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD)
 Alloy wheels
- Bench seat 96 litres of storage
- 35 litre fuel tank Roof kit 3500lb winch
- 680 kg tow capacity 250 kg tray capacity
- 2 Year Warranty

Velocity Grey





HUNT edition

Loaded with plenty of extras to enjoy the great outdoors, including UV-resistant camouflage wrap, dual snorkel kit, front protector bar, side and rear bars, and a half windscreen.



Boasting extras like: front full-length windscreen; half door kit (pair); rear screen; front bar (steel, power coated black); and the new 'TREK Edition' Tactical Green livery.

- 41hp, 580cc engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD) Alloy wheels
- Dual snorkel kit HUNT Ed. Protector bars
- Half windscreen
 Roof kit
 3500lb winch
- 680 kg tow capacity 250 kg tray capacity
- 2 Year Warranty



Camouflage

● 41hp, 580cc engine ● Bosch EFI

TREK edition

- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD) Alloy wheels
- Windscreen Rear screen Front bar
- Half doors Roof kit 3500lb winch
- 680 kg tow capacity 250 kg tray capacity
- 2 Year Warranty

TREK Edition Tactical Green









Work and play

The UFORCE 800 EPS is loaded with standard equipment and is powered by CFMOTO's 800cc V-twin with plenty of performance to turn a work day into a fun day.

Limited-edition camo


The UFORCE 800 EPS CAMO LE is up to the task. Loaded with extras including front protector bar, headlight guards, bonnet rack, 3500lb winch and a CAMO livery.

- 62 hp, 800cc V-twin engine
- Delphi EFI CVT transmission
- Engine braking Power steer
- 2WD/4WD with locking front differential
- 14-inch alloy wheels Tip tray Roof kit
- 550 kg tow capacity 260 kg tray capacity
- 2 Year Warranty
- Mercury Silver

- 62 hp, 800cc V-twin engine
- Delphi EFI CVT transmission
- Engine braking Power steer
- 2WD/4WD with locking front differential
- 14-inch alloy wheels Tip tray Roof kit
- Front protector bar and bonnet rack
- Roof kit 3500lb winch
- 550 kg tow capacity 260 kg tray capacity
- 2 Year Warranty



Limited-edition Camouflage











Real world. Work ready.

The UFORCE 1000 takes UTVs to the next level and, even more importantly, at a price that's too good to refuse.



For the outdoors man or woman, the UFORCE 1000 HUNT Edition is ready to go straight out of the box. Loaded with gear including camo colour scheme, a front protector bar, bonnet rack, a 3500lb winch and alloy A-Arm guards.



Keep Mother Nature at bay

Now with a heater. It's time to enjoy the added creature comforts with the UFORCE 1000 TREK Edition; with its fully enclosed cabin, the TREK's narrative is focused on protection from the elements while being jam-packed with accessories to offer outstanding value for money.

- 963cc V-twin engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- Alloy wheels 27-inch tyres
- Bench seat 40 litre fuel tank Roof kit
- 800 kg tow capacity 350 kg tray capacity
- 2 Year Warranty
- Twilight Blue

- 963cc V-twin engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- HUNT Ed. front protector bars
- 3500lb winch Alloy A-Arm guards
- Bench seat 40 litre fuel tank Roof kit
- 800 kg tow capacity 350 kg tray capacity
- 2 Year Warranty



Camouflage

- 963cc V-twin engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Rear LSD Fully enclosed cabin Heater
- Full tilt windshield Wiper and washer
- Rear windshield Full door kit with power windows
- Roof kit 3500lb winch
- 800 kg tow capacity 350 kg tray capacity
- 2 Year Warranty

Desert Tan















Based on the popular UFORCE 600 platform, the chassis has been extended and beefed up – resulting in a new mid-sized 4-seater UTV powered by CFMOTO's 800cc V-twin engine.



comfort, capability and payload.

- 63hp, 800cc V-twin engine Bosch EFI ■ Two drive modes ■ CFMOTO CVT System
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential
- Long wheelbase four seater
- Alloy wheels 27-inch tyres
- 40 litre fuel tank Roof kit 4500lb winch
- 680 kg tow capacity 300 kg tray capacity
- 2 Year Warranty

Twilight Blue



- 963cc V-twin engine Bosch EFI ■ Two drive modes ■ CVT transmission
- Electronic hill descent control Power steer

Supersized six seater

Based on the current UFORCE 1000 platform, the

UFORCE 1000 XL goes to the next level in terms of

- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- Long wheelbase six seater
- 40 litre fuel tank Roof kit 4500lb winch
- 800 kg tow capacity 350 kg tray capacity
- 2 Year Warranty

Twilight Blue



Take the crew out in style

The TREK's narrative is focused on protection from the elements. Loaded with factory extras for only a small premium. Now that's CFMOTO value.

- 963cc V-twin engine Bosch EFI
- Two drive modes CVT transmission
- Electronic hill descent control Power steer
- 2WD/4WD with locking front differential Rear LSD
- Fully enclosed cabin Heater Full tilt windshield
- Wiper and washer Rear windshield Full door kit with
- power windows Roof kit Long wheelbase six seater
- 4500lb winch 800 kg tow capacity 350 kg tray capacity
- 2 Year Warranty

Desert Tan



Bigger. Bolder. More advanced. And further refined. Enter the next chapter of CFMOTO UTVs with the U10 PRO.

The U10 PRO represents a major leap forward for CFMOTO, setting a new benchmark in the UTV segment. Powered by an all-new 998cc 3-cylinder naturally aspirated engine, the U10 PRO delivers 90 horsepower and 94.5Nm of peak torque, ensuring unrivalled performance, whether for work or play.

• 3-CYLINDER ENGINE

90hp, 3-cylinder engine with Variable Valve Timing (VVT). More power and optimised torque for when you need it most.Less noise and vibration.

CFMOTO CVT SYSTEM

CFMOTO's in-house-developed CVT transmission. Smoother driving, easier working. Includes electric handbrake and AUTOHOLD function.

SHIFT WITH EASE

Push button automatic or E-SHIFT. Simply change from R-N-H-L-P all at a touch of a button. Includes electric handbrake and AUTOHOLD function.

Get work Done

1134kg max tow capacity and a 454kg max cargo tray capacity. Now with hydraulic power tilt cargo tray to unload with ease.







The next chapter

The U10 PRO redefines what a top-tier full-size UTV can be, launching a new era for the UFORCE family. More powerful, capable, and advanced than their predecessors.



A cut above

Take it to the next level with the U10 PRO HIGHLAND, loaded with additional premium features, including a full-cabin, heating and air-con (HVAC System), for a truly first-class experience.

- 998cc 3-cylinder engine with VVT Bosch EFI
- Two drive modes CFMOTO CVT System
- E-Shift Electric park brake (EPB) with AUTOHOLD
- Electronic hill descent control Power steer
- 2WD/4WD with locking front & rear differential
- Alloy wheels 29-inch tyres 8-inch MMI touchscreen display ● Audio system & speakers
- 45 litre fuel tank Roof kit 4500lb winch
- 1,134 kg tow capacity 454 kg tray capacity
- Power tilt cargo tray 2 Year Warranty

- 998cc 3-cylinder engine with VVT Bosch EFI
- Two drive modes CFMOTO CVT System
- E-Shift Electric park brake (EPB) with AUTOHOLD
- Electronic hill descent control Power steer
- 2WD/4WD with locking front & rear differential
- ◆ Alloy wheels ◆ 29-inch Tyres ◆ 8-inch display ◆ Speakers
- Fully enclosed cabin Heater & Air-con (HVAC System)
- Flactic tile in debial (A)/(in a mondound on
- Electric tilt windshield Wiper and washer
- Rear windshield with trucker slider Roof kit with headliner
- Colour matched doors with glass power windows
- Premium HIGHLAND embroidery and badging
- 4500lb winch 1,134 kg tow capacity 454 kg tray capacity
- Power tilt cargo tray 2 Year Warranty

Forest Green

Bordeaux Red

















Adventure for the masses

The ZFORCE 800 TRAIL. All new exterior design, a longer wheelbase, restyled 14-inch alloy wheels, improved sports seats & steering wheel, and dynamic double A-arm independent rear suspension. Adventure, at an extraordinary value proposition, awaits.

- 60 hp, 800cc V-twin engine EFI with two drive modes
- CVT transmission Power steer
- 2WD/4WD with locking front differential
- Adjustable coil spring with oil dampening
- 14-inch alloy wheels 26-inch CST tyres
- Half doors Sport seats and steering wheel
- LED headlights 5-inch LCD display
- Roof kit 12 Month Warranty

Galaxy Grey



Dynamic evolution

ZFORCE 950 SPORT. The ultimate fusion of performance, versatility, and agility. Packed with more power, longer suspension and boosted capacities, this SSV is prepared to conquer any challenge.

- 85 hp, 963cc V-twin engine EFI with two drive modes
- CVT transmission Dual mode power steer
- 2WD/AWD/4WD with locking front differential
- Piggyback gas shocks with adjustable compression and rebound damping
- 14-inch alloy wheels 27-inch CST tyres
- 3500lb winch Half doors
- Sports seats & steering wheel LED headlights
- 5-inch LCD display Roof kit
- 12 Month Warranty


Magma Red

Tundra Grey



4x friends, 4x fun

Our cutting-edge 4-seater SSV. With its robust construction, powerful performance, and innovative features, the CFMOTO 950 SPORT-4 is your ticket to sharing unforgettable off-road journeys with your crew.



- Long wheelbase 4-seat 85 hp, 963cc V-twin engine
- EFI with two drive modes CVT transmission
- Dual mode power steer 2WD/AWD/4WD with locking front differential ● Piggyback gas shocks with adjustable compression and rebound damping
- 14-inch alloy wheels 27-inch CST tyres
- 4500lb winch Half doors Ride App connectivity
- Sports seats & steering wheel LED headlights
- 5-inch LCD display Roof kit LED lighting
- 12 Month Warranty

Desert Tan



More fun

The ZFORCE 1000 SPORT R gets more power (up 10hp), improved dynamic suspension, colour-matched beadlock rims with big 29-inch Stag tyres, new sports steering, sports seats, an updated five-inch display and a 3500lb nylon rope winch.

- 90 hp, 963cc V-twin engine EFI with two drive modes
- CVT transmission Power steer
- 2WD/4WD with locking front differential
- Rear LSD Dual A-arm front suspension with sway bar
- Multi-link rear suspension with sway bar
- Dual-spring rear shocks
- 14 inch colour matched beadlock wheels
- 29-inch CST tyres 3500lb nylon rope winch
- 5-inch LCD display
- Roof kit 12 Month Warranty

Royal Blue









CXarge into the future

With the power of a 50cc fun bike but without the complications of a clutch, fuelling, or gearchanging, the electric motor delivers a super smooth, controllable powerband, and adult supervisors can modify its power level output with 'beginner mode' to 'full power' mode so young riders can learn at their own pace.

EV CFMOTO

- Recommended Age: 4-7
- Motor: 48V 650W (max output 1200W)
- Three power modes
- Max Speed: 36km/h
- Range: 60km Run time: 60min (at max speed)
- Seat Height: 550mm
- Wheel Size: 10-inch Weight: 49kg
- 12 Month Warranty







Amps it up

The CX-5E takes everything great about the CX-2E and amps it up for competent young riders. More power, more ground clearance, longer suspension, 14" front and 12" rear wheels and off-road tyres. It is a full-fledged youth dirt bike. The fact that the battery can be easily replaced during riding sessions will make both the rider and their parents very happy.

EV CFMOTO

- Recommended Age: 8-12
- Motor: 48V, 1000W (max output 1500W)
- Three power modes
- Max Speed: 46km/h
- Range: 60km Run time: 35min (at max speed)
- Seat Height: 678mm
- Wheel Size: 12 / 14-inch Weight: 56kg
- 12 Month Warranty











Kids corner

With sporty looks, brilliant performance, disc brakes all-round and a portfolio of safety features – including a unique geofence function – the CFORCE 110 raises the bar in the youth ATV space.



A Force unleashed!

CFMOTO is leading the way for the next generation of riders with an all-electric youth ATV that is set to change the game forever. This advanced, sports-orientated ATV has an easy-to-ride nature that promotes a safe way for youngsters to develop their riding skills further



- 110cc, single-cylinder, SOHC four-stroke engine
- Fuel injection Electric start 6.4-litre fuel tank
- 2WD Hydraulic disc brakes Double A-arm independent front suspension / swingarm rear suspension
- 10/8-inch steel wheels 19/18-inch tyres
- 3.5-inch display Magnetic tether
- LED brake light LED daytime running light
- Optional smartphone connectivity 2 Year Warranty
- Available in Baja Blue or Rocket Red

Baja Blue

Rocket Red

- 1500W electric motor 3hr+ run time (60km)
- 4.5kW max power / 40Nm max torque estimated
- 4-hour charge time from 0% 2WD
- Hydraulic disc brakes Double A-arm independent front suspension / swingarm rear suspension ● 10/8-inch steel wheels
- 19/18-inch tyres 5-inch display Magnetic tether
- LED brake light LED daytime running light
- Optional smartphone connectivity 2 Year Warranty
- Available in White / Lemon Green or White / Lava Orange

Vhite & on Green

White & Lava Orange



There's something magical about buying a brand new CFMOTO – whether it's the first purchase or your 10th.

Regardless of the circumstances, picking up a brand spanking new CFMOTO is a wonderful feeling.

Owning a CFMOTO is an amazing experience, and one of the best ways to ensure the good times continue is with a regular service and maintenance routine. Trust us: your CFMOTO will thank you for it!

RECOMMENDED LUBRICANT





Genuine parts and accessories are tailor-made for your ATV, UTV or SSV, and it's no different with CFMOTO. What is removed is returned with a perfect match, and the accessories have been manufactured to account for every nuance of your model to enhance your CFMOTO even more.

And, of course, genuine CFMOTO parts and accessories come with the highest level of quality controls, so you know you're getting the best.

Shop CFMOTO

Parts and accessories are available from our on-line shop 24-7, but the best place to get wise counsel is from your local CFMOTO dealer.

Your authorised CFMOTO dealer can also help you with that vital, final piece of the ownership matrix – ensuring your vehicle is serviced in accordance with manufacturer guidelines.



SCAN to visit CFMOTO's online store.



CFORCE 400 CFORCE 520 CFORCE 625 V-TWIN TOURING CFORCE 1000









































Engine Type	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI						
Displacement	400cc	400cc	495cc	495cc	495cc	580cc	580cc	800cc	963cc	963cc
Max Power	31hp at 7,200rpm	31hp at 7,200rpm	38hp at 6,250rpm	38hp at 6,250rpm	38hp at 6,250rpm	45hp at 6,500rpm	45hp at 6,500rpm	75hp at 7,500rpm	90hp at 7,500rpm	74hp at 7,000rpm
Max Torque	33Nm at 6,000rpm	33Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	51Nm at 6,000rpm	51Nm at 6,000rpm	70Nm at 5,500rpm	85Nm at 5,500rpm	71Nm at 6,500rpm
Fuel System	Bosch EFI	Bosch EFI with two drive modes	Bosch EFI with two drive modes	Bosch EFI with three drive modes	Bosch EFI with three drive modes	Bosch EFI				
Transmission	CVT	CFMOTO CVT System	CFMOTO CVT System	CVT						
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park						
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential							
Rear Differential	Fixed	Fixed	Fixed	Fixed	Fixed	Open with locking rear differential	Open with locking rear differential	Open with locking rear differential	Open with locking rear differential	Limited Slip Differential (LSD)
Steering	-	Electronic Power Steering (EPS)	-	Electronic Power Steering (EPS)	Adjustable three level Electronic Power Steering (EPS)	Adjustable three level Electronic Power Steering (EPS)	Electronic Power Steering (EPS)			
Suspension	Double A-arm	FRONT: Double A-arm REAR: Trailing arm	FRONT: Double A-arm REAR: Trailing arm	Double A-arm						
Brakes	Hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs				
Wheels	12-inch steel	12-inch alloy	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy	12-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock
Tyres	24-inch CST, 6-ply rating	24-inch CST, 6-ply rating	25-inch CST, 6-ply rating	26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating				
LxWxH	2046 x 1125 x 1150 mm	2046 x 1125 x 1150 mm	2186 x 1125 x 1162 mm	2186 x 1125 x 1162 mm	2186 x 1125 x 1162 mm	2035 x 1180 x 1220 mm	2235 x 1180 x 1220 mm	2445 x 1264 x 1450 mm	2445 x 1282 x 1465 mm	2395 x 1264 x 1420 mm
Wheelbase	1260 mm	1280 mm	1480 mm	1480 mm	1480 mm	1480 mm				
Ground Clearance	254 mm	254 mm	262 mm	262 mm	262 mm	270 mm	270 mm	285 mm	305 mm	300 mm
Wet Weight	332 kg	332 kg	351 kg	351 kg	351 kg	395 kg	415 kg	465 kg	472kg	490 kg
Towing Capacity	612 kg	830 kg	820kg	300 kg						
Carry Capacity	30 kg / 60 kg (front/rear)	30 kg /60 kg (front/rear)	45 kg / 90 kg (front/rear)	45kg / 90kg (front/rear)	35 kg / 70 kg (front/rear)					
Fuel Capacity	17 L	18 L	18 L	26 L	26 L	30 L				
Person	One	One	One	One	One	One	Two	Two	Two	Two
Winch	-	Yes, 2500lb	-	Yes, 2500lb	Yes, 2500lb	Yes, 3000lb	Yes, 3000lb	Yes, 3500lb	Yes, 3000lb	Yes, 3000lb
Colour	Hunter Green	Lava Orange	Hunter Green	Force Red	Camouflage	Velocity Grey or Camouflage	Velocity Grey or Camouflage	Tundra Grey	Camouflage	Granite Ridge with Electric Blue
Warranty	Two year	Two year	Two year							







experience more together UFORCE 600 UFORCE 800



Engine Type

Displacement

Warranty

Two year







Two year

			Configuration of the configura
600	600	600 EPSHUNT	600 EPSTREK
Liquid-cooled, four-stroke single-cylinder with EFI			
580cc	580cc	580cc	580cc
41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm
46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm
Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive mode
CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill desc control

Two year

Max Power	41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm
Max Torque	46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm
Fuel System	Bosch EFI - two drive modes			
Transmission	CVT with electronic hill descent control			
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
4WD	2WD/4WD with locking front differential			
Rear Differential	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm	Double A-arm	Double A-arm
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy
Tyres	25-inch INNOVA, 6-ply rating			
LxWxH	2820 x 1470 x 1950 mm			
Wheelbase	1950 mm	1950 mm	1950 mm	1950 mm
Ground Clearance	270 mm	270 mm	270 mm	270 mm
Wet Weight	640 kg	640 kg	640 kg	640 kg
Towing Capacity	680 kg	690 kg	710 kg	710 kg
Carry Capacity	250 kg (rear tray)			
Cargo tray Size	1300 x 870 x 275 mm			
Fuel Capacity	35 L	35 L	35 L	35 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved
Person	Two	Two	Two	Two
Winch	-	Yes, 3500lb	Yes, 3500lb	Yes, 3500lb
Colour	Twilight Blue	Velocity Grey	Camouflage	Tactical Green

Two year









UFORCE
000
EPSCAMOLE

Engine Type	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	800cc	800cc
Max Power	62hp at 6,750rpm	62hp at 6,750rpm
Max Torque	72Nm at 6000rpm	72Nm at 6,000rpm
Fuel System	Delphi EFI	Delphi EFI
Transmission	CVT	CVT
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Fixed
Steering	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy
Tyres	26-inch CST, 6-ply rating	26-inch CST, 6-ply rating
LxWxH	2980 x 1465 x 1850 mm	2980 x 1465 x 1850 mm
Wheelbase	1830 mm	1830 mm
Ground Clearance	260 mm	260 mm
Wet Weight	625 kg	640 kg
Towing Capacity	550 kg	550 kg
Carry Capacity	260 kg (rear tray)	260 kg (rear tray)
Cargo tray Size	1200 x 790 x 310 mm	1200 x 790 x 310 mm
Fuel Capacity	26 L	26 L
Roll Cage	ROPS-approved	ROPS-approved
Person	Two	Two
Winch	-	Yes, 3500lb
Colour	Mercury Silver	Lt. Edition Camouflage
Warranty	Two year	Two year





experience more together

UFORCE 1000



IOOO









OFORCE
1000 EPSTREK

Engine Type	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	963cc	963cc	963cc
Max Power	71hp at 7,000rpm	71hp at 7,000rpm	71hp at 7,000rpm
Max Torque	74Nm at 6,500rpm	74Nm at 6,500rpm	74Nm at 6,500rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm	Double A-arm
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy	14-inch alloy
Tyres	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating
LxWxH	2945 x 1615 x 1850 mm	3045 x 1615 x 1850 mm	2945 x 1615 x 1850 mm
Wheelbase	2050 mm	2050 mm	2050 mm
Ground Clearance	280 mm	280 mm	280 mm
Wet Weight	690 kg	730 kg	740 kg
Towing Capacity	800 kg	800 kg	800 kg
Carry Capacity	350 kg (rear tray)	350 kg (rear tray)	350kg (rear tray)
Cargo tray Size	1420 × 865 × 290 mm	1420 × 865 × 290 mm	1420 × 865 × 290 mm
Fuel Capacity	40 L	40 L	40 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved
Person	Three	Three	Three
Winch	-	Yes, 3500lb	Yes, 3500lb
Colour	Twilight Blue	Camouflage	Desert Tan

RECOMMENDED LUBRICANT

MOTUL



experience more together

U10 PRO **UFORCE XL**















1000 EPSXL

IOOO EPSTREKXL

U10 PRO

U	10	PRO	
	HIG	HLAND	

Engine Type	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	3-Cylinder with Variable Valve Timing (VVT)	3-Cylinder with Variable Valve Timing (VVT)
Displacement	800cc	963cc	963cc	998cc	998cc
Max Power	63hp at 7,000rpm	71hp at 7,000rpm	71hp at 7,000rpm	90hp at 7,000rpm	90hp at 7,000rpm
Max Torque	69.8Nm at 5,500rpm	74Nm at 6,500rpm	74Nm at 6,500rpm	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CFMOTO CVT System Electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control	CFMOTO CVT System Electonic hill descent control	CFMOTO CVT System Electonic hill descent control
Drive	H-L-N-R-Park	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD
4WD	2WD/4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Open with locking rear differential	Open with locking rear differential
Steering	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Progressive Power Steering	Progressive Power Steering
Suspension	Double A-arm	Double A-arm	Double A-arm	Double A-arm with swaybar	Double A-arm with swaybar
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy
Tyres	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating	29-inch, 8-ply rating	29-inch, 8-ply rating
LxWxH	3640 x 1525 x 2007mm	3770 x 1615 x 1850 mm	3770 x 1615 x 1850 mm	2950 x 1625 x 1945 mm	2950 x 1625 x 1945 mm
Wheelbase	2770 mm	2850 mm	2850 mm	2060 mm	2060 mm
Ground Clearance	300 mm	280 mm	280 mm	330 mm	330 mm
Wet Weight	775 kg	870 kg	1020 kg	835 kg	938 kg
Towing Capacity	680 kg	800 kg	800 kg	1134 kg	1134 kg
Carry Capacity	300 kg (rear tray)	350 kg (rear tray)	350 kg (rear tray)	454 kg (rear tray)	454 kg (rear tray)
Cargo tray Size	870 x 1300 x 275mm	1420 × 865 × 290 mm	1420 × 865 × 290 mm	865 × 1340 × 290 mm	865 × 1340 × 290 mm
Fuel Capacity	40 L	40 L	40 L	45 L	45 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved
Person	Four	Six	Six	three	three
Winch	Yes, 4500lb	Yes, 4500lb	Yes, 4500lb	Yes, 4500lb	Yes, 4500lb
Colour	Twilight Blue	Twilight Blue	Desert Tan	Forest Green	Bordeaux Red
Warranty	Two year	Two year	Two year	Two year	Two year

ZFORCE

CX RANGE

















	EPSTRAIL
ngine Type	Liquid-cooled, four-st
	V-twin with EFI

Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
800cc	963cc	963cc	963cc
60hp at 7,500rpm	85hp at 7,500rpm	85hp at 7,500rpm	90hp at 7,500rpm
68Nm at 5,750rpm	87Nm at 5,500rpm	87Nm at 5,500rpm	87Nm at 6,750rpm
Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
CVT	CVT	CVT	CVT
H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
2WD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/4WD with locking front differential
Fixed	Fixed	Fixed	Limited Slip Differential (LSD)
Electronic Power Steering (EPS)	Dual mode Electronic Power Steering (EPS)	Dual mode Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar	FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar	FRONT: Double A-arm w/ sway bar REAR: Toe-link control 334mm of travel	FRONT: Double A-arm w/ sway bar REAR: Multi-link w/ sway bar
Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock
26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating	29-inch CST Stag, 8-ply rating
3065 x 1385 x 1820 mm	3065 x 1524 x 1870 mm	3827 x 1524 x 1880 mm	3020 x 1565 x 1850 mm
2286 mm	2286 mm	3048 mm	2285 mm
254 mm	305 mm	307 mm	340 mm
650 kg	675 kg	795 kg	705 kg
680 kg	680 kg	680 kg	400 kg
100 kg (rear cargo)	150 kg (rear cargo)	150 kg (rear cargo)	100 kg (rear cargo)
37 L	37 L	37 L	36.5 L
ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved
Two	Two	Four	Two
·	Yes, 3500lb	Yes, 4500lb	Yes, 3500lb
Galaxy Grey	Magma Red or Tundra Grey	Desert Tan	Royal Blue
12 month	12 month	12 month	12 month
	V-twin with EFI 800cc 60hp at 7,500rpm 68Nm at 5,750rpm Bosch EFI - two drive modes CVT H-L-N-R-Park 2WD/4WD with locking front differential Fixed Electronic Power Steering (EPS) FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar Four-wheel hydraulic discs 14-inch alloy 26-inch CST, 6-ply rating 3065 x 1385 x 1820 mm 2286 mm 254 mm 650 kg 680 kg 100 kg (rear cargo) 37 L ROPS-approved Two - Galaxy Grey	V-twin with EFI V-twin with EFI 800cc 963cc 60hp at 7,500rpm 85hp at 7,500rpm 68Nm at 5,750rpm 87Nm at 5,500rpm Bosch EFI - two drive modes Bosch EFI - two drive modes CVT CVT H-L-N-R-Park H-L-N-R-Park 2WD/AWD with locking front differential 2WD/AWD/AWD with locking front differential Fixed Fixed Electronic Power Steering (EPS) Dual mode Electronic Power Steering (EPS) FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar REAR	V-twin with EFI















CFORCE

	EV CV	EV	CFORCE	CFORCE
	TCX 2E	CA SE	ШО	
Engine Type	48V, 650W electric motor (max output 1200W)	48V, 1000W electric motor (max output 1500W)	Four-stroke single-cylinder	44V, 1500W electric motor (max output 4500W)
Displacement	Equivalent power to a petrol 50cc	Equivalent power to a petrol 110cc	110cc	Equivalent power to a petrol 110cc
Fuel System/Battery	48V, 24Ah Lithium-Ion, swappable	48V, 24Ah, Lithium-Ion, swappable	EFI	44V, 53Ah, 2400Wh. Lithium-Ion. With BMS.
Transmission	Chain drive	Chain drive	2WD, chain drive	2WD, chain drive
Drive	3 power modes	3 power modes	F-N-R	F-N-R
Start	-	-	Electric	-
Suspension	FRONT: 31mm telescopic fork, 72mm of travel REAR: singe shock, 65mm of travel	FRONT: 31mm telescopic fork, 105mm of travel REAR: singe shock, 100mm of travel	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber
Brakes	Hydraulic disc brakes	Hydraulic disc brakes	Hydraulic disc brakes	Hydraulic disc brakes
Wheels	Spoked rim / 10 inch	Spoked rim / 14/12 inch	Steel	Steel
Tyres	2.5/10	Front:70/100-14 Rear: 80/100-12	Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8	Front: AT 19 x 6-10, Rear: AT 18 x 8.5-8
LxWxH	1330 x 610 x 789 mm	1555 x 665 x 958 mm	1483 x 943 x 925 mm	1500 x 935 x 950 mm
Wheelbase	952 mm	1066 mm	1020 mm	1020 mm
Ground Clearance			110 mm	120 mm
Weight	49 kg	56 kg	130 kg (wet)	130 kg
Fuel Capacity/Range	60 minutes (at max speed) / 60km	35 minutes (at max speed) / 60km	6.4 L	3+ hours run time / 60km
Person	One	One	One	One
Recommended Age	4-7 years of age	8-12 years of age	10 Years of age	10 Years of age
Seat Height	550 mm	678 mm		
CFMOTO Youth App			Geo-fence, vehicle status	Geo-fence, vehicle status
Colour	Baltic Blue	Baltic Blue	Rocket Red or Baja Blue	Polar White / Lemon Green or Polar White / Lava Orange
Warranty	12 month	12 month	Two year	Two year





experience more together