











#### **About**

#### **CFMOTO: Powering the Future of Powersports**

From humble beginnings in 1989 to becoming a global leader in motorcycles and powersports, CFMOTO has earned a reputation for innovation, reliability, and exceptional value. Its diverse product range — including motorcycles, ATVs, UTVs, and high-performance SSVs — is trusted by riders and workers in over 100 countries. In Australia alone, more than 50,000 vehicles have been sold since 2005 through a robust network of over 80 dealers.

#### "Built tough for Aussie conditions."

CFMOTO vehicles are engineered to thrive in Australia's demanding farming environments — from long days in the paddock to rugged terrain and everyday rural tasks.

Backed by five advanced manufacturing facilities and a global workforce of over 8,000, CFMOTO is China's largest exporter of ATVs and UTVs. Its technical partnership with KTM and the launch of its electric sub-brand ZEEHO reflect a bold vision for the future — combining cutting-edge design with sustainable urban mobility.

#### "Innovation driven by real-world feedback."

CFMOTO listens to Aussie farmers and riders, using their insights to shape and refine its model range.

In 2025, CFMOTO introduced the UFORCE U6 EV — a pure electric utility vehicle designed for whisper-quiet operation without compromising on power or durability. Ideal for working around livestock, the U6 EV brings a new level of comfort and practicality to rural life.

With a deep understanding of farming needs and a commitment to delivering extraordinary value, CFMOTO is ready to support hard-working Australians with machines that go the distance — petrol or electric, CFMOTO has the right vehicle for the job.













#### **Best value**

When it comes to value for money, the CFORCE 400 stands alone. A 400cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.

- 400cc engine, 31hp
- Selectable 4WD
- Steel wheels
- Steel carrier racks
- 612kg tow capacity

Hunter Green





#### **Ultimate work machine**

Loaded with all the same features as its CFORCE 400 workmate, the EPS model adds power steering, alloy wheels and a heavy-duty winch to get even more out of your workday.

- 400cc engine, 31hp
- Power steer
- Selectable 4WD
- Alloy wheels
- 2500lb winch



Lava Orange





#### **Unbeatable Value**

Now available in a no-frills package at an unbeatable price for a 500cc ATV. Introducing the CFORCE 520, a 495cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.

- 495cc engine, 38hp
- Selectable 4WD
- Steel wheels
- Halogen headlights
- 612kg tow capacity

Hunter Green









#### The Aussie favourite

Out in the paddock, you'll love the CFORCE 520 EPS with its bigger 495cc engine. This quad is loaded with extras including power steering, a big 5-inch LCD display, ultra-bright LED headlights, winch, handguards and 12-inch alloy wheels with larger 25-inch rubber.

- 495cc engine, 38hp
- Power steer LED headlights
- Alloy wheels 2500lb winch
- 5-inch display Handguards
- 612kg tow capacity







#### **HUNT** edition

The CFORCE 520 EPS HUNT is designed to meet the demands of outdoor enthusiasts and hunters alike, including front and rear steel protection bars, rugged HPDE A-Arm guards, and an exclusive Camo colour scheme.

- 495cc engine, 38hp
- HUNT features
- Protector bars front and rear
- HDPE A-arm guards
- 2500lb winch



True Timber Kanati

# big single @ EFMOTO

CFMOTO's engineers left no stone unturned when it came to developing the robust CFORCE 625

The CFORCE 625 range delivers premium performance across both models, each powered by a refined 580cc single-cylinder engine. With on-demand 2WD/4WD, independent suspension, heavy-duty racks, and serious towing capability, these ATVs are built for long days on the farm. Comfort, reliability, and versatility — all wrapped in one tough, hardworking ATV package.







#### **Next generation**

CFMOTO's largest capacity, single-cylinder ATV, the CFORCE 625 EPS, has undergone a series of technical updates and refinements, taking the already impressive package to new heights.



The 625 TOURING comes with all the goodies that its smaller sibling gets, plus a longer wheelbase for two-up riding as well as a pillion backrest with grab handles.

- 580cc engine, 45hp
- Two drive modes
- Power steer
- Front and rear diff lock
- 3000lb winch
- 612kg tow capacity





Velocity Grey

True Timber

- 580cc engine, 45hp
- Long wheelbase / two seat
- Power steer
- Front and rear diff lock
- 3000lb winch
- 612kg tow capacity



True Timber







#### Rise beyond challenge

More power, more advanced technology and capability, unbeatable functionality, with an undiluted dose of off-road excitement. **CFORCE 850 TOURING.** 

- 800cc V-twin, 75hp CFMOTO CVT
- Power steer Hill descent control
- Front and rear diff lock
- Trailing arm rear suspension
- 7-inch display
- 820kg tow capacity



True Timber Kanati





#### **Big V-twin grunt**

Same platform as the CFORCE 850 TOURING, armchair-like comfort, big 1000cc V-twin power and loaded with all the gear you'd expect from CFMOTO.

- 963cc V-twin, 90hp CFMOTO CVT
- Power steer Hill descent control
- Adjustable piggyback gas shocks
- Trailing arm rear suspension
- 7-inch display
- 820kg tow capacity



True Timber Kanati










#### Burger with the lot

The OVERLAND needs no introduction. Loaded with factory-fitted extras including beadlock rims, front & rear protector bars, rack extenders, LED lightbar, an 8mm full-length skid plate, windshield and handquards.



- Protector bars front & rear
- HDPE skid plate & alloy front bash plate
- Heated rider seat & grips
- Windscreen & handguards
- LED light bar 3000lb winch
- Rack extenders

Desert Tan



#### Dare to play

With its focus on multi-terrain capability, a raised radiator, raised engine / CVT intakes and loads of factory fitted extras, the CFORCE 1000 MV is designed for fun-seekers.

- 963cc V-twin, 90hp
- Elevated Radiator
- CFMOTO CVT
- Colour matched bar work
- MV Mud Features
- 14-inch beadlock wheels
- 30-inch Mud tyres
- Raised 3500lb winch













#### No-frills utility

A no-frills UTV that offers unbeatable value in CFMOTO's popular UFORCE 600 utility platform. The range now features CFMOTO's new smoother driving, easier working CVT System.



#### The stronger all-rounder

A quantum leap in design, performance, and ergonomics, delivering serious work capability and refined comfort in a handy mid-sized UTV package.



#### **HUNT** edition

Loaded with plenty of extras to enjoy the great outdoors, including camouflage wrap, dual snorkel kit, front protector bar, side and rear bars, and a half windscreen.

- 580cc engine, 41hp
- CFMOTO CVT System
- Two drive modes
- Hill descent control
- 680kg tow capacity
- 250kg rear tray capacity

Twilight Blue

- 580cc engine, 41hp
- CFMOTO CVT System
- Power steer
- Alloy wheels
- Limited slip rear differential
- 3500lb winch

Velocity Grey

- 580cc engine, 41hp
- CFMOTO CVT System
- Dual snorkel kit
- Front, rear and side bars
- Half windscreen
- 3500lb winch



True Timber Kanati



# is proud to present its first pure electric UTV.

Purpose-built for farming, council operations, commercial use, and even offgrid living. It's not just about going electric; it's about transforming the way you work. With silent operation, zero emissions, and minimal vibration, the U6 EV delivers a whole new level of comfort and control. Whether you're working around livestock, maintaining public spaces, or navigating remote properties, the silence means less stress, less disturbance, and more focus.

No noise. No fuss. Just dependable electric power.

Designed with the same rugged DNA as CFMOTO's petrol-powered workhorses, the UFORCE U6 EV doesn't compromise on capability.

\*110km on a single charge: achieves a range of 110km at a constant speed of 30-40km/h after a full charge, under temperatures of 20-25°C. ~Quoted 6.5hr charge time from 0-100% under temperatures of 20-25°C.





#### **Pure Electric**

Designed to deliver robust performance, reliability, and practicality – all in one great value CFMOTO package.

- 110km range^
- 80km/h top speed
- 800kg tow capacity
- 6.5hr charge time~
- 2 Yr Vehicle Warranty / 5 Yr Power Battery Warranty

Metallic Grey









#### Real world. Work ready.

Setting the Standard - Legendary for its power, comfort, and capability, the UFORCE 1000 EPS paved the way for the UFORCE range. A proven performer that redefined what a farm-ready UTV should be.

- 963cc V-twin, 71hp
- Power steer
- Hill descent control
- Limited slip rear differential
- 800kg tow capacity
- 350kg rear tray capacity

Twilight Blue



#### Gear up

The UFORCE 1000 HUNT Edition is ready to go straight out of the box. Loaded with gear including camo colour scheme, a front protector bar, bonnet rack, a 3500lb winch and alloy A-Arm guards.

- 963cc V-twin, 71hp
- Power steer
- Hill descent control
- Limited slip rear differential
- Front bar, bonnet rack
- 3500lb winch
- A-arm guards



True Timber Kanati



#### The UFORCE 800 EPS XL is CFMOTO's middleweight XL model.

Based on the popular UFORCE 600 platform, the chassis has been extended and beefed up – including new suspension, steering components and greater ground clearance to accommodate the longer wheelbase. The result is a new mid-sized 4-seater UTV powered by CFMOTO's 800cc V-twin engine and featuring an all-new CFMOTO CVT system for smoother driving, easier working.





#### Middleweight XL

A new mid-sized 4-seater UTV powered by CFMOTO's proven 800cc V-twin engine. With extra cabin space, added power, and real-world versatility, it's built to get more done with every run.

- 800cc V-twin, 63hp
- Long wheelbase four-seater
- CFMOTO CVT System
- 680kg tow capacity
- 300kg cargo tray capacity
- 4500lb winch

Twilight Blue



# the next chapter



Bigger. Bolder. More advanced. And further refined.

The U10 PRO and U10 PRO HIGHLAND redefine what a top-tier full-size UTV can be, launching a new era for the UFORCE family.

More powerful, more capable, and more advanced than their predecessors, these models feature an all-new technologyappointed and quieter interior, elevated exterior design, and an extensive list of standard features for both work and play.

#### **U10 PRO**



#### The next chapter

The U10 PRO sets a new standard for full-size UTVs — more powerful, more capable, and smarter than ever. It's the next-gen workhorse for the farm.

#### U10 PRO



#### A cut above

Take it to the next level with the U10 PRO HIGHLAND, loaded with additional premium features, including a full-cabin, heating and air-con (HVAC System), for a truly first-class experience.

- 90hp, 3-cylinder VVT engine
- CFMOTO CVT System
- E-SHIFT push button automatic
- 1134kg tow capacity
- 454kg cargo tray capacity
- Hydraulic power tilt cargo tray

Forest Green

- Premium fully enclosed HIGHLAND cabin
- Electric tilt-up glass windscreen
- Wiper & washer system
- Doors with powered glass windows
- Heating & Air-con (HVAC System)
- Hydraulic power tilt cargo tray

Bordeaux Red





serious operators

who simply

The UFORCE U10 PRO XL builds on the popular U10 PRO platform with a powerful 3-cylinder engine and plenty of room to carry your crew of six. It delivers serious capability, comfort, and control - the ultimate choice for operators who simply need to carry more.

The U10 PRO HIGHLAND XL takes it further, adding full weather protection and enhanced durability for Australia's toughest conditions. As CFMOTO's flagship UTV, it comes with the lot and delivers exceptional value for those who demand the best.









The U10 PRO XL takes everything from the U10 PRO and simply scales it up. With a powerful 3-cylinder engine, expanded cabin space with room for six, and premium refinement, it's the ultimate UTV for serious operators who simply demand more.



#### Take the crew out in style

U10 PRO HIGHLAND XL, loaded with premium features, including a full-cabin for six, HVAC system with heating and air-con for a truly first-class experience.

- 90hp, 3-cylinder VVT engine
- Long wheelbase six-seater
- CFMOTO CVT System
- 1134kg tow capacity
- 454kg cargo tray capacity
- Hydraulic power tilt cargo tray

Forest Green

- Long wheelbase six-seater
- Premium fully enclosed HIGHLAND cabin
- Electric tilt-up glass windscreen
- Wiper & washer system
- Doors with powered glass windows
- Heating & Air-con (HVAC System)

















#### **Dynamic evolution**

ZFORCE 950 SPORT. The ultimate fusion of performance, versatility, and agility. Packed with more power, longer suspension and boosted capacities, this SSV is prepared to conquer any challenge.

- 963cc V-twin, 85hp
- Two drive modes
- Dual mode power steer
- 3500lb winch



Magma Red

Tundra Grey



#### 4x friends, 4x fun

Our cutting-edge 4-seater SSV. With its robust construction, powerful performance, and innovative features, the CFMOTO 950 SPORT-4 is your ticket to sharing unforgettable off-road journeys with your crew.

- 963cc V-twin, 85hp
- Long wheelbase four-seater
- Two drive modes
- Dual mode power steer
- 4500lb winch

Desert Tan



#### More fun

The ZFORCE 1000 SPORT R gets more power, improved dynamic suspension, colour-matched beadlock rims with big 29-inch CST Stag tyres, sports steering, sports seats, an updated five-inch display and a 3500lb nylon rope winch.

- 963cc V-twin, 90hp
- Two drive modes
- Rear Limited Slip Differential (LSD)
- 29inch 8-ply CST Stag tyres
- 3500lb winch

Royal Blue

# YOUTH CFMOTO proudly presents its YOUTH range of fun bikes and fun ATVs designed specifically for the next generation of adventurous riders. Engineered to ignite the spirit of exploration and adrenaline in the hearts of our youth. With cutting-edge technology, striking design, and uncompromising performance, the CFX and CFORCE 110 series redefine the youth riding experience, providing an exhilarating gateway to off-road adventures like never before. © CFMOTO









#### The Perfect First Ride

Welcome to the future of fun and safe riding with the CFMOTO CFX-2E – CFMOTO's second-generation electric minibike designed to ignite a lifelong passion for motorcycling. Perfect for kids to take their first steps in the world of two wheels – safe simple and above all, fun!



- Electric -Perfect for beginners
- Recommended age 6-10
- 3-level speed modes
- 15km/h beginner mode
- 60km/80min run time
- 50km/h top speed

Zephyr Blue

#### CFX-SE



#### **Power Meets Play**

Introducing the larger CFX-5E, CFMOTO's performance-focused electric minibike designed for confident young riders aged 10 and up. Engineered to tackle rugged terrain and deliver adrenaline-pumping fun, the CFX-5E is the ultimate step up for kids ready to graduate from beginner bikes to full-fledged off-road adventures.

#### EV CFMOTO

- Electric Built for bigger thrills
- Recommended age 10+
- 2kW rated / 4kW peak output
- 3-level speed modes & reverse gear
- 16km/h beginner mode
- 100km/160min run time
- 70km/h top speed

Zephyr Blue









#### Time to A-T-V

Built on the trusted CFORCE 110 platform, this YOUTH ATV offers exceptional value, making it an ideal choice for parents and riders seeking a fun, reliable, and affordable youth sports quad.

- 110cc, EFI engine
- Electric start
- Recommended Age: 10
- 6.4-litre
- 2WD
- Hydraulic disc brakes
- Adjustable speed limiter

Baja Blue



#### A Force unleashed!

CFMOTO is leading the way for the next generation of riders with an all-electric youth ATV that is set to change the game forever. This advanced, sportsorientated ATV has an easy-to-ride nature that promotes a safe way for youngsters to develop their riding skills further.



- Electric YOUTH ATV
- Recommended age 10
- 45km/h top speed
- 60km/180 min run time



Lemon Green

White & Lava Orange



#### **Total Care**

There's something magical about buying a brand new CFMOTO – whether it's the first purchase or your 10th.

Regardless of the circumstances, picking up a brand spanking new CFMOTO is a wonderful feeling.

Owning a CFMOTO is an amazing experience, and one of the best ways to ensure the good times continue is with a regular service and maintenance routine. Trust us: your CFMOTO will thank you for it!



#### Parts & Accessories

Genuine parts and accessories are tailor-made for your ATV, UTV or SSV, and it's no different with CFMOTO. What is removed is returned with a perfect match, and the accessories have been manufactured to account for every nuance of your model to enhance your CFMOTO even more.

And, of course, genuine CFMOTO parts and accessories come with the highest level of quality controls, so you know you're getting the best.

#### **Shop CFMOTO**

Parts and accessories are available from our on-line shop 24-7, but the best place to get wise counsel is from your local CFMOTO dealer.

Your authorised CFMOTO dealer can also help you with that vital, final piece of the ownership matrix – ensuring your vehicle is serviced in accordance with manufacturer guidelines.



SCAN to visit CFMOTO's online store.



CFORCE 400 CFORCE 520 CFORCE 625

















	400	400	<b>520</b>	520	520	<u>625</u>	625 EPSTOURING
Engine Type	Liquid-cooled, four-stroke single-cylinder with EFI						
Displacement	400cc	400cc	495cc	495cc	495cc	580cc	580cc
Max Power	31hp at 7,200rpm	31hp at 7,200rpm	38hp at 6,250rpm	38hp at 6,250rpm	38hp at 6,250rpm	45hp at 6,500rpm	45hp at 6,500rpm
Max Torque	33Nm at 6,000rpm	33Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	40Nm at 6,000rpm	51Nm at 6,000rpm	51Nm at 6,000rpm
Fuel System	Bosch EFI	Bosch EFI with two drive modes	Bosch EFI with two drive modes				
Transmission	CVT						
Drive	H-L-N-R-Park + Handbrake						
4WD	2WD/4WD with locking front differential						
Rear Differential	Fixed	Fixed	Fixed	Fixed	Fixed	Open with locking rear differential	Open with locking rear differential
Steering	-	Electronic Power Steering (EPS)	-	Electronic Power Steering (EPS)			
Suspension	Double A-arm						
Brakes	Hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs				
Wheels	12-inch steel	12-inch alloy	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy	12-inch alloy
Tyres	24-inch CST, 6-ply rating	24-inch CST, 6-ply rating	25-inch CST, 6-ply rating				
LxWxH	2046 x 1125 x 1150mm	2046 x 1125 x 1150mm	2186 x 1125 x 1162mm	2186 x 1125 x 1162mm	2186 x 1125 x 1162mm	2035 x 1180 x 1220mm	2235 x 1180 x 1220mm
Wheelbase	1260mm	1260mm	1260mm	1260mm	1260mm	1280mm	1480mm
round Clearance	254mm	254mm	262mm	262mm	262mm	270mm	270mm
Wet Weight	332kg	332kg	351kg	351kg	351kg	395kg	415kg
Towing Capacity	612kg						
Carry Capacity	30kg / 60kg (front/rear)						
Fuel Capacity	17 L	18 L	18 L				
Person	One	One	One	One	One	One	Two
Winch	-	Yes, 2500lb	-	Yes, 2500lb	Yes, 2500lb	Yes, 3000lb	Yes, 3000lb
Colour	Hunter Green	Lava Orange	Hunter Green	Force Red	Camouflage	Velocity Grey or Camouflage	Velocity Grey or Camouflage
Warranty	Two year						



CFORCE 1000 CFORCE 850

### atv















C	FORCE	F	
F			
Ц	U	U	U
EPS	MV		

	4			
Engine Type	Liquid-cooled, four-stroke V-twin with EFI			
Displacement	800cc	963cc	963cc	963cc
Max Power	75hp at 7,500rpm	90hp at 7,500rpm	85hp at 7,500rpm	90hp at 7,500rpm
Max Torque	70Nm at 5,500rpm	88Nm at 5,500rpm	85Nm at 5,500rpm	85Nm at 5,500rpm
Fuel System	Bosch EFI with three power modes			
Transmission	CFMOTO CVT	CFMOTO CVT	CFMOTO CVT	CFMOTO CVT
Drive	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
4WD	2WD/4WD with locking front differential			
Rear Differential	Open with locking rear differential	Open with locking rear differential	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	Adjustable three level Electronic Power Steering (EPS)			
Suspension	FRONT: Double A-arm REAR: Trailing arm			
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock	14-inch alloy, 16 bolt beadlock
Tyres	26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating	30-inch CST, mud tyres
LxWxH	2445 x 1264 x 1450mm	2445 x 1282 x 1465mm	2435 x 1282 x 1465mm	2491 x 1370 x 1390mm
Wheelbase	1480mm	1480mm	1480mm	1480mm
Ground Clearance	285mm	305mm	300mm	334mm
Wet Weight	465kg	472kg	518kg	522kg
Towing Capacity	820kg	820kg	800kg	820kg
Carry Capacity	45kg / 90kg (front/rear)			
Fuel Capacity	26 L	26 L	26 L	26 L
Person	Two	Two	Two	One
Winch	3500lb	3500lb	3500lb	Yes, 3500lb
Colour	True Timber Kanati (Camo)	True Timber Kanati (Camo)	Desert Tan	Granite Ridge/Red or Titanium Blue
Warranty	Two year	Two year	Two year	Two year



UFORCE 600 UFORCE 800 UFORCE 1000















Engine/Motor Type	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI
Displacement	580cc	580cc	580cc
Max Power	41hp at 6,250rpm	41hp at 6,250rpm	41hp at 6,250rpm
Max Torque	46Nm at 4,750rpm	46Nm at 4,750rpm	46Nm at 4,750rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CFMOTO CVT System Electronic hill descent control	CFMOTO CVT System Electronic hill descent control	CFMOTO CVT System Electronic hill descent control
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm	Double A-arm
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	12-inch steel	12-inch alloy	12-inch alloy
Tyres	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating
LxWxH	2820 x 1470 x 1950mm	2820 x 1470 x 1950mm	2820 x 1470 x 1950mm
Wheelbase	1950mm	1950mm	1950mm
Ground Clearance	270mm	270mm	270mm
Wet Weight	640kg	640kg	640kg
Towing Capacity	680kg	690kg	710kg
Tray Capacity	250kg	250kg	250kg
Cargo tray Size	1300 x 870 x 275mm	1300 x 870 x 275mm	1300 x 870 x 275mm
Fuel Capacity / Range	35 L	35 L	35 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved
Person	Two	Two	Two
Winch	-	Yes, 3500lb	Yes, 3500lb
Colour	Twilight Blue	Velocity Grey	True Timber Kanati (Camo)
Warranty	Two year	Two year	Two year

Permanent magnet synchronous motor
-
46.9hp (35kW)
74Nm
-
Electronic hill ascent and descent control
D-N-R-Park
2WD/AWD/4WD with locking front differential and Turf R-Lock
Open with locking rear differential
Electronic Power Steering (EPS)
Double A-arm
4-wheel hydraulic disc, kinetic energy recovery, adjustable
12-inch alloy
25-inch, ARISUN MILL-S 6-ply low rolling resistant tyre
2925 x 1490 x 1950mm
1950mm
270mm
680kg
800kg
250kg
1300 x 870 x 275mm
110km* range / 6.5hr~ charge 0-100% (in ideal conditions)
ROPS-approved
Two
Yes, 3500lb
Metallic Grey
Two Year Vehicle Warranty / Five Year Power Battery Warranty







Engine Type	Liquid-cooled, four-stroke V-twin with EFI
Displacement	800cc
Max Power	63hp at 7,000rpm
Max Torque	69.8Nm at 5,500rpm
Fuel System	Bosch EFI - two drive modes
Transmission	CFMOTO CVT System Electronic hill descent control
Drive	H-L-N-R-Park
4WD	2WD/4WD
Rear Differential	Fixed
Steering	Electronic Power Steering (EPS)
Suspension	Double A-arm
Brakes	Four-wheel hydraulic discs
Wheels	14-inch alloy
Tyres	27-inch CST, 8-ply rating
LxWxH	3640 x 1525 x 2007mm
Wheelbase	2770mm
Ground Clearance	300mm
Wet Weight	775kg
Towing Capacity	680kg
Carry Capacity	300 kg (rear tray)
Cargo tray Size	870 x 1300 x 275mm
Fuel Capacity	40 L
Roll Cage	ROPS-approved
Person	Four
Winch	Yes, 4500lb
Colour	Twilight Blue
Warranty	Two year







Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
963cc	963cc
71hp at 7,000rpm	71hp at 7,000rpm
74Nm at 6,500rpm	74Nm at 6,500rpm
Bosch EFI - two drive modes	Bosch EFI - two drive modes
CVT Electronic hill descent control	CVT Electronic hill descent control
H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
2WD/4WD with locking front differential	2WD/4WD with locking front differential
Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Double A-arm	Double A-arm
Four-wheel hydraulic discs	Four-wheel hydraulic discs
14-inch alloy	14-inch alloy
27-inch CST, 8-ply rating	27-inch CST, 8-ply rating
2945 x 1615 x 1850mm	3045 x 1615 x 1850mm
2050mm	2050mm
280mm	280mm
690kg	730kg
800kg	800kg
350 kg (rear tray)	350 kg (rear tray)
1420 × 865 × 290mm	1420 × 865 × 290mm
40 L	40 L
ROPS-approved	ROPS-approved
Three	Three
-	Yes, 3500lb
Twilight Blue	Camouflage
Two year	Two year



<sup>\*110</sup>km on a single charge: achieves a range of 110km at a constant speed of 30-40km/h after a full charge, under temperatures of 20-25°C. ~Quoted 6.5hr charge time from 0-100% under temperatures of 20-25°C.

U10 PRO

# utv






#### U10 PRO

#### 

Engine Type	3-Cylinder with Variable Valve Timing (VVT)	3-Cylinder with Variable Valve Timing (VVT)
Displacement	998cc	998cc
Max Power	90hp at 7,000rpm	90hp at 7,000rpm
Max Torque	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CFMOTO CVT System Electonic hill descent control	CFMOTO CVT System Electonic hill descent control
Drive	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Open with locking rear differential	Open with locking rear differential
Steering	Progressive Power Steering	Progressive Power Steering
Suspension	Double A-arm with swaybar	Double A-arm with swaybar
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy
Tyres	29-inch, 8-ply rating	29-inch, 8-ply rating
LxWxH	2950 x 1625 x 1945mm	2950 x 1625 x 1945 mm
Wheelbase	2060mm	2060mm
Ground Clearance	330mm	330mm
Wet Weight	835kg	938kg
Towing Capacity	1134kg	1134kg
Tray Capacity	454kg	454kg
Cargo tray Size	865 × 1340 × 290mm	865 × 1340 × 290mm
Fuel Capacity	45 L	45 L
Roll Cage	ROPS-approved	ROPS-approved
Person	three	three
Winch	Yes, 4500lb	Yes, 4500lb
Colour	Forest Green	Bordeaux Red
Warranty	Two year	Two year



#### U10 PRO XL


## utv





#### 

Engine Type	3-Cylinder with Variable Valve Timing (VVT)	3-Cylinder with Variable Valve Timing (VVT)	
Displacement	998cc	998cc	
Max Power	90hp at 7,000rpm	90hp at 7,000rpm	
Max Torque	94.5Nm at 6,500rpm	94.5Nm at 6,500rpm	
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	
Transmission	CFMOTO CVT System Electronic hill descent control	CFMOTO CVT System Electronic hill descent control	
Drive	E-SHIFT, push button auto Electric park brake with AUTOHOLD	E-SHIFT, push button auto Electric park brake with AUTOHOLD	
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	
Rear Differential	Open with locking rear differential	Open with locking rear differential	
Steering	Progressive Power Steering	Progressive Power Steering	
Suspension	Double A-arm with swaybar	Double A-arm with swaybar	
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	
Wheels	14-inch alloy	14-inch alloy	
Tyres	29-inch, 8-ply rating	29-inch, 8-ply rating	
LxWxH	3750 x 1625 x 1945mm	3750 x 1625 x 1945mm	
Wheelbase	2860mm	2860mm	
Ground Clearance	330mm	330mm	
Wet Weight	968kg	1125 kg	
Towing Capacity	1134kg	1134kg	
Tray Capacity	454kg	454kg	
Cargo tray Size	865 × 1340 × 290mm	865 × 1340 × 290mm	
Fuel Capacity	45 L	45 L	
Roll Cage	ROPS-approved	ROPS-approved	
Person	six	SiX	
Winch	Yes, 4500lb	Yes, 4500lb	
Colour	Forest Green	Bordeaux Red	
Warranty	Two year	Two year	



**ZFORCE** 

SSV











Engine Type	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	963cc	963cc	963cc
Max Power	85hp at 7,500rpm	85hp at 7,500rpm	90hp at 7,500rpm
Max Torque	87Nm at 5,500rpm	87Nm at 5,500rpm	87Nm at 6,750rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CVT	CVT	CVT
Drive	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
4WD	2WD/AWD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Fixed	Limited Slip Differential (LSD)
Steering	Dual mode Electronic Power Steering (EPS)	Dual mode Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar	FRONT: Double A-arm w/ sway bar REAR: Toe-link control 334mm of travel	FRONT: Double A-arm w/ sway bar REAR: Multi-link w/ sway bar
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock
Tyres	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating	29-inch CST Stag, 8-ply rating
LxWxH	3065 x 1524 x 1870mm	3827 x 1524 x 1880mm	3020 x 1565 x 1850mm
Wheelbase	2286mm	3048mm	2285mm
Ground Clearance	305mm	307mm	340mm
Wet Weight	675kg	795kg	705kg
Towing Capacity	680kg	680kg	400kg
Tray Capacity	150kg	150kg	100kg
Fuel Capacity	37 L	37 L	36.5 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved
Person	Two	Four	Two
Winch	Yes, 3500lb	Yes, 4500lb	Yes, 3500lb
Colour	Magma Red or Tundra Grey	Desert Tan	Royal Blue
Warranty	12 month	12 month	12 month





### youth











F	Ĭ	1	SE
		$\overline{}$	

<b>110</b>
------------

CFORCE

Engine Type 48V, 1kW electric motor (max output 1.6kW) 44V, 2kW electric motor (max output 4kW)  Displacement Equivalent power to a petrol 50cc Equivalent power to a petrol 110cc  Fuel System/Battery 48V24Ah, lithium battery 48V52Ah, lithium battery EFI 44V, 53Ah, 2400Wh. L. With BMS.  Transmission Chain drive Chain drive Chain drive 2WD, chain drive 2WD, chain drive 2WD, chain drive  Drive 3 power modes + beginner mode 3 power modes, beginner mode + reverse F-N-R F-N-R  Start - Electric -  Suspension FRONT: 31mm telescopic fork, 72mm of travel REAR: singe shock, 65mm of travel REAR: singe shock, 100mm of travel REAR: singe shock absorber REAR: Mono mid-placed shock ab	petrol 110cc
Fuel System/Battery  48V24Ah, lithium battery  48V52Ah, lithium battery  EFI  44V, 53Ah, 2400Wh. L With BMS.  Transmission  Chain drive  Chain drive  Chain drive  Chain drive  2WD, chain drive  2WD, chain drive  2WD, chain drive  EWD, chain drive  2WD, chain drive  2WD, chain drive  EWD, chain drive  2WD, chain drive  EWD, chain drive  F-N-R  F-N-R  F-N-R  Start  -  Electric  -  FRONT: 31mm telescopic fork, 72mm of travel  REAR: singe shock, 105mm of travel  REAR: singe shock, 105mm of travel  REAR: Mono mid-placed shock absorber  REAR: Mono mid-placed shock	•
Transmission Chain drive Chain drive 2WD, chain drive 3 power modes + beginner mode + reverse F-N-R F-N-R 5tart Electric - Electric - Electric - Electric - Electric FRONT: 31mm telescopic fork, 72mm of travel REAR: singe shock, 65mm of travel REAR: singe shock, 100mm of travel REAR: Mono mid-placed shock absorber REAR: Mono mid-place	ithium-Ion.
Drive3 power modes + beginner mode3 power modes, beginner mode + reverseF-N-RStart-Electric-SuspensionFRONT: 31mm telescopic fork, 72mm of travel REAR: singe shock, 65mm of travelFRONT: 31mm telescopic fork, 105mm of travelFRONT: Double A-arm, independent REAR: Mono mid-placed shock absorberFRONT: Double A-arm, independent REAR: Mono mid-placed shock absorberFRONT: Double A-arm, REAR: Mono mid-placed shock absorberBrakesHydraulic disc brakesHydraulic disc brakesHydraulic disc brakesHydraulic disc brakesWheelsSpoked rim / 10 inchSpoked rim / 14/12 inchSteelSteelTyres2.5/10Front: 70/100-14 Rear: 80/100-12Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8LxWxH1330 x 610 x 789mm1555 x 665 x 958mm1483 x 943 x 925mm1500 x 935 x 950mm	
Start - Electric - Ele	
Suspension  FRONT: 31mm telescopic fork, 72mm of travel REAR: singe shock, 65mm of travel REAR: singe shock, 100mm of travel  Brakes  Hydraulic disc brakes  Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8  Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8  LxWxH  1330 x 610 x 789mm  1555 x 665 x 958mm  1483 x 943 x 925mm  1500 x 935 x 950mm	
REAR: singe shock, 65mm of travel REAR: singe shock, 100mm of travel REAR: Mono mid-placed shock absorber REAR: Mono mid-p	
Wheels         Spoked rim / 10 inch         Spoked rim / 14/12 inch         Steel         Steel           Tyres         2.5/10         Front: 70/100-14 Rear: 80/100-12         Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8         Front: AT 19 x 6-1	
Tyres         2.5/10         Front: 70/100-14 Rear: 80/100-12         Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8         Front: AT 19	
LxWxH         1330 x 610 x 789mm         1555 x 665 x 958mm         1483 x 943 x 925mm         1500 x 935 x 950mm	
	ear: AT 18 x 8.5-8
4000	
Wheelbase         952mm         1066mm         1020mm         1020mm	
Ground Clearance         152mm         210mm         110mm         120mm	
Weight         49kg         66kg         130kg (wet)         130kg	
Fuel Capacity/Range 80min run time / 60km 160min run time / 100km 6.4 L 3+ hours run time / 60	)km
PersonOneOneOneOne	
Recommended Age 6-10 years of age 10 Years of age 10 Years of age 10 Years of age	
Seat Height         550mm         678mm         685mm         685mm	
CFMOTO Youth App Geo-fence, vehicle state	tus
Colour     Zephyr Blue     Zephyr Blue     Baja Blue     Polar White / Lemon G       Polar White / Lava Ora	
Warranty 12 month 12 month Two year Two year	