

TECHNICAL SPECIFICATIONS

2026 KTM 990 RC R TRACK

ENGINE

Design	2 CYLINDER, 4 STROKE, DOHC PARALLEL TWIN (EURO 5+)
Displacement	947 CM ³
Power	135 PS
Torque	105 NM
Transmission	6-SPEED
Cooling	LIQUID COOLED WITH WATER/OIL HEAT EXCHANGER
Engine cylinder	TWIN CYLINDER
EMS	BOSCH EMS WITH RBW
Engine oil	MOTOREX POWER SYNTH SAE 10W-50
Engine stroke	4-STROKE
Silencer	STAINLESS STEEL PRIMARY AND SECONDARY SILENCER

CHASSIS

Front brake disc diameter **320 MM**

Rear brake disc diameter **240 MM**

Front brake **2X RADIALLY MOUNTED 4 PISTON CALIPER, BRAKE DISC**

Rear brake **1 PISTON CALIPER, BRAKE DISC**

Chain **520 X-RING**

Frame design **CHROMIUM-MOLYBDENUM-STEEL FRAME USING THE ENGINE AS STRESSED ELEMENT, POWDER COATED**

Steering head angle **65.8 °**

Rear subframe design **ALUMINIUM, POWDER-COATED**

Trail **98.5 MM**

Wheelbase **1.481 MM**

SUSPENSION

Front suspension

WP APEX 48 OPEN CARTRIDGE

Rear suspension

WP APEX

Suspension travel (front)

130 MM

Suspension travel (rear)

130 MM

Front suspension addition **COMPRESSION AND REBOUND (30 CLICK), PRELOAD (± 3 CLICKS)**

Rear suspension addition **COMPRESSION HIGH SPEED (3 TURNS) LOW SPEED (30 CLICKS), REBOUND (30 CLICKS), PRELOAD (10 TURNS)**

DIMENSIONS

Seat height	857 MM
-------------	---------------

Tank capacity (approx.)	15.7 L
-------------------------	---------------

Ground clearance	163 MM
------------------	---------------

Weight (without fuel)	170 KG
-----------------------	---------------

Weight fully fueled	181 KG
---------------------	---------------

Front wheel diameter	17 "
----------------------	-------------

Rear wheel diameter	17 "
---------------------	-------------

Front wheel width	3.5 "
-------------------	--------------

Rear wheel width	5.5 "
------------------	--------------

Wheels	3.5 X 17"; 5.5 X 17"
--------	-----------------------------

Wheels	CAST ALUMINIUM WHEELS
--------	------------------------------