

PIONEER

THE ALL NEW
PIONEER™ 500

HONDA
The Power of Dreams



hondamotorcycles.com.au



PIONEER™ 500

Honda adds a compact, affordable and hard working side-by-side to its product line-up with the Pioneer™ 500.

The Pioneer 500 has taken the best features of its full-sized SXS models and put them in a smaller package. The Pioneer™ 500 is smaller, narrower and developed for access to all those farm tracks and trails off-limits to larger machines.



FEATURES

- Efficient five-speed transmission, the Pioneer™ 500's engine features electronic fuel injection for effortless cold-weather and high-altitude operation. It's specially tuned for low-rpm torque.
- The Pioneer™ is built around our strong, single-cylinder, 475cc longitudinal engine.
- The front differential's open design makes steering easier and more precise, even in four-wheel drive.
- With the IRS rear end and a locked-axle design, the Pioneer™ 500 gives you great traction and a smooth ride.
- Upshift and downshift without ever having to take your hands off the wheel.
- The Pioneer™ 500 has a heavy-duty 450kg towing capacity.
- Rear carrier able to take up to 204kg.
- With 150mm of travel at the front wheels and 243mm of ground clearance, the new Pioneer™ 500 can negotiate tough trails with ease.

*Overseas model shown.

PIONEER

SIDE-BY-SIDE

HONDA
The Power of Dreams



SPECIFICATIONS

	PIONEER™ 500
Engine Type:	475cc liquid-cooled OHV longitudinally mounted single-cylinder four-stroke
Bore and Stroke:	92.0mm x 71.5mm
Carburation:	Programmed Fuel Injection (PGM-FI), 36mm throttle body
Ignition:	Full transistor with electronic advance
Compression Ratio:	9.5:1
Clutch:	Automatic
Transmission:	Electric-shift five-speed with reverse (First gear is L = LOW)
Drive:	Direct front and rear driveshafts
Front Suspension:	Independent double-wishbone; 150mm travel
Rear Suspension:	Independent double-wishbone with preload adjustability; 150mm travel
Front Brakes:	Dual hydraulic 190mm discs
Rear Brake:	200mm hydraulic disc
Front Tyres:	24 x 8-12 inch
Rear Tyres:	24 x 10-12 inch
Dimensions:	2,603mm x 1,270mm x 1,838mm (LxWxH)
Wheelbase:	1,856mm
Seat Height:	728mm
Ground Clearance:	243mm
Towing Capacity:	453.5kg
Max. Weight Capacity:	204kg
Fuel Capacity:	15.5 litres (including 4.1 litres reserve)
Kerb Weight:	458kg

Please Note: Honda Pioneer is recommended for drivers 16 years of age and older, and tall enough to wear the seat belt properly and reach all the controls. The passenger should also be tall enough for the seat belt to fit properly and brace themselves, if needed, by placing both feet firmly on the floor while grasping the hand hold.



In the interests of product development, Honda reserves the right to alter specifications and features without notice. Availability of stock depicted in this brochure and colours may vary from time to time. For complete details see your local Honda Motorcycle Dealer. Colours and specifications are correct as at time of printing 23/05/2014. HondaRent is powered by BOQ Credit Pty Ltd ABN 92 080 151 266 (trading as Honda MPE Financial Services) in conjunction with Honda Australia Motorcycles and Power Equipment Pty Ltd ABN 96 006 662 862 (trading as Honda MPE). HondaRent is available to approved personal customers. Credit fees and charges may apply. Terms and conditions apply.

FOLLOW US ON

