



T359

DEFINING TOMORROW

AUSTRALIAN MADE. WORLD'S BEST.

DEFINING APPLICATION AND PRODUCTIVITY



PURPOSE BUILT TO INDUSTRY SPECIFICATIONS

With its tight turning circle, short bumper to back of cab measurement, carrying capacity and range of axle configurations, Kenworth's T359 defines the perfect solution for many applications.

For metropolitan applications, including Agitators, the availability of Electronic Stability Program (ESP) in the full suite of Kenworth's optional Electronic Brake Safety Systems (EBSS) is of particular relevance in minimising the possibility of a roll over in adverse conditions.

Available in 4x2, 6x4, 8x4, and 10x4 configurations and a broad range of transmissions, the T359 delivers Kenworth's renowned reliability, durability and productivity.

Welcome to our Business Class interior, designed to deliver maximum driver confidence, with comfort and control in perfect harmony.



COMFORT AND CONTROL


Classic styling has been teamed with the highest standards of quality and safety in our cab design.

The large one-piece curved windscreen offers a commanding view of the road ahead with excellent all round visibility.


An unobstructed view of gauges and easy access to vital switches and controls are provided by the cleverly designed wrap around dash, enhancing driver comfort and minimising fatigue.

Convenient storage, contemporary trim, privacy curtain, a range of seat options and "Smart Wheel" fingertip access for engine brake and cruise functions, all deliver further driver confidence, comfort and control.

T359A DAY CAB 6x4



T359A DAY CAB 8x4



MAIN SPECIFICATIONS AND OPTIONS - AGITATOR CONFIGURATION

CONFIGURATION

- 6X4 **standard**
- 8X4 **optional**
- 10X4 **optional**

ENGINE

- ISLe5 280HP / 778LBFT TORQUE
- SCR **standard**
- ISLe5 320HP / 996LBFT TORQUE
- SCR **optional**
- ISLe5 340HP / 1106LBFT TORQUE
- SCR **optional**
- ISLe5 360HP / 1180LBFT TORQUE
- SCR **optional**
- ISLe5 380HP / 1254LBFT TORQUE
- SCR **optional**

EXHAUST

- EGP POST MOUNTED LEFT HAND SIDE
BEHIND CAB **standard**

AIR CLEANER

- DONALDSON PLASTIC AIR CLEANER
MOUNTED UNDER HOOD **standard**

TRANSMISSION

- ALLISON MD3500P **standard**
- ALLISON 3200P/4440P **optional**
- EATON RTO14909ALL **optional**
- EATON ULTRASHIFT PLUS **optional**
 - FO-14E309ALL-VMS
 - FO-14E318B-MXP

FRONT AXLE

- DANA E-1462I **standard**
- DANA E-1332I TWIN STEER
(8X4 & 10X4 ONLY) **optional**
- MERITOR MFS66-122 **optional**

REAR AXLE

- DANA DSH40P **standard**
- DANA TANDEM WITH LAZY AXLE **optional**

REAR SUSPENSION

- KENWORTH AIRGLIDE 400 **standard**
- KENWORTH AIRGLIDE 600
(10X4 ONLY) **optional**
- HENDRICKSON HN402 **optional**

BRAKES

- DRUM **standard**

WHEELS

- ALCOA 10 STUD **standard**
- STEEL **optional**

FUEL TANKS

- 150L 625MM DIA RIGHT HAND FORWARD
standard
- 260L 625MM DIA RIGHT HAND FORWARD
optional
- 70L ADBLUE UREA TANK LEFT HAND REAR
standard
- 70L ADBLUE UREA TANK RIGHT HAND REAR
optional
- 180L 625MM DIA RIGHT HAND REAR
(TWIN STEER) **optional**
- 260L 625MM DIA RIGHT HAND REAR
(TWIN STEER) **optional**
- 180L 625MM DIA LEFT HAND REAR
(TWIN STEER) **optional**
- 260L 625MM DIA LEFT HAND REAR
(TWIN STEER) **optional**

PAINT

- SINGLE COLOUR TO CAB **standard**

GCM

- 23.5 TONNE LIMIT-6X4
- 28.5 TONNE LIMIT-8X4
- 33 TONNE LIMIT-10X4

APPLICATION AND PRODUCTIVITY

The T359 is purpose built to take on specific metro and intrastate applications with the productivity and attention to detail that you expect from Kenworth. The T359 model is versatile enough to accommodate a prime mover, rigid truck, agitator, and car carrier specifications, each one an ideal solution for the task at hand.


For example the concrete distribution industry demands a unique breed of vehicle. One that's able to handle maximum payloads in tough conditions, while working in heavy traffic, built up areas and on congested construction sites.

The T359A is purpose built to these industry specifications and


is available in 6x4, 8x4 and 10x4 for bowl sizes up to 9m³.

With its short BBC, manoeuvrability, low tare weight, visibility and minimal overall length, it is perfect for high volume urban concrete applications where it can deliver maximum loads and maximum productivity.


T359A DAY CAB 10x4



T359 DAY CAB



T359 DAY CAB 8x4



MAIN SPECIFICATIONS AND OPTIONS - STANDARD CONFIGURATION

CONFIGURATION

- 6X4 **standard**
- 4X2 **optional**
- 8X4 **optional**

ISLe5 ENGINE

- ISLe5 280HP / 778LBFT TORQUE
- SCR **standard**
- ISLe5 320HP / 996LBFT TORQUE
- SCR **optional**
- ISLe5 340HP / 1106LBFT TORQUE
- SCR **optional**
- ISLe5 360HP / 1180LBFT TORQUE
- SCR **optional**
- ISLe5 380HP / 1254LBFT TORQUE
- SCR **optional**

ISMe5 ENGINE

- ISMe5 434HP / 1534LBFT TORQUE
- SCR **optional**

EXHAUST

- EGP MOUNTED UNDER CHASSIS **standard**
- EGP POST MOUNTED LEFT HAND SIDE BEHIND CAB **optional**
- EGP MOUNTED RIGHT HAND SIDE OUTSIDE OF CHASSIS FOR ISMe5 **optional**

AIR CLEANER

- DONALDSON PLASTIC AIR CLEANER MOUNTED UNDER HOOD **standard**
- DONALDSON 2504 AIR CLEANER ENGINE MOUNTED (FOR ISMe5) **optional**

TRANSMISSION

- EATON FR9210B **standard**
- ISLe5
- EATON RTL016913A **optional**
- EATON RT016918B **optional**
- EATON ULTRASHIFT PLUS **optional**
 - FO-16E310C-LAS
 - FO-14E318B-MXP
 - FO-16E318B-MXP
- ALLISON 3200P/3500PR/4440P **optional**
- ISMe5
- EATON 16 SERIES TRANSMISSIONS **optional**

FRONT AXLE

- DANA E-1462I **standard**
- DANA TWIN STEER/DUAL E-1322I **optional**
- MERITOR MFS66-122 **optional**
- MERITOR MFS66-124 **optional**
- MERITOR TWIN STEER/DUAL MFS66-122 **optional**

REAR AXLE

- DANA DSH40P **standard**
- DANA S23-170 single **optional**
- DANA D46-170 **optional**
- MERITOR RT40-145 **optional**
- MERITOR RT46-160 **optional**

REAR SUSPENSION

- KENWORTH AIRGLIDE 400 **standard**
- KENWORTH AIRGLIDE 460 **optional**
- HENDRICKSON HN402 **optional**
- HENDRICKSON HAS461 **optional**

BRAKES

- DRUM **standard**
- DISC **optional**

WHEELS

- STEEL DISC 10 STUD **standard**
- ALCOA 10 STUD **optional**

SLEEPER

- 28" IT **optional**
- 36" MID ROOF RECESSED BACK **optional**
- 36" FLAT ROOF RECESSED BACK **optional**

FUEL TANKS

- 260L 625MM DIA RIGHT HAND FORWARD **standard**
- 70L ADBLUE UREA TANK RIGHT HAND REAR **standard**
- RANGE OF ISLe5 TANK PACKAGES TO SUIT **optional**
- RANGE OF ISMe5 TANK PACKAGES TO SUIT **optional**
- 100L 625MM UREA TANK **optional**

PAINT

- SINGLE COLOUR TO CAB **standard**

KITS


- FUEL HAUL & GAS HAUL **optional**

GCM


- 40 TONNE LIMIT - **ISLe5***
- 50 TONNE LIMIT - **ISMe5***

*higher rating subject to application approval


T359 28" IT SLEEPER



T359 36" RECESSED BACK MID ROOF SLEEPER



T359 36" RECESSED BACK FLAT ROOF SLEEPER



DEFINING THE BEST DEALER NETWORK



Kenworth has built an extensive truck dealer network across Australia, New Zealand and Papua New Guinea that is renowned for its professionalism and excellence in the heavy duty truck industry.

Our dedicated 1800 Roadside Assistance Service covers Australia 24-7. Simply call 1800 4 PACCAR (1800 472 222) to be connected to your nearest PACCAR Dealer.

For more information contact your local Kenworth Dealer or go to **www.kenworth.com.au**

PACCAR Australia Pty Ltd, 64 Canterbury Road, Bayswater, Victoria 3153

Telephone (03) 9721 1500

Facsimile (03) 9720 4144

Find us at:  



IMPORTANT: The vehicles shown in this brochure are for illustrative purposes only and may include some non-standard optional equipment. All weights and measurements should be regarded as approximate only. For full details contact your Kenworth Dealer. In the interests of product improvement, Kenworth reserves the right to change these specifications without prior notice.

