



T409SAR

DEFINING TOMORROW



DEFINING FORM AND FUNCTION



A hard working thoroughbred.

TAKING IT TO THE MAX

The T409SAR is specifically designed to provide maximum payload under Australian regulations for 19m B-Double and most 19m Quad Dog applications. It also fits the 26m envelope B-Double with a 36" sleeper.

* 600hp only available with ISXe5

And reflecting its function as a tough workhorse, the T409SAR features power up to 600 horsepower* behind the classic Kenworth flat grille.

Welcome to our Business Class interior, designed to deliver maximum driver confidence, with comfort and control in perfect harmony.



COMFORT AND CONTROL

Classic styling has been teamed with the highest standards of quality and safety in our cab design.

The large one-piece curved windscreen offers a commanding view of the road ahead with excellent all round visibility.

An unobstructed view of gauges and easy access to vital switches and controls are provided by the cleverly designed wrap around dash, enhancing driver comfort and minimising fatigue.

Convenient storage, contemporary trim, privacy curtain, a range of seat options and "Smart Wheel" fingertip access for engine brake and cruise functions, all deliver further driver confidence, comfort and control.

MAIN SPECIFICATIONS & OPTIONS

MAIN SPECIFICATIONS AND OPTIONS

CONFIGURATION

• 6X4 standard

KITS

• FUEL HAUL & GAS HAUL optional

PACCAR MX-13 ENGINE

- PACCAR MX-13 460HP / 1700LBFT standard
- PACCAR MX-13 510HP / 1850LBFT optional EXHAUST
- EGP MOUTED OUTSIDE RAIL RIGHT HAND
 SIDE standard
- 75L UREA TANK standard

ISXe5 SCR ENGINE

- ISXe5 SCR 485HP / 1650LBFT TORQUE optional
- ISXe5 SCR 485HP 600HP / 1850LBFT TORQUE
 optional
 EXHAUST
- EGP MOUNTED IN-CHASSIS optional
- EGP MOUNTED RIGHT HAND SIDE UNDER CAB optional
- 100L 625MM DIA UREA TANK optional
- 160L RECTANGULAR UREA TANK optional
- 170L 625MM DIA UREA TANK optional
- 300L 625MM DIA UREA TANK optional
- 225L RECTANGULAR UREA TANK optional

AIR CLEANER

- DONALDSON 2504 AIR CLEANER MOUNTED UNDER HOOD **standard**
- DUAL DONALDSON ERA COWL MOUNTED optional
- STAINLESS STEEL COWL MOUNTED optional

TRANSMISSION

- EATON RTL018918B standard
- EATON RTL016913A optional
- EATON RTL016918B optional
- EATON RTLO20918B optional
- EATON ULTRASHIFT PLUS optional
 - FO-18318A-MXP **MX ONLY**
 - FO-20318A-MXP MX ONLY
 - F0-16318B-MXP ISXe5 ONLY
 - F0-18318B-MXP **ISXe5 ONLY**
 - F0-20318B-MXP ISXe5 ONLY

FRONT AXLE

- DANA E-1462I standard
- MERITOR MFS66-122 optional
- MERITOR MFS73 optional
- MERITOR MFS66-124 optional

REAR AXLE

- DANA DSH40P standard
- DANA D46-170 optional
- DANA D50-170 optional
- MERITOR RT40-145 optional
- MERITOR RT46-160 optional
 MERITOR RT50-160 optional

REAR SUSPENSION

- KENWORTH AIRGLIDE 400 standard
- KENWORTH AIRGLIDE 460 optional
- KENWORTH KW6-60A optional
- NEWAY AD246/10 optional
- HENDRICKSON HAS461 optional

BRAKES

- DRUM standard
- DISC optional

WHEELS

- STEEL DISC 10 STUD standard
- ALCOA 10 STUD optional
- 6 SPOKE optional

SLEEPER

- 28" IT optional
- 36" AERO RECESSED BACK optional
- 36" AERO FLAT BACK optional
- 36" MID ROOF RECESSED BACK optional
- 36" FLAT ROOF RECESSED BACK optional
- 50" AERO FLAT BACK optional

FUEL TANKS

• RANGE OF PACKAGES AVAILABLE

PAINT

- SINGLE COLOUR TO CAB standard
- UP TO 3 COLOURS 6 BREAKS optional

GCM

- UP TO 97 TONNE*
 - *97t subject to conditions. Higher ratings subject to application approval.

APPLICATION ENGINEERED


Kenworths work harder for longer, because they are purpose designed for their intended task, then manufactured to those exacting specifications with uncompromising quality, at our world-class production facility in Bayswater, Victoria.

We look carefully at your specific application and performance requirements and engineer the best possible combination of chassis, engine, transmission and drivelines from our extensive range of options.


Through Application Engineering at the design/specification phase, the features and benefits that best meet your needs can be included at the factory level as an integrated solution, delivering enhanced productivity, durability, reliability and safety.

UP CLOSE & TECHNICAL


T409SAR DAY CAB




T409SAR 36" FLAT BACK SLEEPER




T409SAR 50" AERO FLAT BACK SLEEPER




T409SAR 28" IT SLEEPER




T409SAR 36" MID ROOF RECESSED BACK SLEEPER



T409SAR 36" RECESSED BACK SLEEPER



T409SAR 36" FLAT RECESSED BACK SLEEPER



POWERED BY PACCAR

Available in the T409SAR, with optional horsepower and torque ratings up to 510hp and 1850 LBFT, the PACCAR MX-13 engine combines maximum power with a flat torque curve for outstanding fuel efficiency, allowing operators to optimise vehicle performance in many applications. State of the art techniques, first class materials

and extensive functional integration result in exceptional reliability and durability. Fully integrated systems provide longer service intervals, increased uptime and lower operating costs. And because the PACCAR MX-13 engine is powered by PACCAR you can rely on the Kenworth dealer network for all your parts and service support.

THE POWER OF CHOICE

Whichever road you take regarding engine emission technology rest assured you'll make the right choice with Kenworth. Kenworth offers the best of both worlds with the choice of the SCR after-treatment in the Cummins ISXe5 (up to 600hp) or PACCAR MX-13.

DEFINING THE BEST DEALER NETWORK



Kenworth has built an extensive truck dealer network across Australia, New Zealand and Papua New Guinea that is renowned for its professionalism and excellence in the heavy duty truck industry.

Our dedicated 1800 Roadside Assistance Service covers Australia 24-7. Simply call 1800 4 PACCAR (1800 472 222) to be connected to your nearest PACCAR Dealer.



For more information contact your local Kenworth Dealer or go to www.kenworth.com.au

PACCAR Australia Pty Ltd, 64 Canterbury Road, Bayswater, Victoria 3153

Telephone (03) 9721 1500 Facsimile (03) 9720 4144



IMPORTANT: The vehicles shown in this brochure are for illustrative purposes only and may include some non-standard optional equipment. All weights and measurements should be regarded as approximate only. For full details contact your Kenworth Dealer. In the interests of product improvement, Kenworth reserves the right to change these specifications without prior notice.

