

# SV650X

Learner Approved

SV650X ABS

**SV650X ABS**

GLASS SPARKLE BLACK/METALLIC GREY



## SV650X LEARNER APPROVED

If you're looking to get out on the road on a sporty bike with café racer styling, look no further than Suzuki's SV650X. With its smooth-revving V-Twin engine tucked into a slim and lightweight trellis frame, the SV650X combines power and agility with classic café racer looks.

Wherever you pull up and park, the retro appeal of the SV650X is eye-catching with its stylish slotted headlight cowlings, tuck N' roll seat and blacked-out rider and pillion footrests.

The Learner Approved version's engine output is restricted to 35kW power @ 8,500rpm with 56.5Nm torque @ 4,000rpm to meet the Learner Approved Motorcycle Scheme (LAMS) approved,

**\$10,690** RIDE AWAY




# KEY FEATURES



The Suzuki V-twin engine is a marvel of engineering and superb versatility. While at lower RPMs, this engine delivers powerful torque that's easy to handle and a deep throaty sound. Open the throttle to the mid-range, and the power of the engine responds linearly and smoothly, yet always under your control. Finally at higher RPMs, the V- twin cruises with performance ready to go, even at higher gears. The learner approved version produces 35kW @ 8,500rpm with 56.5Nm or torque @ 4,000rpm to meet the Learner Approved Motorcycle Scheme (LAMS) requirements.



In order to further improve overall fuel efficiency and emissions control, the V-Twin engine adopts two innovations: resin coating on the piston skirt for minimised friction between the cylinder and piston, and a special L-shaped piston ring for enhanced sealing performance and blow-by gas reduction.



Suzuki's Dual Spark Technology, unique in this class, utilises two spark plugs per cylinder for precise ignition. Combined with the newly adopted high-ignition nickel spark plugs, it contributes to increased combustion efficiency, smoother power delivery, lower fuel consumption and lower emissions.



Front forks are equipped with a new Preload Adjuster, allowing you to set suspension firmness for exactly the way you want to ride.

# KEY FEATURES



# SPECIFICATIONS

ENGINE	90° V-TWIN, 4-STROKE, DOHC, LIQUID-COOLED
STARTER	ELECTRIC
TRANSMISSION	6-SPEED CONSTANT MESH
FRONT SUSPENSION	41MM TELESCOPIC FORKS WITH 135MM WHEEL TRAVEL
REAR SUSPENSION	LINK TYPE, REAR SHOCK WITH 7-WAY ADJUSTABLE SPRING PRELOAD
FRONT BRAKES	TOKICO TWIN-PISTON CALIPER, DUAL 290MM DISCS WITH ABS
REAR BRAKES	SINGLE-PISTON CALIPER, 240MM DISC WITH ABS
FUEL CAPACITY	14.5 LITRES
COLOURS	GLASS SPARKLE BLACK/METALLIC GREY
WARRANTY	2 YEAR UNLIMITED KILOMETRE
SEAT HEIGHT	790 MM
LENGTH	2140 MM
WIDTH	730 MM
HEIGHT	1090 MM
WET WEIGHT	198 KG
WHEELBASE	1445 MM
MODEL CODE	SV650XAUL8

790 MM / 2140 MM / 730 MM / 1090 MM / 198 KG / 1445 MM  
SEAT HEIGHT LENGTH WIDTH HEIGHT WET WEIGHT WHEELBASE