





CX-3 NEO SPORT FEATURES

- » 16-inch steel wheels with 215/60 tyres
- » Headlamps (Halogen)
- » Power mirrors (body coloured with folding function)
- » Front seats with: height adjustment and seat back pocket (passenger)
- » Rear seats with: 60/40 split fold backrest
- Seat trim: Black cloth

- Electric Parking Brake with Auto Hold
- 8-inch full-colour touch screen display (MZD Connect)
- » Apple Carplay[®] and Android[™] Auto[§]
- Audio system with: AM/FM tuner, Digital radio (DAB+) and 6 speakers
- » Bluetooth® hands-free phone and audio capability§

- Internet radio integration (Stitcher™ and Aha™)
- Multi-function commander control
- Advanced keyless push-button engine start
- Parking sensors (rear)[†]
- » Reverse camera[†]
- Smart City Brake Support [Forward/Reverse] (SCBS F/R)[†]

POWERTRAIN

- 2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol engine with i-stop
- » Drivetrain: FWD
- Fuel consumption (combined):
 6.6L/100km* (FWD, man) or
 6.3L/100km* (FWD, auto)

- » Max power: 110kW @ 6,000rpm
- Max torque: 195Nm @ 2,800rpm
- Transmission: 6-speed manual (Skyactiv-MT) or 6-speed auto (Skyactiv-Drive)

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and comply with all applicable laws at all times.

[§] Please check the compatibility of your device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase, as not all devices operate correctly. Visit mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.





CX-3 MAXX SPORT FEATURES – ADDITIONAL TO NEO SPORT

- » 16-inch alloy wheels
- » Headlamps auto on/off
- Wipers (front) 2-speed with rain-sensing function
- Seats (rear) with centre fold down armrest
- » Leather-wrapped gear shift knob and steering wheel
- » Overhead sunglass storage box

- » Air-conditioning (climate control)
- » Satellite navigation
- » Blind Spot Monitoring (BSM)[†]
- Auto dimming rear view mirror
- Rear Cross Traffic Alert (RCTA)
- » Rear-view mirror with auto dimming function

POWERTRAIN

- 2.0 litre in-line 4 cylinder16 valve DOHC S-VT petrolengine with i-stop
- » Drivetrain: FWD or i-Activ AWD
- Fuel consumption (combined): 6.6L/100km* (FWD, man) or 6.3L/100km* (FWD, auto) or 6.7L/100km* (AWD, auto)

- Max power: 110kW @ 6,000rpm
- Max torque: 195Nm @ 2,800rpm
- » Transmission: 6-speed manual (Skyactiv-MT) or 6-speed auto (Skyactiv-Drive)

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and comply with all applicable laws at all times.





CX-3 MAXX SPORT LE FEATURES – ADDITIONAL TO MAXX SPORT

- » Unique 16-inch alloy wheels
- White Maztex and Tan Grand Luxe[®]^ Synthetic Suede
- Tan Grand Luxe[^] Synthetic Suede door and dashboard trim inserts
- » Black grille inserts
- » Black exterior mirrors

POWERTRAIN

- 2.0 litre in-line 4 cylinder16 valve DOHC S-VT petrolengine with i-stop
- » Drivetrain: FWD
- Fuel consumption (combined):6.3 l/100km* (FWD, auto)

- Max power: 110kW @ 6,000rpm
- Max torque: 195Nm @ 2,800rpm
- Transmission: 6-speed auto (Skyactiv-Drive)

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and comply with all applicable laws at all times.

[^] Grand Luxe® is a registered trademark of Seiren Co., Ltd.





CX-3 sTOURING FEATURES – ADDITIONAL TO MAXX SPORT

- » 18-inch alloy wheels with 215/50 tyres
- » Power mirrors (body coloured with heating and auto folding function)
- » Daytime running lamps (LED)
- >> Front fog-lamps (LED)
- » Headlamps (LED)
- » Tail-lamps (LED)

- » Seat trim: Black Maztex/ Black cloth
- Active Driving Display (flip-up)
- » Advanced keyless entry
- » Driver Attention Alert (DAA)[†]
- » Parking sensors (front)[†]
- >> Traffic Sign Recognition (TSR)[†]
- » High Beam Control (HBC)[†]
- » Lane Departure Warning (LDW)[†]

POWERTRAIN

- 2.0 litre in-line 4 cylinder16 valve DOHC S-VT petrol engine with i-stop
- » Drivetrain: FWD or i-Activ AWD
- Fuel consumption (combined): 6.6L/100km* (FWD, man) or 6.3L/100km* (FWD, auto) or 6.7L/100km* (AWD, auto)

- Max power: 110kW @ 6,000rpm
- Max torque: 195Nm @ 2,800rpm
- Transmission: 6-speed manual (Skyactiv-MT) or 6-speed auto (Skyactiv-Drive)

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and comply with all applicable laws at all times.





CX-3 AKARI FEATURES – ADDITIONAL TO STOURING

- » Power sliding and tilt glass sunroof
- Front seats with: 2-position memory function (driver), 10-way power adjustment (driver) and heating function
- Seat trim: Black leather#
- Mazda Radar Cruise Control (MRCC)† with Stop & Go function^
- 360° View Monitor†
- » Adaptive LED Headlamps (ALH)[†]

CX-3 AKARI LE FEATURES - ADDITIONAL TO AKARI

- » Bright alloy wheels
- » Seat trim: Dark russet nappa leather#
- Dark russet centre console, centre & door armrest with white stitch
- > Vent ring accent: Pure white metallic
- Pure white door and dashboard trim inserts

POWERTRAIN

Skyactiv-G (Akari & Akari LE)

- 2.0 litre in-line 4 cylinder16 valve DOHC S-VT petrol engine with i-stop
- Drivetrain: FWD or i-Activ AWD
- Fuel consumption (combined):
 6.3L/100km* (FWD, auto) or
 6.7L/100km* (AWD, auto)

- » Max power: 110kW @ 6,000rpm
- Max torque: 195Nm @ 2,800rpm
- >> Transmission: 6-speed auto (Skyactiv-Drive)


[^] Stop & Go function on Automatic model only.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic, road conditions and how the vehicle is driven.

[#] Leather interior includes some Maztex material on selected high-impact surfaces.

CHOOSE YOUR COLOUR AND INTERIOR TRIMS



[^] At extra cost.

[•] Dark russet nappa leather only available with Snowflake White Pearl Mica, Jet Black Mica, Machine Grey Metallic, Soul Red Crystal Metallic, Ceramic Metallic and Platinum Quartz exterior colours.

[#] Leather interior includes some Maztex material on selected high-impact surfaces.

[~] Grand Luxe® is a registered trademark of Seiren Co., Ltd.

Powertrain		2.0L I4 Petrol FWD 2.0L I4 Petrol AWD				
Bore and stroke (mm)		83.5 x 91.2				
Compression ratio		13.0 : 1				
Drivetrain		FWD	i-ACTIV AWD			
Emissions standard		Euro s	stage V			
Engine capacity (cc)		1,9	998			
Engine type		2.0 litre in-line 4 cylinder 16 valve DOHC S-VT petrol (SKYACTIV-G) engine				
Fuel consumption (I/100km)*:	Manual (combined)	6.6				
	Manual (extra urban)	5.6	—			
	Manual (urban)	8.3				
	Auto (combined)	6.3	6.7			
	Auto (extra urban)	5.5	5.9			
	Auto (urban)	7.7	8.0			
CO ₂ Emissions (g/km)*	Combined – Manual	150				
	Combined – Automatic	143	151			
Fuel system		Electronic direct injection				
Fuel tank capacity (litres)		48	44			

^{*} Fuel consumption and CO_2 figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption and emissions achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

Powertrain (continued)		2.0L I4 Petrol FWD	2.0L I4 Petrol AWD			
Gear ratio – Manual/Auto:	1st	3.363 / 3.552	- / 3.552			
	2nd	1.947 / 2.022	- / 2.022			
	3rd	1.300 / 1.452	- / 1.452			
	4th	1.029 / 1.000	- / 1.000			
	5th	0.837 / 0.708	- / 0.708			
	6th	0.680 / 0.599	- / 0.599			
	Reverse	3.385 / 3.893	- / 3.893			
	Final drive	4.105 / 4.325	- / 4.325			
Maximum power (kW @ rpm)		110 @ 6,000				
Maximum torque (Nm @ rpm)		195 @ 2,800				
Recommended fuel		Unleaded (91RON or higher) or E10				
Throttle control		Electronic (drive-by-wire)				
Transmission:	Manual	6-speed (Skyactiv-MT)				
	Auto	6-speed (Sk	yactiv-Drive)			

Model Availability		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
5-seat SUV:	2.0L I4 Petrol FWD / 6-speed manual			_		_	_
	2.0L I4 Petrol FWD / 6-speed automatic					•	
	2.0L I4 Petrol AWD / 6-speed automatic	_		_		•	

 $[\]bullet =$ Standard, - =Not available.

Chassis and Powertrain Technologies	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Automatic transmission drive selection						
Automatic transmission kickdown switch						
Electric Parking Brake with Auto Hold						
Electric power assist steering						
Hill Launch Assist (HLA)						
i-Activ AWD	_	0	_	0	0	0
i-stop						
Skyactiv-Body						
Skyactiv-Chassis						
Skyactiv-Vehicle Dynamics G-Vectoring Control (GVC)						

 $[\]bullet =$ Standard, $\bigcirc =$ Option,- =Not available.

Chassis	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE			
Brake diameter (mm):	Front (FWD)	280	280	280	280	280	280		
	Front (AWD)	_	295	_	295	295	295		
	Rear	265	265	265	265	265	265		
Brake type:	Front	Ventilated disc							
	Rear	Solid disc							
Suspension:	Front	MacPherson strut							
	Rear	Torsion beam							
Turning circle kerb to kerb (m)		10.6	10.6	10.6	10.6	10.6	10.6		
Tyre size		215/60 R16	215/60 R16	215/60 R16	215/50 R18	215/50 R18	215/50 R18		
Tyre index		95V	95V	95V	92V	92V	92V		
Wheel size		16 X 6.5 J	16 X 6.5 J	16 X 6.5 J	18 X 7.0 J	18 X 7.0 J	18 X 7.0 J		
Wheel type		Steel	Alloy	Alloy	Alloy	Alloy	Alloy		
Tyre size (spare)	T125/90 D16	T125/90 D16	T125/90 D16	T125/90 D16	T125/90 D16	T125/90 D16			
Wheel size (spare)	16 x 4.0 T	16 x 4.0 T	16 x 4.0 T	16 x 4.0 T	16 x 4.0 T	16 x 4.0 T			
Wheel type (spare)	Temporary (Steel)								

Weights and Capacities		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Cargo room volume VDA (litres)	Rear seats up and to tonneau cover	264	264	264	264	264	264
Cargo room volume VDA (litres)	Rear seats folded down and up to roof	1,174	1,174	1,174	1,174	1,174	1,174
Kerb weight (kg):	2.0L I4 Petrol FWD / 6-speed manual	1,262	1,262	_	1,262	_	_
	2.0L I4 Petrol FWD / 6-speed automatic	1,293	1,293	1,293	1,293	1,305	1,305
	2.0L I4 Petrol AWD / 6-speed automatic	_	1,356	_	1,367	1,367	1,367
Towing capacity $^{\circ}$ (kg):	Braked	1,200	1,200	1,200	1,200	1,200	1,200
	Unbraked	640	640	640	640	640	640
Tow ball download maximum (kg)		50	50	50	50	50	50

Dimensions		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Ground clearance (mm):	With 75kg driver	145	145	145	145	150	150
	Unladen	155	155	155	155	160	160
Overall length (mm)		4,275	4,275	4,275	4,275	4,275	4,275
Overall width (mm)		1,765	1,765	1,765	1,780	1,780	1,780
Overall height (mm)		1,535	1,535	1,535	1,535	1,535	1,535
Track (mm):	Front	1,525	1,525	1,525	1,525	1,525	1,525
	Rear	1,520	1,520	1,520	1,520	1,520	1,520
Wheelbase (mm)		2,570	2,570	2,570	2,570	2,570	2,570

[☐] Kerb weight is the unladen weight of the vehicle, including all fluids and a full tank of fuel.

Y When fitted with a Mazda Genuine Towing kit. Subject to State and Territory regulations.

Exterior		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Daytime running lamps (LED)		_	_	_			
Door handles (body coloured)							
Exhaust extensions (chrome)							
Front and rear bumpers (body	coloured)						
Front fog-lamps (LED)			_				•
Green-tinted windscreen, side	and rear windows						
Headlamps	halogen				_	_	_
	LED	_	_	_			
	auto on/off	_					
Exterior mirrors:	with power adjustment						
	body coloured			_			
	gloss black	_	_		_	_	_
	electric folding				_	_	_
	auto folding	_	_	_			
	heated	_	—	_			
Power sliding and tilt glass sun	roof	_	_	_	_		
Power windows							
Rear spoiler							
Tail-lamps (LED)		_	—	_			
Window demister (rear)							
Wipers (front):	2-speed with rain-sensing function	_					
	2-speed with variable intermittent function		—	—	_	_	_
Wiper (rear)	with intermittent function						

 $[\]bullet =$ Standard, - =Not available.

Interior		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Active Driving Display		_	_	_		•	
Air-conditioning		•	_	_	_	_	_
Air-conditioning (climate cor	ntrol)	_					
Ambient temperature display		•					
Critical function warning ligh	ts/chimes						
Cruise control		•					
Mazda Radar Cruise Control	with Stop & Go function	_	_	_	_		
Cupholders							
Door bottle holders (front an	Door bottle holders (front and rear)						
Glove box							
Instrument panel light dimme	er						
Interior illumination:	Cargo room lamp		•				
	Entry system with delayed fade						
	Map reading spot lamps		•				
	Power window switch (driver)		•				
Interior release for fuel filler of	door		•	•			
Leather-wrapped:	Gear shift knob	_	•	•			
	Steering wheel	_	•				
One touch (up and down) po	One touch (up and down) power window (driver)		•				
Overhead sunglass storage box		_					
Rear-view mirror with auto d	imming function	_	•				

 $[\]bullet = Standard, --= Not available.$

Interior	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Tachometer and electronic odometer/tripmeter	•		•			
Tilt and telescopic adjustable steering wheel	•					
Trip computer						
Vanity mirrors (front)					•	
Infotainment	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE

Infotainment	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
8-inch full colour touch screen display (MZD Connect)						
AM/FM tuner	•			•		
Apple CarPlay® (USB) and Android® Auto (USB)§	•					
Auxiliary-audio input jack (3.5mm mini-stereo)	•					
Bluetooth® hands-free phone and audio capability§						
Digital radio (DAB+)						
Internet radio integration (Stitcher [™] and Aha [™])						
Multi-function commander control						
Radio Data System (RDS) program information						
Satellite navigation	_					
Speakers (6)						
Steering wheel-mounted audio controls						
USB-audio input port (iPod compatible)				•		

 $[\]bullet = Standard, - = Not available.$

[§] Please check the compatibility of your Bluetooth® device (particularly your mobile phone) with the specific Mazda vehicle you intend to purchase, as not all devices operate correctly. Visit www.mazda.com.au/Bluetooth or consult your Mazda Dealer for further information.

Safety and Security		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
360° View Monitor		—	_	—	—		
Adaptive LED Headlamps (ALH)	_	_	_	_		
Advanced keyless entry		_	_	_			
Advanced keyless push-button	engine start						
Airbags SRS:	Front (driver and passenger)						
	Side (front)						
	Curtain (front and rear)						
Anti-lock Braking System (ABS)†							
Blind Spot Monitoring (BSM) [†]		_					
Childproof rear door locks							
Driver Attention Alert (DAA)†		_	_	_			
Dynamic Stability Control (DSC	C) [†]						
Electronic Brake-force Distribut	ion (EBD)†						
Emergency Brake Assist (EBA)†							
Emergency Stop Signal (ESS) [†]							
Engine immobiliser							
High mount stop lamp							
High Beam Control (HBC) [†]		_	_	_		_	_
Hill Launch Assist (HLA)†		•					
Intrusion-minimising brake pedal				•	•		
ISOFIX child restraint anchor po	oints and top tethers	•					

 $[\]bullet =$ Standard, - =Not available.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Safety and Security	Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Lane Departure Warning (LDW)†	_	_	_			
Left-hand-side convex (wide angle) exterior mirror						
Parking sensors (front) [†]	_	_				
Parking sensors (rear) [†]						
Rear Cross Traffic Alert (RCTA) [†]	_					
Remote central locking (2 transmitters)						
Reverse camera						
Seat-belt warning (front and rear)						
Seat-belts 3-point lap-sash (all seats)						
Seat-belts (front) with pretensioners, load-limiters and height adjustable shoulder anchorages						
Side impact door beams						
Smart City Brake Support [Forward/Reverse] (SCBS F/R) with front pedestrian detection [†]						
Traction Control System (TCS) [†]						
Traffic Sign Recognition (TSR) [†]	_	_	_			
'Triple H' safety construction with front and rear crumple zones						
Whiplash-minimising front seats						

 $[\]bullet =$ Standard, - =Not available.

[†] i-Activsense and other safety technologies are driver assist technologies only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

Seats		Neo Sport	Maxx Sport	Maxx Sport LE	sTouring	Akari	Akari LE
Front seats with:	2-position memory function (driver)	—	_	_	_		
	10-way power adjustment (driver)	_	_	_	_		
	Adjustable head restraints						
	Heating function	_	_	_	_		
	Height adjustment						
	Lumbar support adjustment (driver)	_	_	_	_		
	Rake and slide adjustment						
	Seat back pocket (passenger)						
Rear seats with:	60/40 split fold backrest						
	Adjustable head restraints						
	Centre fold down armrest	_					
Seat trim:	Black cloth			_	_	_	_
	Black Maztex/Black cloth	_	_	_		_	_
	White Maztex/Tan Grand Luxe®^ Synthetic Suede	_	_		_	_	_
	Black leather [#]	_	_	_	_		_
	Dark russet nappa leather#	_	_	_	_	_	

 $[\]bullet =$ Standard, - = Not available.

[#] Leather interior includes some Maztex material on selected high-impact surfaces.

[^] Grand Luxe® is a registered trademark of Seiren Co., Ltd.



For further information, visit mazda.com.au or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries. Published March 2022. MAZ14976