





MAZDA BT-50 SINGLE CAB XS

- >> 17-inch steel wheels
- » Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go[†]
- >> 7-inch full-colour touch screen

- » Apple Carplay® (wireless & USB) and Android® Auto (USB)§
- Bluetooth® hands-free phone and audio capability§
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- » Autonomous Emergency Braking (AEB)[†]

- Blind Spot Monitor (BSM)[†]
- Dynamic Stability Control (DSC)[†]
- Emergency Lane Keeping (ELK) Overtaking[†]
- » Emergency Stop Signal (ESS)†
- » Automatic High Beam (AHB)†
- » Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)†
- » Lane Departure Warning (LDW)†
- » Lane Departure Prevention (LDP)†
- » Lane-keep Assist System (LAS)[†]

- Rear Cross Traffic Alert (RCTA)†
- Roll Over Protection (ROP)[†]
- Secondary Collision Reduction[†]
- Speed Assist System[†]
- » Traction Control System (TCS)[†]
- >> Turn Assist†

POWERTRAIN

- 1.9 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- Drivetrain: 4x2
- Max power: 110kW @ 3,600rpm
- Max torque:350Nm @ 1,800-2,600rpm
- Fuel consumption (combined): 7.0L/100km* (4x2 auto)





MAZDA BT-50 DUAL CAB XS

- >> 17-inch steel wheels (4X2)
- » 17-inch alloy wheels (4X4)
- » Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go[†]

- >> 7-inch full-colour touch screen
- » Apple Carplay® (wireless & USB) and Android® Auto (USB)§
- Bluetooth® hands-free phone and audio capability§
- DAB+ digital radio
- » Reverse camera
- » Rear seat USB charging point
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]

- Autonomous Emergency Braking (AEB)[†]
- Blind Spot Monitor (BSM)[†]
- Dynamic Stability Control (DSC)[†]
- Emergency Lane Keeping (ELK) Overtaking[†]
- » Emergency Stop Signal (ESS)†
- » Automatic High Beam (AHB)[†]
- » Hill Descent Control (HDC)[†]
- >> Hill Launch Assist (HLA)[†]
- » Lane Departure Warning (LDW)[†]
- » Lane Departure Prevention (LDP)[†]

- Lane-keep Assist System (LAS)[†]
- » Locking Rear Differential (LRD) switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)†
- » Rear parking sensors
- » Roll Over Protection (ROP)†
- » Secondary Collision Reduction[†]
- Speed Assist System[†]
- >> Traction Control System (TCS)[†]
- >> Turn Assist†

POWERTRAIN

- 1.9 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- Drivetrain: 4x2 or 4x4
- Max power: 110kW @ 3,600rpm
- Max torque: 350Nm @ 1,800-2,600rpm
- Fuel consumption (combined): 6.7L/100km* (4x2 auto) or 6.9L/100km* (4x4 auto)





MAZDA BT-50 SINGLE CAB XT

- >> 17-inch alloy wheels
- » Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)[†]
- >> 7-inch full-colour touch screen

- » Apple Carplay® (wireless & USB) and Android™ Auto (USB)§
- Bluetooth® hands-free phone and audio capability§
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]
- Autonomous Emergency Braking (AEB)[†]

- Blind Spot Monitor (BSM)[†]
- Dynamic Stability Control (DSC)[†]
- Emergency Lane Keeping (ELK) Overtaking[†]
- » Emergency Stop Signal (ESS)†
- » Automatic High Beam (AHB)†
- » Hill Descent Control (HDC)[†]
- Hill Launch Assist (HLA)[†]
- » Lane Departure Warning (LDW)†
- » Lane Departure Prevention (LDP)†
- » Lane-keep Assist System (LAS) (automatic models)[†]

- Locking Rear Differential (LRD) switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)†
- Noll Over Protection (ROP)[†]
- » Secondary Collision Reduction[†]
- Speed Assist System[†]
- » Traction Control System (TCS)[†]
- >> Turn Assist[†]

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- Drivetrain: 4x2 or 4x4
- Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm @ 1,600 2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x2 auto) or 8.0L/100km* (4x4, man) or 8.0L/100km* (4x4, auto)





MAZDA BT-50 FREESTYLE CAB XT

- » 17-inch alloy wheels
- » Freestyle door system
- » Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)[†]

- >> 7-inch full-colour touch screen
- » Apple Carplay® (wireless & USB) and Android™ Auto (USB)§
- Bluetooth® hands-free phone and audio capability§
- » DAB+ digital radio
- » Reverse camera
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist†

- Autonomous Emergency Braking (AEB)[†]
- Blind Spot Monitor (BSM)[†]
- Dynamic Stability Control (DSC)[†]
- Emergency Lane Keeping (ELK) Overtaking[†]
- » Emergency Stop Signal (ESS)†
- » Automatic High Beam (AHB)[†]
- Hill Descent Control (HDC)[†]
- » Hill Launch Assist (HLA)†
- » Lane Departure Warning (LDW)[†]
- » Lane Departure Prevention (LDP)†

- Lane-keep Assist System (LAS) (automatic models)[†]
- » Locking Rear Differential (LRD) switchable on/off (4X4 models)
- Rear Cross Traffic Alert (RCTA)[†]
- » Roll Over Protection (ROP)†
- » Secondary Collision Reduction[†]
- Speed Assist System[†]
- » Traction Control System (TCS)[†]
- >> Turn Assist†

POWERTRAIN

- 3.0 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- Drivetrain: 4x2 or 4x4
- Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm @ 1,600 2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x2 auto) or 8.0L/100km* (4x4, man) or 8.0L/100km* (4x4, auto)





MAZDA BT-50 DUAL CAB XT

- » 17-inch alloy wheels
- >> Headlamps (LED)
- Exterior mirrors (body coloured) with power adjustment
- » Seat trim: Black cloth
- » Air-conditioning with rear vents
- » Power windows
- » Vinyl floor covering
- » Cruise control
- » Adaptive Cruise Control (ACC) with Stop & Go (automatic models)[†]

- >> 7-inch full-colour touch screen
- » Apple Carplay® (wireless & USB) and Android™ Auto (USB)§
- Bluetooth® hands-free phone and audio capability§
- DAB+ digital radio
- » Reverse camera
- » Rear seat USB charging point
- » Airbags SRS: front (driver & passenger), side, curtain, knee (driver), far-side (driver)
- » Anti-lock Braking System (ABS)[†]
- » Attention Assist[†]

- Autonomous Emergency Braking (AEB)[†]
- Blind Spot Monitor (BSM)[†]
- Dynamic Stability Control (DSC)[†]
- » Emergency Lane Keeping (ELK) Overtaking†
- » Emergency Stop Signal (ESS)†
- Automatic High Beam (AHB)[†]
- » Hill Descent Control (HDC)†
- » Hill Launch Assist (HLA)†
- » Lane Departure Warning (LDW)[†]
- » Lane Departure Prevention (LDP)[†]

- Lane-keep Assist System (LAS) (automatic models)[†]
- » Locking Rear Differential (LRD) A switchable on/off (4X4 models)
- » Rear Cross Traffic Alert (RCTA)†
- » Rear parking sensors (Pickup models only)
- » Roll Over Protection (ROP)†
- » Secondary Collision Reduction[†]
- Speed Assist System[†]
- > Traction Control System (TCS)[†]
- >> Turn Assist†

POWERTRAIN

- 3.0 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- Drivetrain: 4x2 or 4x4
- Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm @ 1,600 2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x2 cab chassis auto) or 7.7L/100km* (4x2 pickup auto) or 8.0L/100km* (4x4 cab chassis man/auto) or 7.7L/100km* (4x4 pickup man) or 8.0L/100km* (4x4 pickup auto)





MAZDA BT-50 DUAL CAB XTR - ADDITIONAL TO XT

- » 18-inch black and machined alloy wheels
- Exterior mirrors with power folding function
- >> Front fog lamps (LED)
- » Side steps (silver)
- » Signature daytime running lamps

- » Carpet floor covering
- Headlamps (LED) with signature illumination and auto levelling
- Dual zone climate control air-conditioning with rear vents
- Leather# wrapped steering wheel and gear knob

- Auto-dimming interior mirror
- » Rear seat with centre armrest
- 9-inch full-colour touch screen
- » Satellite navigation
- » Advanced keyless entry
- » Tyre Pressure Monitoring System (TPMS)

POWERTRAIN

- 3.0 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- Drivetrain: 4x2 or 4x4
- » Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm @1,600 2,600rpm
- Fuel consumption (combined): 7.7L/100km* (4x2 auto) or 7.7L/100km* (4x4, man) or 8.0L/100km* (4x4, auto)

Also available for a limited time, XTR LE with additional features:

- » Alloy single hoop bull bar
- » Polished stainless steel sports bar
- >> Tub liner







MAZDA BT-50 DUAL CAB GT – ADDITIONAL TO XTR

- Exterior mirrors (chrome) with heating function
- Seat trim: Brown leather*
- » Driver's seat with 8-way power adjustment
- » Heated front seats
- » Remote engine start (automatic models)[^]
- >> Front parking sensors

POWERTRAIN

- 3.0 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel
- » Drivetrain: 4x4
- Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm @1,600 2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x4 auto)

§ Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features. † Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times. *Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. *Leather interior includes some Maztex material on selected high impact surfaces. ^ Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.





MAZDA BT-50 DUAL CAB SP - ADDITIONAL TO GT

- » 18-inch black metallic alloy wheels
- » Gloss black sail plane sports bar
- » Grey side steps
- Sometimes of the contract o

- » Grey roof rails
- Gloss black exterior mirrors
- Solution Solution
- » Roller tonneau cover (manual operation)
- » Black grille with gunmetal signature wing
- Seat trim: Black & Driftwood leather#
- >> Tub Liner

POWERTRAIN

- 3.0 litre in-line 4 cylinder16 valve DOHC intercooledturbo diesel
- » Drivetrain: 4x4
- » Max power: 140kW @ 3,600rpm
- Max torque:450Nm @ 1,600-2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x4 auto)

^{*}Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven. #Leather interior includes some Maztex material on selected high impact surfaces.





MAZDA BT-50 DUAL CAB THUNDER - ADDITIONAL TO GT

- » 18-inch black alloy wheels
- » Black single hoop bull bar
- » Black alloy sports bar
- » Black side steps
- » Black fender flares


- » Electric roller tonneau cover
- » Lightforce® 20-inch dual-row LED lightbar
- "Thunder" decals
- >> Tub liner

POWERTRAIN

- 3.0 litre in-line 4 cylinder
 16 valve DOHC intercooled
 turbo diesel
- » Drivetrain: 4x4
- » Max power: 140kW @ 3,600 rpm
- Max torque: 450Nm@ 1,600-2,600rpm
- Fuel consumption (combined): 8.0L/100km* (4x4 auto)

^{*}Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

CHOOSE YOUR COLOUR AND TRIMS





XT models

on XTR and GT models

SP model

Thunder model

[~]At extra cost. #Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIO	ONS				4X2			
Powertrain		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR
Engine type		1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel		-line 4 cylinder 16 valve DOHC	C intercooled turbo diesel	1.9 litre in-line 4 cylinder 16 valve DOHC intercooled turbo diesel		nder 16 valve DOHC intercooled turbo diesel
Engine capacity		1,898cc		2,999сс		1,898cc		2,999cc
Bore and stroke		80.0mm x 94.4mm		95.4mm x 104.9m	nm	80.0mm x 94.4mm	95.	4mm x 104.9mm
Compression ratio		16.5 : 1		16.3 : 1		16.5 : 1		16.3 : 1
Maximum power		110kW @ 3,600rpm		140kW @ 3,600rp	om	110kW @ 3,600rpm	140	kW @ 3,600rpm
Maximum torque		350 @ 1,800-2,600rpm		450 @ 1,600-2,600	rpm	350 @ 1,800-2,600rpm	450 (1,600-2,600rpm
Throttle control		Electronic (drive-by-wire)		Electronic (drive-by-	wire)	Electronic (drive-by-wire)	Electro	onic (drive-by-wire)
Fuel system		Common-rail, electronic direct injection		Common-rail, electronic dir	ect injection	Common-rail, electronic direct injection	Common-rail	, electronic direct injection
Fuel tank capacity		76 litres		76 litres		76 litres		76 litres
Recommended fuel		Diesel		Diesel		Diesel		Diesel
Fuel consumption*	auto (combined)	7.0	8.0	8.0	8.0	6.7	7.7	7.7
	auto (extra urban)	6.6	6.9	6.9	6.9	6.0	6.7	6.7
	auto (urban)	7.9	9.8	9.8	9.8	8.3	9.5	9.5
Emissions standard		Euro stage V			E	ıro stage V		
Alternator		12 volts – 90 amps			12 v	olts – 90 amps		
Manual transmission		_				_		
Automatic transmission		6-speed		6-speed		6-speed		6-speed
Gear ratio – manual/auto	1st	3.600		3.600		3.600		3.600
	2nd	2.090		2.090		2.090		2.090
	3rd	1.488		1.488		1.488		1.488
	4th	1.000		1.000		1.000		1.000
	5th	0.687		0.687		0.687		0.687
	6th	0.580		0.580		0.580		0.580
	reverse	3.732		3.732		3.732		3.732
	final drive	4.100		3.727		4.100		3.727

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATIO	NS					4	IX4				
Powertrain		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Engine type		3.0 litre in	ı-line 4 cylinder 16 va	lve DOHC intercool	ed turbo diesel	1.9 litre in-line4 cylinder16 valve DOHCintercooledturbo diesel		3.0 litre in-line 4 cy	rlinder 16 valve DOI	HC intercooled turbo	diesel
Engine capacity			2,	999сс		1,898cc			2,999сс		
Bore and stroke			95.4mm	x 104.9mm		80.0mm x 94.4mm			95.4mm x 104.9	mm	
Compression ratio			16	5.3 : 1		16.5 : 1			16.3 : 1		
Maximum power			140kW (@ 3,600rpm		110kW @ 3,600 rpm			140kW @ 3,600	rpm	
Maximum torque			450 @ 1,6	500-2,600rpm		350 @ 1,800- 2,600rpm			450 @ 1,600-2,60	00rpm	
Throttle control			Electronic ((drive-by-wire)		Electronic (drive-by-wire)			Electronic (drive-b	y-wire)	
Fuel system			Common-rail, elec	ctronic direct injection	on	Common-rail, electronic direct injection		Comn	non-rail, electronic c	lirect injection	
Fuel tank capacity			76	ó litres		76 litres			76 litres		
Recommended fuel			C	Diesel		Diesel			Diesel		
Fuel consumption*	manual (combined)	8.0	8.0	8.0	-	_	7.7	7.7	_	_	—
	auto (combined)	8.0	8.0	8.0	8.0	6.9	8.0	8.0	8.0	8.0	8.0
	manual (extra urban)	6.7	6.7	6.7	_	_	6.6	6.6	_	_	_
	auto (extra urban)	6.9	6.9	6.9	6.9	6.3	6.9	6.9	6.9	6.9	6.9
	manual (urban)	10.2	10.2	10.2	_	-	9.7	9.7	_	_	-
F	auto (urban)	9.8	9.8	9.8	9.8	8.1	9.8	9.8	9.8	9.8	9.8
Emissions standard						Euro stage V					
Alternator Manual transmission			6	speed		12 volts - 90 amps —		6-speed		_	
Automatic transmission				speed		6-speed		o-speed	6-speed	_	
Gear ratio – manual/auto	1st			2 / 3.600		3.600	4	942 / 3.600	о зреси	3.600	
Gear ratio Thantaar, auto	2nd			2 / 2.090		2.090		452 / 2.090		2.090	
	3rd			3 / 1.488		1.488		428 / 1.488		1.488	
	4th) / 1.000		1.000		000 / 1.000		1.000	
	5th			9 / 0.687		0.687		749 / 0.687		0.687	
	6th			4 / 0.580		0.580		634 / 0.580		0.580	
	reverse		4.597	7 / 3.732		3.732	4.	597 / 3.732		3.732	
	final drive		3	3.727		4.100			3.727		
Transfer gear	high		1	.000		1,000			1.000		
	low		2	2.482		2,482			2.482		

^{*} Fuel consumption figures are based on ADR 81/02 test results. They are useful in comparing the fuel consumption of different vehicles. They may not be the fuel consumption achieved in practice. This will depend on traffic and road conditions and how the vehicle is driven.

SPECIFICATION	ONS				4X2										
Chassis		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR							
Brake diameter	front				320 mm										
	rear				295 mm										
Brake type	front				Ventilated disc										
	rear				Drum										
Steering type			Electric Power Assist Steering (EPAS)												
Suspension type	front			Independent d	ouble wishbone with coil sprir	ngs and anti-roll bar									
	rear		Rigid (live) rear axle w	vith heavy-duty leaf springs		F	Rigid (live) rear axle with leaf s	orings							
Turning circle	kerb to kerb				12.5 m										
Tyre size		255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	265/60 R18							
Tyre index					110S										
Wheel size		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J							
Wheel type		Steel	Alloy	Alloy	Alloy	Steel	Alloy	Alloy							
Wheel size (spare)		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J							
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Alloy							

						4	4X4							
Chassis		Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder			
Brake diameter	front					32	0 mm							
	rear					29	5 mm							
Brake type	front					Ventil	ated disc							
	rear					С	rum							
Steering type			Electric Power Assist Steering (EPAS) Independent double wishbone with coil springs and anti-roll bar											
Suspension type	front				Independ	ent double wishbone	with coil springs and	d anti-roll bar						
	rear	I	Rigid (live) rear axle w	ith heavy-duty leaf sp	rings			Rigid (live) rear a	xle with leaf springs					
Turning circle	kerb to kerb					12	2.5 m							
Tyre size		255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	255/65 R17	265/60 R18	265/60 R18	265/60 R18	265/60 R18			
Tyre index						1	10S							
Wheel size		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J			
Wheel type		Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy	Alloy			
Wheel size (spare)		17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	17 x 7.0 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J	18 x 7.5 J			
Wheel type (spare)		Steel	Steel	Steel	Steel	Steel	Steel	Alloy	Alloy	Alloy	Alloy			

SPECIFICATIO	NS				4X2								4	X4				
Weights and capacities		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Axle capacity	front				1,450 kg								1,45	50 kg				
	rear				1,910 kg								1,91	0 kg				
Gross Combined Mass	manual	_	_	_	_	_	_	_	6,000 kg	6,000 kg	6,000 kg	_	_	6,000 kg	6,000 kg	_	_	_
$(GCM)^1$	auto	5,500 kg	5,850 kg	5,850 kg	5,850 kg	5,500 kg	5,850 kg	5,850 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	5,500 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg	6,000 kg
Gross Vehicle Mass (GVM) ²	manual	_	_	_	_	_	_	_	3,100 kg	3,100 kg	3,100 kg	_	-	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg
	auto	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,000 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg	3,100 kg
Kerb weight ³	manual	_	_	_	_	_	_	_	1,760 kg	1,830 kg	1,880 kg	_	_	2,005 kg	2,020 kg	_	_	_
	auto	1,620 kg	1,685 kg	1,755 kg	1,805 kg	1,865 kg	1,925 kg	1,945 kg	1,770 kg	1,840 kg	1,890 kg	1,910 kg	1,935 kg	2,010 kg	2,030 kg	2,035 kg	2,208 kg	2,213 kg
Kerb weight when fitted with	manual	_	_	_	_	_	_	_	1,904 kg	1,955 kg	1,994 kg	_	_	_	_	_	_	_
Mazda Standard Alloy Tray ³	auto	1,764 kg	1,829 kg	1,880 kg	1,919 kg	_	_	_	1,914 kg	1,965 kg	2,004 kg	2,024 kg	_	_	_	_	_	_
Payload ⁴	manual	_	_	_	_	_	_	_	1,340 kg	1,270 kg	1,220 kg	_	_	1,095 kg	1,080 kg	_	_	_
	auto	1,380 kg	1,315 kg	1,245 kg	1,195 kg	1,135 kg	1,075 kg	1,055 kg	1,330 kg	1,260 kg	1,210 kg	1,190 kg	1,165 kg	1,090 kg	1,070 kg	1,065 kg	892 kg	887 kg
Payload when fitted with	manual	_	_	_	_	_	_	_	1,196 kg	1,145 kg	1,106 kg	_	_	_	_	_	_	_
Mazda Standard Alloy Tray ⁴	auto	1,236 kg	1,171 kg	1,120 kg	1,081 kg	_	_	_	1,186 kg	1,135 kg	1,096 kg	1,076 kg	_	_	_	_	_	_
Seating capacity		2	2	2	5	5	5	5	2	2	5	5	5	5	5	5	5	5
Tow ball download [¶]	maximum				350 kg								350) kg				
Towing capacity [¶]	braked	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,000 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg	3,500 kg
	unbraked				750 kg								750) kg				

¶ When fitted with a Mazda Genuine Towing Kit. Subject to State or Territory regulations.

¹ Gross Combined Mass (GCM) is the total permissible combined weight of the vehicle and trailer/caravan being towed including occupants, fuel and cargo.

² Gross Vehicle Mass (GVM) is the total permissible weight of the vehicle including occupants, fuel and cargo.

³ Kerb weight is the unladen weight of the vehicle including all fluids and a full tank of fuel.

⁴ Maximum payload weight is calculated as the difference between GVM and kerb weight. The weight of any vehicle occupants, options, accessories, modifications, cargo and tow ball download must be included when calculating payload weight.

SPECIFICA	TIONS				4X2								4	X4				
Dimensions		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Cargo box floor height	t to ground (mm)	_	_	_	_	828	828	833	_	_	_	_	828	828	833	833	833	833
Cargo box floor length	n (mm)	_	_	_	_	1,571	1,571	1,571	_	_	_	_	1,571	1,571	1,571	1,571	1,571	1,571
Cargo box floor width b	etween wheel arches	_	_	_	_	1,120	1,120	1,120	_	_	_	_	1,120	1,120	1,120	1,120	1,120	1,120
Cargo box width at to	p rail (mm)	_	_	_	_	1,530	1,530	1,530	_	_	_	_	1,530	1,530	1,530	1,530	1,530	1,530
Cargo box height (mm	1)	_	_	_	_	490	490	490	_	_	_	_	490	490	490	490	490	490
Ground clearance (mm)): Unladen	235	235	235	235	235	235	240	235	235	235	240	235	235	240	240	240	240
Overall height (mm)		1,790	1,790	1,800	1,800	1,785	1,785	1,790	1,790	1,800	1,800	1,800	1,785	1,785	1,790	1,790	1,810	1,790
Overall length (mm)		5,320	5,320	5,280	5,280	5,280	5,280	5,280	5,320	5,280	5,280	5,280	5,280	5,280	5,280	5,280	5,280	5,470
Overall width (mm)	Excluding mirrors	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,870	1,942
	Mirrors folded	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,926	1,942
	Mirrors open	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160	2,160
Overhang (mm):	Front	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905	905	1,095
	Rear	1,290	1,290	1,250	1,250	1,250	1,250	1,250	1,290	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250	1,250
Track (mm):	Front	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570
	Rear	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570	1,570
Wading depth (mm)		800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800	800
Wheelbase (mm)		3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125	3,125
Approach angle (°)		29.6°	29.6°	29.6°	29.6°	30.0°	30.0°	30.4°	29.6°	29.6°	29.6°	30.0°	30.0°	30.0°	30.4°	30.4°	27.0°	25.8°
Departure angle (°)		24.6°	24.6°	25.3°	25.3°	23.9°	23.9°	24.2°	24.6°	25.3°	25.3°	25.6°	23.9°	23.9°	24.2°	24.2°	24.2°	24.2°
Ramp breakover angle	e (°)	23.9°	23.9°	23.9°	23.9°	23.3°	23.3°	23.8°	23.9°	23.9°	23.9°	24.3°	23.3°	23.3°	23.8°	23.8°	24.3°	23.8°

SPECIF	ICATIONS				4X2								4	X4				
Exterior		Single Cab Chassis XS	Single Cab Chassis XT	Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Ca Pickup Thundei
	17-inch silver	_		•	•	_	•	_	•	•		_			_	_	_	_
7 thoy Whiceis	18-inch black and machined	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	_	_
	18-inch metallic black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	_
	18-inch satin black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•
Bull bar	Single hoop, black steel	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•
Cargo box	Double wall construction	_	_	_	_	•	•	•	_	_	_	_	•	•	•	•	•	•
features:	Interior rope hooks (2)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	_
	Interior rope hooks (4)	_	_	_	_	•	•	•	_	_	_	_	•	•	•	•	_	•
	Lockable Centre tailgate release (body colour)	_	_	_	_	•	•	_	_	_	_	_	•	•	_	_	_	_
	Lockable Centre tailgate release (chrome)	_	_	_	_	_	_	•	_	_	_	_	_	_	•	•	_	•
	Lockable Centre tailgate release (gloss black)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
	Roller tonneau cover (manual operation)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	_
	Roller tonneau cover (electric operation)	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•
	Tub liner	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		•
Daytime runn	ing lamps (halogen)	•	•		•	•	•	_		•	•	•	•	•	_	_	_	_
Daytime runn	ing lamps (LED)	_	_	_	_	_	_		_	_	_	_	_	_	•	•	•	
Door	Body Colour					•	•	_				_			_	_	_	_
handles	Gloss black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
	Chrome	_	_	_	_	_	_	•	_	_	_		_	_			_	•
Fog-lamps (fro	ont)	_	_	_	_	_	_	•	_	_	_	_	_	_	•			•
Freestyle door	r system	_	—	•	_	—	_	_	_	•	_	-	_	_		_	_	—
Fuel filler cap	(lockable)	•	•	•	•	_	_	_		•	•	•	_	_	_	_	_	_
Fuel filler flap	(remote release)	—	_	_	_				_	_	_	_						•
Headlamps (L	ED) with manual levelling				•			_		•		_			_	_	_	_
Headlamps (Land auto leve	ED) with signature illumination lling	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
Lightbar	Lightforce® 20-inch 2-Row LED	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•
Metallic/mica	a paint	0	0	O	O	0	0	0	O	0	0	О	О	О	0	O	О	0
Mudflaps	Front	•	•	•	•	•	•	•		•		•	•	•	•			•
	Rear	_	_	_	_				_	_	_	_						

 $[\]bullet$ = Standard, \bigcirc = Option, - = Not available.

SPECIFICA	TIONS				4X2								4	X4				
Exterior		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Exterior mirrors	Body Colour	•		•	•	•		•		•						_	_	_
	Chrome	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	
	Gloss black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
	With power adjustment																	
	With power folding function	_	_	_	_	_	_		_	_	_		_	_				
	With heating function	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_	
Power windows		•																
Rear step bumper	Body colour	_	_	_	_				_	_	_	_						
Roof rails		_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
Side steps	Grey / silver	_	_	_	_	_	_		_	_	_		_	_			_	_
	Grey	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	_
	Black	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Sports bar	Black sail plane	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_		_
	Black steel	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	_	
Under-body impact pro	otection	•			•												•	

 $[\]bullet$ = Standard, \bigcirc = Option, - = Not available.

SPECIFICATI	ONS				4X2								4	X4				
		Single Cab Chassis XS	Single Cab Chassis XT	Cab Chassis	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Cab Chassis	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Interior				XT						XT								
4.2-in Colour LCD Multi In	formation Display	•	•				•				•	•	•				•	•
Adaptive Cruise Control (A	ACC) with Stop & Go	A	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α			•
Air-conditioning		•	•				•	_			•	_	•		_	_	_	_
Air-conditioning (dual-zon	e climate control)	_		_	—	_	_		—	_		•	_	_			•	•
Ambient temperature displ	lay	•		•			•					•	•			•	•	•
Auxiliary 12 volt power out	tlet	•	•							•	•				•	•		•
Centre armrest console		•		•									•			•		•
Convenience hook (rear of	passenger seat)	_	_						_	•					•	•		
Critical function warning lig	ghts/chimes																	•
Cruise Control		•																•
Cupholders		•				•	•				•	•	•				•	
Door pockets		•				•	•	•		•	•	•	•	•			•	•
Driver's left footrest		•				•	•					•	•	•			•	
Floor covering:	Vinyl	•					•	_				_	•	•	_	_	_	_
	Carpet	_	_	_	_	_	_	•	_	_	_	•	_	_			•	
Glove box (upper)		•				•	•					•	•				•	
Glove box (lower, lockable	e)	•	•			•	•	•		•	•	•	•	•	•		•	
Headlamps auto on/off fur	nction	•	•		•	•	•	•		•	•	•	•	•			•	
Instrument panel light dim	mer	•	•		•	•	•	•			•	•	•	•			•	
Interior illumination:	Dome lamp	_	_	•	•			•	_		•	•	•			•	•	•
	Map reading spot lamps	•	•			•	•				•	•	•	•			•	•
Leather-wrapped:	Gear shift knob	_		_	_	_	_		_	_		•	_	_		•	•	•
	Steering wheel	_	_	_	_	_	_		_	_	_	•	_	_	•	•	•	•
Low fuel warning light		•		•		•	•					•	•			•	•	•
One touch (up and down)	power window (driver)	•		•		•	•				•	•	•		•	•	•	•
Overhead sunglass storage	box	•	•	•	•		•		•	•	•	•	•		•	•	•	•
Passenger assist grips		•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•
Rear-view mirror with auto	dimming function	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
Tachometer and electronic	odometer/tripmeter	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Tilt and reach adjustable st	eering wheel	•		•								•				•	•	•

 $[\]bullet$ = Standard, — = Not available, A = Automatic transmission only.

SPECIFICA	ATIONS				4X2								4	X4				
		Single Cal Chassis XS	b Single Cal Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Interior				XT						XT								
Trip computer		•																
Vanity mirror (driver))	_	_	_	_	_	_		_	_	_		_	_				
Vanity mirror (front p	oassenger)	•																
Window demister (re	ear)	_	_						_									
Wipers (front) 2-spe	ed with rain-sensing function	•				•				•								•
USB Charging Port (f	front)	•				•	•						•					•
USB Charging Port (r	rear)	_	_	_		•	•		_	_			•	•				•
Seats																		
Front seat (driver	8-way power adjustment	-	_	_	_	_	_	_	_	_	_	_	_	_	_			
bucket) with:	Adjustable head restraint	_	_			•	•		_	•								•
	Height adjustment	•	•	•	•	•		•			•				•			
	Lumbar adjustment	_	_	_	_	_	_	•	_	_	_		_	_				•
	Rake and slide adjustment	•	•	•	•	•	•	•		•			•			•		•
Front seat	Adjustable head restraint	•	•	•	•	•	•	•					•			•		
(passenger bucket)	Rake and slide adjustment	•												•				

 \bullet = Standard, — = Not available.

with:

with:

Seat trim:

Front seats with:

Rear seat (bench)

Rake and slide adjustment

Seat back convenience hook

Adjustable head restraints

60/40 foldable seat base and underseat storage

Black & Driftwood leather#

Seat back pocket

Heating function

Centre armrest

Black cloth

Brown leather#

[#] Leather interior includes some Maztex material on selected high impact surfaces.

SPECIFICATIONS				4X2								4	X4				
Infotainment	Single Cal Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
7-inch full colour touch screen display	•		•				_		•		_			_	_	_	_
9-inch full colour touch screen display	_	_	_	_	_	_	•	_	_	_	•	_	_	•	•	•	•
AM/FM tuner with Radio Data System (RDS)	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Apple Carplay® (wireless or USB)§	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Android® Auto (USB)§	•		•			•		•	•			•				•	
DAB+ digital radio	•																
Auxiliary audio input jack (3.5mm mini-stereo)	•		•	•							•						
Bluetooth® hands-free phone and audio capability§	•						•	•	•					•		•	
Satellite navigation	_	_	_	_	_	_		_	_	_		_	_				
Speakers (2)	•			_	_	_	_			_	_	_	_	_	_	_	_
Speakers (4)	_	_	_				_	_	_	_	_	_	_	_	_	_	_
Speakers (6)	_	_	_	_	_	_		_	_		_			_	_	_	_
Speakers (8)	_	_	_	_	_	_	_	_	_	_	•	_	_	•			
Steering wheel-mounted audio controls	•	•		•							•			•			
USB-audio input port (iPod compatible)§	•		•						•		•						

 $[\]bullet$ = Standard, — = Not available.

[§] Please check the compatibility of your device (particularly your mobile phone) with your Mazda Dealer as not all devices support connectivity or use all available features.

SPECIFIC	ATIONS				4X2								4	X4				
Safety and Security		Single Cal Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
										A1								
•	entry with push-button start	_	_	_	_	_	_	•	_	_	_	•	_	_	•		•	•
Automatic High Bea		•	•		•	•		•	•		•	•		•	•		•	•
_	gency Braking (AEB) [†]	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
Airbags SRS:	Curtain (front and rear)	_	_	_	•		•	•	_	_	•	•	•	•	•	•	•	•
	Curtain (front)		•	•	_	_	_	_	•	•	_	_	_	_	_	_	_	_
	Front (driver and passenger)		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Side (front)	•	•		•	•	•	•	•	•	•	•	•	•	•		•	•
	Farside (driver)	•								•	•			•				•
	Knee (driver)	•								•								
Alarm		•			•		•	•		•		•	•		•	•	•	•
Anti-lock Braking Sy	ystem (ABS)	•					•			•								•
Attention Assist [†]		•			•	•	•	•		•			•		•		•	•
Blind Spot Monitor		•			•	•	•			•		•	•		•	•	•	
Childproof rear doo		_	_	_	•		•		_	_		•	•		•	•	•	
Electronic Stability (Control (ESC) [†]	•								•			•					
Electronic Brake-for	rce Distribution (EBD)	•																
Brake Assist (BA)†		•				•	•										•	
Emergency Lane Ke	eping (ELK) – Overtaking [†]	•								•								
Emergency Stop Sig	gnal (ESS)†	•								•		•	•					
Engine immobiliser		•										•						
Forward Collision V	Varning (FCW) [†]	•								•								
High mount stop la	mp	•	•		•	•	•	•		•				•			•	
Hill Descent Contro	ol (HDC) [†]	•					•			•								
Hill Launch Assist (H	HLA) [†]	•					•			•								
Intelligent Speed Li	miter (ISL)†	•				•		•	•	•	•	•	•	•			•	•
Intrusion-minimisin	ng brake pedal	•	•		•	•	•	•	•	•	•	•	•	•	•	•	•	•
ISOFIX child restrain	nt anchor points and top tethers (2)	_	_	_	•	•	•	•	_	_	•	•		•	•		•	•
Lane Departure Pre	evention (LDP)†	•	•	•	•	•	•	•	•	•	•		•	•			•	•
Lane Departure Wa	arning (LDW)†	•			•	•											•	

 $[\]bullet$ = Standard, - = Not available.

[†]Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and conditions and comply with all applicable laws at all times.

SPECIFICATIONS Safety and Security		4X2							4X4									
		Single Cab Chassis XS	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Single Cab Chassis XT	Freestyle Cab Chassis XT	Dual Cab Chassis XT	Dual Cab Chassis XTR	Dual Cab Pickup XS	Dual Cab Pickup XT	Dual Cab Pickup XTR	Dual Cab Pickup GT	Dual Cab Pickup SP	Dual Cab Pickup Thunder
Lane-keep Assist System (LAS) [†]		Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	Α	•		
Locking Rear Differential (LRD) - switchable on/off		_	_	_	_	-	_	_	•	•	•	•	•	•	•	•	•	•
Manual Speed Limiter (MSL) [†]		•	•	•	•	•	•		•	•	•	•	•	•	•	•	•	•
Parking Sensors	Front	_	_	_	_		_	_	_	_	_	_	_		_	•	•	•
	Rear	_	_	_	_	•	•		_	_	_	_	•	•	•	•	•	•
Rear Cross Traffic Alert (RCTA)†		•		•	•		•			•		•				•	•	•
Remote Engine Start#		_	_	_	_	_	_	_	_	_	_	_	_	_	_	•	•	•
Remote central locking (2 transmitters)		•			•		•		•			•		•		•	•	•
Reverse camera		•		•	•	•	•		•			•		•		•	•	•
Roll Over Protection (ROP) [†]		•			•	•						•		•		•	•	•
Seat-belt warning with occupant detection sensor	Front	•		•	•	•								•			•	
	Rear	_	_	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Seat-belts 3-point lap-sash (all seats)		•		•							•	•			•	•	•	
Seat-belts (front) with:	Height adjustable shoulder anchorages	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
	Pretensioners and load-limiters	•			•	•	•		•	•		•	•	•		•	•	•
Seat-belts (rear outside) with:	Fixed height shoulder anchorages	-	_	_	•	•	•		_	_		•		•		•	•	•
	Pretensioners and load-limiters	_	_	_	•	•			_	_		•		•		•	•	•
Seat-belts (rear centre) with:	Fixed height shoulder anchorages	-	_	_	•	•	•	•	_	_	•	•	•	•	•	•	•	•
Secondary Collision Reduction		•			•		•			•		•				•	•	
Side impact door beams		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Traction Control System (TCS) [†]		•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•
Traffic Sign Recognition (TSR) [†]		•	•		•	•	•	•	•	•		•	•	•	•	•	•	•
Trailer Sway Control (TSC) [†]		•	•	•	•	•	•		•	•	•	•		•	•	•	•	•
Turn Assist†		•		•	•	•					•	•		•		•	•	•
Tyre Pressure Monitoring System (TPMS)		-	_	_	_	_	_		_	_	_		_	_			•	

 ⁼ Standard, =Not available, A =Automatic transmission only.

[†]Driver assist technology only and should not be used in place of skilled and safe driving practices. It is the driver's sole responsibility to monitor vehicle surroundings and comply with all applicable laws at all times.

[#] Please check relevant state or territory road/road safety/traffic rules or regulations before using Remote Engine Start.



For further information, visit mazda.com.au or Freecall 1800 034 411

All care is taken to ensure the accuracy of this brochure and availability of vehicles and features at the time of publication, however, to the extent permitted by law, Mazda Australia Pty Ltd will not be liable for any loss suffered or incurred by a purchaser or prospective purchaser if the content is inaccurate or not up to date, or if it withdraws any vehicles or features referred to in the brochure from the market. Specifications, features and model availability may vary from state to state and may change without notice. Please refer to mazda.com.au or consult your Mazda Dealer prior to placing an order to ascertain current information on model availability, specifications, options, features and prices. Mazda Australia Pty Ltd ABN 78 004 690 804. 211A Wellington Road, Mulgrave, Victoria 3170. iPod is a trademark of Apple Inc., registered in the US and other countries.

Due to the nature of the reproduction process, colours may vary from those shown in this brochure. Ask your Dealer to show you a product sample. Published December 2022. MAZ15082