



experience
more
together



CFMOTO Australia



www.cfmoto.com.au



@cfmoto_australia



@CFMOTOAustralia



@CFMOTOAustralia

*Overseas ATV models shown without a Quadbar OPD. CFMOTO CFORCE and UFORCE models are covered by a factory 2 Year Warranty, ZFORCE models are covered by a factory 12 Month Warranty. Under the legislation, youth quads do not require an OPD and have no minimum tilt angle.

CFMOTO is distributed in Australia by Mojo Motorcycles. Some models may be shown with optional accessories in the lifestyle images. While Mojo Motorcycles has attempted to make this catalogue as comprehensive and factual as possible, there may be instances where, since the time of printing, information has been updated on products. Please be advised the equipment shown or described in this catalogue may have been changed and/or available at extra cost. Furthermore, Mojo Motorcycles reserves the right to make changes at any time without notice in price, colour, materials, equipment and models. CFMOTO dealers have access to current vehicle information and should be consulted before making decisions on your new CFMOTO vehicle. Warranties offered for CFMOTO products are subject to the conditions set out in all vehicle handbooks and supplement handbooks. Details are also available from CFMOTO upon request. Always wear an approved helmet, eye protection, long-sleeved shirt, trousers, gloves and boots while riding. Published March 2024.

CFMOTO is distributed in Australia by Mojo Motorcycles Pty Ltd | 401 Grieve Parade, Altona North, Victoria, Australia, 3025

PROUDLY
DISTRIBUTED BY



2024

atv utv ssv



About

From humble beginnings in 1989 to a global powerhouse in 2024: the history of CFMOTO is a storied one and a nod to the single minded dedication of a company to succeed in the pressure-cooker environment of global motorcycle and powersports markets.

Now in its third decade of manufacturing, CFMOTO has an ever-expanding portfolio of motorcycles, quads (ATVs), utility side-by-side vehicles (UTVs) and sports side-by-side vehicles (SSVs), as well as an unwavering commitment to expand its electric vehicle footprint.

Indeed, CFMOTO has already launched an electric motorcycle sub-brand called ZEEHO, conceived to provide a design-led lifestyle to young generations through tech-driven and environmentally conscious urban mobility.

Backed by a 280,000sqm high-tech manufacturing facility, CFMOTO is easily China's largest exporter of ATVs and UTVs.

Now with new manufacturing facilities in Thailand and Mexico, boosting the annual production capacity of up to 590,000 units, distributed to more than 100 countries.

Closer to home, CFMOTO has sold more than 50,000 vehicles since its Australian debut in 2005 through its robust network of more than 80 dealers.

CFMOTO's motorcycle trajectory has expanded enormously over the last decade, which is not only a function of its own R&D initiatives but also a technical partnership with KTM.

The collaboration was inaugurated in 2013 to produce small-capacity KTM-badged models for China, a market of which is approaching 20 million motorcycle sales a year. The CFMOTO/KTM joint venture now comprises an office, R&D building and manufacturing facility in Hangzhou, and for Australian customers the all-new 800MT adventure range is the most tangible sign of the two companies working together. The joint venture will further expand CFMOTO's R&D team, which currently comprises more than 300 employees across five countries – in addition to CFMOTO's workforce of more than 5000 employees worldwide.

Modern facilities, technical wherewithal and a huge focus on providing extraordinary value for money: CFMOTO is in the fast lane to becoming a premium global powersports brand.

Brand Ambassadors



All 4 Adventure

Now into their 16th season, Australia's No. 1 adventure, fishing and 4x4 show will see the two hosts – Jase and Simon – continue to explore some of the most remote parts of the country with CFMOTO joining them on every step of the way.

all terrain vehicles 2024



ATV

- CFORCE**
 400
 400 EPS
 520 EPS
 520 EPS HUNT
 625 EPS
 625 EPS TOURING
 850 EPS
 1000 EPS
 1000 EPS OVERLAND

UTV

- UFORCE**
 600
 600 EPS
 600 EPS HUNT
 600 EPS TREK
 800 EPS
 800 EPS CAMO LE
 1000 EPS
 1000 EPS HUNT
 1000 EPS TREK
 1000 EPS XL

SSV

- ZFORCE**
 800 EPS TRAIL
 950 EPS SPORT
 950 EPS SPORT-4
 1000 EPS SPORT R

YOUTH

- CFORCE**
 CX-2E
 CX-5E
 110
 EV 110

SPECS

CFORCE

CFMOTO cut its farm teeth in ATVs, and the nine-model CFORCE range – including the new benchmark-setting 400s, 520 and 625s – bears all the hallmarks of that experience, ingenuity, craftsmanship and attention to detail. No stone is left unturned to get the most out of a workday, with the spec-rich range offering unbeatable value for money. From 400 to 1000cc, we've got the CFORCE to meet your needs.

Mojo Motorcycles Pty Ltd., the Australian distributor for CFMOTO, has released an updated quad bike range that complies with stage 2 of the Australian Government mandatory Consumer Goods (QuadBike) Safety Standard. All quad bike models listed in the brochure are stage 2 compliant.

For further information about the new standard please talk to your CFMOTO Dealer or head to CFMOTO Australia's website for further information at - www.cfmoto.com.au

QUAD BIKE
✓ COMPLIANT
SAFETY STANDARD

otv





With refinements across the board, introducing the new-generation CFORCE 400, 400 EPS, 520 EPS & 520 EPS HUNT

Key refinements

- Stronger than ever with a 612kg towing capacity
- 25 per cent tighter turning radius, now down to 5.6 metres one-up
- 50 per cent more front and rear rack loading capacity
- 30 per cent stronger and 10 per cent lighter frame
- 26 per cent more suspension travel
- 21 per cent more fuel capacity
- 25 per cent less leg area temperature
- Reduced vibration through handlebar, footrests and seat.

lighter
stronger
smarter

CFORCE
400



Best Value

When it comes to value for money, the CFORCE 400 stands alone. A 400cc, 4WD ATV loaded with work-ready features and a two-year factory warranty.

- 30 hp, 400cc engine ● Bosch EFI
- CVT transmission ● Engine braking
- 2WD/4WD with locking front differential
- Hydraulic disc brakes ● Front and rear dual A-Arm independent suspension
- Steel wheels ● 24-inch 6ply tyres
- Steel carrier racks ● 612 kg tow capacity
- 30 kg / 60 kg rack capacity
- 2 Year Warranty

Hunter Green

CFORCE
400
EPS



Ultimate work machine

Loaded with all the same features as its CFORCE 400 workmate, the EPS model adds power steering, alloy wheels and a heavy-duty winch to get even more out of your workday.

- 30 hp, 400cc engine ● Bosch EFI
- CVT transmission ● Engine braking
- 2WD/4WD with locking front differential
- Hydraulic disc brakes ● Power steer
- Front and rear dual A-Arm independent suspension ● Alloy wheels
- 24-inch 6ply tyres ● Steel carrier racks
- 2500lb winch ● 612 kg tow capacity
- 30 kg / 60 kg rack capacity ● 2 Year Warranty

Lava Orange

CFORCE
520
EPS



The Aussie favourite

Out in the paddock, you'll love the CFORCE 520 EPS with its bigger 495cc engine. This quad is loaded with extras including power steering, a big 5-inch LCD display, ultra-bright LED lights, winch, handguards and 12-inch alloy wheels with larger 25-inch rubber.

- 34 hp, 495cc engine ● Bosch EFI
- CVT transmission ● Engine braking ● Power steer
- 2WD/4WD with locking front differential
- Hydraulic disc brakes
- Front and rear dual A-Arm independent suspension
- Alloy wheels ● 25-inch 6ply tyres ● Premium carrier racks
- Handguards ● 5-inch LCD display ● LED headlights
- 2500lb winch ● 612 kg tow capacity
- 30 kg / 60 kg rack capacity ● 2 Year Warranty

Force Red

CFORCE
520
EPS HUNT



HUNT edition

The CFORCE 520 EPS HUNT is designed to meet the demands of outdoor enthusiasts and hunters alike, including front and rear steel protection bars, rugged HPDE A-Arm guards, and an exclusive Camo colour scheme.

- 34 hp, 495cc engine ● Bosch EFI ● CVT transmission
- Engine braking ● Power steer ● 2WD/4WD with locking front differential ● Hydraulic disc brakes
- Front & rear protector bar ● HDPE A-arm guards
- Front and rear dual A-Arm independent suspension
- Alloy wheels ● 25-inch 6ply tyres ● Premium carrier racks
- Handguards ● 5-inch LCD display ● LED headlights
- 2500lb winch ● 612 kg tow capacity
- 30 kg / 60 kg rack capacity ● 2 Year Warranty

Camouflage



Overseas model shown

stronger, smoother, smarter

CFMOTO's engineers left no stone unturned when it came to reviewing the robust CFORCE 625

Key refinements

- Bigger 612 kg tow capacity
- More power with 45hp and 51Nm of torque
- New cylinder head features revised intake and exhaust channels
- New combustion chamber design
- Optimised coolant channels and camshaft profile
- Complemented by larger-diameter intake and exhaust valves
- New forged piston for greater strength with reduced weight and vibration
- A Diamond-Like Coating (DLC) piston ring to enhance engine durability.
- New UP6.0 ECU platform. Far more powerful than before, delivering improved throttle connection, smoother control, and increased comfort
- New ride-by-wire throttle lever and throttle body
- Choice of two drive modes, Normal or Work
- New engine mounting to reduce noise, vibration, and harshness

CFORCE 625 EPS



Next generation

CFMOTO's largest capacity, single-cylinder ATV, the CFORCE 625 EPS, has undergone a series of technical updates and refinements for MY23, taking the already impressive package to new heights.

- 45 hp, 580cc engine
- Bosch EFI, ride-by-wire
- Two drive modes
- CVT transmission
- Engine braking
- Power steer
- 2WD/4WD with locking front & rear differential
- All 4 wheel hydraulic disc brakes
- Dual A-Arm independent suspension
- Alloy wheels
- 25-inch 6ply tyres
- Handguards
- 3000lb winch
- 612 kg tow capacity
- 35 kg / 70 kg rack capacity
- 2 Year Warranty

Velocity Grey

Camouflage

CFORCE 625 EPS TOURING



Two-up touring

The 625 TOURING comes with all the goodies that its smaller sibling gets, plus a longer wheelbase for two-up riding as well as a pillion backrest with grab handles.

- 45 hp, 580cc engine
- Bosch EFI, ride-by-wire
- Two drive modes
- CVT transmission
- Dual seat with pillion backrest and grab handles
- Engine braking
- Power steer
- 2WD/4WD with locking front & rear differential
- All 4 wheel hydraulic disc brakes
- Dual A-Arm independent suspension
- Alloy wheels
- 25-inch 6ply tyres
- Handguards
- 3000lb winch
- 612 kg tow capacity
- 35 kg / 70 kg rack capacity
- 2 Year Warranty

Velocity Grey

Camouflage



v-twin

*Overseas model shown

CFORCE 850 EPS




Big power. Big features.

Big-bore 800cc V-twin grunt, long-wheelbase versatility and plenty of features to maximise fun and function.

- 800cc V-twin engine ● Delphi EFI
- CVT transmission ● Power steer
- 2WD/4WD with locking front differential
- Long wheelbase, 2 seat with pillion backrest
- Alloy wheels ● 26-inch tyres ● Handguards
- 3000lb winch
- 300 kg tow capacity ● 280 kg carry capacity
- 2 Year Warranty



Lava Orange



Camouflage

CFORCE 1000 EPS




Big V-twin grunt

Armchair-like comfort, big 1000cc V-twin power and loaded with all the gear you'd expect from CFMOTO. The CForce 1000 is the perfect companion for the farmer who wants that little bit extra.

- 963cc V-twin engine ● Bosch EFI
- CVT transmission ● Power steer
- 2WD/4WD with locking front differential
- Long wheelbase, 2 seat with pillion backrest
- Alloy wheels ● 27-inch tyres ● Handguards
- 3000lb winch
- 300 kg tow capacity ● 280 kg carry capacity
- 2 Year Warranty



Lava Orange



Ghost Grey


CFORCE 1000 EPS OVERLAND



Burger with the lot

The OVERLAND needs no introduction. Factory-fitted extras including beadlock rims, front & rear protector bars, LED riding lights, an 8mm full-length skid plate, premium paint, fender extenders and windshield.

- 963cc V-twin engine ● Bosch EFI
- CVT transmission ● Power steer
- 2WD/4WD with locking front differential
- Long wheelbase, 2 seat with pillion backrest
- Beadlock rims ● Front & rear protector bars
- LED riding lights ● Intergrated handguards and screen
- 8mm bashplate ● Fender extenders ● 3000lb winch
- 300 kg tow capacity ● 280 kg carry capacity
- 2 Year Warranty



Granite Ridge with Electric Blue



Midnight Camo with Red



UFORCE

Welcome to the CFMOTO UFORCE UTV range which, thanks to a recent 'growth' spurt, now spans ten real-world work-ready models. The value-packed line-up starts with the all-inclusive attributes of the new UFORCE 600 range to the more powerful 800s and book-ended by the fearless UFORCE 1000s – including the upsized six-seat XL and the weather-beating TREK. All bases covered.

UTV



the
stronger
all-rounder

UFORCE
600



No-frills utility

A no-frills UTV that offers unbeatable value in CFMOTO's all-new UFORCE 600 utility platform.

- 41 hp, 580cc engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control
- 2WD/4WD with locking front differential
- Hydraulic disc brakes ● Steel wheels
- Bench seat ● 96 litres of storage
- 35 litre fuel tank ● Roof kit
- 680 kg tow capacity ● 250 kg tray capacity
- 2 Year Warranty

Blue

UFORCE
600
EPS



The stronger all-rounder

A package that represents a quantum leap in design, performance and ergonomics, with key updates including electronic hill descent control and a limited-slip rear differential.

- 41 hp, 580cc engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD) ● Alloy wheels
- Bench seat ● 96 litres of storage
- 35 litre fuel tank ● Roof kit ● 3500lb winch
- 680 kg tow capacity ● 250 kg tray capacity
- 2 Year Warranty

Velocity Grey

UFORCE
600
EPSHUNT



HUNT edition

Loaded with plenty of extras to enjoy the great outdoors, including UV-resistant camouflage wrap, dual snorkel kit, front protector bar, side and rear bars, and a half windscreen.

- 41 hp, 580cc engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD) ● Alloy wheels
- Dual snorkel kit ● HUNT Ed. Protector bars
- Half windscreen ● Roof kit ● 3500lb winch
- 680 kg tow capacity ● 250 kg tray capacity
- 2 Year Warranty

Camouflage

UFORCE
600
EPSTREK



TREK edition

Boasting extras like: front full-length windscreen; half door kit (pair); rear screen; front bar (steel, power coated black); and the new 'TREK Edition' Tactical Green livery.

- 41 hp, 580cc engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Limited slip differential (LSD) ● Alloy wheels
- Dual snorkel kit ● Tow pack, indicators, horn & side mirrors ● Full windscreen ● Roof kit ● 3500lb winch
- 680 kg tow capacity ● 250 kg tray capacity
- 2 Year Warranty

TREK Edition
Tactical Green



work and play

*Model shown with optional roof cage, light bar and half-windscreen.

UFORCE
800
EPS



Work and play

The UFORCE 800 EPS is loaded with standard equipment and is powered by CFMOTO's 800cc V-twin with plenty of performance to turn a work day into a fun day.

- 62 hp, 800cc V-twin engine
- Delphi EFI ● CVT transmission
- Engine braking ● Power steer
- 2WD/4WD with locking front differential
- 14-inch alloy wheels ● Tip tray ● Roof kit
- 550 kg tow capacity ● 260 kg tray capacity
- 2 Year Warranty

Mercury Silver

UFORCE
800
EPSCAMOLE



Limited-edition camo

The UFORCE 800 EPS CAMO LE is up to the task. Loaded with extras including front protector bar, headlight guards, bonnet rack, 3500lb winch and a CAMO livery.

- 62 hp, 800cc V-twin engine
- Delphi EFI ● CVT transmission
- Engine braking ● Power steer
- 2WD/4WD with locking front differential
- 14-inch alloy wheels ● Tip tray ● Roof kit
- Front protector bar and bonnet rack
- Roof kit ● 3500lb winch
- 550 kg tow capacity ● 260 kg tray capacity
- 2 Year Warranty

Limited-edition Camouflage



work ready

UFORCE
1000
EPS



Real World. Work Ready.

The UFORCE 1000 takes UTVs to the next level and, even more importantly, at a price that's too good to refuse.

- 963cc V-twin engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- Alloy wheels ● 27-inch tyres
- Bench seat ● 40 litre fuel tank ● Roof kit
- 800 kg tow capacity ● 350 kg tray capacity
- 2 Year Warranty

Twilight Blue

UFORCE
1000
EPSHUNT



Gear up

For the outdoors man or woman, the UFORCE 1000 HUNT Edition is ready to go straight out of the box. Loaded with gear including camo colour scheme, a front protector bar, bonnet rack, side and rear bars, black half doors, a 3500lb winch and alloy A-Arm guards.

- 963cc V-twin engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- HUNT Ed. protector bars ● Half door kit
- 3500lb winch ● Alloy A-Arm guards
- Bench seat ● 40 litre fuel tank ● Roof kit
- 800 kg tow capacity ● 350 kg tray capacity
- 2 Year Warranty

Camouflage

UFORCE
1000
EPSTREK



Keep Mother Nature at bay

Time to enjoy the added creature comforts with the UFORCE 1000 TREK Edition; with its fully enclosed cabin, the TREK's narrative is focused on protection from the elements while being jam-packed with accessories to offer outstanding value for money.

- 963cc V-twin engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Rear LSD ● Fully enclosed cabin ● Full door kit
- Full tilt windshield ● rear windshield ● Roof kit
- Wiper, washer and in cabin light
- Heated seats ● Side bars ● 3500lb winch
- 800 kg tow capacity ● 350 kg tray capacity
- 2 Year Warranty

Twilight Blue



room for six

*Overseas model shown


UFORCE 1000 EPSXL



Supersized six seater

Based on the current UFORCE 1000 platform, the UFORCE 1000 XL goes to the next level in terms of comfort, capability and payload.

- 963cc V-twin engine ● Bosch EFI
- Two drive modes ● CVT transmission
- Electronic hill descent control ● Power steer
- 2WD/4WD with locking front differential
- Rear limited slip differential (LSD)
- Long wheelbase - six seater
- 40 litre fuel tank ● Roof kit ● 4500lb winch
- 800 kg tow capacity ● 350 kg tray capacity
- 2 Year Warranty



Twilight Blue

ZFORCE

Life's not all about hard yakka, and the bold and brawny CFMOTO ZFORCE sports-by-side (SSV) vehicles are the titans of adventure – without breaking the bank. The 800 TRAIL is the entry-level SSV but don't be fooled by the tag: this high-performing machine delivers a dynamic driving experience. Room for four? Try the all-new 950 SPORT-4 on for size or for the ultimate master blaster, the flagship 1000 SPORT R.



SSV



more fun

ZFORCE
800
EPSTRAIL



Adventure for the masses

The ZFORCE 800 TRAIL. All new exterior design, a longer wheelbase, restyled 14-inch alloy wheels, improved sports seats & steering wheel, and dynamic double A-arm independent rear suspension. Adventure, at an extraordinary value proposition, awaits.

- 60 hp, 800cc V-twin engine ● EFI with two drive modes
- CVT transmission ● Power steer
- 2WD/4WD with locking front differential
- Adjustable coil spring with oil dampening
- 14-inch alloy wheels ● 26-inch CST tyres
- Half doors ● Sport seats and steering wheel
- LED headlights ● 5-inch LCD display
- Roof kit ● 12 Month Warranty

Galaxy Grey

ZFORCE
950
EPSSPORT



Dynamic Evolution

The all-new ZFORCE 950 Sport is the ultimate fusion of performance, versatility, and agility. Packed with more power, longer suspension and boosted capacities, this SSV is prepared to conquer any challenge.

- 85 hp, 963cc V-twin engine ● EFI with two drive modes
- CVT transmission ● Dual mode power steer
- 2WD/AWD/4WD with locking front differential
- Piggyback gas shocks with adjustable compression and rebound damping
- 14-inch alloy wheels ● 27-inch CST tyres
- 3500lb winch ● Half doors
- Sports seats & steering wheel ● LED headlights
- 5-inch LCD display ● Roof kit
- 12 Month Warranty

Fire Red

Tundra Grey

ZFORCE
950
EPSSPORT 4



4x Friends, 4x Fun

Our cutting-edge 4-seater SSV. With its robust construction, powerful performance, and innovative features, the CFMOTO 950 SPORT-4 is your ticket to sharing unforgettable off-road journeys with your crew.

- Long wheelbase 4-seat ● 85 hp, 963cc V-twin engine
- EFI with two drive modes ● CVT transmission
- Dual mode power steer ● 2WD/AWD/4WD with locking front differential
- Piggyback gas shocks with adjustable compression and rebound damping
- 14-inch alloy wheels ● 27-inch CST tyres
- 4500lb winch ● Half doors ● Ride App connectivity
- Sports seats & steering wheel ● LED headlights
- 5-inch LCD display ● Roof kit ● LED lighting
- 12 Month Warranty

Desert Tan

ZFORCE
1000
EPSSPORT R



More fun

The ZFORCE 1000 SPORT R gets more power (up 10hp), improved dynamic suspension, colour-matched beadlock rims with big 29-inch Stag tyres, new sports steering, sports seats, an updated five-inch display and a 3500lb nylon rope winch.

- 90 hp, 963cc V-twin engine ● EFI with two drive modes
- CVT transmission ● Power steer
- 2WD/4WD with locking front differential
- Rear LSD ● Dual A-arm front suspension with sway bar
- Multi-link rear suspension with sway bar
- Dual-spring rear shocks
- 14 inch colour matched beadlock wheels
- 29-inch CST tyres ● 3500lb nylon rope winch
- 5-inch LCD display
- Roof kit ● 12 Month Warranty

Royal Blue

Nebula Black

YOUTH

CFMOTO proudly presents its Youth Range of fun bikes and fun ATVs designed specifically for the next generation of adventurous riders. Engineered to ignite the spirit of exploration and adrenaline in the hearts of our youth. With cutting-edge technology, striking design, and uncompromising performance, the CX and CFORCE 110 series redefine the youth riding experience, providing an exhilarating gateway to off-road adventures like never before.

youth






CX charge into the future



Little Kids

With the power of a 50cc fun bike but without the complications of a clutch, fuelling, or gear-changing, the electric motor delivers a super smooth, controllable powerband, and adult supervisors can modify its power level output with 'beginner mode' to 'full power' mode so young riders can learn at their own pace.

- Recommended Age: 4-7
- Motor: 48V 650W (max output 1200W)
- Three power modes
- Max Speed: 36km/h
- Range: 60km
- Seat Height: 550mm
- Wheel Size: 10-inch
- Weight: 49kg



Baltic Blue



Big Kids

The CX-5E takes everything great about the CX-2E and amps it up for competent young riders. More power, more ground clearance, longer suspension, 14" front and 12" rear wheels and off-road tyres. It is a full-fledged youth dirt bike. The fact that the battery can be easily replaced during riding sessions will make both the rider and their parents very happy.

- Recommended Age: 8-12
- Motor: 48V, 1000W (max output 1500W)
- Three power modes
- Max Speed: 46km/h
- Range: 60km
- Seat Height: 678mm
- Wheel Size: 12 / 14-inch
- Weight: 56kg



Baltic Blue



kids corner

CFORCE
110



Kids Corner

With sporty looks, brilliant performance, disc brakes all-round and a portfolio of safety features – including a unique geofence function – the CFORCE 110 raises the bar in the youth ATV space.

CFORCE
EV 110




EV CFMOTO
ELECTRIC VEHICLE


A New Force Unleashed!

CFMOTO is leading the way for the next generation of riders with an all-electric youth ATV that is set to change the game forever. This advanced, sports-orientated ATV has an easy-to-ride nature that promotes a safe way for youngsters to develop their riding skills further

- 110cc, single-cylinder, SOHC four-stroke engine
- Fuel injection ● Electric start ● 6.4-litre fuel tank
- 2WD ● Hydraulic disc brakes ● Double A-arm independent front suspension / swingarm rear suspension
- 10/8-inch steel wheels ● 19/18-inch tyres
- 3.5-inch display ● Magnetic tether
- LED brake light ● LED daytime running light
- Optional smartphone connectivity ● 2 Year Warranty
- Available in Baja Blue or Rocket Red



Baja Blue



Rocket Red

- 1500W electric motor ● 3hr+ run time (60km)
- 4.5kW max power / 40Nm max torque estimated
- 4-hour charge time from 0% ● 2WD
- Hydraulic disc brakes ● Double A-arm independent front suspension / swingarm rear suspension ● 10/8-inch steel wheels
- 19/18-inch tyres ● 5-inch display ● Magnetic tether
- LED brake light ● LED daytime running light
- Optional smartphone connectivity ● 2 Year Warranty
- Available in White / Lemon Green or White / Lava Orange



White & Lemon Green



White & Lava Orange



Total Care

There's something magical about buying a brand new CFMOTO – whether it's the first purchase or your 10th.

Regardless of the circumstances, picking up a brand spanking new CFMOTO is a wonderful feeling.

Owning a CFMOTO is an amazing experience, and one of the best ways to ensure the good times continue is with a regular service and maintenance routine. Trust us: your CFMOTO will thank you for it!

RECOMMENDED LUBRICANT
MOTUL



Parts & Accessories

Genuine parts and accessories are tailor-made for your ATV, UTV or SSV, and it's no different with CFMOTO. What is removed is returned with a perfect match, and the accessories have been manufactured to account for every nuance of your model to enhance your CFMOTO even more.

And, of course, genuine CFMOTO parts and accessories come with the highest level of quality controls, so you know you're getting the best.



Shop CFMOTO

Parts and accessories are available from our on-line shop 24-7, but the best place to get wise counsel is from your local CFMOTO dealer.

Your authorised CFMOTO dealer can also help you with that vital, final piece of the ownership matrix – ensuring your vehicle is serviced in accordance with manufacturer guidelines.



SCAN to visit CFMOTO's online store.



atv



GEORGE
400

GEORGE
400
EPS

GEORGE
520

GEORGE
520
EPS HUNT

GEORGE
625

GEORGE
625
EPS TOURING

GEORGE
850

GEORGE
1000

GEORGE
1000
EPS OVERLAND

Engine Type	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	400cc	400cc	495cc	495cc	580cc	580cc	800cc	963cc	963cc
Max Power	31 hp at 7,200 rpm	31hp at 7,200 rpm	34 hp at 6,250 rpm	34 hp at 6,250 rpm	45 hp at 6,500 rpm	45 hp at 6,500 rpm	60 hp at 7,250 rpm	74 hp at 7,000 rpm	74 hp at 7,000 rpm
Max Torque	33 Nm at 6,000 rpm	33 Nm at 6,000 rpm	40 Nm at 6,000 rpm	40 Nm at 6,000 rpm	51 Nm at 6,000 rpm	51 Nm at 6,000 rpm	64 Nm at 6,250 rpm	71 Nm at 6,500 rpm	71 Nm at 6,500 rpm
Fuel System	Bosch EFI	Bosch EFI	Bosch EFI	Bosch EFI	Bosch EFI with two drive modes	Bosch EFI with two drive modes	Delphi EFI	Bosch EFI	Bosch EFI
Transmission	CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT	CVT
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front & rear differential	2WD/4WD with locking front & rear differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Fixed	Fixed	Fixed	Open rear differential	Open rear differential	Fixed	Fixed	Limited Slip Differential (LSD)
Steering	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm
Brakes	Hydraulic discs	Hydraulic discs	Hydraulic discs	Hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy	12-inch alloy	12-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock
Tyres	24-inch CST, 6-ply rating	24-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	25-inch CST, 6-ply rating	26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating
L x W x H	2046 x 1125 x 1150 mm	2046 x 1125 x 1150 mm	2186 x 1125 x 1162 mm	2186 x 1125 x 1162 mm	2035 x 1180 x 1220 mm	2235 x 1180 x 1220 mm	2310 x 1250 x 1420 mm	2310 x 1250 x 1420mm	2395 x 1264 x 1420mm
Wheelbase	1260 mm	1260 mm	1260 mm	1260 mm	1280 mm	1480 mm	1480 mm	1480 mm	1480 mm
Ground Clearance	254 mm	254 mm	262 mm	262 mm	270 mm	270 mm	285 mm	285 mm	300 mm
Wet Weight	332 kg	332 kg	351 kg	351 kg	395 kg	415 kg	480 kg	490 kg	490 kg
Towing Capacity	612 kg	612 kg	612 kg	612 kg	612 kg	612 kg	300 kg	300 kg	300 kg
Carry Capacity	30 kg / 60 kg (front/rear)	30 kg / 60 kg (front/rear)	30 kg / 60 kg (front/rear)	30 kg / 60 kg (front/rear)	35 kg / 70 kg (front/rear)	35 kg / 70 kg (front/rear)	35 kg / 70 kg (front/rear)	35 kg / 70 kg (front/rear)	35 kg / 70 kg (front/rear)
Fuel Capacity	17 L	17 L	17 L	17 L	18 L	18 L	30 L	30L	30L
Person	One	One	One	One	One	Two	Two	Two	Two
Winch	-	Yes, 2500lb	Yes, 2500lb	Yes, 2500lb	Yes, 3000lb	Yes, 3000lb	Yes, 3000lb	Yes, 3000lb	Yes, 3000lb
Colour	Sky Blue	Lava Orange	Force Red	Camouflage	Velocity Grey or Camouflage	Velocity Grey or Camouflage	Lava Orange or Camouflage	Lava Orange or Ghost Grey	Granite Ridge with Electric Blue
Warranty	Two year	Two year	Two year	Two year	Two year	Two year	Two year	Two year	Two year

QUAD BIKE
COMPLIANT
SAFETY STANDARD

RECOMMENDED LUBRICANT
MOTUL

CFMOTO
FINANCE



experience
more
together

Specification

utv



RECOMMENDED LUBRICANT



UForge 600

UForge 600 EPS

UForge 600 EPSHUNT

UForge 600 EPSTREK

UForge 800 EPS

UForge 800 EPSCAMOLE

UForge 1000 EPS

UForge 1000 EPSTREK

UForge 1000 EPSHUNT

UForge 1000 EPSXL

Engine Type	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke single-cylinder with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	580cc	580cc	580cc	580cc	800cc	800cc	963cc	963cc	963cc	963cc
Max Power	41 hp at 6,250 rpm	41 hp at 6,250 rpm	41 hp at 6,250 rpm	41 hp at 6,250 rpm	62 hp at 6,750 rpm	62 hp at 6,750 rpm	71 hp at 7,000 rpm	71 hp at 7,000 rpm	71 hp at 7,000 rpm	71 hp at 7,000 rpm
Max Torque	46 Nm at 4,750 rpm	46 Nm at 4,750 rpm	46 Nm at 4,750 rpm	46 Nm at 4,750 rpm	72 Nm at 6000 rpm	72 Nm at 6,000 rpm	74 Nm at 6,500 rpm	74 Nm at 6,500 rpm	74 Nm at 6,500 rpm	74 Nm at 6,500 rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Delphi EFI	Delphi EFI	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT	CVT	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control	CVT with electronic hill descent control
Drive	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake	H-L-N-R-Park + Handbrake
4WD	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Fixed	Fixed	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)	Limited Slip Differential (LSD)
Steering	-	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm	Double A-arm
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	12-inch steel	12-inch alloy	12-inch alloy	12-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy
Tyres	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating	25-inch INNOVA, 6-ply rating	26-inch CST, 6-ply rating	26-inch CST, 6-ply rating	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating	27-inch CST, 8-ply rating
L x W x H	2820 x 1470 x 1950 mm	2820 x 1470 x 1950 mm	2820 x 1470 x 1950 mm	2820 x 1470 x 1950 mm	2980 x 1465 x 1850 mm	2980 x 1465 x 1850 mm	2945 x 1615 x 1850 mm	3045 x 1615 x 1850 mm	2945 x 1615 x 1850 mm	3770 x 1615 x 1850 mm
Wheelbase	1950 mm	1950 mm	1950 mm	1950 mm	1830 mm	1830 mm	2050 mm	2050 mm	2050 mm	2850 mm
Ground Clearance	270 mm	270 mm	270 mm	270 mm	260 mm	260 mm	280 mm	28 mm	280 mm	280 mm
Wet Weight	640 kg	640 kg	640 kg	640 kg	625 kg	640 kg	690 kg	730 kg	740 kg	870 kg
Towing Capacity	680 kg	690 kg	710 kg	710 kg	550 kg	550 kg	800 kg	800 kg	800 kg	800 kg
Carry Capacity	250 kg (rear tray)	250 kg (rear tray)	250 kg (rear tray)	250 kg (rear tray)	260 kg (rear tray)	260 kg (rear tray)	350 kg (rear tray)	350 kg (rear tray)	350kg (rear tray)	350 kg (rear tray)
Cargo tray Size	1300 x 870 x 275 mm	1300 x 870 x 275 mm	1300 x 870 x 275 mm	1300 x 870 x 275 mm	1200 x 790 x 310 mm	1200 x 790 x 310 mm	1420 x 865 x 290 mm	1420 x 865 x 290 mm	1420 x 865 x 290 mm	1420 x 865 x 290 mm
Fuel Capacity	35 L	35 L	35 L	35 L	26 L	26 L	40 L	40 L	40 L	40 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved
Person	Two	Two	Two	Two	Two	Two	Three	Three	Three	Six
Winch	-	Yes, 3500lb	Yes, 3500lb	Yes, 3500lb	-	Yes, 3500lb	-	Yes, 3500lb	Yes, 3500lb	Yes, 4500lb
Colour	Blue	Velocity Grey	Camouflage	Tactical Green	Mercury Silver	Lt. Edition Camouflage	Twilight Blue	Camouflage	Twilight Blue	Twilight Blue
Warranty	Two year	Two year	Two year	Two year	Two year	Two year	Two year	Two year	Two year	Two year

experience
more
together

Specialist

SSV



Z-FORCE
800
EPS-TRAIL

Z-FORCE
950
EPS-SPORT

Z-FORCE
950
EPS-SPORT 4

Z-FORCE
1000
EPS-SPORT R

Engine Type	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI	Liquid-cooled, four-stroke V-twin with EFI
Displacement	800cc	963cc	963cc	963cc
Max Power	60 hp at 7,500 rpm	85 hp at 7,500 rpm	85 hp at 7,500 rpm	90 hp at 7,500 rpm
Max Torque	68 Nm at 5,750 rpm	87 Nm at 5,500 rpm	87 Nm at 5,500 rpm	87 Nm at 6,750 rpm
Fuel System	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes	Bosch EFI - two drive modes
Transmission	CVT	CVT	CVT	CVT
Drive	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park	H-L-N-R-Park
4WD	2WD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/AWD/4WD with locking front differential	2WD/4WD with locking front differential
Rear Differential	Fixed	Fixed	Fixed	Limited Slip Differential (LSD)
Steering	Electronic Power Steering (EPS)	Dual mode Electronic Power Steering (EPS)	Dual mode Electronic Power Steering (EPS)	Electronic Power Steering (EPS)
Suspension	FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar	FRONT: Double A-arm w/ sway bar REAR: Double A-arm w/ sway bar	FRONT: Double A-arm w/ sway bar REAR: Toe-link control 334mm of travel	FRONT: Double A-arm w/ sway bar REAR: Multi-link w/ sway bar
Brakes	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs	Four-wheel hydraulic discs
Wheels	14-inch alloy	14-inch alloy	14-inch alloy	14-inch alloy, 16 bolt beadlock
Tyres	26-inch CST, 6-ply rating	27-inch CST, 6-ply rating	27-inch CST, 6-ply rating	29-inch CST Stag, 8-ply rating
L x W x H	3065 x 1385 x 1820mm	3065 x 1524 x 1870mm	3827 x 1524 x 1880mm	3020 x 1565 x 1850 mm
Wheelbase	2286 mm	2286 mm	3048 mm	2285 mm
Ground Clearance	254 mm	305 mm	307 mm	340 mm
Wet Weight	650 kg	675 kg	795 kg	705 kg
Towing Capacity	680 kg	680 kg	680 kg	400 kg
Carry Capacity	100 kg (rear cargo)	150 kg (rear cargo)	150 kg (rear cargo)	100 kg (rear cargo)
Fuel Capacity	37 L	37 L	37 L	36.5 L
Roll Cage	ROPS-approved	ROPS-approved	ROPS-approved	ROPS-approved
Person	Two	Two	Four	Two
Winch	-	Yes, 3500lb	Yes, 4500lb	Yes, 3500lb
Colour	Galaxy Grey	Lava Orange or Tundra Grey	Desert Tan	Royal Blue or Nebula Black
Warranty	12 month	12 month	12 month	12 month

youth



EV
CX 2E

EV
CX 5E

GEORGE
110

EV
GEORGE
110

Engine Type	48V, 650W electric motor (max output 1200W)	48V, 1000W electric motor (max output 1500W)	Four-stroke single-cylinder	44V, 1500W electric motor (max output 4500W)
Displacement	Equivalent power to a petrol 50cc	Equivalent power to a petrol 110cc	110cc	Equivalent power to a petrol 110cc
Fuel System/Battery	48V, 24Ah Lithium-Ion, swappable	48V, 24Ah, Lithium-Ion, swappable	EFI	44V, 53Ah, 2400Wh. Lithium-Ion. With BMS.
Transmission	Chain drive	Chain drive	2WD, chain drive	2WD, chain drive
Drive	3 power modes	3 power modes	F-N-R	F-N-R
Start	-	-	Electric	-
Suspension	FRONT: 31mm telescopic fork, 72mm of travel REAR: single shock, 65mm of travel	FRONT: 31mm telescopic fork, 105mm of travel REAR: single shock, 100mm of travel	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber	FRONT: Double A-arm, independent REAR: Mono mid-placed shock absorber
Brakes	Hydraulic disc brakes	Hydraulic disc brakes	Hydraulic disc brakes	Hydraulic disc brakes
Wheels	Spoked rim / 10 inch	Spoked rim / 14/12 inch	Steel	Steel
Tyres	2.5/10	Front:70/100-14 Rear: 80/100-12	Front: AT 19 x 6-10, Rear: AT 18 x 9.5-8	Front: AT 19 x 6-10, Rear: AT 18 x 8.5-8
L x W x H	1330 x 610 x 789 mm	1555 x 665 x 958 mm	1483 x 943 x 925 mm	1500 x 935 x 950 mm
Wheelbase	952 mm	1066 mm	1020 mm	1020 mm
Ground Clearance			110 mm	120 mm
Weight	49 kg	56 kg	130 kg (wet)	130 kg
Fuel Capacity/Range	60 minutes (at max speed) / 60km	35 minutes (at max speed) / 60km	6.4 L	3+ hours run time / 60km
Person	One	One	One	One
Recommended Age	4-7 years of age	8-12 years of age	10 Years of age	10 Years of age
Seat Height	550 mm	678 mm		
CFMOTO Youth App			Geo-fence, vehicle status	Geo-fence, vehicle status
Colour	Baltic Blue	Baltic Blue	Rocket Red or Baja Blue	Polar White / Lemon Green or Polar White / Lava Orange
Warranty	12 month	12 month	Two year	Two year

RECOMMENDED LUBRICANT

MOTUL

CFMOTO
FINANCE

experience
more
together