



## 1991 ## 1992 ## 1993 ## 1994 ## 1995 ## 19			
Theta II Transverse front engine, front wheel drive 2.4 litres (2,359 cc) 4 in-line 6 in-line 7 in-line 7 in-line 8	lyundai Sonata		
Transverse front engine, front wheel drive 2.4 litres (2.39 cc) 4 in-line 16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CVVT) & mechanical lash adjustes 16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CVVT) & mechanical lash adjustes (D-CVVT) &	ingine	2.4 GDi	2.0 T-GDi
yelinder capacity 2.4 litres (2,359 cc) 4 in-line 4 in-line 4 in-line 16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CVVT) & mechanical lash adjusters atake system 2-step variable induction system 2-step variable induction system 2-step variable induction system 38 kW @ 6,000 RPM 33 SN m @ 1,350-4,000 RPM 4 aximum power 4 138 kW @ 6,000 RPM 33 SN m @ 1,350-4,000 RPM 4 33 SN m @ 1,350-4,000 RPM 5 S Euro 5 S S Euro 5 S E	ingine family	Theta II	Theta II
A in-line 4 in-line 4 in-line 4 in-line 16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CWT) & mechanical lash adjusters 2-step variable induction system 4 in-line 16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CWT) & mechanical lash adjusters 2-step variable induction system 4 in-line 18 kW @ 6,000 RPM 53 kW @ 6,000 RPM 53 kW @ 6,000 RPM 54 kW @ 6,000 RPM 55 kW @ 6,000 RPM 65 kW @ 6,000 RPM 66 kW @ 6,000 RPM 7-GDI (Turbo Gasoline Direct Injection), Petrol Place of the properties of the proper	Configuration	Transverse front engine, front wheel drive	Transverse front engine, front wheel drive
16 valves, dual overhead cam (DOHC) with Dual Continuously Variable Valve Timing (D-CVVI) & mechanical lash adjusters cantake system 2-step variable induction system 4aximum power 138 kW @ 6,000 RPM 4aximum torque 241 Nm @ 4,000 RPM 333 Nm @ 1,350-4,000 RPM 4aximum torque 91 RON (ULP), E10 compatible Euro 5 Euro 6	Cylinder capacity	2.4 litres (2,359 cc)	2.0 litres (1,998 cc)
Dual Continuously Variable Valve Timing (DC-VVT) & mechanical lash adjusters take system 2-step variable induction system 2-step variable induction system 138 kW @ 6,000 RPM 138 kW @ 6,000 RPM 333 Nm @ 1,350-4,000 RPM 353 Nm @ 1,350-4,000 RPM 1-GDI (Turbo dasoline Drete Injection), Petro description Petro	lumber of cylinders	4 in-line	4 in-line
Stakimum power 138 kW @ 6,000 RPM 138 kW @ 6,000 RPM 138 kW @ 6,000 RPM 353 km @ 1,350-4,000	'alve system	Dual Continuously Variable Valve Timing	
### Authoratic	ntake system	2-step variable induction system	
Cab Cas	Maximum power	138 kW @ 6,000 RPM	180 kW @ 6,000 RPM
### STRON (ULP), E10 compatible ### STRON (ULP), E10 compatibl	Maximum torque	241 Nm @ 4,000 RPM	353 Nm @ 1,350-4,000 RPM
Euro 5	uel system	GDi (Gasoline Direct Injection), Petrol	T-GDi (Turbo Gasoline Direct Injection), Petro
Some x stroke Section	uel type	91 RON (ULP), E10 compatible	91 RON (ULP), E10 compatible
1.3	missions standard	Euro 5	Euro 5
transmission 2.4 GDi automatic 6 speed automatic, electronically controlled with lock up torque converter Automatic 6 speed automatic, electronically controlled with lock up torque converter Automatic 4.212 4.808 1.404 1.800 1.864 1.414 1.386 1.424 1.416 1.000 1.219 1.416 1.000 1.219 1.416 1.416 1.417 1.417 1.418	Bore x stroke	88.0 mm x 97.0 mm	86.0 mm x 86.0 mm
Sepect S	Compression ratio	11.3 : 1	10.0 : 1
with lock up torque converter with lock up torque converter sieer ratio Automatic Automatic st 4.212 4.808 and 2.637 2.901 rd 1.800 1.864 th 1.386 1.424 th 1.000 1.219 th - 0.792 th - 0.799 th - 0.648 teverse 3.385 3.425 sial 2.885 3.320 ngine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic - citive - - remium - - teering 2.4 GDi 2.0 T-GDi teering 2.4 GDi 2.0 T-GDi totype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion dinimum turning circle diameter between erbs / walls 10.9 m tumber of steering wheel turns lock to lock 2.78 uspension 2.4 GDi 2.	ransmission	2.4 GDi	2.0 T-GDi
## ## ## ## ## ## ## ## ## ## ## ## ##	utomatic		8 speed automatic, electronically controlled with lock up torque converter
nd 2.637 2.901 rd 1.800 1.864 th 1.386 1.424 th 1.000 1.219 th 0.772 1.000 th - 0.799 th - 0.648 severse 3.385 3.425 inal 2.885 3.320 ngine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic cictive • - remium - • teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion dinimum turning circle diameter between erbs / walls 10.9 m dimber of steering wheel turns lock to lock 2.78 uspension 2.4 GDi 2.0 T-GDi month 4.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	Sear ratio	Automatic	Automatic
1.800	st	4.212	4.808
th 1.386 1.424 th 1.000 1.219 th 0.772 1.000 th - 0.799 th - 0.648 teverse 3.385 3.425 inal 2.885 3.320 Ingine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic cutive	nd	2.637	2.901
th 1.000 1.219 th 0.772 1.000 th - 0.799 th - 0.648 leverse 3.385 3.425 inal 2.885 3.320 Ingine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic citive	rd	1.800	1.864
th 0.772 1.000 th - 0.799 th - 0.648 teverse 3.385 3.425 inal 2.885 3.320 ngine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic ctive • tremium - • • teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Ainimum turning circle diameter between erbs / walls lumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi Automatic Automatic	th	1.386	1.424
th - 0.799 th - 0.648 teverse 3.385 3.425 tinal 2.885 3.320 ngine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic ctive • • - remium - • teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Alinimum turning circle diameter between erbs / walls lumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi Automatic Automatic 10.9 m 2.78 2.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	th	1.000	1.219
th - 0.648 leverse 3.385 3.425 linal 2.885 3.320 Ingine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic ctive • • - remium - • teering 2.4 GDi 2.0 T-GDi Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Alinimum turning circle diameter between erbs / walls Jumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi Automatic Automatic 10.9 m 2.78 2.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	ith	0.772	1.000
severse 3.385 3.425 inal 2.885 3.320 Ingine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic cutive • • - remium • • teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Minimum turning circle diameter between erbs / walls Lumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi Automatic Automatic -	th	-	0.799
inal 2.885 3.320 Ingine/transmission availability 2.4 GDi 2.0 T-GDi Automatic Automatic citive • • • • Iteering 2.4 GDi 2.0 T-GDi Yepe Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Minimum turning circle diameter between erbs / walls Lumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi 2.78 2.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	th	-	0.648
Automatic Automatic Automatic Citive • • - Teemium - • Teering 2.4 GDi 2.0 T-GDi Automatic Automatic • • Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Minimum turning circle diameter between erbs / walls Lumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi 2.78 Augusta 2.4 GDi 2.78 Augusta 2.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	leverse	3.385	3.425
Automatic Automatic Automatic Automatic Automatic Automatic Automatic Column of the colum	inal	2.885	3.320
remium - • • • • • • • • • • • • • • • • • •	ngine/transmission availability	2.4 GDi	2.0 T-GDi
teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Ainimum turning circle diameter between erbs / walls Jumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi ont MacPherson strut with Amplitude Selective Dampers (ASD)		Automatic	Automatic
teering 2.4 GDi 2.0 T-GDi ype Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Alinimum turning circle diameter between erbs / walls Jumber of steering wheel turns lock to lock uspension 2.4 GDi 2.0 T-GDi MacPherson strut with Amplitude Selective Dampers (ASD)	active	•	-
Column mounted Motor Driven Power Steering (C-MDPS), rack & pinion Minimum turning circle diameter between erbs / walls Iumber of steering wheel turns lock to lock uspension 2.4 GDi Achieve Agnion MacPherson strut with Amplitude Selective Dampers (ASD)	remium	-	•
Minimum turning circle diameter between erbs / walls Iumber of steering wheel turns lock to lock uspension 2.4 GDi AucPherson strut with Amplitude Selective Dampers (ASD)	teering	2.4 GDi	2.0 T-GDi
erbs / walls lumber of steering wheel turns lock to lock uspension 2.4 GDi AucPherson strut with Amplitude Selective Dampers (ASD)	уре		
uspension 2.4 GDi 2.0 T-GDi ront MacPherson strut with Amplitude Selective Dampers (ASD)	finimum turning circle diameter between erbs / walls		
ront MacPherson strut with Amplitude Selective Dampers (ASD)	lumber of steering wheel turns lock to lock	2.78	
	uspension	2.4 GDi	2.0 T-GDi
ear Multi-link with Amplitude Selective Dampers (ASD)	ront	MacPherson strut with Amplitude Selective Dampers (ASD)	
	Rear	Multi-link with Amplitude Selective Dampers (ASD)	

Hyundai Sonata			
<u> </u>	1 000	0.07.00:	
Brakes	2.4 GDi	2.0 T-GDi	
System		Dual-diagonal, split circuit, power assisted with Electronic Brakeforce Distribution (EBD) and Brake Assist System (BAS)	
Front brake type	Ventila	ted disc	
Front disc dimensions	305mm x 25mm	320mm x 28mm	
Rear brake type	Solic	Solid disc	
Rear disc dimensions	284 x	284 x 10 mm	
Weight	2.4 GDi	2.0 T-GDi	
	Automatic	Automatic	
Kerb weight - lightest	1500 kg	1560 kg	
Kerb weight - heaviest	1587 kg	1645 kg	
Gross Vehicle Mass (GVM)	2060 kg	2120 kg	
Towing capacity	2.4 GDi	2.0 T-GDi	
	Automatic	Automatic	
Braked	130	1300 kg	
Unbraked	400	400 kg	
Maximum towball weight	70	70 kg	
Fuel consumption*	2.4 GDi	2.0 T-GDi	
	Automatic	Automatic	
Combined (L/100km)	8.3	8.5	
Urban (L/100km)	12.1	12.2	
Extra Urban (L/100km)	6.3	6.3	
CO2 - combined (g/km)	194	198	
Fuel tank volume	7	70	
*Source: Australian Design Rule 81/02 stat	ic laboratory combined average city and highway cy	vcle test. Real world fuel consumption will vary	

*Source: Australian Design Rule 81/02 static laboratory combined average city and highway cycle test. Real world fuel consumption will vary depending on a combination of driving habits, the condition of the vehicle, and other factors such as road, traffic and weather conditions.

ADR 81/02 test results are meant for comparison purposes only.

ADR 81/02 test results are meant for comparison purposes only.		
Dimensions	Active	Premium
Exterior		
Length	4855	mm
Width	1865 mm	
Height	1475 mm	
Wheelbase	2805 mm	
Wheel track - front / rear	1602 mm / 1609 mm	1597 mm / 1604 mm
Minimum ground clearance (based on kerb weight)	135 mm	
Interior		
Head room front / rear	1025 mm / 975 mm	985 mm / 960 mm
Hip room front / rear	1404 mm / 1426 mm	
Leg room front / rear	1155 mm / 905 mm	
Shoulder room front / rear	1470 mm / 1435 mm	
Cargo area - VDA/SAE	510 L / 462 L	

• = Feature is available on trim -= Feature is not available on trim

Hyundai Sonata		
Wheels & tyres	Active	Premium
Wheel type	Alloy	Alloy
Wheel dimensions	17 x 7.0J +50	18 x 7.5J +52.5
Tyre dimensions	215/55 R17 94W (Continental ContiPremiumContact™ 5)	235/45 R18 98Y (Michelin Pilot Sport 3)
Spare wheel type	Full size alloy	Full size alloy
Driving convenience	Active	Premium
Cruise control	•	•
Electronic Parking Brake (EPB) (with auto hold function)	-	•
One touch turn signal - 3, 5, or 7 flashes	•	•
Rain sensing wipers	-	•
Smart Key with push button start	•	•
Steering wheel mounted controls - audio, phone, cruise control, & trip computer	•	•
Tilt & telescopic steering column	•	•
Driving engagement	Active	Premium
Drive Mode - 3 settings (Comfort, Eco, Sport)	•	-
Drive Mode - 4 settings (Comfort, Eco, Sport, Smart)	-	•
Paddle shifters	•	•
Active safety	Active	Premium
Electronic Stability Control (ESC) including;		
Anti-lock Braking System (ABS)	•	•
Brake Assist System (BAS)	•	•
Electronic Brakeforce Distribution (EBD)	•	•
Hill-start Assist Control (HAC)	•	•
Traction Control System (TCS)	•	•
Vehicle Stability Management (VSM)	•	•
Hyundai SmartSense ™ including;		
Blind Spot Detection (BSD)		•
Driver Attention Alert (DAA)	-	•
Lane Change Assist (LCA)	-	•
Lane Departure Warning System (LDWS)	-	•
Rear Cross Traffic Alert (RCTA)	-	•
Smart Cruise Control (SCC)	-	•
Other features		
Emergency Stop Signal (ESS)	•	•
Park Assist System (PAS) - front (4 sensors, with guidance display)	-	•
Park Assist System (PAS) - rear (4 sensors, with guidance display)	•	•
Rear view camera with dynamic guide lines	•	•

Hyundai Sonata		
Passive safety	Active	Premium
Airbags		
Front airbags - driver & front passenger	•	•
Side (thorax) airbags - driver & front passenger	•	•
Side curtain airbags - 1st & 2nd rows	•	•
Doors		
Impact sensing auto door unlock	•	•
Rear door child safety locks	•	•
Seatbelts		
Pretensioners, load limiters & height adjustable upper mounts on front seat belts	•	•
Seat belt reminder - front & rear seatbelts	•	•
Seating		
Height adjustable front head restraints with tilt function	•	•
Height adjustable rear head restraints	•	•
ISOFIX child restraint anchors (rear outboard seats)	•	•
Top tether child restraint anchors (rear) - 3 anchors	•	•
Security	Active	Premium
Security system		
Active lock/unlock operation (user configurable)	•	•
Anti-theft alarm	•	•
Central locking	•	•
Engine immobiliser	•	•
Remotes		
Smart Key remote - 2x	•	•
Multimedia system	Active	Premium
Functions		
Apple CarPlay ¹ & Android Auto ² compatibility	•	•
Bluetooth® phone connectivity³	•	•
Satellite navigation	•	•
SUNA™ Live Traffic Updates⁴	•	•
Touch screen - 8" display	•	•
Speakers		
Audio system - 6 speakers	•	•
Audio/media sources		
AM / FM radio	•	•
AUX / USB audio input with iPod®5 compatibility	•	•
Bluetooth®3 audio streaming	•	•

- Notes:

 1. Apple CarPlay™ functionality requires software update. Apple CarPlay™ requires iPhone 5° or subsequent model (lightning cable) in order to operate. Apple® and iPhone® are registered trademarks of Apple Inc.

 2. Android Auto requires a device with Android 5.0 operating system or subsequent version in order to operate.

 3. Bluetooth® is a registered trademark of Bluetooth SIG, Inc. Please check your Bluetooth® device's capabilities to ensure compatibility.

 4. SUNA™ live traffic channel coverage is available in the following metropolitan areas only: Adelaide, Brisbane, Canberra, Gold Coast, Melbourne, Perth and Sydney.

 5. iPod® is a registered trademark of Apple computer Inc.



Hyundai Sonata		
Occupant comfort & convenience	Active	Premium
Upholstery/trim		
Leather ¹ appointed seats	-	•
Leather ¹ appointed steering wheel & gear knob	•	•
Front seats		
Driver's seat - height adjustable	•	•
Driver's seat - power adjustable - 12-way (including 4-way lumbar support)	-	•
Passenger's seat - height adjustable	•	•
Passenger's seat - power adjustable - 8-way (including 2-way lumbar support)	-	•
Integrated Memory System (IMS) on driver's seat and exterior mirrors	-	•
Front centre console armrest	•	•
Front centre console storage cubby - power outlets - 2 x 12V outlets	•	•
Front centre console - wireless charging pad (Qi standard) ²	-	•
Grip handles - 1x (passenger)	•	•
Rear seats		
Centre fold down armrest with cupholders	•	•
Grip handles - 2x	•	•
Rear of centre console - power outlet 1 x 12V	•	•
Windows/shades		
Panoramic glass sunroof - dual panel with tilt and slide front panel and power sunblind	-	•
Power windows - front & rear	•	•
One touch window up & down function with anti-pinching safety feature - driver's window	•	•
One touch window up & down function with anti-pinching safety feature - front passenger's window	-	•
Rear door curtains (manual type)	-	•
Doors/boot/tailgate		
Smart Boot (hands-free opening)	•	•
Vision & sight	Active	Premium
Interior mirror		
Electro-chromatic Mirror (ECM) - auto- dimming	-	•
Exterior mirrors		
Heated	-	•
Power adjustable	•	•
Power folding with auto fold function	-	•
Instrument cluster/driving displays		
Instrument cluster - 3.5" TFT LCD with trip computer & digital speedometer	•	-
Supervision cluster - 4.2" TFT colour LCD with trip computer & digital speedometer	-	•

Hyundai Sonata		
Ventilation & heating	Active	Premium
Air conditioning		
Climate control - dual zone with auto defog function	•	•
Cabin air filter	•	•
Cooling/heating vents - rear centre console	•	•
Cooling/heating ducts - rear floor	•	•
Front seats		
Air ventilated front seats	-	•
Heated front seats	-	•
Other features		
Heated rear windshield	•	•
Exterior styling	Active	Premium
Front		
Front grille - horizontal strips	•	-
Front grille - dark chrome mesh	-	•
Front grille surround - chrome	•	-
Front grille surround - dark chrome	-	•
Front grille inserts - chrome	•	-
Side		
Door frame & beltline moulding - chrome	•	-
Door frame & beltline moulding - satin chrome	-	•
Exterior door handles - chrome	•	-
Exterior door handles - dark chrome	-	•
Mirror caps - black	-	•
Waistline moulding - dark chrome	-	•
Rear		
Dual exhaust tips - chrome	•	•
Interior Styling	Active	Premium
Treatments		
Black headlining	-	•
Coloured stitching - grey (seats, steering wheel, front armrest and gearshift boot)	-	•
Alloy effect finish (door handles)	•	•
Alloy effect inserts (air vents, audio and ventilation controls)	•	•
Materials		
Premium materials - door centre trim	•	•
Premium materials - dash cluster hood	-	•
Door scuff plates - stainless steel with 'Sonata' etching	-	•
Sports pedals - alloy	-	•

Key:
- = Feature is available on trim
- = Feature is not available on trim

Hyundai Sonata
Lighting
Exterior lighting - front
Daytime Running Lights (DRL) - LED
Headlight functions - automatic dusk sensin with escort and welcome
Headlight type - LED (low/high beam)
Headlight type - projector beam
Positioning lights - LED
Exterior lighting - rear
High mount stop light (HMSL) - LED
Rear combination lights - LED (bulb indicato and reverse lights)
Exterior lighting - others
Courtesy lights - LED, in front door handles
Puddle lights - LED, in side mirrors
Safety reflectors - integrated in bumper (rea
Side repeaters - LED, integrated into side mirrors
Interior lighting - front
Ambient lighting - centre console
Front room lights and map lights
Front room lights and map lights - LED
Glovebox compartment light
Vanity mirror lights
Interior lighting - rear
Centre room light
Rear room lights and map lights (outboard) - LED
Interior lighting - others
Cargo area light
Interior light fade-out delay
Safety lights - integrated in doors (front)

Hyundai Sonata		
Storage Solutions	Active	Premium
Front seats		
Centre console - deluxe type	-	•
Cup holders - centre console	•	•
Front seat back pockets	•	•
Glovebox compartment	•	•
Retractable sunglasses compartment	•	•
Ticket holders - sunvisors (driver and front passenger)	•	•
Rear seats		
Coat hooks - 3x	•	-
Coat hooks - 4x	-	•
Cup holders - armrest	•	•
Rear seating split folding - 60:40	•	•
Others		
Doors - map pockets and bottle bulges (front and rear)	•	•

- Notes:
 1. Finishes specified as leather may contain elements of genuine leather, polyurethane leather (leather substitute) or man-made materials, or a combination thereof.
 2. Wireless smartphone charging requires a Qi-enabled smartphone or adapter in order to operate.







Follow us at twitter.com/hyundaiaus

Hyundai Motor Company Australia 394 Lane Cove Road, Macquarie Park, NSW Australia 2113 www.hyundai.com.au Hyundai Motor Company (HMC) and the Hyundai Motor Company Australia (HMCA) each reserve the right to alter vehicle specifications and equipment levels without notice. Some equipment featured on the cars in this brochure may not be available in Australia or may be optional. To the extent permitted by law, neither HMC nor HMCA shall be liable to any person as a result of reliance on the content of this brochure. Please consult your Hyundai Dealer for the latest specifications, equipment levels, options, prices, colours and vehicle availability. Metallic and mica paint are optional extras.

Note: information in this brochure is current as at 01/10/17. Part No. LF11178