

BURNETT RIVER RIPARIAN LANDS  
GAYNDAH SECTION

Furrow Irrigated  
Maize Suitability



GRID VALUES ARE SHOWN IN FULL AT THE SOUTH-WEST CORNER OF THE MAP  
GREY NUMBERED GRID LINES ARE 5000 METRE INTERVALS OF THE AUSTRALIAN MAP GRID, ZONE 56, AGD84,  
UNIVERSAL TRANSVERSE MERCATOR PROJECTION

**INTENSITY STATEMENT**  
This is medium intensity survey. It is based on aerial photography interpretation  
and ground observations of the order of one observation to an area of 15 to 40 hectares.

**ACCURACY STATEMENT**  
Due to varying sources of data sets, spatial locations may not coincide when overlaid.


**DISCLAIMER**  
This map is compiled from information supplied to the Department of Natural Resources.  
Whilst all care is taken in the preparation of this map, neither the Department nor its  
officers or staff accept any responsibility for any loss or damage which may result from  
inaccuracy or omission in the map or from use of the information contained herein.

SURVEY by S.M. McCarroll, D.M. Brough and P.R. Wilson, Department of Natural Resources, Bundaberg.  
CARTOGRAPHY by A.L. Patridge, Department of Natural Resources, Bundaberg.  
BASE MAP - Compiled from the Digital Cadastral Data Base, supplied by the Department of Natural Resources, Brisbane.

© The State of Queensland, Department of Natural Resources, 2000.



KEY TO ADJOINING SURVEYS



**DEFINITIONS**  
Suitable: Suitable land with negligible to moderate limitations.  
Marginal: Marginal land - Presently unsuitable.  
Unsuitable: Unsuitable land.  
Hills: Slopes greater than 8%.