

Product Manual

Accent 100 Directional Type 2



IILUS

Accent 100 Directional Type 2






Recessed ceiling luminaire with rotationally symmetrical flood or wide flood optics, high colour reproduction, directional orientation, adjustable depth mechanism for optical assembly. Combine with optical lens and anti-glare accessories for oval, wide spread, or diffuse beam control. High pressure die-cast powdercoated facade with expressed detail. Includes direct fast connector to remote driver. Active power factor correction, current regulation, voltage spike protection.

System

Power	8W / 7W / 14W
Current	180mA / 350mA
Colour Temperature	2700°K / 3000°K / 4000°K / 2700-1800°K Dim to Warm
Lumen Maintenance	L90 B10 50 000hr
CRI	Ra97
Tm30	R95 F103
Chromacity	<2 SCDM
Articulation	355° Rotation / 0-30° Tilt
Cut-Out	92mm Round x 115-135mm (7W/8W) / 155-175mm (14W) Depth
Ingress Protection	IP20

		FL - 25°	MFL - 40°	WFL - 60°
8W	2700°K	576lm	626lm	624lm
	3000°K	642lm	680lm	672lm
	4000°K	610lm	615lm	650lm
7W	2700-1800°K	454lm	493lm	492lm
14W	2700°K	874lm	863lm	882lm
	3000°K	952lm	931lm	965lm
	4000°K	1044lm	1020lm	1049lm







Accent

Directional Type 2



Page — 04

Model References

	FL - 25°	MFL - 40°	WFL - 60°			
8W 2700°K	100 10 001200.011	100 10 001201.011	100 10 001202.011	○	White	Fixed Output
	100 10 001200.021	100 10 001201.021	100 10 001202.021	●	Black	Fixed Output
	100 10 001200.012	100 10 001201.012	100 10 001202.012	○	White	Phase DIM
	100 10 001200.022	100 10 001201.022	100 10 001202.022	●	Black	Phase DIM
	100 10 001200.013	100 10 001201.013	100 10 001202.013	○	White	DALI
	100 10 001200.023	100 10 001201.023	100 10 001202.023	●	Black	DALI
8W 3000°K	100 10 001203.011	100 10 001204.011	100 10 001205.011	○	White	Fixed Output
	100 10 001203.021	100 10 001204.021	100 10 001205.021	●	Black	Fixed Output
	100 10 001203.012	100 10 001204.012	100 10 001205.012	○	White	Phase DIM
	100 10 001203.022	100 10 001204.022	100 10 001205.022	●	Black	Phase DIM
	100 10 001203.013	100 10 001204.013	100 10 001205.013	○	White	DALI
	100 10 001203.023	100 10 001204.023	100 10 001205.023	●	Black	DALI
8W 4000°K	100 10 001206.011	100 10 001207.011	100 10 001208.011	○	White	Fixed Output
	100 10 001206.021	100 10 001207.021	100 10 001208.021	●	Black	Fixed Output
	100 10 001206.012	100 10 001207.012	100 10 001208.012	○	White	Phase DIM
	100 10 001206.022	100 10 001207.022	100 10 001208.022	●	Black	Phase DIM
	100 10 001206.013	100 10 001207.013	100 10 001208.013	○	White	DALI
	100 10 001206.023	100 10 001207.023	100 10 001208.023	●	Black	DALI
7W 2700-1800°K	100 10 001209.011	100 10 001210.011	100 10 001211.011	○	White	Fixed Output
	100 10 001209.021	100 10 001210.021	100 10 001211.021	●	Black	Fixed Output
	100 10 001209.012	100 10 001210.012	100 10 001211.012	○	White	Phase DIM
	100 10 001209.022	100 10 001210.022	100 10 001211.022	●	Black	Phase DIM
	100 10 001209.013	100 10 001210.013	100 10 001211.013	○	White	DALI
	100 10 001209.023	100 10 001210.023	100 10 001211.023	●	Black	DALI
14W 2700°K	100 10 001212.011	100 10 001213.011	100 10 001214.011	○	White	Fixed Output
	100 10 001212.021	100 10 001213.021	100 10 001214.021	●	Black	Fixed Output
	100 10 001212.012	100 10 001213.012	100 10 001214.012	○	White	Phase DIM
	100 10 001212.022	100 10 001213.022	100 10 001214.022	●	Black	Phase DIM
	100 10 001212.013	100 10 001213.013	100 10 001214.013	○	White	DALI
	100 10 001212.023	100 10 001213.023	100 10 001214.023	●	Black	DALI
14W 3000°K	100 10 001215.011	100 10 001216.011	100 10 001217.011	○	White	Fixed Output
	100 10 001215.021	100 10 001216.021	100 10 001217.021	●	Black	Fixed Output
	100 10 001215.012	100 10 001216.012	100 10 001217.012	○	White	Phase DIM
	100 10 001215.022	100 10 001216.022	100 10 001217.022	●	Black	Phase DIM
	100 10 001215.013	100 10 001216.013	100 10 001217.013	○	White	DALI
	100 10 001215.023	100 10 001216.023	100 10 001217.023	●	Black	DALI
14W 4000°K	100 10 001218.011	100 10 001219.011	100 10 001220.011	○	White	Fixed Output
	100 10 001218.021	100 10 001219.021	100 10 001220.021	●	Black	Fixed Output
	100 10 001218.012	100 10 001219.012	100 10 001220.012	○	White	Phase DIM
	100 10 001218.022	100 10 001219.022	100 10 001220.022	●	Black	Phase DIM
	100 10 001218.013	100 10 001219.013	100 10 001220.013	○	White	DALI
	100 10 001218.023	100 10 001219.023	100 10 001220.023	●	Black	DALI
Accessories	980 00 004301.010	Hex Louvre 043				
	980 00 004302.000	Spreader Lens 043				
	980 00 004303.000	Linear Spreader Lens 043				
	980 00 004304.000	Diffuser Lens 043				

iilus.com