

OUTLANDER

Outlander ES 2019 MY (Manual)



MECHANICAL

Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 225/55R18 98H
- Spare wheel type: Not standard. Refer to FAQ
- Wheel size (inches): 18 x 7.0J

Engine

- Size (L): 2.0
- Fuel tank capacity (L): 45
- Fuel consumption (ADR 81/02 L/100km): 1.7¹
- Front electric motor (Max. Output kW): 60
- Rear electric motor (Max. Output kW): 60
- Type: 2.0L D4 MPI VVT
- CO2 emissions (g/km): 41
- Bore x Stroke (mm): 86.0 x 86.0
- Displacement (cc): 1998
- Fuel type: Unleaded (minimum 91 RON recommended)
- Maximum power (kW@rpm): 87 @ 4500
- Maximum torque (Nm@rpm): 186 @ 4500
- Compression ratio: 10.5:1

Transmission

- Type: Single fixed
- Paddle shift
- Super All Wheel Control (S-AWC)
- Number of speeds: 1

Chassis

- Front brakes: Ventilated disc
- Rear brakes: Disc
- Front suspension: Macpherson strut, coil spring & stabiliser bar
- Rear suspension: Multi-link with stabiliser bar

AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- ECO drive function
- Electric park brake
- Cruise control
- Automatic rain sensing wipers
- Intermittent rear wiper and washer
- Automatic dusk sensing headlights

Parking Assistance

- Rear parking sensors
- Rear view camera

Seat Belts

- Front seat belt pretensioners
- Auto Locking Retractor (ALR) seatbelts on outboard 2nd row seats

Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 3

Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

Security

- Encrypted engine immobiliser
- Theft protection alarm

Active Safety

- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

PLUG-IN HYBRID ELECTRIC VEHICLE FUNCTIONS

EV System

- High voltage cut-off system
- Generator max. output (kW): 70
- Battery type: Lithium-ion
- Battery capacity (KWh): 12kWh/40Ah
- Battery voltage (V): 300
- Charging time - AC 240V,10A (hrs): 6.5 hrs
- Variable mode Regenerative Braking System (RBS)
- Acoustic Vehicle Alert System (AVAS)
- Charging cable - AC 240V,10A (with CCID protector)

Drive Modes

- EV Mode
- Series Hybrid Mode
- Parallel Hybrid Mode
- Battery SAVE Mode
- Battery CHARGE Mode

COMFORT AND CONVENIENCE

Air Conditioning

- Climate control (No of zones): 2
- Rear air conditioning vents
- Dust and pollen filter

- Auto up/down driver control - all windows
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Accessory socket (12V)

INTERIOR

Seating

- Microsuede seat trim with synthetic leather bolster
- 2nd row split folding function
- 2nd row recline adjustment
- Front passenger's seat manual adjustment
- Driver's seat power adjustment
- 2nd row centre armrest with cupholders

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



OUTLANDER

Outlander ES 2019 MY (Manual)



Storage

- Centre console with storage box and lid
- Door pockets - front and rear
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - passenger

Styling

- Leather bound steering wheel
- Leather bound gearshift
- Carpet floor covering

EXTERIOR

- Rear spoiler
- Door handles finish: Body colour
- Privacy glass

Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Fog lights (rear): Halogen
- Headlights low beam: Halogen
- Headlight washers

Door Mirrors

- Integrated turn indicator
- Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- Departure angle (degrees): 21.0
- Overall height (mm): 1710
- Overall length (mm): 4695
- Overall width (mm): 1800
- Wheelbase (mm): 2670
- Ground clearance (mm) - minimum, unladen: 190
- Approach angle (degrees): 19.5

Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2370
- Kerb mass (kg): 1860
- Gross Combination Mass (GCM) - [kg]: 3870
- Maximum payload (kg): 510
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 1500
- Towing capacity - maximum towball load (kg): 150
- Maximum front axle load (kg): 1160
- Maximum rear axle load (kg): 1255

Interior Dimensions

- 2nd row head room (mm): 974
- 2nd row shoulder room (mm): 1423
- Front head room (mm): 1030
- Front leg room (mm): 1039
- Front shoulder room (mm): 1432
- 2nd row leg room (mm): 963

Cargo

- Cargo room width (mm): 1363
- Width between wheel arches (mm): 1005
- Cargo room length (mm) - all seats up: 832
- Capacity (L) - VDA (to top of 2nd row seat back): 463
- Capacity (L) - VDA (max. capacity to roof - 2nd & 3rd row seats folded): 1602
- Cargo room length (mm) - with 2nd row seats folded: 1721
- Cargo room height (mm): 855

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

Outlander PHEV available in ES, ES ADAS and EXCEED

OUTLANDER

Outlander ES ADAS 2019 MY (Manual)



MECHANICAL

Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 225/55R18 98H
- Spare wheel type: Not standard. Refer to FAQ
- Wheel size (inches): 18 x 7.0J

Engine

- Size (L): 2.0
- Fuel tank capacity (L): 45
- Fuel consumption (ADR 81/02 L/100km): 1.7¹
- Front electric motor (Max. Output kW): 60
- Rear electric motor (Max. Output kW): 60
- Type: 2.0L D4 MPI VVT
- CO2 emissions (g/km): 41
- Bore x Stroke (mm): 86.0 x 86.0
- Displacement (cc): 1998
- Fuel type: Unleaded (minimum 91 RON recommended)
- Maximum power (kW@rpm): 87 @ 4500
- Maximum torque (Nm@rpm): 186 @ 4500
- Compression ratio: 10.5:1

Transmission

- Type: Single fixed
- Paddle shift
- Super All Wheel Control (S-AWC)
- Number of speeds: 1

Chassis

- Front brakes: Ventilated disc
- Rear brakes: Disc
- Front suspension: Macpherson strut, coil spring & stabiliser bar
- Rear suspension: Multi-link with stabiliser bar

AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- Electrochromatic rear view mirror
- ECO drive function
- Electric park brake
- Cruise control
- Automatic rain sensing wipers
- Intermittent rear wiper and washer
- Automatic dusk sensing headlights

Parking Assistance

- Rear parking sensors
- Rear view camera

Seat Belts

- Front seat belt pretensioners
- Auto Locking Retractor (ALR) seatbelts on outboard 2nd row seats

Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 3

Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

Security

- Encrypted engine immobiliser
- Theft protection alarm

Active Safety

- Adaptive Cruise Control (ACC)
- Forward Collision Mitigation system (FCM)
- Automatic High Beam (AHB)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Lane Departure Warning (LDW)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

PLUG-IN HYBRID ELECTRIC VEHICLE FUNCTIONS

EV System

- High voltage cut-off system
- Generator max. output (kW): 70
- Battery type: Lithium-ion
- Battery capacity (KWh): 12kWh/40Ah
- Battery voltage (V): 300
- Charging time - AC 240V,10A (hrs): 6.5 hrs
- Variable mode Regenerative Braking System (RBS)
- Acoustic Vehicle Alert System (AVAS)
- Charging cable - AC 240V,10A (with CCID protector)

Drive Modes

- EV Mode
- Series Hybrid Mode
- Parallel Hybrid Mode
- Battery SAVE Mode
- Battery CHARGE Mode

COMFORT AND CONVENIENCE

Air Conditioning

- Climate control (No of zones): 2
- Rear air conditioning vents
- Dust and pollen filter

- Auto up/down driver control - all windows
- Tilt & telescopic steering column
- One touch start system
- Second row seat USB power supply
- Multifunction steering wheel controls
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Accessory socket (12V)

INTERIOR

Seating

- Microsuede seat trim with synthetic leather bolster
- 2nd row split folding function
- 2nd row recline adjustment
- Front passenger's seat manual adjustment
- Driver's seat power adjustment
- 2nd row centre armrest with cupholders

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



OUTLANDER

Outlander ES ADAS 2019 MY (Manual)



Outlander PHEV available in ES, ES ADAS and EXCEED

Storage

- Centre console with storage box and lid
- Door pockets - front and rear
- Cup holders: 4
- Bottle holders: 4
- Sunglasses storage
- Seat back pocket - passenger

Styling

- Leather bound steering wheel
- Leather bound gearshift
- Carpet floor covering

EXTERIOR

- Rear spoiler
- Door handles finish: Body colour
- Privacy glass

Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Manual
- Headlights high beam: Halogen
- Fog lights (front): Halogen
- Fog lights (rear): Halogen
- Headlights low beam: Halogen
- Headlight washers

Door Mirrors

- Integrated turn indicator
- Electric adjustment

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- Departure angle (degrees): 21.0
- Overall height (mm): 1710
- Overall length (mm): 4695
- Overall width (mm): 1800
- Wheelbase (mm): 2670
- Ground clearance (mm) - minimum, unladen: 190
- Approach angle (degrees): 19.5

Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2370
- Kerb mass (kg): 1860
- Gross Combination Mass (GCM) - [kg]: 3870
- Maximum payload (kg): 510
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 1500
- Towing capacity - maximum towball load (kg): 150
- Maximum front axle load (kg): 1160
- Maximum rear axle load (kg): 1255

Interior Dimensions

- 2nd row head room (mm): 974
- 2nd row shoulder room (mm): 1423
- Front head room (mm): 1030
- Front leg room (mm): 1039
- Front shoulder room (mm): 1432
- 2nd row leg room (mm): 963

Cargo

- Cargo room width (mm): 1363
- Width between wheel arches (mm): 1005
- Cargo room length (mm) - all seats up: 832
- Capacity (L) - VDA (to top of 2nd row seat back): 463
- Capacity (L) - VDA (max. capacity to roof - 2nd & 3rd row seats folded): 1602
- Cargo room length (mm) - with 2nd row seats folded: 1721
- Cargo room height (mm): 855

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



OUTLANDER

Outlander EXCEED 2019 MY (Manual)



MECHANICAL

Wheels and Tyres

- Wheel type: Alloy
- Tyre size: 225/55R18 98H
- Spare wheel type: Not standard. Refer to FAQ
- Wheel size (inches): 18 x 7.0J

Engine

- Size (L): 2.0
- Fuel tank capacity (L): 45
- Fuel consumption (ADR 81/02 L/100km): 1.7¹
- Front electric motor (Max. Output kW): 60
- Rear electric motor (Max. Output kW): 60
- Type: 2.0L D4 MPI VVT
- CO2 emissions (g/km): 41
- Bore x Stroke (mm): 86.0 x 86.0
- Displacement (cc): 1998
- Fuel type: Unleaded (minimum 91 RON recommended)
- Maximum power (kW@rpm): 87 @ 4500
- Maximum torque (Nm@rpm): 186 @ 4500
- Compression ratio: 10.5:1

Transmission

- Type: Single fixed
- Paddle shift: S
- Super All Wheel Control (S-AWC)
- Number of speeds: 1

Chassis

- Front brakes: Ventilated disc
- Rear brakes: Disc
- Front suspension: Macpherson strut, coil spring & stabiliser bar
- Rear suspension: Multi-link with stabiliser bar

AUDIO AND MULTIMEDIA

- USB input: 2
- Smartphone link Display Audio (SDA) with touch screen
- Android Auto
- Apple CarPlay
- Speakers: 6
- Screen size (inches): 7.0
- Digital Audio Broadcast (DAB) radio
- Bluetooth connectivity with voice control & audio streaming
- AM/FM radio

Remote Smartphone App

- Set charge schedule
- Activate climate control system
- Control headlamp and parker lamp
- Monitor your PHEV statistics

SAFETY, SECURITY AND DRIVER ASSISTANCE

Driver Assistance

- Electrochromatic rear view mirror
- ECO drive function
- Electric park brake
- Cruise control
- Automatic rain sensing wipers
- Intermittent rear wiper and washer
- Automatic dusk sensing headlights

Parking Assistance

- Multi Around Monitor (MAM)
- Front parking sensors
- Rear parking sensors
- Rear view camera

Seat Belts

- Front seat belt pretensioners
- Auto Locking Retractor (ALR) seatbelts on outboard 2nd row seats

Child Safety

- ISO-Fix child seat anchorage: 2
- Child proof rear door locks
- Power window lock driver control - passenger windows
- Child restraint top tether: 3

Airbags

- Driver & front passenger SRS airbags
- Driver & front passenger side SRS airbags
- Curtain SRS airbags
- Driver knee airbag

Security

- Encrypted engine immobiliser
- Theft protection alarm

Active Safety

- Adaptive Cruise Control (ACC)
- Forward Collision Mitigation system (FCM)
- Automatic High Beam (AHB)
- Adjustable speed limiter
- Emergency Stop Signal function (ESS)
- Blind Spot Warning (BSW)
- Ultrasonic misacceleration Mitigation System (UMS)
- Lane Change Assist (LCA)
- Rear Cross Traffic Alert (RCTA)
- Lane Departure Warning (LDW)
- Anti-lock Braking System (ABS)
- Electronic Brakeforce Distribution (EBD)
- Active Stability Control (ASC)
- Active Traction Control (ATC)
- Hill Start Assist (HSA)
- Emergency Brake Assist system (EBA)

PLUG-IN HYBRID ELECTRIC VEHICLE FUNCTIONS

EV System

- High voltage cut-off system
- Generator max. output (kW): 70
- Battery type: Lithium-ion
- Battery capacity (KWh): 12kWh/40Ah
- Battery voltage (V): 300
- Charging time - AC 240V, 10A (hrs): 6.5 hrs
- Variable mode Regenerative Braking System (RBS)
- Acoustic Vehicle Alert System (AVAS)
- Charging cable - AC 240V, 10A (with CCID protector)

Drive Modes

- EV Mode
- Series Hybrid Mode
- Parallel Hybrid Mode
- Battery SAVE Mode
- Battery CHARGE Mode

COMFORT AND CONVENIENCE

Air Conditioning

- Climate control (No of zones): 2
- Rear air conditioning vents
- Dust and pollen filter

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual



OUTLANDER

Outlander EXCEED 2019 MY (Manual)



- Auto up/down driver control - all windows
- Tilt & telescopic steering column
- One touch start system
- Power tailgate
- Second row seat USB power supply
- Multifunction steering wheel controls
- Electric sunroof with slide and tilt
- Side and rear window demisters
- Keyless entry with central door locking
- Smart key
- Accessory socket (12V)

INTERIOR

Seating

- 2nd row split folding function
- 2nd row recline adjustment
- Front passenger's seat manual adjustment
- Leather appointed seats
- Driver's seat power adjustment
- Heated front seats
- 2nd row centre armrest with cupholders

Storage

- Centre console with storage box and lid
- Door pockets - front and rear
- Cup holders: 4
- Bottle holders: 4
- Seat back pocket - driver and passenger

Styling

- Leather bound steering wheel
- Leather bound gearshift
- Carpet floor covering

EXTERIOR

- Rear spoiler
- Door handles finish: Chrome
- Privacy glass

Lights

- Brake lights: LED
- Daytime Running Lamps (DRL): LED
- Headlight levelling function: Auto
- Headlights high beam: LED
- Fog lights (front): LED
- Fog lights (rear): Halogen
- Headlights low beam: LED
- Headlight washers

Door Mirrors

- Integrated turn indicator
- Electric adjustment
- Heating function
- Electric fold control

DIMENSIONS AND WEIGHTS

Exterior Dimensions

- Departure angle (degrees): 21.0
- Overall height (mm): 1710
- Overall length (mm): 4695
- Overall width (mm): 1800
- Wheelbase (mm): 2670
- Ground clearance (mm) - minimum, unladen: 190
- Approach angle (degrees): 19.5

Weights and Capacities

- Gross Vehicle Mass (GVM) - [kg]: 2370
- Kerb mass (kg): 1860
- Gross Combination Mass (GCM) - [kg]: 3870
- Maximum payload (kg): 510
- Towing capacity - unbraked (kg): 750
- Towing capacity - braked (kg): 1500
- Towing capacity - maximum towball load (kg): 150
- Maximum front axle load (kg): 1160
- Maximum rear axle load (kg): 1255

Interior Dimensions

- 2nd row head room (mm): 944
- 2nd row shoulder room (mm): 1423
- Front head room (mm): 1014
- Front leg room (mm): 1039
- Front shoulder room (mm): 1432
- 2nd row leg room (mm): 963

Cargo

- Cargo room width (mm): 1363
- Width between wheel arches (mm): 1005
- Cargo room length (mm) - all seats up: 832
- Capacity (L) - VDA (to top of 2nd row seat back): 463
- Capacity (L) - VDA (max. capacity to roof - 2nd & 3rd row seats folded): 1602
- Cargo room length (mm) - with 2nd row seats folded: 1721
- Cargo room height (mm): 855

Outlander PHEV available in ES, ES ADAS and EXCEED

DISCLAIMER KEY:

- 1 - These figures are obtained from controlled laboratory tests conducted by Mitsubishi Motors to Australian Design Rule ADR81/02 and are provided to assist you in comparing the fuel consumption with other vehicles. The actual fuel consumption you achieve will depend on many factors, including your driving habits, the prevailing conditions and your vehicle's equipment, condition and use.
- 2 - Subject to state regulations and towbar design. For further information, please refer to the vehicle owner's manual

