Fact sheet

DECLARED CLASS 3 PEST PLANT

PP78 October 2013

Dutchman's pipe

Aristolochia elegans





Dutchman's pipe is an environmental weed that is widely promoted as an unusual, easily cultivated ornamental plant. Dutchman's pipe is a popular novelty in gardens and suburban backyards and has naturalised in several areas of Queensland and northern New South Wales. As an environmental weed, Dutchman's pipe has a preference for moist, fertile soils making it a prime invader of rainforest habitat.

Dutchman's pipe is similar to the natives *Pararistolochia praevenosa* (formerly known as *Aristolochia praevenosa*) and *Aristolochia acuminata* (formerly known as *Aristolochia tagala*), which are natural food plants for a number of Australian butterflies.

Dutchman's pipe however is a deadly alternative, tricking butterflies into laying their eggs on its leaves, and then poisoning the larvae when they hatch and begin to feed. The survival of the rare Richmond birdwing butterfly (*Ornithoptera richmondia*) is threatened by this occurrence. Never plant this species in your garden. Consider using the native species in your garden instead.

Declaration details

Dutchman's pipe is a Class 3 declared pest plant under the Land Protection (Pest and Stock Route Management) Act 2002. Landholders are not required to control a Class 3 declared pest plant on their land unless a pest control notice is issued by a local government because the pest is causing or has potential to cause an negative impact on an adjacent environmentally significant area.

It is an offence to supply a Class 3 pest. A permit for specific purposes may be issued by Biosecurity Oueensland.

Description and general information

Dutchman's pipe is a fast-growing vine that can reach 3 m in length. The common name arose from the distinctive flowers that are shaped like a traditional Dutchman's pipe. These flowers are strikingly coloured reddish-purple and marked with white and yellow. Leaves are up to 75 mm long, glossy green and heart-shaped, growing closely to form a dense mat of foliage. The woody stems are slender and twine tightly in coils around any supporting structure.



Management strategies

Manual removal may be the only suitable method of control available for this weed. Small plants can be pulled or dug out, ensuring that the crown and the roots are removed. Vigorous growth may be cut down using a brush hook or other such tool, preferably before seeds set. Trace vines to their main crown and cut with a knife well below this growing point, removing all parts of the plant from the soil. The plant can be controlled with a herbicide.

Further information

Further information is available from your local government office, or by contacting Biosecurity Queensland (call 13 25 23 or visit our website at www.biosecurity.qld.gov.au).

Table 1 Herbicides permitted for the control of Dutchman's pipe

Method	Herbicide	Rate	Registration details	Comments
Cut stump	glyphosate (360 g/L)	1 part product to 2 parts water (e.g. 10 mL in 20 ml water)	PERMIT 11463	Apply in spring. Apply second application if necessary
Foliar application	glyphosate (360 g/L)	10 mL per 1 L water	PERMIT 11463	Apply up to twice a year. Apply only when the supporting plant and under-storey is dead. Apply early autumn (March-April).
				Do not spray beyond the point of run-off.

Notes

It is a requirement of the permit that all persons using the products covered by this off-label permit read and comply with the details and conditions listed in the permit. In addition, read the herbicide label carefully before use and always use the herbicide in accordance with label directions unless otherwise sated in the permit. The above permit can be used by persons generally in Queensland.





This fact sheet is developed with funding support from the Land Protection Fund.

Fact sheets are available from Department of Agriculture, Fisheries and Forestry (DAFF) service centres and our Customer Service Centre (telephone 13 25 23). Check our website at www.biosecurity.qld.gov.au to ensure you have the latest version of this fact sheet. The control methods referred to in this fact sheet should be used in accordance with the restrictions (federal and state legislation, and local government laws) directly or indirectly related to each control method. These restrictions may prevent the use of one or more of the methods referred to, depending on individual circumstances. While every care is taken to ensure the accuracy of this information, DAFF does not invite reliance upon it, nor accept responsibility for any loss or damage caused by actions based on it.