

SAMSUNG

# 2024 Samsung Display Solutions

Innovating Displays Beyond Boundaries

# Samsung, a global brand

**Interbrand**  
Best  
Global  
Brands  
2023

1. Apple
2. Microsoft
3. Amazon
4. Google
- 5. Samsung**
6. Toyota
7. Mercedes-Benz
8. Coca-Cola
9. Nike
10. BMW


Samsung Electronics is a global leader in technology, opening new possibilities for people and businesses everywhere. Since being established in 1969, Samsung has grown into one of the world's leading technology companies.

Our network now extends across the world and we boldly invest in R&D to fuel our aspirations to create new technologies that inspire the world. Through relentless innovation and discovery, Samsung is continuously striving to create a better world for all.



**15**

Regional Offices



**267K+**

Employees



**258.9**

Total Revenue

\* Based on FY 2023 consolidated statement (KRW trillion)



**76**

Countries



**109**

Sales Offices



**32**

Production Sites



**40**

R&D Centers



**7**

Design Centers

# Continuing No. 1 market leadership in display solutions for 15 years

Given its excellence in broad manufacturing expertise and premium picture quality technology, it is no wonder that Samsung has been ranked the No. 1 in the display market for 15 consecutive years.

During those 15 years, Samsung has been constantly providing enterprises with the technology they need to pave an aggressive path forward, ensuring fully optimised display solutions are in place so businesses can focus on what matters most with total peace of mind. With forward-thinking efforts on innovation, Samsung has successfully introduced differentiated signage products that meet various business environment needs including The Wall, the world's first modular display based on microLED technology. From diverse product portfolios to software solutions for management, we are continuously in the process of providing all-inclusive display solutions, which offer a more efficient business experience to customers.

For the past 15 years, Samsung has continuously expanded the boundaries of its technology and will always strive to bring the most innovative display solutions to market with future-oriented market leadership.

## Smart Signage M/S (unit)



Source :

\* 09-12 : Display Industry research company "Display Search".  
\* 13-23 : Market research company "Omdia".

Note :

\* Consumer TVs and Hospitality TVs used for signage are excluded.



**Innovating Displays Beyond Boundaries**

# Table of Contents

Smart Signage	LED Signage	Hospitality TV	Solution	Monitor
08 Neo QLED 8K Signage	24 The Wall	32 QLED	38 SmartThings Pro	ViewFinity
10 UHD Signage	26 The Wall for Virtual Production	34 Crystal UHD	39 Samsung VXT	44 5K Resolution Monitor
12 Outdoor Signage	27 All-in-One LED		40 LYNK Cloud	46 High Resolution Monitor
13 Window Signage	28 Indoor LED Signage		41 H.Browser / TEP (Tizen Enterprise Platform)	47 Ultra-wide Monitor
14 Video Wall	29 Outdoor LED Signage			
15 Business TV				
16 Samsung Flip / Flip Pro				
17 Interactive Display				
18 Self-Ordering Kiosk				
19 Touch Display				
20 Small Signage				
21 Stretched Signage				

# Smart Signage

Share your business story with high-impact visual messaging. Samsung Smart Signage offers professional-grade image quality and a variety of options that suit any business need. Find your perfect solution regardless of your industry.






# Neo QLED 8K Signage

## QPA-8K

Samsung Neo QLED 8K Signage provides a truly remarkable solution for businesses looking to display impactful content like never before. Superior picture quality supported by Quantum Mini LED and AI-upscaling technology creates true-to-life images, introducing a revolutionary viewing experience.



## Unrivaled picture quality

Samsung Neo QLED 8K Signage has evolved to provide premium visuals and is now equipped with Quantum Matrix Technology Pro, offering detailed backlight control technology with Mini LED for the most advanced professional 8K display.



## Designed for business

Samsung Neo QLED 8K Signage's Infinity One Design naturally complements any business space with a slim and simple bezel design. Its new pivot functionality also allows users to install the display vertically for any business purpose.

## Highlights

- Real 8K resolution
- Quantum Matrix Technology Pro (Quantum Mini LED)
- Neo Quantum Processor 8K
- 100% colour volume with Quantum Dot\*
- Quantum HDR 32x
- Infinity One Design / Boundless Design
- Portrait Mode
- Attachable Slim One Connect
- Adaptive Picture Mode
- DICOM Simulation Mode
- Director Mode

\*100% colour volume measured in Movie Mode, certified by VDE.



## Built for professionals

Samsung Neo QLED 8K Signage offers various professional modes for professions that need industry-specific picture standards for creative work and collaboration – Adaptive Picture, DICOM Simulation and Director Mode.

\* DICOM® - Digital Imaging and Communications in Medicine – is the international standard for medical images and related information.  
\*\* DICOM Simulation Mode is for non-diagnostic, reference purpose only.



# UHD Signage

QHC / QMC / QBC

Samsung's UHD QHC, QMC, and QBC series feature the slimmest designs in the standalone lineup, adding sophistication to any business environment while optimising space utilisation. These products captivate audiences with breathtaking realism and vibrant colour reproduction. Powered by Tizen OS, they offer exceptional performance and unparalleled user experiences, ensuring stable operations and enhanced security tailored to meet all your business requirements. The intuitive Home Screen UX further streamlines usage, making it a breeze to navigate through various functions effortlessly.



## Ultra-slim design to optimise space

With an unparalleled, ultra-slim thickness of 28.5mm\*, QHC / QMC / QBC series is Samsung's slimmest UHD signage display. It is compatible with a Slim Fit Wall Mount\*, which allows you to install it neatly and easily in any environment.

\* For QM98C and QH98C, the thickness of the products is 48.1mm, which are the thinnest 98-inch display in its class.

\*\* Slim Fit Wall Mount must be purchased separately.



## View lifelike details of colour in powerful 4K

Samsung's industry-leading video processing technology enhances every piece of content for clarity and consistency. Intelligent UHD upscaling technology, powered by Samsung's 4K Processor, elevates lower-resolution video to UHD, providing a professional picture quality.

## Highlights


- Ultra Slim Design (28.5mm)\*
- Even bezel
- Dynamic Crystal colour
- Non-Glare\*\*
- SMARTVIEW+\*\*\*
- Smart Calibration
- Home UI
- Samsung VXT\*\*\*
- ENERGY STAR / EPEAT

\* For QM98C and QH98C, the thickness of the products is 48.1mm, which are the thinnest 98-inch display in its class.

\*\* Non-Glare and SMARTVIEW+ are not supported on QBC series.

\*\*\* Samsung VXT must be purchased separately.

\*\*\*\* Only QM32C and QB24C are classified as Small Signage.



## Simplified calibration between screens with mobile app

Guarantee complete brand consistency across every display in every location. Using the Samsung mobile app, Smart Calibration ensures all displays are calibrated correctly, showcasing brand logos and other collateral in the exact colours required.



# Outdoor Signage

OHA / OHA-S / OHB / OHB-S

Samsung's Outdoor Signage elevates the outdoor advertising experience with its bold and engaging content delivery, making any business standout from the crowd.

## Highlights

- UL-verified outdoor visibility\*
- Auto brightness control
- Polarised sunglass support
- 24/7 operation
- Embedded power box and media player
- IP56 rating\*\*
- Magic Protection Glass (IK10-rated)

\* UL verification may vary by models.

\*\* OH24B model is IP66-rated.



## Clear and vivid anytime, anywhere

Samsung Outdoor Signage is UL-verified for outdoor visibility and offers brightness levels greater than 3,500 nit\*. Its 24/7 performance delivers crisp and vivid content with a built-in auto-brightness sensor.

\* UL Verification may vary by models.

\*\* Images and enclosure are simulated and for illustration purpose only.



## Built strong to endure outdoor elements

IP56-rated\* protection ensures the displays will withstand physical impact as well as dust and other outdoor elements that could affect the display.

\* IP56 (Ingress Protection Rating) : Degrees of protection provided by enclosures (IEC 60529).



## Advanced technology for screen protection and security

Samsung Outdoor Signage's Advanced Magic Glass technology IK10 rating certifies greater screen durability. This effectively protects the screen to minimise damage from physical impact.

\* The IK European strength test rating uses a 0-10 scale (where 10 indicates the highest possible protection) to measure the degree of resistance against external impact.



### Brilliant presentation for all

Built to optimise promotions in storefront windows, Samsung's Window Signage delivers brilliant picture quality that brings any offer to life. Plus, high brightness and polarised sunglass support eliminate any potential display blindness for an uncompromised customer viewing experience.



### Durable performance

With IP5X-validated dust protection and embedded, proprietary functionality that mitigates overheating, Samsung's Window Signage continuously provides robust durability. This ensures optimised operation in a variety of outdoor conditions for consistent performance.

# Window Signage

OMA / OMB / OMN-S / OMN-DS

Samsung's Window Signage is designed to be installed at the storefront. It projects clear, bright images that attract and engage audiences, increasing the probability of an in-store visit.


### Highlights

- 4K UHD resolution\*
- High brightness (3,000~4,000 nit)\*\*
- Auto brightness control
- Polarised sunglass support
- 24/7 operation
- Slim design
- IP5X rating
- Overheating mitigation
- Clean cable management
- Wi-Fi built-in
- Dual-sided screen\*\*\*

\* Resolution may vary by model.

\*\* OMN-DS model is 3,000 / 1,000 nit (Dual-sided).

\*\*\* Dual-sided screen is only available on OMN-DS series.



### Slim design and clutter-free configuration

Its slim design makes the display a natural extension of the store, as opposed to an addition that ties up valuable space. Cable guide and embedded Wi-Fi provide a clean, organized look.

\* "Conventional" refers to Samsung's OM75D-W.

# Video Wall

VHC-R, VMC-R, VHC-E, VMC-E, VMB-U

Samsung's Video Wall delivers an impactful and seamless viewing experience with an exceptionally narrow bezel - coming in a variety of bezel widths.

## Highlights

- Various bezel widths options
- Wide viewing angle
- Non-glare panel
- 24/7 operation
- Multi-step factory calibration
- Convenient mobile calibration
- 4K UHD resolution by daisy chain
- Easy installation\*
- IP5X rating
- Center IR\*\*
- EMC class B\*\*
- ISTA-certified packaging

\* Samsung's special wall mount accessories must be purchased separately.  
\*\* Center IR support and EMC class B certification varies by video wall model.



## Uninterrupted visual experience

A narrow bezel - 0.88mm to 3.5mm bezel-to-bezel options - minimises the visual distractions across multiple screens. The display's non-glare panels provide better visibility regardless of ambient light, 24/7.



## Precise and convenient calibration

Samsung's multi-step factory calibration tunes video walls to uniform brightness and colour throughout multiple displays. Users can also easily manage uniformity with intuitive PC and mobile calibration solution.



## Efficient and reliable operation


With daisy chain using DP1.2 and HDMI ports, Samsung's video walls can project UHD content across multiple screens up to 5x5 configuration. ISTA-certified packaging is designed to minimise possible damage.



# Business TV

## BED-H


Samsung's Business TV is the ideal display solution for small businesses, allowing users to communicate with customers without outdated physical signs or posters. From menu boards to advertisements, Samsung's Business TV provides flexible functionality suited to a wide range of retail stores and businesses looking to do more with their TV.



### Control content with your personal device

Available on Android or iOS mobile devices, the Samsung Business TV app allows users to remotely manage, schedule and display customised content effortlessly. Additionally, users can easily create eye-catching content using a variety of ready-to-use content templates.

\* Images simulated for illustrative purposes. Actual UI may differ and is subject to change without notice.



### Smooth device management and configuration

The Tizen Enterprise Platform\* enables efficient management of multiple devices, providing all the tools for easy deployment, with integrated service infrastructure and streamlined maintenance.

\* The feature's availability may vary by region.

### Highlights

- PurColour
- Crystal Processor 4K
- 3-side Bezel-less Design
- Samsung Business TV App
- PlayLock\*
- Tizen Zero Touch Config\*


\* The feature's availability may vary by region.



### Keep content safe with pin-code system

Lock your TV with a pin-code system\*, preventing unauthorised users or outsiders from tampering with the screen. This minimises the chance of unforeseen accidents, while ensuring that only the content you have selected is played.

\* The feature's availability may vary by region.



## Intuitive writing & drawing

Ideas are brought to life instantly on Samsung Flip series with an intuitive user interface. Its unique pen and brush mode and various writing tools provides a real-world writing experience.



## Stay connected from any source

Samsung Flip series provides multiple connectivity options including USB, HDMI, DP and OPS slot\*. They also support connection to any network and other devices through LAN port and wireless screen-mirroring.

\* OPS slot is only supported on 75" and 85".

# Samsung Flip Pro

## WMB

Samsung Flip Pro is available in a variety of sizes to suit any space in both corporate and education environments. Smooth pen-to-paper writing experience allow users to develop new ideas without the hassle of any technical difficulties. Regardless of the size of a space, number of people or use case, Flip Pro is an optimal solution for users looking to enhance efficiency and creativity.


## Highlights

- Fast & multi-touch
- Pen& brush mode
- 3-in-1 USB-C port\*
- AirPlay 2\*\*
- SMARTVIEW+
- Workspace secured by Knox.
- Boxlight MimioConnect\*\*\*

\* WMB only.

\*\* The feature's availability may not be supported depending on vary by customer environment including region.

\*\*\* Requires Boxlight registration and subscription to use this service and the service availability varies by region.



## Access whatever you need, from anywhere

With Workspace secured by Knox, Flip series enable users to easily access remote PC, network drive and other third-party applications such as Microsoft365, Boxlight MimioConnect and video call applications.

\* Available apps may vary by region and require service subscription.



# Interactive Display

## WAC / WAD

Samsung Interactive Display WAC and WAD series is based on Android OS and provides a familiar and intuitive user experience. You can download and use major educational apps from Google Play. This makes the educational environment more convenient and efficient, improving educators' productivity with various functions and convenient usability.


### Highlights

- Powered by Android™
- EDLA Certification (WAD series)
- Easy Multitasking
- Powerful Screen Sharing
- Multi-point touch
- 3-in-1 USB-C port
- HDMI Out
- OPS (Open Pluggable Specification)
- Device Management Solution



### An intuitive UX that fits your needs

The WAC and WAD series offers familiarity to its users. It's compatible with other Android devices and provides a variety of widgets and an easily customisable home screen. These features create more flexibility in building an environment that suits various learning needs.



### Effortless access to Google services

With an EDLA certification, the WAD series supports a variety of Google services like Google Play and YouTube. This access to major educational apps like Google Classroom leads to increased efficiency and enhanced communication with students.



### Seamless management, efficient operations

The WAC and WAD series provides a device management solution\* essential for advanced educational environments. This solution optimises the remote management of whiteboard settings and applications, guaranteeing operational efficiency and stability.



# Self-Ordering Kiosk

KMA / KMC-W

Samsung's Self-Ordering Kiosk is an all-in-one solution that offers contactless ordering and payment capabilities with easy installation options and smart solutions.

## Highlights

- Smooth & fast touch
- PC-less solution
- QR / Barcode reader
- Receipt printer
- Compact & modern design
- Secured by Knox
- Windows 10 IoT Enterprise OS (KMC-W)
- Intel® Core™ Processors (KMC-W)
- Remote management




## Modular functionality for any type of payment

Samsung Kiosk adopts a modular design which provides a variety of payment options (credit card, barcode, QR code and NFC, along with a built-in printer) which needs no additional peripherals.

\* EMV cradle for a Verifone terminal (P400) which varies by region and country.

\*\* EMV terminal must be purchased separately.



## Compact and modern design

Samsung Kiosk blends perfectly into any business environment with a stylish look. It is simply composed of three parts and provides three installation options – countertop, floor stand and wall-mounting\* for any of use.

\* Wall mount must be purchased separately.



## Your choice of operating systems

Choose from two open and secure operating systems based on your preference to ensure business operations run smoothly.



# Touch Display

QMB-T

Samsung's Touch Display aligns cutting-edge visuals with captivating touch technology for a more informative, interactive customer experience.

## Highlights

- All-in-one touch solution
- 4K UHD resolution\*
- Non-glare\*
- 24/7 operation\*
- IP5X rating
- CenterIR
- Easy content and device management

\* Specifications may vary by models.



## All-in-one touch solution for any environment

Maximise use of touch display with a built-in, high performance Tizen-based media player. The all-in-one design eliminates the need for an external player and the advanced Tizen OS enables a wide variety of apps.



## Captivate customers with UHD content

Samsung's interactive displays provide UHD resolution on non-glare glass for incredibly clear content and accurate visual detail without reflection, increasing customer engagement.

\* The UHD feature is only supported for 43 inches and 55 inches display.



## Built to be reliable

With IP5X rating standard, QMB-T series ensures reliable performance even in dusty environments to protect the display from repeated customer interactions.



# Small Signage

QB13R-M / QB13R-TM / QB24C / QB24C-T / QM32C


Samsung's Small Signage enables personalised and more impactful communication through its compact and versatile design.

## Highlights

- Non-glare panel\*
- 500 nit High brightness\*
- 16/7 operation\*
- Embedded media player
- Knox security
- Built-in Wi-Fi
- Center IR
- EMC Class B, IP5X
- 10 point multi-touch\*\*

\* QBR-M / QBR-TM only.

\*\* Touch functionality is only available on QBR-TM and QBC-T series.



## Crisp and visible content

Samsung Small Signage supports high brightness for crisp and easy-to-read content. This is enhanced by a non-glare panel which always delivers clear content in any ambient light.

\* QB13R-M / QB13R-TM only.



## Hold sizeable opportunities in small spaces

The compact design allows for efficient space utilisation, even in compact locations. A sleek rear design makes the display optimal for wall mounting while the connectivity, content play and device controls are easy to operate.



## Fast, effective touch capabilities

Integrated capacitive touch functionality and 10-point-multi-touch\* powers an intuitive interface that allows for customer-driven search and action, creating new customer interactions and driving purchase.

\* QB13R-TM/QB24C-T only.



# Stretched Signage

SH37C

Samsung's Stretched Signage offers a versatile signage solution to meet any need, while delivering impactful content and maximising space efficiency.



## Maximise space and optimise content

Versatility and cost effectiveness are necessities in digital signage. Samsung's SH37C series, featuring a 16:4.5 wide screen stretched display format, offers the ability to effectively communicate information in small, narrow spaces.



## 700-nit brightness makes messages easier to see

Deliver vibrant, realistic images through an unparalleled visual experience. Featuring brightness levels of up to 700 nits, these displays deliver clear and rich imagery to viewers.



## Communicate even in vertical format

Capture the attention of customers with more versatile, impactful digital signage visuals, which can easily be viewed across displays that are installed in a narrow, vertical space, creating more opportunities to communicate your key messages across environments.

# LED Signage

Expand your business vision without limits. Samsung LED Signage effectively captures customer attention with brilliant visuals, even on large-scale displays. Available in a variety of sizes and shapes, these displays allow for unlimited creative possibilities.





# The Wall


IWA / IWB / IWC

Samsung The Wall is the most exclusive and unique display solution delivering never-before-seen visual experiences. Based on Samsung's rich R&D heritage and accumulated LED expertise, The Wall creates visual innovation with no boundaries, providing the deepest blacks and pristine colours, taking any picture to the next level for a perfect view of reality.

## Highlights

- Black Seal technology
- Ultra Chroma technology
- Anti-reflection technology
- 20bit processing
- Linear grayscale
- MICRO AI Processor
- MICRO HDR
- MICRO Motion
- Factory seam adjustment
- Docking connection\*
- Endless design\*
- Proven safety
- 8K playback
- Multi View

\* Some features may vary by models.



## The essence of black


Black Seal technology blankets the screen with a perfect black background. It makes The Wall a uniform, seamless canvas for purer black levels with enhanced depth that delivers unparalleled contrast and immaculate detail.



## Superior colour purity

With Ultra Chroma technology, The Wall's inherent colour qualities, with two times\* purer colour purity than conventional LEDs, produce vibrant and natural colours for an awe-inspiring visual experience, bringing details to life as if you were really there.

\* Figure is based on internal testing standards against Samsung's conventional LED Signage.



## Instant AI optimization

Every second of content is instantly analysed and optimised for perfect picture quality. The powerful MICRO AI Processor delivers superior visuals in any size up to 8K resolution, enhancing contrast and removing noise.



# The Wall

for Virtual Production


IVC

Samsung The Wall for Virtual Production transforms the entire workflow of virtual production, supporting an industry top level 12,288Hz refresh rate as well as genlock and phase offset.




## Minimise flickers and artefacts

By supporting an industry top level 12,288 Hz refresh rate, The Wall for Virtual Production minimises flicker lines and artefacts when shooting the image on display through a camera.




## Perfect frame synchronisation

The Wall for Virtual Production allows to genlock all the signals of the entire system, ensuring a perfect synchronisation. It also offers a phase offset function for further frame corrections.



## Flawless curved installation

The Wall for Virtual Production improved its cabinet structure to be half-width in 4:9 ratio, allowing better curved installation with perfectly smooth angles.



## Highlights

- Black Seal technology
- Ultra Chroma technology
- 20bit processing
- Linear grayscale
- 12,288 Hz high refresh rate
- Genlock & Phase offset
- Advanced installation
  - Max 5800R concave support
  - Hanging / Stacking
- Virtual Production Manager



### Quick install. Big impact.

Dock the two background plates and hang just four preset modules, and that's it. With Quick Build structure, it only takes two hours to complete the installation of a giant screen.



### Auto configuration setup

Samsung's all-in-one LED display integrates the control box so it's built into the display, eliminating a cumbersome configuration process to get the display up and running faster.

# All-in-One LED

## IAB / IAC

Samsung's all-in-one LED display enables a drastically simplified installation. With Samsung's exclusive Quick Build technology, it only takes two hours\* to install a giant screen.

### Highlights

- Black Seal technology\*\*
- Ultra Chroma technology\*\*
- 20bit processing
- Linear grayscale
- Neural Quantum Processor 4K
- MICRO HDR\*\*
- MICRO Motion\*\*
- Quick Build
- Built-in control box
- All-inclusive components
- Multi-screen connection

\* Install time estimate based on internal testing.

\*\* IAB only.



### No extra peripherals needed

From the control box and wall brackets to speakers and deco bezels, every extra peripheral needed to begin operation is included in a box.



# Indoor LED Signage

IFR / IEA

Samsung's indoor LED signage delivers stunning picture quality and can be custom-fit for the specific space requirements, giving customers an immersive experience.



## Best-in-class LED picture quality

Samsung's indoor LED Signage delivers brilliant visuals and pin-sharp clarity with LED HDR technology. It enhances content to optimum brightness levels while avoiding glare and ensures an accurate colour presentation without requiring special metadata.

\* "Conventional" refers to Samsung's previous models.




## Flexible design for any location

Advanced design provides flexibility for any indoor retail or other business environment. With support of portrait and landscape orientation - and even curved, L-shaped and ceiling installations - businesses can have ultimate control to create the ideal display for their space.

## Highlights

- LED HDR technology
- HDR 10+ support
- Multi-link HDR
- Flexible design
  - Ceiling / Inclined / Curved / L-type
- Mobile calibration
- Power redundancy\*
- Signal redundancy
- Front service

\* IFR only.



## Operational safeguards to minimise downtime

Samsung's indoor LED Signage features multiple operational safeguards intended to minimise screen failures including embedded dual power units and forward and reverse signal redundancy.



### Superior visuals powered by Samsung S-box

Equipped with Samsung's powerful S-box full of the latest technology, XHB series delivers immersive content to delight spectators in any weather or lighting conditions.



### Improved energy efficiency

XHB series runs at just 700 W/m<sup>2</sup>, reducing power consumption up to 25% compared with conventional products. Its improved energy efficiency allows for a more sustainable business operation.

\* Figure is based on XHB-S P8 cabinet and against Samsung's conventional outdoor LED Signage.


# Outdoor LED Signage

## XHB

Samsung's Outdoor LED signage is ideal for a wide range of outdoor applications, featuring clear visibility and even more reliability. Proven visuals, built to perform.

### Highlights

- 8,000 nit high brightness
- HDR10+ / HLG support
- Proprietary S-box support
- Advanced fan-less heat dissipation technology
- IP66 rating (front / back)
- Slim & light cabinet design
- Full lineup available
  - Module-fit / Curved / L-type / Fascia



### Full outdoor lineup for any scenario

Thanks to a variety of bespoke cabinet options, including Flat, L-type, Curve, and Fascia, businesses can have ultimate control to create the ideal display for their space.

\* Samsung LED Signage installed at SoFi Stadium in Los Angeles, USA.

# Hospitality TV

Enhance the guest experience with Samsung Hospitality TVs. Leveraging our expertise in TV technology, these hospitality displays are optimised for hotel environments, offering guests a comfortable and familiar viewing experience while providing hotel managers with efficient control and management.





# QLED

## HQ60A

Samsung QLED hospitality display offers a luxury experience with every view. Content comes to life with brilliant Quantum Dot colour, 4K resolution and immersive 3D sound to provide guests with the ultimate in-room viewing experience. With powerful Samsung's hospitality solution, seamlessly manage the full guest experience.

### Highlights

- 100% Colour Volume with Quantum
- Dot Quantum Processor Lite 4K
- HDR10+
- Dual LED
- AirSlim Design
- Object Tracking Sound Lite (OTS Lite)
- Samsung Q-Symphony
- Adaptive Sound Ambient Mode
- H.Browser
- LYNK Cloud\*


\* LYNK Cloud License must be purchased separately.



### A billion shades of colour with Quantum Dot

Quantum Dot technology delivers the finest picture ever. With 100% Colour Volume, Quantum Dot takes light and turns it into breathtaking colour that stays true at any level of brightness.

\*100% colour volume measured in Movie Mode and the DCI-P3 colour space, certified by VDE.



### Virtual sound that tracks the action

Give guests a theatre-like experience in every room with 3D surround sound leveraging our top channel audio. Combined with breathtaking visuals, guests will be immersed in every watch.



### Optimised backlight colour tone for enhanced contrast

Innovative backlighting technology by Dual LED delivers bolder and more accurate contrast by optimising the backlight colour tone to match the type of content being watched.



# Crystal UHD

HAU8000 / HBU8000

Samsung Crystal UHD hospitality display gives your guests the feeling of home, offering clear viewing and convenient access to their favourite content for instant comfort.

## Highlights

- Dynamic Crystal Colour
- Object Tracking Sound Lite (OTS Lite)
- Samsung Q-Symphony
- Ambient Mode
- AirSlim Design
- Slim Fit Wall-mount
- LYNK Cloud\*
- H.Browser\*\*
- Netflix\*\*\*
- TEP API\*\*\*

\* LYNK Cloud License must be purchased separately.

\*\* HAU8000 only.


\*\*\* HBU8000 only.



## Lifelike colour, in its purest state with fine crystal

Elevate your hotel's entertainment experiences with Dynamic Crystal Colour. With a billion shades of colour, every subtlety can be seen from the comfort of the hotel room.

\* When compared to Samsung's FHD mode.



## Effortless streaming without worries

Enjoy movies, shows, photos and more on the TV in your room with AirPlay or Smart View. Your devices are securely paired to the TV, ensuring peace of mind that everything stays personal and private.

\* AirPlay feature is supported on HBU8000 only, as of August 2024. (To be extended to other models)

\* This function may not be supported depending on the model, apps, or geographical area.



## An instantly familiar UI for faster navigation

Upon turning on their room TV, guests are treated to a recognisable UI filled with the most popular entertainment applications such as Netflix and YouTube. Guests can sign-in to dive back into the latest show they're binging or find new suggestions through their apps.

\* Content service availability and user interface may vary according to product model and customer environment.

\* Agreement of the Smart Hub Terms and Conditions and Privacy Policy is required before use.

\* Netflix is supported on HBU8000 series.



# Crystal UHD

HCU7000

Samsung Crystal UHD hospitality display gives your guests the feeling of home, offering clear viewing and convenient access to their favorite content for instant comfort.

## Highlights

- PurColour
- Ambient Mode
- Object Tracking Sound Lite (OTS Lite)
- Samsung Q-Symphony
- Adaptive Sound
- Samsung TV Plus
- Slim Fit Wall-mount\*\*\*
- 3 Bezel-less Design
- LYNK Cloud\*
- TEPAPI\*\*

\* LYNK Cloud License must be purchased separately.

\*\* TEPAPI is not supported on North America region model.

\*\*\* Slim Fit Wall-mount must be purchased separately.



## Produce every shade of colour as intended in 4K

Powerful 4K upscaling delivers superior visuals in up to 4K resolution, enhancing contrast and removing noise.

\* Viewing experience may vary according to types of content and format.



## Fine-tuned colour for vibrant, lifelike picture

PurColour creates an immersive viewing experience by enabling the TV to display a wide range of colours for optimal picture performance.



## Elevate customer satisfaction with extended adaptability

With headphone ID and multi-code remote, users can enjoy their seamless audiovisual experience, while distinguishing whether output unit is connected adequately or not, and avoiding interference from neighboring remotes or displays.

\* Multi-code IR function requires extra remote controller.



# Solution

Optimise your business operations with Samsung's comprehensive display solutions. Seamlessly integrate and control multiple devices and systems to enhance operational efficiency and overall performance across various business environments.






# SmartThings Pro

Samsung SmartThings now extends beyond the home, integrating into business environments. SmartThings Pro\* connectivity enhances convenience, safety, and energy efficiency across various business settings, from small personal shops to large companies and hotels.

\* Some features' availability of SmartThings Pro may vary by models and require additional subscription plan.

## Highlights

- AI-Powered Energy Saving
- Rule-based Automation
- SmartThings Pro Dashboard
- Enterprise API
- Integrated Device Control
- 3D Map View



### Streamline your store's routines

When it's time to open, SmartThings Pro automatically turns on the lights and devices in your store. At closing time, it helps each business environment is in energy-saving mode. Throughout operating hours, the solution efficiently manages the smart signage and uses AI to support energy savings.



### Offer guests a customised room experience

By scanning a QR code with their mobile devices\*, guests can conveniently control room devices through a web dashboard during their stay. Create a hotel service that transforms the room environment from morning to night, optimising and customizing the guest experience.

\* The feature will be available after future update.




### Manage multiple meeting rooms with 1 dashboard

Empty meeting rooms automatically power down their devices while the system adjusts the air conditioning for optimal energy efficiency.




# Samsung VXT

\* Images regarding Samsung VXT are simulated for illustrative purposes. Actual UI may differ and is subject to change without notice.



## Effortlessly create promotional content

VXT Canvas enables anyone to create content effortlessly and more intuitively. You can create original content with a variety of templates and free stock images, even adding widgets for more dynamic, visually engaging content. It also allows for easy touch content creation.



## Remote control in real-time, every time

Samsung VXT offers an intuitive remote monitoring and robust security control features. It includes additional lock options for USB ports and wireless connections across multiple screens. VXT also detects potential issues like overheating or weak network signals, alerting users via email and SMS for ensuring stable content play.

# Samsung VXT


Samsung VXT\* is a cloud-based solution for digital signage, bringing intuitive content management and remote display management together in one secure platform.

\* Samsung VXT must be purchased separately.

## Highlights\*

- Free Templates for various verticals
- Sync Play & Screen Wall
- Real-time monitoring
- Security Management
- Advanced Tag Management
- Early Warning & Energy Management
- VXT Assistant (Chatbot) & Live chat
- PIRS App (Pre-Integrated & Repeatable Solution)
  - VXT Art
  - Link my POS
  - Infotainment by Seenspire
  - etc.

\* Each feature's availability may vary by Samsung VXT's subscription plan. For more information about Samsung VXT, please visit [vxt.samsung.com](http://vxt.samsung.com)



## Vertical-specific custom options

Samsung VXT allows users to easily discover, install, and utilize additional solutions tailored to their specific needs. With VXT PIRS App, partners can generate new business opportunities by selling their unique apps, while customers can test a solution and then deploy it to all displays by purchasing a cost-effective license.

# LYNK Cloud



Samsung LYNK Cloud\* is a comprehensive hospitality cloud solution. More than a powerful content and device management system, LYNK Cloud can analyse guests' content use to uncover marketing insights.

\* LYNK Cloud License must be purchased separately.

## Highlights


- Device status monitoring
- Multi-site monitoring
- Remote firmware update
- Remote device setting Change
- Automatic credential removal
- Real-time message sending
- Web-standard content creation
- Custom preview support
- Interactive service support
- TV & service usage analysis
- Userflow analysis



## Streamlined property management

With online access that supports multiple users, Samsung LYNK Cloud is ideal for global hospitality operations with centralised management, giving users control of their hotel displays worldwide.


\* LYNK Cloud does not support within China.



## Content creation and custom interactions

Curate your hotel's in-room experience with LYNK Cloud. Create and remotely deploy web-based content to each in-room TV for a tailored feel to your property. With interactive requests support, you can provide the easiest way for guests to make room service orders and book spa appointments.

\* Some features may not be compatible with hotel's current platforms.




## Integrated device management

Quickly update in-room TVs from a centralised source with Samsung LYNK Cloud. Managers can modify channel maps and program guides and control basic functions, making it easier than ever to provide support and maintenance.



## H.Browser

Samsung's H.Browser creates greater flexibility for content development. It provides the superior in-room entertainment and customised content management services that their guests expect. System integrators can create even smarter hospitality solutions. All apps can be stored within the Tizen OS and are supported by Web Simulator and Remote Web Inspector tools that further refine app performance and security.



## TEP

(Tizen Enterprise Platform)

Samsung's Tizen Enterprise Platform (TEP) offers an integrated service infrastructure and a flexible application development environment. Within Tizen OS, applications can be easily tailored to specific business needs, while its system assures enhanced software management for operation.

# Monitor

Work with a better view. Samsung monitors are designed with optimal ergonomics and usability in mind, maximising user comfort and reducing eye strain. Experience a significant boost in work efficiency and productivity with Samsung monitors.





# ViewFinity

5K Resolution Monitor

S90PC

The perfect choice for creative professionals, the ViewFinity 5K monitor delivers a bigger canvas for more creative space and greater detail reducing glare with Matte Display. Smart Calibration makes it easy to customise the screen to match colour profiles with a smartphone, for consistent and clear design across devices.



## Highlights

- 5K resolution
- DCI-P3 99%
- Matte Display
- Smart Calibration
- Pantone Validated
- Thunderbolt™4
- 4K SlimFit Camera
- Apple Airplay
- Ergonomic design

\* Microsoft 365 requires Microsoft account.

\*\* Google Meet requires Google account.

\*\*\* You will need a Samsung Account to access Smart Hub, our network-based smart service that includes apps (e.g., streaming service apps) and our other smart features available through your device. You may need to use a separate device (e.g., your laptop/desktop or mobile device) to create/login into a Samsung Account. If you choose not to log-in, you will only get connection to external devices (e.g. via HDMI) and terrestrial/over-the-air TV (only for TVs with tuners).



## More space to get more done in 5K

5K provides more pixels, which means more space for creative professionals to take advantage of. 218 PPI allows for greater detail, and the 99% DCI-P3 option delivers a deep range of colours.

\* Colour accuracy figures may vary based on the measuring device and the measuring point.

\*\* Screen features may vary depending on system environment such as computer components, duration of use, or other factors.

## Anti-glare that's easy on the eyes

Edit and review content clearly even in bright daylight. The Matte Display technology on the monitor is UL-certified, and enables professionals to review and edit with consistent levels of brightness and colours and decreased light distortion.

\* Matte Display may vary by model.

## Smartly suit colours to your needs

The ViewFinity S9 brings vivid colours to life. With Smart Calibration and a smartphone, the screen can easily be customised for unique experiences. Choose between DCI-P3 or sRGB colour space, and customise colour temperature, luminance and gamma settings without any extra tools or complex procedures.

\* Smart Calibration is available on Galaxy S10 or later, Galaxy Note10 or later, Galaxy Fold devices, Galaxy Flip devices, iPhone 11 or later, and the second generation iPhone SE 2 or later.

\* Requires the latest version of the SmartThings app.

\* Colour accuracy figures may vary based on the measuring device and the measuring point.

\* Screen features may vary depending on system environment, such as computer components, duration of use, or other factors.




# ViewFinity

High Resolution Monitor

**S80PB / S80TB / S80UD / S80D / S60UD / S60D**


The ViewFinity high resolution series provides the performance and flexibility to do it all, from high-profile professional jobs to personal creative projects. After quick and easy setup, an ergonomic design provides customisable comfort. A thoughtful design delivers full performance while reducing the impact on the environment.



## Ergonomic design

Professionals can create healthy, comfortable desk setups thanks to ergonomic solutions. The borderless design and VESA mount compatibility enable a variety of tilt, swivel and pivot control points for mounting in any environment.

\* Support for each function may vary by model.



## Effortless and instant setup

The Easy Setup Stand effortlessly creates an ideal workspace without any tools or screws. When it's time to change things up, simply push a button and enjoy flexible convenience.

\*The feature is specific to S80UD, S80D, S60UD, and S60D.



## Lower environmental impact

Samsung products and technologies thoughtfully designed for less impact on the environment, creating more peace of mind for our users. The ViewFinity monitors use at least 10% recycled materials\*, and have earned certifications for a reduced carbon footprint.

\* The percentage of recycled material is calculated based on the total weight of the plastic used on the product: (weight of recycled materials/total weight of plastic).

\* Lower carbon footprint certification may vary by models.



# ViewFinity

Ultra-wide Monitor


**S95UC / S65UC / S65VC / S65TC**

Also available in Ultra-wide models, ViewFinity monitors are a popular choice for businesses looking to maximise worker productivity through the latest technology. Samsung's Ultra-wide lineup allows professions to review and work on more documents and applications simultaneously.

## Highlights

- 32:9 / 21:9 aspect ratio
- DQHD/ Ultra WQHD resolution
- PBP / PIP
- Intelligent Eye care
- USB Type-C / LAN port
- Built-in Webcam (S65VC only)
- Built-in KVM switch\*
- Ergonomic stand
- Thunderbolt™4 (S65TC only)

\* Not supported on S65UA.



## Display more documents at once

With picture-by-picture (PBP), view two pieces of content from separate sources simultaneously. Picture-in-picture (PIP) lets you view the input from a main source while referencing a second source in a smaller window.



## USB Type-C & LAN port

The USB Type-C port lets you power your devices with up to 90W of power and transfer data with just one cable. The LAN port allows a device with no LAN port to simply connect to the monitor and use the monitor's Ethernet connection. All while keeping a clutter-free desk environment.



## TUV-certified intelligent eye care

TUV-certified Intelligent eye care helps maintain your eye health by reducing blue light and screen flicker. Plus, Adaptive Picture optimises the brightness and colours on the screen for consistent accuracy in various lighting environments.

# Specifications

## Smart Signage

### Neo QLED 8K Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform
<b>QPA-8K</b>	85"	7,680 x 4,320	500 nit (HDR 2,000 nit)	1,500:1	16/7	<ul style="list-style-type: none"> <li>- In: HDMI 2.1 (1), HDMI 2.0 (3), USB2.0 (3)</li> <li>- Out: Digital Audio Out (Optical)</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	Tizen 6.0

### UHD Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	Panel type	IP rating
<b>QHC</b>	43", 50", 55", 65", 75", 98"	3,840 x 2,160	700 nit	4,000:1 (43", 50", 55", 65", 75") 5,500:1 (98")	24/7	<ul style="list-style-type: none"> <li>- In: DP1.2 (1), HDMI 2.0 (3), USB 2.0 (2)</li> <li>- Out: Stereo Mini Jack</li> <li>- Ext: RS232C (in/out), RJ45</li> </ul>	Tizen 7.0	Non-glare	IP5X
<b>QMC</b>	43", 50", 55", 65", 75", 85", 98"	3,840 x 2,160	500 nit	4,000:1/1,200:1 (43", 50")* 4,000:1 (55", 65", 75", 85") 5,500:1 (98") * Contrast Ratio may vary by the product's panel type.	24/7	<ul style="list-style-type: none"> <li>- In: DP1.2 (1), HDMI 2.0 (3), USB 2.0 (2)</li> <li>- Out: Stereo Mini Jack</li> <li>- Ext: RS232C (in/out), RJ45</li> </ul>	Tizen 7.0	Non-glare	IP5X
<b>QBC</b>	43", 50", 55", 65", 75", 85"	3,840 x 2,160	350 nit	4,000:1	16/7	<ul style="list-style-type: none"> <li>- In: HDMI 2.0 (3), USB 2.0 (2)</li> <li>- Out: Stereo Mini Jack</li> <li>- Ext: RS232C (in/out), RJ45</li> </ul>	Tizen 7.0	-	IP5X
<b>QEC</b>	98"	3,840 x 2,160	450 nit	5,000:1	16/7	<ul style="list-style-type: none"> <li>- In: HDMI 2.0 (4), USB2.0 (2)</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	Tizen 6.5	-	-
<b>QET</b>	43", 50", 55", 65", 75", 85"	3,840 x 2,160	300 nit	1,200:1 (65", 75") 4,000:1 (43", 50", 55", 85")	16/7	<ul style="list-style-type: none"> <li>- In: HDMI 2.0 (2), USB2.0 (1)</li> <li>- Out: Stereo Mini Jack</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	Tizen 4.0	-	IP5X

### Video Wall

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	B-to-B	Bezel width
<b>VHC-R/VMC-R</b>	55"	1,920 x 1,080	700 nit (VHC-R) 500 nit (VMC-R)	1,100:1	24/7	<ul style="list-style-type: none"> <li>- In: DVI-D, DP1.2, HDMI2.0 (2), Stereo Mini Jack, USB (only f/w upgrade)</li> <li>- Out: DP1.2 (Loop-out), Stereo Mini Jack</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	0.88 mm	0.44 mm (even)
<b>VHC-E/VMC-E</b>	55"	1,920 x 1,080	700 nit (VHC-E) 500 nit (VMC-E)	1,000:1	24/7	<ul style="list-style-type: none"> <li>- In: DVI-D, DP1.2, HDMI2.0 (2), HDCP2.2, Stereo Mini Jack, USB (only f/w upgrade)</li> <li>- Out: DP1.2 (Loop-out), Stereo Mini Jack</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	1.74mm (Panel Bezel to Panel Bezel) 2.49mm (Active area to Active area)	1.3 mm (U/L) 0.44 mm (R/B)
<b>VMB-U</b>	46", 55"	1,920 x 1,080	500 nit	1,200:1	24/7	<ul style="list-style-type: none"> <li>- In: DVD-D, DP1.2, HDMI2.0 (2), Stereo Mini Jack, USB (only f/w upgrade)</li> <li>- Out: DP1.2 (Loop-out), Stereo Mini Jack</li> <li>- Ext: RS232C (in), RJ45</li> </ul>	3.5 mm	2.25 mm (U/L) 1.25 mm (R/B)

## Smart Signage

### Outdoor Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	IP rating
<b>OHA/OHA-S</b>	55" (OHA/OHA-S) 75" (OHA)	1,920 x1,080 (55") 3,840 x2,160 (75")	3,500 nit (peak 4,000 nit)	6,000:1 (55") 1,200:1 (75")	24/7	- In: (55") HDMI 2.0 (2), HDBaseT (LAN Common), USB 2.0 (1) / (75") DP1.2 (1), HDMI 2.0 (2), USB 2.0 (1) - Out: Stereo Mini Jack - Ext: (55") RS232C (in/out), RJ45 (in/out), HDBaseT / (75") RS232C (in), RJ45 (in)	Tizen 4.0 (OHA) Tizen 5.0 (OHA-S)	IP56
<b>OHB/OHB-S</b>	24" (OHB) 46" (OHB-S)	1,920 x1,080	1,500 nit (24") 3,500 nit (46", 55")	1,000:1 (24") 6,000:1 (46", 55")	24/7	- In: (24") HDMI 2.0 (1), USB 2.0 (2) / (46") HDMI 2.0 (2), HDBaseT, USB 2.0 (1) - Out: Stereo Mini Jack - Ext: (24") RS232C (in), RJ45 (in) / (46") RS232C (in/out), RJ45 (in/out), HDBaseT	Tizen 5.0 (OHB) Tizen 6.5 (OHB-S, OH24B)	IP66 (24") IP56 (46")

### Window Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	IP rating
<b>OMA</b>	75"	3,840 x2,160	4,000:1 (w/o glass)	1,200:1	24/7	- In: DP1.2 (1), HDMI 2.0 (2), USB 2.0 (1) - Out: HDMI 2.0, Stereo Mini Jack - Ext: RS232C (in/out), RJ45 (in)	Tizen 5.0	IP5X
<b>OMB</b>	46", 55"	1,920 x1,080 (46") 3,840 x2,160 (55")	4,000 nit (46") 3,000 nit (55")	6,000:1 (46") 1,200:1 (55")	24/7	- In: HDMI 2.0 (2), USB 2.0 (1) - Out: HDMI 2.0 (1), Stereo Mini Jack - Ext: RS232C (in/out), RJ45 (in/out)	Tizen 5.0	IP5X
<b>OMN-S/OMN-DS</b>	55"	1,920 x1,080	4,000 nit (-S) 3,000/1,000 nit (-DS)	6,000:1	24/7	- In: (-S) DP1.2 (1), HDMI 2.0 (2), USB 2.0 (1) / (-DS) HDMI 2.0 (2), USB 2.0 (2) - Out: (-S) HDMI 2.0 (1), Stereo Mini Jack / (-DS) N/A - Ext: (-S) RS232C (in/out), RJ45 (in/out) / (-DS) RS232C (in), RJ45 (in)	Tizen 5.0	IP5X

### Samsung Flip Pro

Model	Screen Size	Resolution	Brightness	Contrast Ratio	# of touch	Connectivity	Touch pen type	Touch type	Object recognition range
<b>WMB</b>	55", 65", 75", 85"	3,840 x2,160	350 nit (w/o glass)	4,000:1 (w/o glass)	20 Multi touch (4 drawing)	- In: HDMI (Rear1, Front1), DP(1), USB C (Front, 65W P/D), OPS I/F, USB2.0 (For SoC, Rear1, Front1), USB3.0 (For External, Front 2) - Out: Touch out 2 (USB upstream type, Front1, Rear1), Stereo Mini Jack - Ext: RS232C thru stereo jack, RJ45 (For MDC) - BT/Wi-Fi: Keyboard, Mouse, Speaker * USB-C P/D & OPS Supports only 75/85"	Passive pen	IR (Infra Red)	2 mm/4 mm/8 mm/50 mm, 2,048 level on Brush Mode

# Specifications

## Smart Signage

### Interactive Display

Model	Screen Size	Resolution	Brightness	Contrast Ratio	# of touch	Connectivity	Touch pen type	Touch type	Object recognition range
<b>WAD</b>	65", 75", 86"	3,840 x2,160	400 nit	1,200:1	40 Multi Touch (20 drawing)	<ul style="list-style-type: none"> <li>- In: HDMI (Rear2, Front1), VGA (1), USB C (Front), OPS I/F, USB2.0 (1 For Service) USB 3.0 (Front2, Rear2), S/PDIF (1)</li> <li>- Out: HDMI out (1), Touch out2 (USB upstream type, Front1, Rear1), Stereo Mini Jack</li> <li>- Ext: RS232C thru stereo jack, RJ45</li> <li>- BT/Wi-Fi: Keyboard, Mouse, Speaker</li> </ul>	Passive pen	IR (Infra Red)	5 mm/10 mm/15 mm

## Business TV

Model	Screen Size	Resolution	Brightness	Operation Hour	Connectivity	Platform
<b>BED-H</b>	43", 50", 55", 65", 70", 75", 85"	3,840 x2,160	300 nit	16/7	<ul style="list-style-type: none"> <li>- In: HDMI (3), USB (1), RF (1)</li> <li>- Ext: RJ45</li> </ul> <small>* Connectivity information may vary by the product's size and region.</small>	Tizen 8.0

## Self-Ordering Kiosk

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	Touch type
<b>KMA</b>	24"	1,920 x1,080	250 nit (w/o glass)	1,000:1 (w/o glass)	16/7	<ul style="list-style-type: none"> <li>- In: HDMI1.4 (1), USB (4), RJ45 (1)</li> <li>- Out: Touch out, RJ45 (1)</li> <li>- Ext: RS232C (4)</li> </ul>	Tizen 4.0	Capacitive
<b>KMC-W</b>	24"	1,920 x1,080	250 nit (w/o glass)	1,000:1 (w/o glass)	16/7	<ul style="list-style-type: none"> <li>- In: USB (3), RJ45 (1)</li> <li>- Ext: RS232C (3)</li> </ul>	Windows 10 IoT Enterprise	Capacitive

## Touch Display

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	Touch type
<b>QMB-T</b>	43", 55"	3,840 x2,160	500 nit (w/o glass)	4,000:1 (w/o glass)	24/7	<ul style="list-style-type: none"> <li>- In: DP1.2 (1), HDMI2.0 (3), USB (2)</li> <li>- Out: Stereo mini jack, Touch out</li> <li>- Ext: RS232C (in/out), RJ45</li> </ul>	Tizen 6.5	Capacitive

## Smart Signage

### Small Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	Panel Type (w/o glass)
<b>QB13R-M/QB13R-TM</b>	13"	1,920 x 1,080	500 nit (QB13R-M) 500 nit (QB13R-TM, w/o glass)	800:1 (QB13R-M) 600:1 (QB13R-TM, w/o glass)	16/7	- In: HDMI1.4 (1), USB2.0 (1) - Out: Stereo Mini Jack, Touch (QB13R-TM only) - Ext: RS232C (in), RJ45	Tizen 4.0	Non-glare
<b>QB24C/QB24C-T</b>	24"	1,920 x 1,080	250 nit (QB24C) 250 nit (QB24C-T, w/o glass)	1,000:1 (QB24C) 1,000:1 (QB24C-T, w/o glass)	16/7	- In: HDMI1.4 (1), USB2.0 (1) - Out: Stereo Mini Jack, Touch (QB24C-T only) - Ext: RS232C (in/out), RJ45	Tizen 7.0	Non-glare
<b>QM32C</b>	32"	1,920 x 1,080	400 nit	4,000:1* * Contrast Ratio may vary by the product's panel type, or 4,000:1 (VA)/1,200:1 (PS)	24/7	- In: HDMI2.0 (3), USB2.0 (2) - Out: Stereo Mini Jack - Ext: RS232C (in/out), RJ45	Tizen 7.0	-

### Stretched Signage

Model	Screen Size	Resolution	Brightness	Contrast Ratio	Operation Hour	Connectivity	Platform	Panel type
<b>SHC</b>	57"	1,920 x 540	700 nit	4,000:1	24/7	- In: HDMI1.4 (3) - Out: Stereo Mini Jack - Ext: RS232C (in/out), RJ45, IR	Tizen 7.0	Non-glare

## LED Signage

### The Wall

Model	Pixel Pitch	Diode Type	Brightness (peak)*	Contrast Ratio	Certification	Cabinet size (L x H x D, per cabinet)	Weight (per cabinet)	Service**	IP Rating
<b>IWA</b>	P0.8, P1.2, P1.6	Flip-chip RGB LED	1,600 nit (P0.8, P1.2) 1,400 nit (P1.6)	24,000:1 (P0.8, P1.2) 22,000:1 (P1.6)	EMC Class B TUV Eye Comfort Safety 62368-1, 60950-1	806.4 x 453.6 x 36.5 mm	12.0kg (P0.8) 11.2kg (P1.2, P1.6)	Front	IP20
<b>IWB</b>	P0.6, P0.9	Flip-chip RGB LED	1,800 nit (P0.6) 1,200 nit (P0.9)	19,000:1 (P0.6) 12,000:1 (P0.9)	EMC Class B TUV Eye Comfort Safety 62368-1, 60950-1	1,209.6 x 680.4 x 59.9 mm	21.9kg (P0.6) 22.1kg (P0.9)	Front	IP20
<b>IWC</b>	P0.8, P1.2, P1.6	Flip-chip RGB LED	1,600 nit (P0.8) 1,800 nit (P1.2) 1,600 nit (P1.6)	30,000:1 (P0.8) 24,000:1 (P1.2) 23,000:1 (P1.6)	EMC Class B TUV Eye Comfort Safety 62368-1, 60950-1	806.4 x 453.6 x 75 mm	11.4kg	Front	IP20

\* Peak value according to IDMS (Information Display Measurement Standard)

\*\* Front service: Front service to power supply and main board on a cabinet level.

# Specifications

## LED Signage

### The Wall for virtual production

Model	Pixel pitch	Diode Type	Brightness (peak)*	Contrast Ratio	Certification	Cabinet size (L x H x D, per cabinet)	Weight (per cabinet)	Service**	IP Rating
<b>IVC</b>	P1.6, P2.1	Flip-chip RGB LED	1,500 nit	31,000:1 (P1.2) 35,000:1 (P1.6)	EMC Class A Safety 62368-1, 60950-1	403.1 x 907.0 x 83 mm	13.3kg	Front (Module/Tcon) Rear (Tcon/SMPS)	IP20

### All-in-One LED

Model	Pixel pitch	Diode Type	Brightness (peak)*	Contrast Ratio	Certification	Cabinet size (L x H x D, per screen)	Weight (per screen)	Service**	IP Rating
<b>IAB 146" 4K</b>	P0.8	Flip-chip RGB LED	1,600 nit	24,000:1	EMC Class A TUV Eye Comfort Safety 62368-1, 60950-1	3,229.5 x 1,818.0 x 491 mm	160 kg	Front	IP20
<b>IAB 146" 2K</b>	P1.6	Flip-chip RGB LED	1,400 nit	22,000:1					
<b>IAB 110" 2K</b>	P1.2	Flip-chip RGB LED	1,600 nit	24,000:1		2,423.1 x 1364.4 x 491 mm	99 kg		
<b>IAC</b>	P1.5	Surface Mount Device (SMD)	1,000 nit	6,000:1	EMC Class A TUV Eye Comfort Safety 62368-1, 60950-1	2,888.5 x 1,628.5 x 56.2 mm	125 kg	Front	IP20

### Indoor LED Signage

Model	Pixel pitch	Diode Type	Brightness (peak)*	Contrast Ratio	Certification	Cabinet size (L x H x D, per cabinet)	Weight (per cabinet)	Service**	IP Rating
<b>IFR/IFR-F</b>	P1.5, P2.0, P2.5, P4.0	Surface Mount Device (SMD)	1,600 nit (P1.5, P2.0) 2,000 nit (P2.5) 1,500 nit (P4.0)	12,000:1 (P1.5) 7,200:1 (P2.0) 8,000:1 (P2.5) 8,300:1 (P4.0)	EMC Class A Safety 62368-1, 60950-1	960 x 540 x 79.5 mm (IFR) 240 x 540 x 81 mm (IFR-F)	11.8 kg (IFR P1.5) 12.4 kg (IFR P2.0, P2.5, P4.0) 3.2 kg (IFR-F)	Front	IP20
<b>IFR-V/IFR-VF</b>	P1.5, P2.0, P2.5, P4.0	Surface Mount Device (SMD)	1,600 nit (P1.5, P2.0) 2,000 nit (P2.5) 1,500 nit (P4.0)	12,000:1 (P1.5) 7,200:1 (P2.0) 8,000:1 (P2.5) 8,300:1 (P4.0)	EMC Class A Safety 62368-1, 60950-1	960 x 540 x 79.5 mm (IFR-V) 240 x 540 x 81 mm (IFR-VF)	11.8 kg (IFR P1.5) 12.4 kg (IFR P2.0, P2.5, P4.0) 3.2 kg (IFR-F)	Front	IP20
<b>IEA/IEA-F</b>	P1.5, P2.0, P2.5, P4.0	Surface Mount Device (SMD)	1,000 nit (P1.5, P2.0, P2.5) 800 nit (P4.0)	6,000:1 (P1.5) 7,500:1 (P2.0) 5,000:1 (P2.5, P4.0)	EMC Class A Safety 62368-1, 60950-1	960 x 540 x 79.5 mm (IEA) 240 x 540 x 81 mm (IEA-F)	11.8 kg (IEA P1.5) 12.4 kg (IEA P2.0) 10.8 kg (IEA P2.5, P4.0) 3.2 kg (IEA-F)	Front	IP20

\* Peak value according to IDMS (Information Display Measurement Standard)

\*\* Front service: Front service to power supply and main board on a cabinet level.

## LED Signage

### Outdoor LED Signage

Model	Pixel pitch	Diode Type	Brightness (peak)*	Contrast Ratio	Certification	Cabinet size (L x H x D, per cabinet)	Weight (per cabinet)	Service**	IP Rating
<b>XHB-S</b>	P6, P8, P10, P16	SMD (P6, P8, P10) Discrete lamp (P16)	8,000 nit (P6, P8, P10, P16) 10,000 nit (P10)	8,000:1 (P6, P8, P10, P16) 10,000:1 (P10)	CE, UL / ULC listed	689.9 x 1,035.4 x 91.3 mm (P6) 689.9 x 1,035.4 x 92.0 mm (P8) 689.9 x 1,035.4 x 92.9 mm (P10) 689.9 x 1,035.4 x 100.9 mm (P16)	23.2 kg (P6, P8, P10) 27.4 kg (P16)	Front and rear	Front IP66 / Rear IP66
<b>XHB-E</b>	P6, P8, P10, P16	SMD (P6, P8, P10) Discrete lamp (P16)	7,000 nit	7,000:1	CE, UL / ULC listed	689.9 x 1,035.4 x 91.3 mm (P6) 689.9 x 1,035.4 x 92.0 mm (P8) 689.9 x 1,035.4 x 92.9 mm (P10) 689.9 x 1,035.4 x 100.9 mm (P16)	23.2 kg (P6, P8, P10) 27.4 kg (P16)	Front and rear	Front IP66 / Rear IP66

\* Peak value according to IDMS (Information Display Measurement Standard).

\*\* Front service: Front service to power supply and main board on a cabinet level.

## Hospitality TV

### QLED

Model	Screen Size	Resolution	Features	Connectivity
<b>HQ60A</b>	43", 50", 55", 65", 75"	3,840 x 2,160	QLED, 4K, 100% Colour Volume with Quantum Dot, Quantum Processor Lite 4K, Quantum HDR, Dual LED, Virtual OTS, Q-Symphony Lite, Adjustable Stand, Samsung TV Plus, PC on TV, Ambient Mode, LAN out Ethernet port, Bathroom SPK, LYNK Cloud, H.Browser	Wi-Fi 5 Bluetooth 3 x HDMI 2 x USB

### Crystal UHD

Model	Screen Size	Resolution	Features	Connectivity
<b>HAU8000</b>	43", 50", 55", 65", 75"	3,840 x 2,160	Dynamic Crystal Colour, Crystal Processor 4K, HDR10+, Q-Symphony Lite, Stylish Slim, Samsung TV Plus, PC on TV, Ambient Mode, LAN out Ethernet port, Bathroom SPK, LYNK Cloud, H.Browser	Wi-Fi 5 Bluetooth 3 x HDMI 2 x USB
<b>HBU8000</b>	43", 50", 55", 65", 75"	3,840 x 2,160	Dynamic Crystal Colour, Quantum Processor Lite 4K, Contrast Enhancer, HDR10+, Object Tracking Sound Lite (OTS Lite), Q-Symphony Lite, Adaptive Sound, AirSlim, Samsung TV Plus, PC on TV, Ambient Mode, LYNK Cloud, TEP, Netflix, AirPlay	Wi-Fi 5 Bluetooth 3 x HDMI 2 x USB
<b>HCU7000</b>	43", 50", 55", 65", 75"	3,840 x 2,160	PurColour, 4K, HDR10+ Support, Q-Symphony Lite, 3 Bezelless Slim look Design, Samsung TV Plus, Workspace, Ambient Mode, Headphone ID, LYNK Cloud, TEP	Wi-Fi 5 Bluetooth 3 x HDMI 2 x USB

# Specifications

## Monitor

### ViewFinity 5K Resolution Monitor

Model	Screen Size	Flat/Curved	Aspect Ratio	Resolution	Brightness (Typ.)	Contrast Ratio	Connectivity
<b>S90PC</b>	27"	Flat	16:9	5,120 x 2,880	600 cd/m <sup>2</sup>	1,000:1	1x TBT (90W), 1x MiniDP (2.2), 3x USB 3.0 (C-type)

### ViewFinity High Resolution Monitor

Model	Screen Size	Flat/Curved	Aspect Ratio	Resolution	Brightness (Typ.)	Contrast Ratio	Connectivity
<b>S80PB</b>	27", 32"	Flat	16:9	3,840 x 2,160	350 cd/m <sup>2</sup>	1,000:1	1x USB-C (90W), 1x HDMI (2.0), 1x DP (1.4), 3x USB 3.0, LAN port, Headphone
<b>S80TB</b>	27"	Flat	16:9	3,840 x 2,160	350 cd/m <sup>2</sup>	1,000:1	2x TBT4 (90W/15W), 1x HDMI (2.0) 3x USB 3.0, LAN port, Headphone
<b>S80UD</b>	27", 32"	Flat	16:9	3,840 x 2,160	350 cd/m <sup>2</sup>	1,000:1 (27") 3,000:1 (32")	1x USB-C (90W), 1x HDMI (2.0), 1x DP (1.2), 3x USB 3.0, LAN port, Headphone
<b>S80D</b>	27", 32"	Flat	16:9	3,840 x 2,160	350 cd/m <sup>2</sup>	1,000:1 (27") 3,000:1 (32")	1x HDMI (2.0), 1x DP (1.2), 3x USB 3.0, Headphone
<b>S60UD</b>	24", 27", 32"	Flat	16:9	3,840 x 2,160	350 cd/m <sup>2</sup>	1,000:1	1x USB-C (90W), 1x HDMI (2.0), 1x DP (1.4), 3x USB 3.0, LAN port, Headphone
<b>S60D</b>	24", 27", 32"	Flat	16:9	2,560 x 1,440	350 cd/m <sup>2</sup>	1,000:1	1x USB-C (90W), 1x HDMI (2.0), 1x DP (1.4), 3x USB 3.0, LAN port, Headphone

## Monitor

### ViewFinity Ultra-wide Monitor

Model	Screen Size	Flat/Curved	Aspect Ratio	Resolution	Brightness (Typ.)	Contrast Ratio	Connectivity
<b>S95UC</b>	49"	Curved (1,000R)	32:9	5,120 x 1,440	350 cd/m <sup>2</sup>	3,000:1	1 x USB-C (90W), 2 x HDMI (2.0), 1 x DP (1.4), 3 x USB 3.0, LAN port, Headphone
<b>S65UC</b>	34"	Curved (1,000R)	21:9	3,440 x 1,440	350 cd/m <sup>2</sup>	3,000:1	1 x USB-C (90W), 1 x HDMI (2.0), DP (1.2), 3 x USB 3.0, LAN port, Headphone
<b>S65VC</b>	34"	Curved (1,000R)	21:9	3,440 x 1,440	350 cd/m <sup>2</sup>	3,000:1	1 x USB-C (90W), 1 x HDMI (2.0), DP (1.2), 2 x USB 3.0, LAN port, Headphone
<b>S65TC</b>	34"	Curved (1,000R)	21:9	3,440 x 1,440	350 cd/m <sup>2</sup>	3,000:1	2 x TBT4 (90W/15W), 1 x HDMI (2.0), DP (1.2), 3 x USB 3.0, LAN port, Headphone

## About Samsung Electronics Co., Ltd.

Samsung Electronics Co., Ltd. inspires the world and shapes the future with transformative ideas and technologies. The company is redefining the worlds of TVs, smartphones, wearable devices, tablets, digital appliances, medical equipment, network systems, and semiconductor and LED solutions. For the latest news, please visit the Samsung Newsroom at [news.samsung.com](http://news.samsung.com).

## Display Solutions

For more information about Samsung Display Solutions, visit [www.samsung.com/business](http://www.samsung.com/business)

Copyright © 2024 Samsung Electronics Co., Ltd. All rights reserved. Samsung is a registered trademark of Samsung Electronics Co., Ltd. Specifications and designs are subject to change without notice. Non-metric weights and measurements are approximate. All data were deemed correct at time of creation. Samsung is not liable for errors or omissions. All brand, product, service names and logos are trademarks and/or registered trademarks of their respective owners and are hereby recognised and acknowledged.

Samsung Electronics Co., Ltd.  
129, Samsung-ro, Yeongtong-gu, Suwon-si, Gyeonggi-do, 16677 Republic of Korea

2024-09