

Academic References

The development of the Electroconvulsive Therapy Policy Guideline (Guideline), issued on 11 June 2020, has been guided by specialist research, and refined over time since the first SA practice guidelines were published in 2003 by the Royal Australian and New Zealand College of Psychiatrists. This guiding document is provided to share resources and references used in the Guideline, along with additional reading, and will be updated by the Office of the Chief Psychiatrist with current research.

Abraham, K.R. and Kulhara, P. (1987). The efficacy of electroconvulsive therapy in the treatment of schizophrenia. A comparative study. *The British Journal of Psychiatry*, 151(2).

Abrams, R. and Taylor, M.A., (1976) Catatonia: a prospective clinical study. *Archives of General Psychiatry*, 33(5).

Agarwal, A & Winny, G. (1985) 'Role of ECT phenothiazine combination in schizophrenia', *Indian Journal of Psychiatry*, 27(3).

Aksay, S.S., et al (2014) New evidence for seizure quality improvement by hyperoxia and mild hypocapnia. *The Journal of ECT*, 30(4).

Andersen, K., et al., (1987) A double-blind evaluation of electroconvulsive therapy in Parkinson's disease with "on-off" phenomena. *Acta Neurologica Scandinavica*, 76(3).

Anderson, LE & Reti, MI. (2009) 'ECT in Pregnancy: A Review of the Literature From 1941 to 2007', *Psychosomatic Medicine*, 71(2).

Bagadia, V.N., et al. (1983). A double blind controlled study of ECT vs chlorpromazine in schizophrenia. *The Journal of the Association of Physicians of India*, 31(10).

Baker, SA, Suh, SE & Prudic, SJ (2008) 'Malignant Catatonia: Role of Right Unilateral Electroconvulsive Therapy', *The Journal of ECT*, 24(2).

Ballidin, J, et al (1981), 'Predictors for improvement after electroconvulsive therapy in parkinsonian patients with on-off symptoms', *Journal of Neural Transmission*, 52(3).

Bansod, A. et al (2018) 'A Randomized, Nonblind, Naturalistic Comparison of Efficacy and Cognitive Outcomes With Right Unilateral, Bifrontal, and Bitemporal Electroconvulsive Therapy in Schizophrenia' *Journal of ECT* 34(1).

Bergsholm, P. (2012) 'Patients' Perspectives on Electroconvulsive Therapy: A Re-evaluation of the Review by Rose et al on Memory Loss After Electroconvulsive Therapy', *The Journal of ECT*, 28(1).

Bjølseth, T.M. et al (2015) Clinical efficacy of formula-based bifrontal versus right unilateral electroconvulsive therapy (ECT) in the treatment of major depression among elderly patients: a pragmatic, randomized, assessor-blinded, controlled trial. *Journal of Affective Disorders*.

Borisovskaya, A., et al (2016) Electroconvulsive therapy for depression in Parkinson's disease: systematic review of evidence and recommendations. *Neurodegenerative Disease Management*, 6(2).

Braga, JR & Petrides, JG (2005) 'The Combined Use of Electroconvulsive Therapy and Antipsychotics in Patients With Schizophrenia', *The Journal of ECT*, 21(2).

Brandon, S. et al (1985) Leicester ECT trial: results in schizophrenia. *The British Journal of Psychiatry*, 146(2).

Brown, E.D. et al. (2014) Efficacy of continuation/maintenance electroconvulsive therapy for the prevention of recurrence of a major depressive episode in adults with unipolar depression: a systematic review. *The Journal of ECT*, 30(3).

Bryson, E.O., et al. (2015) Automatic implantable cardioverter defibrillator in electroconvulsive therapy. *The Journal of ECT*, 31(1).

Bryson, E.O. et al (2017) Individualized Anesthetic Management for Patients Undergoing Electroconvulsive Therapy: A Review of Current Practice. *Anesthesia & Analgesia*, 124(6).

ECT Policy Guideline – Guiding Document

Calev, A., et al (1991) Disorientation and Bilateral Moderately Suprathreshold Titrated ECT. *The Journal of ECT*, 7(2).

Charlson, F., et al. (2012) ECT efficacy and treatment course: a systematic review and meta-analysis of twice vs thrice weekly schedules. *Journal of Affective Disorders*, 138(1).

Cohen, FT & Ying, P (2011) 'Informed Consent and Electroconvulsive Therapy', *Journal of the American Psychiatric Nurses Association*, 17(3).

D'agati, D. et al (2017) Treatment of Severe Self-Injurious Behavior in Autism Spectrum Disorder by Neuromodulation. *The Journal of ECT*, 33(1).

Daniel, W.F. and Crovitz, H.F., (1982). Recovery of orientation after electroconvulsive therapy. *Acta Psychiatrica Scandinavica*, 66(6).

Davidson, J.R., (2010) Major depressive disorder treatment guidelines in America and Europe. *The Journal of Clinical Psychiatry*.

Davis, A., et al. (2009) Electroconvulsive therapy in the setting of implantable cardioverter-defibrillators. *The Journal of ECT*, 25(3).

Davis, J.M., et al. (1991) Electroconvulsive therapy in the treatment of the neuroleptic malignant syndrome. *The Journal of ECT*, 7(2).

Donahue, A.B. (2000) Electroconvulsive therapy and memory loss: a personal journey. *The Journal of ECT*, 16(2).

Douyon, R., et al., (1989) ECT and Parkinson's Disease Revisited: A "Naturalistic" Study. *The American Journal of Psychiatry*, 146(11).

Dunne, R & McLoughlin, DM. (2011) 'Regional variation in electroconvulsive therapy use', *Irish Medical Journal*, 104(3).

Dunne, R.A. and McLoughlin, D.M. (2012) Systematic review and meta-analysis of bifrontal electroconvulsive therapy versus bilateral and unilateral electroconvulsive therapy in depression. *The World Journal of Biological Psychiatry*, 13(4).

Dybedal, G.S., et al (2016) Cognitive Effects of Bifrontal Versus Right Unilateral Electroconvulsive Therapy in the Treatment of Major Depression in Elderly Patients: A Randomized, Controlled Trial. *The Journal of ECT*, 32(3).

Erickson, J.M. and Carty, J. (2015) Safe and Effective Electroconvulsive Therapy Using Multiple Parameters Over 5 Years in a Patient With Deep Brain Stimulator. *The Journal of ECT*, 31(4).

Esmaili, T & Malek, A. (2007) 'Electroconvulsive therapy (ECT) in a six-year-old girl suffering from major depressive disorder with catatonic features', *European Child & Adolescent Psychiatry*, 6(1).

Fear, C.F., Dunne, R.A. and McLoughlin, D.M. (2005) The use of ECT in the treatment of schizophrenia and catatonia. The ECT Handbook: The Third Report of the Royal College of Psychiatrists' Special Committee of ECT.

Fink, M. (2006) 'ECT in therapy-resistant mania: does it have a place?' *Bipolar Disorders*, 8(3).

Fink, M. and Sackeim, H.A., (1996) 'Convulsive therapy in schizophrenia?'. *Schizophrenia Bulletin*, 22(1).

Fink, M., et al., (2007) DSM melancholic features are unreliable predictors of ECT response: a CORE publication. *The Journal of ECT*, 23(3).

Folkerts, H.W., et al., (1997) Electroconvulsive therapy vs. paroxetine in treatment-resistant depression—a randomized study. *Acta Psychiatrica Scandinavica*, 96(5).

Fox, H.A., (2001) Extended continuation and maintenance ECT for long-lasting episodes of major depression. *The Journal of ECT*, 17(1).

Gahr, M. et al (2014) Safety of electroconvulsive therapy in the presence of cranial metallic objects. *The Journal of ECT*, 30(1).

ECT Policy Guideline – Guiding Document

Galbally, M., Snellen, M. and Lewis, A. (2016) *Psychopharmacology and Pregnancy*. Springer-Verlag Berlin An.

Gálvez, V., et al. (2012) A Patient with an Implanted Cardiac Defibrillator Not Deactivated During Acute and Maintenance Electroconvulsive Therapy. *Psychosomatics*, 53(5).

Gálvez, V. and Loo, C.K. (2017) Clinical Applicability of Monitoring the Time Interval Between Anesthesia and Electroconvulsive Therapy. *The Journal of ECT*, 33(1),

Gálvez, V. et al (2017) Seizure threshold increases can be predicted by EEG quality in right unilateral ultrabrief ECT. *European Archives of Psychiatry and Clinical Neuroscience*.

Gangadhar, B.N. and Thirthalli, J. (2010) Frequency of electroconvulsive therapy sessions in a course. *The Journal of ECT*, 26(3).

Gardner, KB & O'Connor, WD. (2008) 'A Review of the Cognitive Effects of Electroconvulsive Therapy in Older Adults', *The Journal of ECT*, 24(1).

Gazdag, G., et al., (2009) Clinical evidence for the efficacy of electroconvulsive therapy in the treatment of catatonia and psychoses. In *Electroconvulsive and Neuromodulation Therapies*. Cambridge University Press.

Ghaziuddin N and Walter G. (2013) *Electroconvulsive Therapy in Children and Adolescents*. Oxford University Press.

Ghaziuddin, N., Kutcher, S.P. and Knapp, P. (2004) Practice parameter for use of electroconvulsive therapy with adolescents. *Journal of the American Academy of Child & Adolescent Psychiatry*, 43(12).

Gill, S.P and Kellner, C.H. (2019) Clinical Practice Recommendations for Continuation and Maintenance Electroconvulsive Therapy for Depression, *Journal of ECT* 35(1).

Girish, K. and Gill, N.S., (2003) Electroconvulsive therapy in lorazepam non-responsive catatonia. *Indian Journal of Psychiatry*, 45(1).

Glass, O.M., Forester, B.P. and Hermida, A.P. (2017) Electroconvulsive therapy (ECT) for treating agitation in dementia (major neurocognitive disorder)—a promising option. *International Psychogeriatrics* 29(5).

Goswami, U., Kumar, U. and Singh, B., (2003) Efficacy of electroconvulsive therapy in treatment resistant schizophrenia: A double-blind study. *Indian Journal of Psychiatry*, 45(1).

Green, S. and Bloch, S., (2006) An anthology of psychiatric ethics (pp. 282-289). Oxford. The, U.K., 2003. Efficacy and safety of electroconvulsive therapy in depressive disorders: a systematic review and meta-analysis. *The Lancet*.

Greenberg, L.B. and Gujavarty, K. (1985) The neuroleptic malignant syndrome: review and report of three cases. *Comprehensive Psychiatry*, 26(1).

Greenhalgh, J, et al. (2005) 'Clinical and cost-effectiveness of electroconvulsive therapy for depressive illness, schizophrenia, catatonia and mania: systematic reviews and economic modelling studies', *Health Technology Assessment*, 9(9).

Haghighi, M., et al. (2013) Assessment of cognitive impairments and seizure characteristics in electroconvulsive therapy with and without sodium valproate in manic patients. *Neuropsychobiology*, 67(1).

Hatta, K., et al., (2007) Maximal response to electroconvulsive therapy for the treatment of catatonic symptoms. *The Journal of ECT*, 23(4).

Hawkins, J.M., et al. (1995) Somatic treatment of catatonia. *The International Journal of Psychiatry in Medicine*, 25(4).

Henstra, M.J., et al (2017) Acetylcholinesterase inhibitors for electroconvulsive therapy-induced cognitive side effects: a systematic review. *International Journal of Geriatric Psychiatry*.

Ingram, A., Saling, M.M. and Schweitzer, I., (2008) Cognitive side effects of brief pulse electroconvulsive therapy: a review. *The Journal of ECT*, 24(1).

Isserles, M. et al (2017) Clinical Effectiveness and Tolerability of Electroconvulsive Therapy in Patients with Neuropsychiatric Symptoms of Dementia. *Journal of Alzheimer's Disease*, 57(1).

ECT Policy Guideline – Guiding Document

Jadhav, T. et al (2017) Effect of Atropine Premedication on Cardiac Autonomic Function During Electroconvulsive Therapy: A Randomized Crossover Study. *The Journal of ECT*, 33(3).

Janicak, P.G. et al (1985) Efficacy of ECT: a meta-analysis. *Am J Psychiatry*, 142(3).

Kavanagh, A. and McLoughlin, D.M. (2009) Electroconvulsive therapy and nursing care, *British Journal of Nursing*, 18(22).

Kellner, C.H., et al. (2006) Continuation electroconvulsive therapy vs pharmacotherapy for relapse prevention in major depression: a multisite study from the Consortium for Research in Electroconvulsive Therapy (CORE). *Archives of General Psychiatry*, 63(12).

Kellner, C.H. et al (2016) A novel strategy for continuation ECT in geriatric depression: phase 2 of the PRIDE study. *American Journal of Psychiatry*, 173(11).

Kellner, C.H. et al. (2010) Bifrontal, bitemporal and right unilateral electrode placement in ECT: randomised trial. *The British Journal of Psychiatry*, 196(3).

Kelly, D.H.W. and Sargant, W., (1965) Present treatment of schizophrenia—a controlled follow-up study. *British Medical Journal*, 1(5428).

Kho, K.H., et al., (2004) Electroconvulsive therapy for the treatment of clozapine nonresponders suffering from schizophrenia. *European Archives of Psychiatry and Clinical Neuroscience*, 254(6).

Kho, K.H., et al (2003) A meta-analysis of electroconvulsive therapy efficacy in depression. *The Journal of ECT*, 19(3).

Kirov, G.G. et al. (2015) Evaluation of cumulative cognitive deficits from electroconvulsive therapy. *The British Journal of Psychiatry*.

Kivler Carol A (2010). Will I Ever Be the Same Again? Transforming the face of ECT (shock therapy). Three Gem Publishing/ Kivler Communications.

Kokras, N., et al. (2011) Cardiac rhythm management devices and electroconvulsive therapy: a critical review apropos of a depressed patient with a pacemaker. *The Journal of ECT*, 27(3).

Kolshus, E. et al (2017) Bitemporal v. high-dose right unilateral electroconvulsive therapy for depression: a systematic review and meta-analysis of randomized controlled trials. *Psychological Medicine* 47(518).

Lakshmana, R. et al (2014) Electroconvulsive therapy in pregnancy. *Psychopharmacology and Pregnancy*. Springer Berlin Heidelberg.

Lally, J., et al (2016) Augmentation of clozapine with electroconvulsive therapy in treatment resistant schizophrenia: a systematic review and meta-analysis. *Schizophrenia Research*, 171(1).

Lamont, S., et al. (2011) Evaluation of an electroconvulsive therapy service in a general hospital. *International Journal of Mental Health Nursing*, 20(3).

Lebensohn, Z.M. and Jenkins, R.B., (1975). Improvement of Parkinsonism in depressed patients treated with ECT. *The American Journal of Psychiatry*.

Legendre, SA, et al. (2003) 'The Influence of Cognitive Reserve on Memory Following Electroconvulsive Therapy', *Journal of Neuropsychiatry and Clinical Neurosciences*, 15(3).

Leiknes, K.A., et al. (2015) Electroconvulsive therapy during pregnancy: a systematic review of case studies. *Archives of Women's Mental Health* 18(1).

Leroy, A., et al (2017) Is electroconvulsive therapy an evidence-based treatment for catatonia? A systematic review and meta-analysis. *European Archives of Psychiatry and Clinical Neuroscience*.

Lima, N.N. et al (2013) Electroconvulsive therapy use in adolescents: a systematic review. *Annals of General Psychiatry* 12(1).

Lisanby, S.H. et al (2008) 'Toward Individualized Post-Electroconvulsive Therapy Care: Piloting the Symptom-Titrated, Algorithm-Based Longitudinal ECT (STABLE) Intervention', *The Journal of ECT*, 24(3).

ECT Policy Guideline – Guiding Document

Lisanby, S.H., et al., (2000) The effects of electroconvulsive therapy on memory of autobiographical and public events. *Archives of General Psychiatry*, 57(6).

Loo, C., et al (2007) A report on mood and cognitive outcomes with right unilateral ultrabrief pulsewidth (0.3 ms) ECT and retrospective comparison with standard pulsewidth right unilateral ECT. *Journal of Affective Disorders*, 103(1).

Loo, C.K., et al., (2013) Speed of response in ultrabrief and brief pulse width right unilateral ECT. *International Journal of Neuropsychopharmacology*, 16(4).

Loo, C.K., Kaill, A., Paton, P. and Simpson, B., (2010) The difficult-to-treat electroconvulsive therapy patient—strategies for augmenting outcomes. *Journal of Affective Disorders*, 124(3).

Loo, C.K., Katalinic, N., Martin, D. and Schweitzer, I., (2012) A review of ultrabrief pulse width electroconvulsive therapy. *Therapeutic Advances in Chronic Disease*, 3(2).

Loo, C.K., et al., (2011) Predictors of response to ultrabrief right unilateral electroconvulsive therapy. *Journal of Affective Disorders*, 130(1).

Loo, C.K., et al. (2008) A comparison of RUL ultrabrief pulse (0.3 ms) ECT and standard RUL ECT. *International Journal of Neuropsychopharmacology*, 11(7).

Loo, C.K., Schweitzer, I. and Pratt, C., (2006) Recent advances in optimizing electroconvulsive therapy. *Australian & New Zealand Journal of Psychiatry*, 40(8).

Loo, C.K., et al (2015) A randomized controlled trial of brief and ultrabrief pulse right unilateral electroconvulsive therapy. *International Journal of Neuropsychopharmacology*, 18(1).

Martin, D.M., Gálvez, V. and Loo, C.K. (2015) Predicting retrograde autobiographical memory changes following electroconvulsive therapy: relationships between individual, treatment, and early clinical factors. *International Journal of Neuropsychopharmacology*, 18(12).

Martin, D.M., et al (2013) A new early cognitive screening measure to detect cognitive side-effects of electroconvulsive therapy? *Journal of Psychiatric Research*, 47(12).

Mayur, P., Byth, K. and Harris, A. (2013) Autobiographical and subjective memory with right unilateral high-dose 0.3-millisecond ultrabrief-pulse and 1-millisecond brief-pulse electroconvulsive therapy: a double-blind, randomized controlled trial. *The Journal of ECT*, 29(4).

McCall, W.V., et al., (2000) Titrated moderately suprathreshold vs fixed high-dose right unilateral electroconvulsive therapy: acute antidepressant and cognitive effects. *Archives of General Psychiatry*, 57(5).

Melzer-Ribeiro, D.L. et al. (2017) Efficacy of electroconvulsive therapy augmentation for partial response to clozapine: a pilot randomized ECT–sham controlled trial. *Archives of Clinical Psychiatry (São Paulo)*, 44(2).

Miller, L.J. (1994) Use of electroconvulsive therapy during pregnancy. *Psychiatric Services*, 45(5).

Mir, A.H., et al (2017) Effectiveness of sodium thiopentone, propofol, and etomidate as an ideal intravenous anesthetic agent for modified electroconvulsive therapy. *Saudi Journal of Anaesthesia*, 11(1).

Mukherjee, S., Sackeim, H.A. and Schnur, D.B., (1994) Electroconvulsive therapy of acute manic episodes: a review of 50 years' experience. *American Journal of Psychiatry*, 151(2).

Munday, J, Little, J & Deans, C (2003) 'Effectiveness of a training program for ECT nurses', *Journal of Psychosocial Nursing and Mental Health Services*, 41(11).

Nagler, J. and Geppert, M. (2011) Predictors of bradycardia during the stimulation phase of electroconvulsive therapy. *The Journal of ECT*, 27(3).

Nagler, J. (2010) Absence of asystole during bifrontal stimulation in electroconvulsive therapy. *The Journal of ECT*, 26(2).

Nolen, W.A. and Zwaan, W.A., (1990) Treatment of lethal catatonia with electroconvulsive therapy and dantrolene sodium: a case report. *Acta Psychiatrica Scandinavica*, 82(1).

ECT Policy Guideline – Guiding Document

Odeberg, H., et al. (2008) Individualized continuation electroconvulsive therapy and medication as a bridge to relapse prevention after an index course of electroconvulsive therapy in severe mood disorders: a naturalistic 3-year cohort study. *The Journal of ECT*, 24(3).

Pagnin, BD, et al. (2004) 'Efficacy of ECT in Depression: A Meta-Analytic Review', *The Journal of ECT*, 20(1).

Petrides, MG, et al. (2001) 'ECT Remission Rates in Psychotic Versus Nonpsychotic Depressed Patients: A Report from CORE', *The Journal of ECT*, 17(4).

Philbrick, K.L. and Rummans, T.A. (1994) Malignant catatonia. *The Journal of Neuropsychiatry and Clinical Neurosciences*.

Phutane, V.H. et al. (2013) Double-blind randomized controlled study showing symptomatic and cognitive superiority of bifrontal over bitemporal electrode placement during electroconvulsive therapy for schizophrenia. *Brain Stimulation*, 6(2).

Pompili, M. et al (2013) Indications for electroconvulsive treatment in schizophrenia: A systematic review. *Schizophrenia Research* 146(1).

Pompili, M., et al (2014) Electroconvulsive treatment during pregnancy: a systematic review. *Expert Review of Neurotherapeutics*, 14(12).

Popeo, D. and Kellner, C.H. (2009) ECT for Parkinson's disease. *Medical Hypotheses*, 73(4).

Porter, R.J., Bourke, C. and Gallagher, P. (2007) Neuropsychological impairment in major depression: its nature, origin and clinical significance. *Australian & New Zealand Journal of Psychiatry*, 41(2).

Porter, R.J., Douglas, K. and Knight, R.G. (2008) Monitoring of cognitive effects during a course of electroconvulsive therapy: recommendations for clinical practice. *The Journal of ECT*, 24(1).

Prudic, J. et al. (2013) Pharmacological strategies in the prevention of relapse following electroconvulsive therapy. *The Journal of ECT*, 29(1).

Rabheru, K. and Persad, E. (1997) A review of continuation and maintenance electroconvulsive therapy. *The Canadian Journal of Psychiatry*, 42(5).

Rakesh, G., et al (2017) Concomitant Anticonvulsants With Bitemporal Electroconvulsive Therapy: A Randomized Controlled Trial With Clinical and Neurobiological Application. *The Journal of ECT*, 33(1).

Rami-Gonzalez, L. et al. (2003) Pattern of cognitive dysfunction in depressive patients during maintenance electroconvulsive therapy. *Psychological Medicine*, 33(2).

Regestein, Q.R. et al (1971) A Case of Catatonia Occurring Simultaneously with Severe Urinary Retention. *The Journal of Nervous and Mental Disease*, 152(6).

Reichenberg, A. and Harvey, P.D. (2007) Neuropsychological impairments in schizophrenia: Integration of performance-based and brain imaging findings. *Psychological Bulletin*, 133(5).

Rey, J.M. and Walter, G. (1997) Half a century of ECT use in young people. *American Journal of Psychiatry*, 154(5).

Ries, R.K., et al (1981) ECT in medication resistant schizoaffective disorder. *Comprehensive Psychiatry*, 22(2).

Roberts, L.W. (2002) Informed consent and the capacity for voluntarism. *American Journal of Psychiatry*, 159(5).

Rohland, B.M., Carroll, B.T. and Jacoby, R.G. (1993) ECT in the treatment of the catatonic syndrome. *Journal of Affective Disorders*, 29(4).

Rose, D. et al (2003) Patients perspectives on electroconvulsive therapy: systematic review. *BMJ*, 326(7403).

Rosedale, M., (2011) Our patients' lives are worth fighting for and electroconvulsive therapy (ECT) saves lives: A compendium of the evidence. *Journal of the American Psychiatric Nurses Association*, 17(3).

ECT Policy Guideline – Guiding Document

Rosedale, M., Brown, C.L. and Maudsley, I. (2011) An Evidence-Based Response to "Electroshock, a Discerning Review of the Nursing Literature". *Issues in mental health nursing*, 32(7).

Russell, P.S., et al. (2002) Electro convulsive therapy in a pre-pubertal child with severe depression. *Journal of Postgraduate Medicine*, 48(4).

Saatcioglu, O & Tomruk, N (2011) 'The Use of Electroconvulsive Therapy in Pregnancy: A Review', *Israel Journal Of Psychiatry And Related Sciences*, 48(1).

Sackeim, H.A., et al, (2009) Effect of concomitant pharmacotherapy on electroconvulsive therapy outcomes: short-term efficacy and adverse effects. *Archives of General Psychiatry*, 66(7).

Sackeim, H.A. et al (2001) Continuation pharmacotherapy in the prevention of relapse following electroconvulsive therapy: a randomized controlled trial. *JAMA* 285(10).

Sackeim, H.A., et al. (1993) Effects of stimulus intensity and electrode placement on the efficacy and cognitive effects of electroconvulsive therapy. *New England Journal of Medicine*, 328(12).

Sackeim, H.A., et al (2000) A prospective, randomized, double-blind comparison of bilateral and right unilateral electroconvulsive therapy at different stimulus intensities. *Archives of General Psychiatry*, 57(5).

Sackeim, H.A., et al. (2007) The cognitive effects of electroconvulsive therapy in community settings. *Neuropsychopharmacology* 32(1).

Sackeim, H.A., et al (2008) Effects of pulse width and electrode placement on the efficacy and cognitive effects of electroconvulsive therapy. *Brain Stimulation* 1(2).

Sarkar, P et al. (1994) An Exploratory Evaluation of ECT in Haloperidol-Treated DSM-III-R Schizophrenia Disorder. *The Journal of ECT*, 10(4).

Semkovska, M. et al (2016) Bitemporal versus high-dose unilateral twice-weekly electroconvulsive therapy for depression (EFFECT-Dep): a pragmatic, randomized, non-inferiority trial. *American Journal of Psychiatry*, 173(4).

Semkovska, M. and McLoughlin, D.M. (2010) Objective cognitive performance associated with electroconvulsive therapy for depression: a systematic review and meta-analysis. *Biological Psychiatry*, 68(6).

Sienaert, P., et al (2010) Randomized comparison of ultra-brief bifrontal and unilateral electroconvulsive therapy for major depression: cognitive side-effects. *Journal of Affective Disorders*, 122(1).

Sienaert, P. (2009) Randomized comparison of ultra-brief bifrontal and unilateral electroconvulsive therapy for major depression: clinical efficacy. *Journal of Affective Disorders*, 116(1).

Sikdar, S.U.D.I.P., et al (1994) Combined chlorpromazine and electroconvulsive therapy in mania. *The British Journal of Psychiatry* 164(6).

Sinha, P., Goyal, P. and Andrade, C. (2017) A Meta-review of the Safety of Electroconvulsive Therapy in Pregnancy. *The Journal of ECT*, 33(2).

Small, J.G., et al. (1988) Electroconvulsive treatment compared with lithium in the management of manic states. *Archives of General Psychiatry*, 45(8).

Sobin, C., et al. (1996) Who responds to electroconvulsive therapy? A comparison of effective and ineffective forms of treatment *The British Journal of Psychiatry*, 169(3).

Sobin, C., et al (1995) Predictors of retrograde amnesia following ECT. *The American Journal of Psychiatry*, 152(7),

Spaans, H.P. et al (2016) Early Complete Remitters After Electroconvulsive Therapy: Profile and Prognosis. *The Journal of ECT*, 32(2).

Stewart, P.T. et al (2011) The effect of electrode placement and pulsewidth on asystole and bradycardia during the electroconvulsive therapy stimulus. *International Journal of Neuropsychopharmacology*, 14(5).

ECT Policy Guideline – Guiding Document

Squire, L.R., Slater, P.C. and Miller, P.L., (1981) Retrograde amnesia and bilateral electroconvulsive therapy: long-term follow-up. *Archives of General Psychiatry*, 38(1).

Taylor, P. and Fleming, J.J. (1980) ECT for schizophrenia. *The Lancet*, 315(8183).

Stewart, P.T., et al (2011) The effect of electrode placement and pulsewidth on asystole and bradycardia during the electroconvulsive therapy stimulus. *International Journal of Neuropsychopharmacology* 14(5).

Storey, J.E., et al (2004) The Rowland universal dementia assessment scale (RUDAS): a multicultural cognitive assessment scale. *International Psychogeriatrics*, 16(1).

Suetani, S. and Waite, S., (2014) Need to titrate in ultrabrief electroconvulsive therapy—need or more evidence. *The Journal of ECT*, 30(1).

Takekita, Y., et al (2016) Remifentanyl in electroconvulsive therapy: a systematic review and meta-analysis of randomized controlled trials. *European Archives of Psychiatry and Clinical Neuroscience*, 266(8).

Teng, E.L. and Chui, H.C. (1987) The Modified Mini-Mental State (3MS) examination. *The Journal of Clinical Psychiatry*.

Tharyan, P. and Adams, C.E. (2005) Electroconvulsive therapy for schizophrenia. The Cochrane Library.

Tiller JWG and Lyndon RW. Electroconvulsive therapy: An Australasian guide. (2013) 2nd edition. Melbourne: *Australian Postgraduate Medicine*.

Toprak, M., Wilkinson, S.T. and Ostroff, R.B. (2017) Successful Treatment With Electroconvulsive Therapy of a Patient With Bipolar Disorder and a 7-mm Cerebral Aneurysm. *The Journal of ECT*, 33(1).

Tor, P.C. et al. (2015) A Systematic Review and Meta-Analysis of Brief Versus Ultrabrief Right Unilateral Electroconvulsive Therapy for Depression. *The Journal of Clinical Psychiatry* 76(9).

Trollor, J.N. and Sachdev, P.S. (1999) Electroconvulsive treatment of neuroleptic malignant syndrome: a review and report of cases. *Australian & New Zealand Journal of Psychiatry*, 33(5).

Ukpong, D.I., Makanjuola, R.O.A. and Morakinyo, O. (2002) A controlled trial of modified electroconvulsive therapy in Schizophrenia in a Nigeria Teaching Hospital. *West African Journal of Medicine*, 21(3).

Vamos, M. (2008) The cognitive side effects of modern ECT: patient experience or objective measurement? *The Journal of ECT*, 24(1).

Van Horne, C., et al. (2016) Administration of electroconvulsive therapy for depression associated with deep brain stimulation in a patient with post-traumatic Parkinson's Disease: a case study. *BMC Psychiatry*, 16(1).

Van Staden, C.W. and Krüger, C. (2003) Incapacity to give informed consent owing to mental disorder. *Journal of Medical Ethics*, 29(1).

Vila-Rodriguez et al (2014) Electroconvulsive therapy in patients with deep brain stimulators. *The Journal of ECT*, 30(3).

Wachtel, L.E., et al (2009) ECT for self-injury in an autistic boy. *European Child & Adolescent Psychiatry*, 18(7).

Weiner, R.D., et al (1986) Effects of stimulus parameters on cognitive side effects. *Annals of the New York Academy of Sciences*, 462(1).

Weiss, A. (2018) *The Electroconvulsive Therapy Workbook*. Routledge. London.

Wood, J.H., Chambers, M. and White, S.J. (2007) Nurses' knowledge of and attitude to electroconvulsive therapy. *The Journal of ECT* 23(4).

Youssef, N.A., McCall, W.V. and Andrade, C. (2017) The role of ECT in posttraumatic stress disorder: A systematic review. *Annals of Clinical Psychiatry*, 29(1).

ECT Policy Guideline – Guiding Document

Zhong, X., et al (2016) Mood and neuropsychological effects of different doses of ketamine in electroconvulsive therapy for treatment-resistant depression. *Journal of Affective Disorders*, 2016 201(124).

Other

Australian Government: Department of Health. (2010) Principles of recovery oriented mental health practice. Viewed 29 November 2019, <http://www.health.gov.au/internet/publications/publishing.nsf/Content/mental-pubs-n-servst10-toc~mental-pubs-n-servst10-pri>.

Mental Health Coordinating Council. (2013) Trauma Informed Care and Practice: A National Strategic Direction Position Paper. Viewed 29 November 2019, http://www.mhcc.org.au/wp-content/uploads/2018/05/ticp_awg_position_paper_v_44_final_07_11_13-1.pdf



For more information
Office of the Chief Psychiatrist
PO Box 287 Rundle Mall, Adelaide SA 5000
Telephone: 08 8226 1091
www.chiefpsychiatrist.sa.gov.au



www.ausgoal.gov.au/creative-commons