

PARISI

DESIGNED BY TOM FEREDAY

ASSEMBLY INSTRUCTION



PARISI TABLE

PACKAGING

- CARDBOARD BOX WITH EXTRA HARD BASE PANEL: TABLE STRUCTURE IN A PROTECTIVE BAG, WITH 4 FELT FEET ALREADY ATTACHED FEET; ADDITIONAL 4 HARD PLASTIC AND 4 FELT FEET, 4 ROUND RUBBERS
 - HPL TOP: CARDBOARD BOX WITH POLYSTYRENE ON ALL SIDES: HPL TOP PROTECTED BY BLUE MATERIAL
 - MARBLE TOP: WOODEN CRATE WITH POLYSTYRENE ON ALL SIDES: MARBLE TOP WITH 4 SCREWS AND 4 WASHERS ALREADY INSERTED IN TOP, 1 ALLEN KEY
-

IMPORTANT NOTE

- ENSURE THAT ALL STEPS ARE FOLLOWED IN THE CORRECT ORDER AND THAT NO STEP IS LEFT OUT.
 - A MINIMUM OF TWO PEOPLE ARE REQUIRED FOR ASSEMBLY.
 - TO PREVENT ANY DAMAGE TO THE PRODUCT, DO NOT USE A CUTTER KNIFE/ SHARP OBJECT TO OPEN THE BOXES.
 - DUE TO THE NATURAL STRENGTH OF THE METAL, SOME FORCE COULD BE REQUIRED IN ORDER TO INSTALL THE TABLE CORRECTLY.
 - DUE TO THE HEAVY WEIGHT OF THE STRUCTURE AND THE MARBLE TOP, DO NOT ASSEMBLE THE TABLE UPSIDE DOWN. IT CAN BE DANGEROUS.
 - DO NOT LIFT THE TABLE BY ITS TOP. IF YOU HAVE TO LIFT THE TABLE, LIFT IT BY HOLDING ONTO THE METAL STRUCTURE.
-

ASSEMBLY INSTRUCTIONS: METAL BASE

1. REMOVE THE METAL BASE FROM THE PACKAGING
2. THE FELT AND PLASTIC FEET ARE IN A BAG FIXED TO THE STRUCTURE
3. REMOVE THE FELT AND PLASTIC FEET FROM THE BAG AND APPLY ON METAL FEET, FELT FOR INDOOR, PLASTIC FOR OUTDOOR
4. PLACE THE TABLE STRUCTURE ON A FLAT SURFACE, OTHERWISE IT WILL BE DIFFICULT TO CENTRE THE HOLES

ASSEMBLY INSTRUCTIONS: TABLE TOP

1. OPEN THE BOX AND REMOVE THE SCREWS SCREWED INTO THE TOP
2. PLACE THE TOP ON THE STRUCTURE OF THE TABLE
3. CENTRE THE FIRST HOLE OF THE TOP WITH THE HOLE IN BASE PLATE AND FIX THE SCREW WITHOUT TIGHTENING
4. TIGHTEN THE OPPOSITE SCREW, THEN TIGHTEN THE REMAINING ONES
5. ATTENTION: THE WEIGHT OF THE TOP PLACED ONTO THE STRUCTURE CAN SLIGHTLY MOVE THE HOLE IN THE STRUCTURE. CENTRE THE HOLES BY SLIGHTLY LIFTING THE TOP
6. TIGHTEN ALL SCREWS GRADUALLY, MAKING SURE THAT EVERYTHING IS FIXED IN A UNIFORM MANNER