

Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

# 1. Identification

### Product identifier

Product Name LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC975BK, LC980BK,

LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC990HYBK, LC1100HYBK Ink

Other means of identification

Safety data sheet number BHK018-01

Recommended use of the chemical and restrictions on use

**Recommended Use**These products are black ink in a cartridge for Brother Industries, Ltd. inkjet multifunction

devices and fax receivers. The cartridge should be used as supplied by Brother and for use in the products stated. Information provided on this SDS is only consistent with the use

specified by Brother.

Uses advised against No information available

#### Details of manufacturer or importer

#### Manufacturer

Brother Industries, Ltd.

15-1 Naeshiro-cho, Mizuho-ku, Nagoya 467-8561, Japan

Telephone (for information): +81-52-824-2735

### **Importer**

Brother International (Aust.) Pty. Ltd.

ACN 001 393 835 Level 3, Building A, 11 Talavera Road, Macquarie Park, NSW 2113, Australia

Telephone (for information): +61-2-9887-4344

For further information, please contact

Contact Point Product Safety Department

E-mail address sds.info@brother.co.jp

Emergency telephone number

### 2. Hazard(s) identification

### GHS Classification

Not classified

EN / UGHS Page 1 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

#### Label elements

Not classified

#### Hazard statements

Not classified

### Other hazards which do not result in classification

General Hazards

This product contains no substance considered to be persistent, bioaccumulating nor toxic

(PBT).

This product contains no substance considered to be very persistent nor very

bioaccumulating (vPvB).

# 3. Composition/information on ingredients

#### <u>Substance</u>

Not applicable

### <u>Mixture</u>

Chemical name	CAS No	Weight-%
Water	7732-18-5	65-75
Glycerol	56-81-5	20-30
Carbon Black	1333-86-4	1-5
1,2-Benzisothiazolin-3-one	2634-33-5	<0.05
Diethylene glycol	111-46-6	0

<sup>\*\*</sup> CONFIDENTIAL

## 4. First-aid measures

### **Description of first aid measures**

**General advice** If symptoms persist, call a physician.

**Emergency telephone number** Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Inhalation Get immediate medical advice/attention. IF INHALED: Remove to fresh air and keep at rest

in a position comfortable for breathing.

Eye contact Get immediate medical advice/attention. In case of eye contact, immediately flush eyes with

plenty of water for at least 15 minutes.

Skin contact: Take off contaminated clothing. Wash off immediately with soap and plenty of water.

EN / UGHS Page 2 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

Ingestion Obtain immediate medical attention. Wash out mouth with water and give 100-200 ml of

water to drink.

### Most important symptoms and effects, both acute and delayed

Symptoms Skin contact: Repeated and/or prolonged skin contact may cause irritation

Eye contact: May cause eye irritation

Ingestion: May cause stomach ache. Unlikely route of exposure

Inhalation: Unlikely route of exposure

### Indication of any immediate medical attention and special treatment needed

**Note to physicians**Treat symptomatically.

## 5. Fire-fighting measures

### **Suitable Extinguishing Media**

**Suitable Extinguishing Media** Dry chemical, CO<sub>2</sub>, water spray or regular foam

Unsuitable extinguishing media None.

Specific hazards arising from the

chemical

Thermal decomposition of organic components may result in occurrence of oxides of carbon. Toxic gases may be formed upon combustion and represents a hazard to

firefighters. Combustion products: See Section: 10.

### Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Use appropriate respirator for carbon monoxide and carbon dioxide. Wear positive pressure self-contained breathing apparatus (SCBA) during the attack phase of firefighting operations and during cleanup in enclosed or poorly ventilated areas immediately after a fire. Personnel not having suitable respiratory protection must leave the area to prevent

significant exposure to toxic combustion gases from any source.

### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions Ensure adequate ventilation. Avoid contact with eyes.

For emergency responders

Use personal protection recommended in Section 8.

**Environmental precautions** 

**Environmental precautions** Prevent substance entering sewers. Washings must be prevented from entering surface

water drains.

EN / UGHS Page 3 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

### Methods and material for containment and cleaning up

**Methods for containment** Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Wipe up with absorbent towel Wash with water to remove remaining traces of ink.

#### Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

**Reference to other sections** See section 8 for more information. See section 13 for more information.

### 7. Handling and storage

### Precautions for safe handling

Advice on safe handling Keep out of the reach of children. Avoid contact with skin and eyes.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep away from oxidizing agents

Incompatible materials Strong oxidizing agents

## 8. Exposure controls/personal protection

### **Control parameters**

### **Exposure Limits**

Chemical name	Australia	ACGIH TLV
Glycerol 56-81-5	10 mg/m <sup>3</sup>	
Carbon Black 1333-86-4	3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup> inhalable particulate matter
Diethylene glycol 111-46-6	23 ppm 100 mg/m <sup>3</sup>	

### **Appropriate engineering controls**

**Engineering controls**Good general ventilation should be sufficient under normal use.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** If there is a risk of contact:. Safety goggles.

EN / UGHS Page 4 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

**Skin and body protection** If there is a risk of contact:. Long sleeved clothing and long pants.

**Hand protection** If there is a risk of contact:. Protective gloves.

**Respiratory protection** In case of large spillages: Wear suitable respiratory protective equipment.

**Environmental exposure controls** Avoid release to the environment.

### 9. Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid

Appearance No information available

ColorblackOdorSlight.

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH 7 - 9
Melting point / freezing point < -5 °C
Boiling point / boiling range > 100 °C

Flash point > 94 °C Tag Closed Cup Cleveland Open Cup

Evaporation rateNo data availableNone knownFlammability (solid, gas)No data availableNone knownFlammability Limit in AirNone known

Upper flammability limit:No data availableLower flammability limit:No data available

Vapor pressureNo data availableNone knownVapor densityNo data availableNone knownRelative density1.0 - 1.1(H2O=1)

Water solubility
Soluble in water
No data available
None known

Partition coefficient
No data available
None known
Autoignition temperature
> 400 °C

Autoignition temperature> 400 °CDecomposition temperatureNo data availableNone knownKinematic viscosityNo data availableNone known

Dynamic viscosity

1 - 5 mPa s

Explosive properties

Not explosive

Oxidizing properties No information available

Other Information

Softening point
Molecular weight
VOC Content (%)
Liquid Density
Bulk density
No information available
No information available
No information available
No information available

EN / UGHS Page 5 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

## 10. Stability and reactivity

Reactivity

**Reactivity** No information available.

**Chemical stability** 

**Stability** Stable under normal conditions.

**Explosion data** 

Sensitivity to Mechanical Impact None.

Sensitivity to Static Discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions No information available.

**Conditions to avoid** 

Conditions to avoid No information available.

**Incompatible materials** 

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition products** 

Hazardous decomposition products Carbon monoxide. Carbon dioxide (CO<sub>2</sub>).

## 11. Toxicological information

#### **Acute toxicity**

### Information on likely routes of exposure

Product Information

**Inhalation** No information available

Eye contact No information available

**Skin contact:** No information available

Ingestion Acute LD<sub>50</sub> > 2000 mg/kg (OECD 420 method)

EN / UGHS Page 6 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

**Symptoms** No information available.

#### Numerical measures of toxicity - Product Information

No information available

### The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (dermal) 27,474.80 mg/kg

### Unknown acute toxicity

25 % of the mixture consists of ingredient(s) of unknown toxicity

0 % of the mixture consists of ingredient(s) of unknown acute oral toxicity

0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity

25 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas)

25 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor)

4.9 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist)

### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
Glycerol	= 12600 mg/kg (Rat)	> 10 g/kg (Rabbit)	> 570 mg/m <sup>3</sup> (Rat) 1 h
Carbon Black	> 15400 mg/kg (Rat)	> 3 g/kg (Rabbit)	-
1,2-Benzisothiazolin-3-one	= 1020 mg/kg (Rat)	-	-
Diethylene glycol	= 12565 mg/kg (Rat)	= 11890 mg/kg ( Rabbit )	-

See section 16 for terms and abbreviations

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Skin corrosion/irritation** Non-irritant. (OECD 404 method).

Serious eye damage/eye irritation Minimal irritant to the eye. (OECD 405 method).

**Respiratory or skin sensitization** It is not a skin sensitizer (OECD 429 method)

Germ cell mutagenicity AMES test : Negative (OECD 471 method)

Carbon Black: In 1996, the IARC re-evaluated carbon black as a Group 2B carcinogen

(possible human carcinogen). This classification is given to chemicals, for which there is inadequate human evidence, but sufficient animal evidence on which to base an opinion of carcinogenicity. The classification is based upon the development of lung tumors in rats receiving chronic inhalation exposures to free carbon black at levels that induce particle overload of the lung. Studies performed in animal models other than rats did not show any

association between carbon black and lung tumors.

Other ingredients of this product have not been classified as carcinogens according to

IARC monographs, NTP and OSHA

EN / UGHS Page 7 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC980BK, LC9100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

# 12. Ecological information

**Ecotoxicity** 

Ecotoxicity .

Unknown aquatic toxicity 0 % of the mixture consists of component(s) of unknown hazards to the aquatic

environment.

Chemical name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
Glycerol	-	51 - 57: 96 h	-	500: 24 h Daphnia magna
		Oncorhynchus mykiss		mg/L EC50
		mL/L LC50 static		
Carbon Black	-	1000:96 h Brachydanio	-	5600: 24 h Daphnia
		rerio mg/L LC50		magna mg/L EC50
Diethylene glycol	-	75200: 96 h Pimephales	EC50 = 29228 mg/L 15	84000: 48 h Daphnia
		promelas mg/L LC50	min	magna mg/L EC50
		flow-through		

### Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

**Bioaccumulation** There is no data for this product.

**Component Information** 

• • • • • • • • • • • • • • • • • • • •	
Chemical name	Partition coefficient
Glycerol	-1.76
1,2-Benzisothiazolin-3-one	1.3
Diethylene glycol	-1.98

### **Mobility**

Mobility in soil No information available.

Other adverse effects

Other adverse effects No information available.

# 13. Disposal considerations

## Waste treatment methods

Waste from residues/unused

Dispose in accordance with federal, state and local regulations.

products

EN / UGHS Page 8 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC980BK, LC9100BK, LC65HYBK, LC67HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

## 14. Transport information

ADG Not regulated

IATA Not regulated

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### 15. Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

### **National Regulations**

#### <u>Australia</u>

See section 8 for national exposure control parameters

### Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Poison Schedule Number

### National pollutant inventory

Subject to reporting requirement

Chemical name	National pollutant inventory
Diethylene glycol - 111-46-6	20 MW Threshold category 2b total
	60000 MWH Threshold category 2b total
	1 tonne/h Threshold category 2a total
	25 tonne/yr Threshold category 1a total
	400 tonne/yr Threshold category 2a total
	2000 tonne/yr Threshold category 2b total

### International Inventories

**TSCA** Contact supplier for inventory compliance status Contact supplier for inventory compliance status DSL/NDSL **EINECS/ELINCS** Contact supplier for inventory compliance status **ENCS** Contact supplier for inventory compliance status **IECSC** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **KECL PICCS** Contact supplier for inventory compliance status Contact supplier for inventory compliance status **AICS** 

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

EN / UGHS Page 9 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK,

LC990HYBK, LC1100HYBK Ink

Safety data sheet number: BHK018-01

ENCS - Japan Existing and New Chemical Substances
 IECSC - China Inventory of Existing Chemical Substances
 KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

### **International Regulations**

Ozone-depleting substances (ODS) Not applicable

Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

### 16. Other information

Issuing Date 26-Dec-2007

Revision Date Mar-10-2020

### **Revision Note**

The symbol (\*) in the margin of this SDS indicates that this line has been revised.

### Key or legend to abbreviations and acronyms used in the safety data sheet

Legend SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value \*\* Trade secret

C Carcinogen

Agency for Toxic Substances and Disease Registry (ATSDR) U.S. Environmental Protection Agency ChemView Database

European Food Safety Authority (EFSA) EPA (Environmental Protection Agency) Acute Exposure Guideline Level(s) (AEGL(s))

U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act

U.S. Environmental Protection Agency High Production Volume Chemicals

Food Research Journal

Hazardous Substance Database

International Uniform Chemical Information Database (IUCLID)

Japan GHS Classification

Australia National Industrial Chemicals Notification and Assessment Scheme (NICNAS)

NIOSH (National Institute for Occupational Safety and Health)

National Library of Medicine's ChemID Plus (NLM CIP)

National Library of Medicine's PubMed database (NLM PUBMED)

National Toxicology Program (NTP)

New Zealand's Chemical Classification and Information Database (CCID)

Organization for Economic Co-operation and Development Environment, Health, and Safety Publications Organization for Economic Co-operation and Development High Production Volume Chemicals Program

Organization for Economic Co-operation and Development Screening Information Data Set

EN / UGHS Page 10 / 11



Revision Date: 10-Mar-2020 Issuing Date: 26-Dec-2007

Safety data sheet number: BHK018-01

Revision Number: 12

Product Name: LC11BK, LC16BK, LC38BK, LC39BK, LC60BK, LC61BK, LC67BK, LC975BK, LC980BK, LC985BK, LC990BK, LC1100BK, LC65HYBK, LC67HYBK, LC60BL NCBK, LC44BBL NCBK, LC67HYBK, LC60BL NCBK, LC44BBL NCBK, LC67HYBK, LC60BL NCBK, LC60BK, LC6

LC990HYBK, LC1100HYBK Ink

RTECS (Registry of Toxic Effects of Chemical Substances) World Health Organization

### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**