





## Work smarter and faster

# Professional A3 Inkjet Multi Function

MFC-J5340DW











Exclusively available from



#### Ideal choice for business

Work smarter and faster with the Brother MFC-J5340DW - the Multi-Function Inkjet that's made for business. By combining the fastest in class first page out time of 4.4 secs<sup>10</sup>, print speeds of up to 28 ppm and network connectivity supporting 5GHz wireless LAN, it delivers a fast, smooth, consistent user experience and provides professional quality colour documents. Designed for modern hybrid workplaces, with scan features including A4 scan to email<sup>8</sup>, cloud storage<sup>8</sup> and Optical Character Recognition (OCR), it also provides versatile print handling from A5 through to A3. The MFC-J5340DW is perfect for the digitisation and printing needs of every business.

MFC-J5340DW



### **Key features:**

**Brother Mobile Connect** 







- Up to 28 ppm print speed<sup>9</sup>
- Automatic 2-sided (duplex) A4 print
- A4 scan, copy and fax
- 6.8cm colour touchscreen
- Wired and wireless connectivity
- 1 x 250 paper tray up to A3<sup>2</sup>
- 1 sheet manual feed slot up to A32
- 50 sheet A4 Automatic Document Feeder (ADF)<sup>2</sup>
- High-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour<sup>1</sup>



#### Made for business

Introducing new 'MaxiDrive' Inkjet technology that provides a premium long-life print head, the fastest in class first page out time of 4.4 secs<sup>10</sup> and print speeds of up to 28 ppm. Combined with versatile paper handling up to A3, it provides a fast, smooth and consistent user experience that every business needs



## Large page yields and low-cost printing

When it's time to replace your ink supply, keep running costs low with high-yield replacement ink cartridges that provide up to 3,000 pages black and up to 1,500 pages colour<sup>1</sup>



#### Print with confidence

Help take the guesswork out of when to replace ink with Page Gauge technology - a visual, numerical way to know the amount of ink you've used and the amount of ink you have remaining



#### Brother at your side support

Free Australian-based support for the lifetime of your Brother device



#### **Designed for mobile**

Experience the user-friendly Brother Mobile Connect app, designed to connect to your Brother device so printing, scanning and managing documents on your smartphone is at your fingertips



#### Intuitive one-touch cloud connect

Print-from and scan-to popular cloud apps<sup>8</sup> directly including Dropbox, Google Drive™, OneDrive and more. Help save time by creating custom shortcuts directly on the 6.8cm LCD touchscreen for your most used features



#### Simple to connect your way

Versatile connectivity options tailored to your home or small office with dual band (2.4Ghz/5Ghz) Wireless Network support, Ethernet, WiFi Direct or connect locally to a single computer via USB interface



| General                         | Inkiet  | Mobile and Web Connectivity                  |  |
|---------------------------------|---|--|--|
| Technology                      | Inkjet  | Brother Mobile Connect <sup>5</sup>          | Print from, scan to, send faxes, preview received  |
| Memory                          | 256MB   | (Android)                                    | faxes, preview copies and check the machine status   |
| LCD/Type & Size                 | 6.8cm Colour Touchscreen LCD  | ` '  | from an Android device   |
| Local Interface                 | Hi-Speed USB 2.0  | Brother Mobile Connect <sup>5</sup>          | Print from, scan to, send faxes, preview received  |
| Vired Network                   | 10Base-T/100Base-TX Ethernet  | (iPad / iPhone)                              | faxes, preview copies and check the machine statu from an iPad / iPhone  |
| Wireless Network                | Dual Band 2.4Ghz and 5Ghz   | Apple AirDrint                               |  |
| USB Host                        | Print from and scan to a USB stick  | Apple AirPrint                               | Print from and scan to most common file types from<br>any AirPrint enabled application   |
| Wi-Fi Direct                    | Yes   | Brother Print Service                        | Print from an Android devices without a dedicated  |
|                                 |   | Plugin <sup>5</sup>                          | App  |
| Printer                         |   | Mopria <sup>™ 5</sup>                        | Print most common file types from Mopria™  |
| Print Speed (A4)9               | 1-sided: 28 ppm Mono and Colour   |  | supported Android devices  |
| Print (A3)                      | 2-sided (duplex): 22 ppm Mono and Colour<br>Yes   | Brother Apps <sup>8</sup>                    | Print from Creative Center, Scan to Mobile, Scan to Searchable PDF, Enlarge Text Copy, Fax Forward to Cloud/E-mail, Scan to PowerPoint, Scan to Excel, |
| Print Speed FPOT <sup>10</sup>  | 4.6 seconds Colour 4.4 seconds Mono   |  | Scan to Word, Easy Scan to E-mail  |
| Quiet Mode                      | Mode to reduce printing noise   | Web Connect®                                 | Print from and scan to without using a PC on Box,  |
| Resolution                      | Up to 1200 x 4800 dpi (Horizontal and Vertical)   |  | Dropbox, Evernote, OneDrive, Google Drive™   |
|                                 |   |  | OneNote  |
| Print Languages                 | GDI   | Сору   |  |
| Printer Functions               |   | Copy Speed <sup>11</sup>                     | Simplex: 25/16 ipm   |
| N-up Printing <sup>3</sup>      | Reduce up to 2, 4, 9 or 16 pages into just one  |  | (Mono/Colour: based on ISO/IEC 24735)  |
| Poster Printing                 | Enlarge a single page into a poster using 4 or 9 pages  | Copy Speed FCOT <sup>11</sup>                | Mono: 9.5 seconds<br>Colour: 10.0 seconds  |
| Watermark Printing <sup>4</sup> | Watermark your documents with predefined text or  |  | Mono: (Print) Max. 1200x4800 dpi, (Scan) Max. 600x600 dpi  |
| ID Printing <sup>4</sup>        | with your own user-defined messages  Add identification to your printed documents (date               | Resolution                                   | Colour: (Print) Max. 1200x4800 dpi, (Scan) Max.  |
|                                 | and time, short custom message or PC username)  | Pomoto Conv. Multi Convince /                | 600x600 dpi (FB/ADF)  Makes up to 999 copies of each page / Stacks or  |
| Booklet Printing⁴               | Print documents in A5 booklet format using automatic  | Remote Copy Multi-Copying /<br>Stack / Sorty | Sorts  |
|                                 | or manual 2-sided (duplex) print  | Enlargement / Reduction                      | Reduce or Increase document sizes from 25% to  |
| Print Profiles <sup>3</sup>     | Store your favourite driver settings as profiles to easily recall them                                | Ratio  | 400% in 1% increments  Allows the user to compress 2 or 4 pages on to a  |
| Printer Driver                  |   | N in 1 Copying                               | single A4 sheet  |
| Windows®                        | Windows® 11, Windows® 10 (32 and 64 bit editions),  | 2 in 1 ID Copying                            | Allows the user to copy both sides of an ID card to<br>single A4 sheet   |
|                                 | Windows® 8 (32 and 64 bit editions), Windows® 7 (32 and 64 bit editions), Windows® Server 2019, 2016, | Grey Scale                                   | 256 shades of grey (8 bit for each colour)   |
|                                 | 2012, 2012R2 and 2008R2, Windows® Server 2008<br>(32 and 64 bit editions)                             | Receipt Copying                              | Produces clearer copies of receipts  Makes reading copied documents easier if the size   |
| Mac OS                          | macOS 10.14.6 - 10.15, macOS 11-12 <sup>3</sup>   | Enlarge Text Copy <sup>8</sup>               | the text on the original document is small   |
| Linux                           | CUPS, LPD/LPRng (i686 and x86_64)   | Auto Deskew                                  | ADF: Yes<br>FB: Yes  |
| Paper Handling                  |   | Fit to Page                                  | Yes  |
| Paper Input <sup>2</sup>        | Standard Tray - 250 sheets  |  |  |
|                                 | Manual Feed Slot - 1 Sheet  | Scanner                                      |  |
| D2                              | Auto Document Feeder (ADF) - 50 Sheets  | Colour and Mono Scanning                     | Yes  |
| Paper Output <sup>2</sup>       | 100 Sheets A4   | Scan Speed (A4) <sup>12</sup>                | Simplex: A4 portrait: 25ipm/25ipm  |
| Envelope Printing               | Yes from manual feed slot and standard tray   | Scan Resolution                              | From Glass: 1200x2400dpi(mono) / 1200x1200dp   |
| Media Sizes                     | Standard Tray Landscape: A4, LTR, EXE Standard Tray Portrait: A3, LGR, LGL,                           |  | (colour) From ADF: 600x600dpi (mono) / 300x600dpi (colo  |
|                                 | Folio, A5, A6, Photo (102x152mm/4x6inch),   | Colour and Mono Scanning                     | Yes  |
|                                 | Indexcard (127x203mm/5x8inch), Photo-L  | Interpolated Scan Resolution                 |  |
|                                 | (89x127mm/3.5x5inch), Photo-2L<br>(127x178mm/5x7inch), Com-10, DL Envelope,                           | ·  | up to 19200 x 19200dpi   |
|                                 | Monarch, Mexico Legal, India Legal  | Colour Depth                                 | 48 bit colour Processing (Input) 24 bit colour Processing (Output)   |
|                                 | Manual Feed Slot - Landscape: A4, LTR, EXE  | Grey Scale                                   | 16 bit colour Processing (Input)   |
|                                 | Portrait: A3, LGR, LGL, Folio, A5, A6,  | Groy Obaio                                   | 8 bit colour Processing (Output)   |
|                                 | Photo (102x152mm/4x6inch), Indexcard (127x203mm/5x8inch), Photo-L                                     |  |  |
|                                 | (89x127mm/3.5x5inch), Photo-2L  |  |  |
|                                 | (127x178mm/5x7inch), C5, Com-10, DL Envelope,   | Scanner Functions                            | Coop and share decuments via a mail convert  |
|                                 | Monarch, Mexico Legal, India Legal  ADF - Width: 105mm to 215.9mm                                     | Scan to/E-mail Server                        | Scan and share documents via e-mail server* (Contact Brother to Install)   |
|                                 | Length: 148mm to 355.6mm  Scanner Glass - Width: up to 215.9  | Scan to OCR                                  | Scan documents directly into your word processing application for instant editing  |
|                                 | Length: up to 297mm  Auto 2-Sided (duplex) Print - A4, LTR, EXE, A5                                   | Scan to Image                                | Scan into your preferred image editing software  |
| Media Type and Weights          | Standard Tray - Plain, Inkjet, Glossy, Recycled   | Scan to File                                 | Scan to a file on your computer  |
| ,                               | 64-220gsm   | Scan to Network                              | Scan documents to a nominated folder on your   |
|                                 | Manual Feed Slot - Plain, Inkjet, Glossy, Recycled  |  | network without using a Windows PC   |
|                                 | 64-220gsm (260gsm with Brother BP71 glossy paper only)  | Scan Profile <sup>3</sup>                    | Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings   |
|                                 | ADF - Plain and Recycled paper 64-120gsm Auto 2-Sided (duplex) Print - Plain, Recycled                | Scan To Microsoft Office                     | Scan to Word (.docx), PowerPoint (.pptx), Excel (.xl-<br>for Microsoft Office  |
|                                 | 64-120gsm   | Scan to SharePoint⁴                          | Scan documents directly into SharePoint  |
|                                 |   | Scan to Searchable PDF <sup>7</sup>          | (On-premise)  Scan documents to searchable PDF files   |
|                                 |   |  |  |
|                                 |   | Auto Deskew³                                 | Yes  |
|                                 |   | Hone Colour Demovels                         | VC0  |

Base Colour Removal<sup>3</sup>

| Scanner Drivers   |  |  |
|---|--|--|
| Scanner Drivers Scanner Compatibility                         | Windows 11, Windows 10 (32&64bit), Windows 8/8.1   |  |
| ocaline compatibility   | (32&64bit), Windows 7 (32&64bit)   |  |
|   | macOS 10.14.6 - 10.15, macOS 11-12 <sup>3</sup>  |  |
|   | Linux Sane   |  |
| Fax   |  |  |
| FAX colour Type   | Mono/colour  |  |
| Fax Modem   | 14,400(G3)   |  |
| PC-Fax Send <sup>3&amp;8</sup> and Receive <sup>4&amp;8</sup> | Send and Receive faxes directly from your PC   |  |
| Memory Transmission   | Up to 150 pages (ITU-T Test Chart, Standard  |  |
|   | Resolution, JBIG)  |  |
| Out of Paper Reception  | Up to 150 pages (ITU-T Test Chart, Standard Resolution, JBIG)  |  |
| Error Correction Mode (ECM)                                   | Detect line errors during fax transmission and resend  |  |
|   | the page(s) of the document that had an error  |  |
|   | (recipient machines must share this feature for it to work)  |  |
| Auto Reduction  | When receiving a single page document longer than  |  |
|   | A4 (297mm) the fax machine will automatically reduce   |  |
| Proodonating  | the message to fit onto a single A4 sheet  |  |
| Broadcasting  | Send the same fax message up to 250 locations  |  |
| Grey Scale  | 256 shades (8 bit) of grey are available for faxing  |  |
| Fleet Management  |  |  |
| Unattended Installer <sup>4</sup>                             | Ability to centrally deploy and customise our drivers  |  |
|   | and software   |  |
| MSI Installer <sup>4</sup>                                    | Modular installers that can be distributed through   |  |
| BRAdmin <sup>48,5</sup>                                       | On-premise Active Directory®  LAN/WAN management software  |  |
| Embedded Web Server   | Web based print management software embedded   |  |
| Embedded Web Server   | onto the device  |  |
| Driver Deployment Wizard <sup>485</sup>                       | Easily create print drivers for hassle free deployment   |  |
|   | over your network  |  |
| O I Not I   |  |  |
| Security and Network Wired Network                            | 10Base-T/100Base-TX  |  |
| Wired Network Security  | APOP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, FTPS,   |  |
| Wiled NetWork Security  | SMTP, POP3, IMAP4), SNMP v3 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos,           |  |
|   | Ipsec  |  |
| Wireless Network  | 2.4GHz: IEEE 802.11 b/g/n (Infrastructure Mode) IEEE 802.11 g/n (Wi-Fi Direct) 5GHz: IEEE 802.11 a/n |  |
|   | (Infrastructure Mode) IEEE 802.11 a/n (Wi-Fi Direct)   |  |
| Wireless Network Security                                     | WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK   |  |
|   | (TKIP/AES), WPA3-SAE (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only. APOP, SMTP-AUTH, SSL/TLS      |  |
|   | (IPPS, HTTPS, FTPS, SMTP, POP3, IMAP4), SNMP   |  |
|   | v3, 802.1x (EAP-FAST, PEAP, EAP-TLS, EAP-TTLS),<br>Kerberos, Ipsec                                   |  |
| Wi-Fi Direct™   | Print wirelessly without having to go through a  |  |
|   | wireless access point (both automatic and manual   |  |
| Mindon Oct. O   | methods supported)   |  |
| Wireless Setup Support  | Wi-Fi Protected Setup (WPS)  |  |
| Wireless Applications IPv4                                    | Vertical Pairing   |  |
| IPV4  | ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/<br>NetBIOS name resolution, DNS Resolver, mDNS,       |  |
|   | LLMNR responder, LPR/LPD, Custom Raw Port/   |  |
|   | Port9100, IPP, FTP Client ,FTP Server, SNMPv1/v2c/<br>v3, TFTP server, POP3/IMAP4/SMTP Client, ICMP, |  |
|   | Web Services (Print/Scan), CIFS Client, SNTP Client,   |  |
| ID 0  | LDAP, HTTP Server  |  |
| IPv6  | NDP, RA, mDNS, LLMNR Responder, DNS Resolver, LPR/LPD, Custom Raw Port/Port9100, IPP, FTP            |  |
|   | Client, FTP Server, SNMPv1/v2c/v3, TFTP server,  |  |
|   | Web Services (Print/Scan), POP3/IMAP4, SMTP Client, CIFS Client, SNTP Client, LDAP, ICMPv6,          |  |
|   | HTTP Server  |  |
| IP Filter   | Restrict which network users can or cannot access the device over the network (IPv4 only)            |  |
| E-mail Notifications  | Automatically have the device send e-mail alerts   |  |
|   | when it requires attention, such as when the ink is low or needs replacing                           |  |
| E-mail Reports  | Receive usage reports on a regular basis via e-mail  |  |
| Secure Function Lock 3.0                                      | Restrict access to individual or groups of users over a  |  |
|   | network. Can be used with PC User Login Names for  |  |
|   | up to 100 users  |  |

| Software                                      |   |  |
|---|---|--|
| Brother iPrint&Scan Desktop 385               | Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from Windows or macOS PC |  |
| Supplies                                      |   |  |
| Inbox (pages)                                 | BK: 550, C: 550, M: 550, Y: 550   |  |
| Standard-Yield Cartridges (pages)             | LC-432BK: 550, LC-432C: 550,<br>LC-432M: 550, LC-432Y: 550  |  |
| High-Yield Cartridges (pages)                 | LC-432XLBK: 3000, LC-432XLC: 1500,<br>LC-432XLM: 1500, LC-432XLY: 1500  |  |
| Dimensions and Weight                         |   |  |
| Product Dimensions<br>(without carton)        | 530 W x 398 D x 304mm H - 16.9kg  |  |
| Recommended Monthly<br>Print Volume           |   |  |
| Recommended Monthly Print Volume <sup>6</sup> | 250 to 2,500 pages  |  |
| Environment                                   |   |  |
| Power Source                                  | AC 220-240V 50/60Hz   |  |
| Power Consumption                             | Copying: 36W, Ready: 5.5W,<br>Sleep: 0.9W, Off: 0.03W   |  |
| Sound Pressure Level (Operating)              | 50dB(A) (Approx.)   |  |
| Ink Save Mode                                 | This reduces the ink usage and helps to reduce the total cost of printer ownership  |  |

- Approx. declared yield value in accordance with ISO/IEC 24711 Capacity calculated with 80g/m² paper Windows and macOS only

- 2 3 4 5
- Windows only Optional download
- Optional download
  Maximum number of printed pages per month can be used to compare designed durability between like Brother products
  Requires Brother Software
  Must be web connected 6

- Must be web connected
  Print Speeds based on ISO/IEC 24734 (www.brother.com/rd/printspeed)
  FPOT (First Print Out Time) based on ISO/IEC 17629
  Copy Speeds ESAT based on ISO/IEC 24735
  Scan Speeds based on ISO/IEC 17991 9 10
- # For warranty terms, please visit: www.brother.com.au/en/contents/standardwarrantyterms









Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

