



HP LaserJet Enterprise 700 color MFP M775z (CC524A)



Overview

Get standout A3 color, robust scanning features, and high-volume paper capacity in a versatile MFP.

Enable large-volume, professional-quality color printing on a wide range of paper sizes—up to A3—with paper capacity up to 4,350 sheets.[1] Preview and edit scanning jobs. Centrally manage printing policies. Safeguard sensitive business information.

Expand possibilities with affordable A3 color

Upsize color printing capabilities with media sizes up to A3 for impressive marketing materials and more.

Streamline workflow with robust scanning

Improve workflow using touchscreen controls to preview, edit, and digitally send documents at the device.[6]

Boost productivity, easily manage printing

Boost productivity and reload paper less often with 1850-sheet paper capacity.

Invest in robust security that grows with you

Extend the capabilities of workteam print environments, using a rich array of easy-to-integrate solutions.

Features



Print color up to 30 ppm



A3 support



2-sided printing



20.3 cm color touchscreen (printer)



Advanced security

[1]Maximum paper capacity of 4350 sheets is available only on the M775dn with the addition of the optional 3500-sheet high-capacity input and optional 500-sheet tray.

[6]HP Digital Sending Software must be purchased separately.

Specifications

Print Resolution Technologies	HP ImageREt 3600, Pantone Calibrated
Print quality black (best)	Up to 600 x 600 dpi
Print quality color (best)	Up to 600 x 600 dpi
Print speed black (ISO, A4)	Up to 30 ppm
Print speed black (ISO, letter)	Up to 30 ppm
Print Speed Color (ISO)	Up to 30 ppm
Print speed color (ISO)	Up to 30 ppm
Print speed	Print speed up to 30 ppm (black) and 30 ppm (color)
Functions	Print, copy, scan, fax, digital send, easy access USB, offset and staple capabilities
Duplex printing	Automatic (standard)
Duty cycle (monthly, A4)	Up to 120,000 pages
Duty cycle (monthly, letter)	Up to 120,000 pages
Printer smart software features	HP ePrint, Apple AirPrint™, Mopria-certified, Open Extensibility Platform, FutureSmart Firmware, Instant-on Technology, HP Easy Color, print preview, duplex, print multiple pages per sheet (2, 4, 6, 9, 16), collation, watermarks, store print jobs, job separator, staple, offset
Copier smart software features	Auto scale; Reduce/enlarge from scanner glass (25 to 400 percent); Collate; Auto color detection; Two-sided copying; Image adjustments (darkness, background cleanup, sharpness); Job build; Offset; Staple
Scanner advanced features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 600 dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; HP Quick Sets
Fax smart software features	Stored faxes; fax archiving; fax forwarding; scale-to-fit; fax address book; LAN/Internet fax; fax number confirmation; Holiday fax schedule
Energy savings feature technology	Instant-on Technology
Replacement cartridges	HP 651A Black LaserJet Toner Cartridge (~13500 ISO yield) CE340A; HP 651A Cyan LaserJet Toner Cartridge (~16000 ISO yield) CE341A; HP 651A Yellow LaserJet Toner Cartridge (~16,000 ISO yield) CE342A; HP 651A Magenta LaserJet Toner Cartridge (16,000 ISO yield) CE343A
Connectivity, standard	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port
Connectivity, optional	HP Jetdirect 2700w USB Wireless Print Server J8026A
Modem	33.6 kbps
Network capabilities	Yes, via HP Jetdirect Ethernet embedded print server (standard) supports: 10Base-T, 100Base-Tx, 1000Base-T; 802.3az (EEE) support on Fast Ethernet and Gigabit Ethernet; IPsec (standard); 802.11b/g/n wireless networking (optional)

Wireless capability	Optional, enabled with purchase of a hardware accessory, HP Jetdirect 2700w USB Wireless Print Server J8026A
Mobile printing capability	HP ePrint; Apple AirPrint™; Mopria™-certified
Network protocols, supported	IPv4/IPv6: Apple Bonjour Compatible (Mac OS v10.2.4 or higher), SNMPv1/v2c/v3, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, WS Discovery, IPP, Secure-IPP, IPsec/Firewall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHCP, WINS, IP Direct Mode, WS Print
Software included	Windows Installer, HP PCL 6 discrete driver, Mac Installer, HP Postscript emulation driver
Compatible Operating Systems	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008 (32 and 64-bit), Windows Server 2008 R2 (64-bit); Mac OS X v10.6, 10.7; For the latest operating system support see: Citrix and Windows® Terminal Services (http://www.hp.com/go/upd); Novell (http://www.novell.com/iprint); Linux (http://www.hplip.net); UNIX (http://www.hp.com/go/unix , http://www.hp.com/go/unixmodelscripts , http://www.hp.com/go/jetdirectunix_software); SAP device types (http://www.hp.com/go/sap/drivers , http://www.hp.com/go/sap/print); HP ePrint Mobile Driver (http://www.hp.com/go/eprintmobiledriver) <i>(Windows Installer has the same Operating System support as the driver except the following: Windows XP® SP2+ (32-bit only); Windows® Server 2003 SP1+ (32-bit only); Windows Vista® Starter not supported in Driver nor Installer)</i>
Energy star certified	Yes
Energy efficiency	ENERGY STAR® qualified, CECP, EPEAT® Silver
Copy speed (black, normal quality, A4)	Up to 30 cpm
Copy speed (color, normal quality, A4)	Up to 30 cpm
Copy speed black (normal, letter)	Up to 30 cpm
Copy speed color (normal, letter)	Up to 30 cpm
Copy speed black duplex (A4)	Up to 30 ipm
Copy speed black duplex (Letter)	Up to 30 ipm
Digital sending standard features	Scan to e-mail; Save-to-Network Folder; Save-to-USB drive; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL
Digital sending optional features	Optional via HP Digital Sending Software (HP DSS); Send to folder; Send-to-workflow; Send-to-printer; Authentication; Digital fax (send to LAN, Internet); OCR; Local Address Book
Fax Resolution Black (best)	Up to 300 x 300 dpi (400 x 400 dpi for received faxes only)
Faxing	Yes
Scan speed (normal, A4)	Up to 30 ppm (b&w), up to 30 ppm (color)
Scan speed (normal, letter)	Up to 30 ppm (b&w), up to 30 ppm (color)
Scan file format	PDF, JPEG, TIFF, MTIFF, XPS, PDF/A
Scan input modes	Copy, scan to e-mail, scan to network folder, scan to USB, save to device memory, fax, Open Extensibility Platform (OXP) applications
Scan technology	Charge Coupled Device (CCD)

Scanner type	Flatbed, ADF
Display	8.07" (20.5 cm) touchscreen Color Graphic Display (CGD)
Minimum dimensions (W x D x H)	745 x 668 x 1198 mm
Minimum dimensions (W x D x H)	29.3 x 26.3 x 47.2 in
Weight	107.7 kg
Weight	237.4 lb
Power consumption	<p>686 watts (Printing), 703 watts (Copying), 85 watts (Ready), 14.8 watts (Sleep), 0.5 watts (Manual-Off)</p> <p><i>(Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages; this will damage the printer and void the product warranty. Configuration tested: color, simplex printing and copying.)</i></p>
Power supply type	Built-in power supply
What's in the box	<p>HP Color LaserJet MFP; HP Black LaserJet Toner Cartridge (~13500 pages); HP Cyan, Magenta, and Yellow Color LaserJet Toner Cartridges (~16000 pages); Installation guide, Warranty cards; CD containing drivers and electronic documentation; Power cord, Telecom cord, USB cable (Brazil only); Also includes: 250-sheet tray, 3 x 500-sheet tray with cabinet, 500-sheet inline stapler/stacker, built-in fax</p>
Services (Care Pack)	<p>HP 2-year Next Business Day HW Support U6W52E; HP 3-year Next Business Day HW Support U6W53A; HP 3-year Next Business Day HW Support U6W53E; HP 4-year Next Business Day HW Support U6W54E; HP 5-year Next Business Day HW Support U6W55E; HP 3-year 4h 9x5 HW Support U6W56E; HP 3-year 4h 13x5 HW Support U6W57E; HP 4-year 4h 9x5 HW Support U6W58E; HP 4-year 4h 13x5 HW Support U6W59E; HP 5-year 4h 9x5 HW Support U6W60E; HP 5-year 4h 13x5 Support U6W61E; HP 3-year Next Business Day with DMR Support U6W62E; HP 4-year Next Business Day with DMR Support U6W63E; HP 5-year Next Business Day with DMR Support U6W64E; HP 3-year Next Business Day with max 3 MKRS Support U6W65E; HP 4-year Next Business Day with max 4 MKRS Support U6W66E; HP 5-year Next Business Day with max 5 MKRS Support U6W67E; HP 3-year Next Business Day Channel Remarket Printer Support U6W68E; HP 4-year Next Business Day Channel Remarket Printer Support U6W69E; HP 5-year Next Business Day Channel Remarket Printer Support U6W70E; HP 3-year Next Business Day Call-to-Repair with DMR HW Support U6W71E; HP 4-year Next Business Day Call-to-Repair with DMR HW Support U6W72E; HP 5-year Next Business Day Call-to-Repair with DMR HW Support U6W73E; HP 3-year Second Business Day Call-to-Repair with DMR HW Support U6W74E; HP 4-year Second Business Day Call-to-Repair with DMR HW Support U6W75E; HP 5-year Second Business Day Call-to-Repair with DMR HW Support U6W76E; HP 1-year Post Warranty Service, Next Business Day Support U6W77PA; HP 1-year Post Warranty Service, Next Business Day Support U6W77PE; HP 2-year Post Warranty Service, Next Business Support U6W78PE; HP 1-year Post Warranty Service, 4h 9x5 Support U6W79PE; HP 1-year Post Warranty Service, 4h 13x5 Support U6W80PE; HP 1-year Post Warranty Service, Next Business Day with DMR Support U6W81PE; HP 1-year Post Warranty Service, Next Business Day + max 3 MKRS Support U6W82PE; HP 1-year Post Warranty Service, Channel Remarket Printer Support U6W83PE; HP 1-year Post Warranty Service, Next Business Day Call-to-Repair with DMR Support U6W84PE; HP 1-year Post Warranty Service, Second Business Day Call-to-Repair with DMR Support U6W85PE</p>

Warranty

One-year, next-business day, onsite warranty. Warranty and support options vary by product, country and local legal requirements. Go to <http://www.hp.com/support> to learn about HP award winning service and support options in your region.

Additional specifications

Accessories	HP LaserJet 110V Fuser Kit CE514A, HP LaserJet 220V Fuser Kit CE515A, HP LaserJet Transfer Kit CE516A, HP Color LaserJet CE980A Toner Collection Unit CE980A, HP 100 ADF Roller Replacement Kit L2718A, HP Jetdirect 2700w USB Wireless Print Server J8026A, HP Staple Cartridge Refill C8091A
Acoustic power emissions (active copy)	6.7 B(A)
Acoustic power emissions (active, printing)	6.7 B(A)
Acoustic power emissions (ready)	5.6 B(A)
Acoustic power note	Declared per ISO 9296 and 7779; values are subject to change.
Acoustic pressure emissions bystander (active copy)	53 dB(A)
Acoustic pressure emissions bystander (active, printing)	53 dB(A)
Acoustic pressure emissions bystander (ready)	42 dB(A)
Auto fax reduction supported	Yes
Automatic document feeder capacity	Standard, 100 sheets
Automatic paper sensor	Yes
Bit depth	24-bit
Bottom copy margin	4.2 mm
Bottom margin (A4)	2.6 mm
Cable included	No, please purchase USB or network cable separately
Certifications and compliances	Compatible with optional HP SmartCard Solution for US Gov't - CCID compliant CAC reader
Color scanning	Yes
Control panel	8.07-in (20.5 cm) touchscreen control panel with color graphic display, rotating (adjustable angle); job control buttons; LED Home button; Hardware Integration Pocket; easy access USB
Copier scaling (ADF)	25 to 400%
Copier settings	Sides; Collate; Paper Selection; Color/Black; Reduce/Enlarge; Image Adjustment; Content Orientation; Pages per sheet; Booklet format; Edge to Edge; Optimize Text/Picture; Original Size; Job Build
Copies, maximum	Up to 9999 copies
Copy margin left	4.2 mm
Copy margin right	4.2 mm
Copy margin top	4.2 mm

Copy reduce / enlarge settings	25 to 400%
Copy resolution (black graphics)	600 x 600 dpi
Copy resolution (black text)	600 x 600 dpi
Copy resolution (color text and graphics)	600 x 600 dpi
Copy speed color duplex (A4)	Up to 30 ipm
Copy speed color duplex (Letter)	Up to 30 ipm
Copy speed note	First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp.com/go/printerclaims . Exact speed varies depending on the system configuration, software application, driver, and document complexity.
Count of cartons per pallet layer	1
Count of layers in pallet	1
Country of origin	Made in China (for Asia and Europe); Mexico (for Americas)
Distinctive ring detection supported	No
Downloadable software	Windows Printing system; PCL 6 discrete driver only; UPD (PCL 6, PCL 5, Postscript); HP Web Jetadmin; HP PC Send Fax Driver; HP Driver Configuration Utility; HP Driver Deployment Utility; HP Print View; HP ePrint Mobile Driver; HP ePrint solutions; Digital Sending Software; HP Managed Print Administrator; Apple AirPrint™; Google Cloud Print; Mac driver; Linux driver; UNIX model scripts; SAP device types; HP Imaging & Printing Security Center
Driver updates	Current HP printer drivers and software can be obtained from the HP Support Web site, hp.com/go/lj700colorMFPM775_software
Duplex ADF scanning	Yes, reversing ADF
Duty cycle note	Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.
Eco label	ENERGY STAR® qualified
Electromagnetic compatibility	CISPR 22: 2008/EN 55022: 2010 Class A, EN 61000-3-2: 2006 +A1:2009 +A2:2009, EN 61000-3-3:2008, EN 55024: 1998+A1+A2, FCC Title 47 CFR, Part 15 Class A (USA), ICES-003, Issue 4, (Canada), GB9254-2008, GB17625.1-2003, EMC Directive 2004/108/EC with CE Marking (Europe), other EMC approvals as required by individual countries
Enhanced scanning resolution	Up to 600 dpi
Envelope Feeder	No
FCC Class A emissions	FCC Class A emissions - for use in commercial environments, not residential environments
Fax Auto Redial	Yes
Fax Broadcast Locations	100 locations
Fax PC Interface Supported	Yes

Fax Polling	Yes (poll to receive only)
Fax Remote Retrieval	No
Fax Speed Dials, Maximum Number	Up to 100 numbers (each with 100 destinations)
Fax Transmission Speed	33.6 kbps
Fax Transmission Speed Note	Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17
Fax delayed sending	No
Fax forwarding	Yes
Fax phone TAM interface supported	No
Fax resolution black	204 x 196 dpi
Fax telephone mode supported	No
Fax transmission speed (letter)	3 sec per page
File Format Supported	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)
Finished output handling	Sheetfed, collation, staple
First copy out black (letter)	As fast as 11 sec
First copy out color (letter)	As fast as 11 sec
First page out black (A4, ready)	As fast as 10.5 sec
First page out black (letter, ready)	As fast as 10.5 sec
First page out black (letter, sleep)	As fast as 22 sec
First page out color (A4, ready)	As fast as 10.5 sec
First page out color (letter, ready)	As fast as 10.5 sec
First page out color (letter, sleep)	As fast as 22 sec
Fonts and typefaces	105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); additional font solutions available via third-party flash memory cards; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts
HP ePrint capability	Yes
Input capacity	Up to 1850 sheets
Internal Storage	Standard, embedded HP High-Performance Secure Hard Disk, minimum 500 GB; AES 256 hardware encryption or greater; Secure erase capabilities (Secure File Erase-Temporary Job Files, Secure Erase-Job Data, Secure ATA Erase-Disk)
Junk fax barrier	Yes
Left margin (A4)	2.6 mm
Levels of grayscale	256

Mac compatible	Yes
Maximum Input Capacity (envelopes)	Up to 10 envelopes
Maximum Memory	1536 MB
Maximum dimensions (W x D x H)	1012 x 1158 x 1544 mm
Maximum dimensions (W x D x H)	39.8 x 45.6 x 60.8 in
Maximum input capacity (sheets)	Up to 1850 sheets
Maximum output capacity (sheets)	Up to 750 sheets
Maximum print area	302 x 454.2 mm
Media size (ADF)	Letter; letter-R; executive; legal; 11 x 17 in; U.S. checks; 4 x 6 in; 5 x 7 in; 5 x 8 in; A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 16K
Media size, tray 1	A3; A4; A4-R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 8K; 16K; Postcard (JIS); Dpostcard (JIS); envelopes (B4, B5, C5, DL); 76 x 127 to 320 x 470 mm
Media size, tray 2	A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); 8K; 16K; Dpostcard (JIS); 148 to 182 to 297 x 432 mm
Media size, tray 3	A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); 8K; 16K; Dpostcard (JIS); 148 to 182 to 297 x 432 mm
Media sizes supported	Tray 1: Letter, letter-R, executive, legal, statement, 8.5 x 13 in, 11 x 17 in, 12 x 18 in, 3 x 5 in, 4 x 6 in, 5 x 7 in, 5 x 8 in, envelopes (No. 9, No 10, Monarch); Tray 2, 3, 4, 5: Letter, letter-R, executive, legal, 8.5 x 13 in, 11 x 17 in
Media sizes supported	Tray 1: A3; A4; A4-R; A5; A6; RA3; SRA3; RA4; SRA4; B4 (JIS); B5 (JIS); B6 (JIS); 10 x 15 cm; 8K; 16K; Postcard (JIS); Dpostcard (JIS); envelopes (B5, C5, C6, DL); Tray 2, 3, 4, 5: A3; A4; A4-R; A5; RA4; SRA4; B4 (JIS); B5 (JIS); 8K; 16K; Dpostcard (JIS)
Media sizes supported, key	4 x 6 in; Letter; Legal; 11 x 17 in; Envelopes
Media sizes supported, key	10 x 15 cm; A4; A3; Envelopes
Media sizes, custom	Tray 1: 3 x 5 to 12.6 x 18.5 in; Tray 2: 5.83 x 7.16 to 11.7 x 17 in; Tray 3, 4, 5: 8.27 x 5.26 to 11.7 x 17 in
Media sizes, custom	Tray 1: 76 x 127 to 320 x 470 mm; Tray 2: 148 to 182 to 297 x 432 mm; Tray 3, 4, 5: 210 x 148 to 297 x 432 mm; (maximum print width is 312 mm on media sizes up to 320 mm)
Media type and capacity, ADF	Sheets: 100
Media type and capacity, tray 1	Sheets: 100 (75 g/m ²); transparencies: 50; labels: 50; envelopes: 10
Media type and capacity, tray 2	Sheets: 250 (75 g/m ²), 150 (90 g/m ²); Glossy paper (160g/m ²): 125; Glossy paper (220 g/m ²): 50
Media type and capacity, tray 3	Sheets (75 g/m ²): 500; Glossy paper (90 g/m ²): 300; Glossy paper (160g/m ²): 250; Glossy paper (220 g/m ²): 100
Media types	Paper (plain, light, bond, recycled, mid-weight, heavy, extra heavy, mid-weight glossy, heavy glossy, extra heavy glossy, cardstock, card glossy), HP matte, HP soft gloss, HP glossy, color transparency, labels, letterhead, envelope, preprinted, prepunched, colored, rough, HP tough paper, opaque film, user-defined

Media weight (tray 1)	60 to 220 g/m ² (plain), 105 to 220 g/m ² (glossy); 163 to 220 g/m ² (cardstock, card glossy)
Media weight (tray 2)	60 to 220 g/m ² (plain), 105 to 220 g/m ² (glossy); 163 to 220 g/m ² (cardstock, card glossy)
Media weight (tray 3)	60 to 175 g/m ² (plain), 105 to 220 g/m ² (glossy)
Media weight, supported	Tray 1: 60 to 220 g/m ² (plain), 105 to 220 g/m ² (glossy); 163 to 220 g/m ² (cardstock, card glossy); Tray 2: 60 to 130 g/m ² (plain), 105 to 200 g/m ² (glossy), 176 to 220 g/m ² (card glossy); Trays 3, 4, 5: 60 to 175 g/m ² (plain), 105 to 220 g/m ² (glossy)
Media weight, supported	Tray 1: 16 to 58 lb (plain), 28 to 58 lb (glossy), 43 to 58 lb (cardstock, card glossy); Tray 2: 16 to 58 lb (plain), 28 to 34 lb (glossy), 43 to 58 lb (card glossy); Trays 3, 4, 5: 16 to 47 lb (plain), 28 to 53 lb (glossy), 47 to 58 lb (card glossy)
Media weights, supported ADF	49 to 120 g/m ² (13 to 32 lb)
Memory	1536 MB
Memory upgrade	Not expandable
Minimum System Requirements	Windows 10, Windows 8, Windows 7, Windows Vista, Windows XP (SP2+), Windows Server 2003 (SP1+), Windows Server 2008, Windows Server 2008 R2; 200 MB available hard disk space; operating system compatible hardware system requirements, see http://www.microsoft.com
Minimum System Requirements for Macintosh	Mac OS X v10.6, 10.7; 200 MB available hard disk space; operating system compatible hardware system requirements, see apple.com
Mobile printing capability footnote	Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp.com/go/eprintcenter . And for additional solutions, see hp.com/go/mobile-printing-solutions . Supports the following devices running iOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint™ enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint Logo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries.
Multitasking supported	Yes
Network ready	Standard (built-in Gigabit Ethernet)
Non-Operating Humidity Range	10 to 90% RH
Number of print cartridges	4 (1 each black, cyan, magenta, yellow)
Number of users	10-30 Users
Operating humidity range	10 to 70% RH
Operating temperature range	15 to 27°C
Operating temperature range	59 to 81°F
Output capacity	Up to 750 sheets
Package dimensions (W x D x H)	856 x 760 x 1553 mm
Package dimensions (W x D x H)	33.7 x 29.9 x 61.1 in

Package weight	126.7 kg
Package weight	276.7 lb
Page yield footnote	Declared yield value in accordance with ISO/IEC 19798. Actual yields vary considerably based on images printed and other factors. For more information, visit hp.com/go/learnaboutsupplies
Pallet dimensions	33.7 x 29.9 x 61.1 in
Pallet dimensions (W x D x H)	857 x 760 x 1553 mm
Pallet weight	126.7 kg
Pallet weight	276.7 lb
Paper handling input, standard	100-sheet multipurpose tray, 250-sheet tray 2, 3 x 500-sheet tray with cabinet for tray 3, 4 and 5, 100-sheet automatic document feeder (ADF)
Paper handling output, standard	250-sheet output tray; 500-sheet inline stapler/stacker
Paper sizes supported (ADF)	Letter; letter-R; executive; legal; 11 x 17 in; U.S. checks; 4 x 6 in; 5 x 7 in; 5 x 8 in; A3; A4; A4-R; A5; A6; B4 (JIS); B5 (JIS); B6 (JIS); 16K
Paper trays, maximum	5
Paper trays, standard	5
Ports	1 Hi-Speed USB 2.0 Host; 1 Hi-Speed USB 2.0 Device; 1 Gigabit Ethernet 10/100/1000T network; 1 Foreign Interface (FIH); 1 Hardware Integration Pocket (HIP Pocket); 2 Internal USB 2.0 Host; 1 Fax port
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50 Hz (+/- 3 Hz), 60 Hz (+/- 3 Hz) (Not dual voltage, power supply varies by part number with # Option code identifier)
Print Technology	Laser
Print colors	Yes
Print languages	HP PCL 6, HP PCL 5 (HP PCL 5 driver available from the Web only), HP postscript level 3 emulation, native PDF printing (v 1.4), Apple AirPrint™
Print quality black (normal)	Up to 600 x 600 dpi
Print speed black (normal, tabloid)	Up to 15 ppm
Print speed color (normal, A3)	Up to 15 ppm
Print speed color (normal, tabloid)	Up to 15 ppm
Print speed duplex (A4)	Up to 30 ipm
Print speed duplex (letter)	Up to 30 ipm
Print technology	Laser
Printer Management	HP Web Jetadmin; HP Utility (Mac)
Processor speed	800 MHz
Quantity per pallet	1
RMN number	BOISB-0805-02
Recommended media weight (duplex)	16 to 32 lb (plain), 18 to 43 lb (glossy)

Recommended media weight (duplex)	60 to 130 g/m ² (plain), 105 to 175 g/m ² (glossy)
Recommended monthly page volume	2500 to 7500
Recommended monthly page volume note	HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.
Recommended monthly scan volume	6250 to 10,500
Recommended operating humidity range	30 to 70% RH
Recommended operating temperature range	17 to 25°C
Recommended operating temperature range	63 to 77°F
Resolution	600 dpi
Resolution (black and white, standard mode)	204 x 98 dpi
Resolution (black and white, superfine mode)	300 x 300 dpi
Resolution (black photo grayscale)	300 x 300 dpi (400 x 400 dpi for received faxes only)
Right margin (A4)	5 mm
Safety	IEC 60950-1 +A1 (International), EN 60950-1 +A11 +A1 +A12 (EU), IEC 60825-1, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1 (Class 1 Laser/LED Device), Low Voltage Directive 2006/95/EC with CE Marking (Europe); other safety approvals as required by individual countries
Scan resolution, hardware	Up to 600 x 600 dpi
Scan resolution, optical	Up to 600 dpi
Scan size (ADF), maximum	11 x 17 in
Scan size (ADF), maximum	297 x 420 mm
Scan size, maximum	11 x 17 in
Scan size, maximum	297 x 420 mm
Scan speed duplex (normal, A4)	Up to 14 ipm (b&w), up to 14 ipm (color)
Scan speed duplex (normal, letter)	Up to 14 ipm (b&w), up to 14 ipm (color)
Security management	Management security: SNMPv3, SSL/TLS, WPA2-Enterprise, 802.1X authentication (EAP- PEAP, EAP-TLS), IPP over TLS, IPsec/Firewall with Certificate, Pre-Shared Key Authentication, and Kerberos Authentication; Support for WJA-10 IPsec Configuration using IPsec Plug-in; Compatible with HP Imaging & Printing Security Center
Standard media sizes (duplex)	A3; A4; A4-R; A5; B4 (JIS); B5 (JIS); RA3; SRA3; RA4; SRA4; 8K; 16K
Standard media sizes (duplex, imperial)	Letter; letter-R; executive; legal; 8.5 x 13.5 in; 11 x 17 in; 12 x 18 in

Standard output capacity (envelopes)	Up to 35 envelopes
Standard output capacity (transparencies)	Up to 175 sheets
Storage device and direct print support	Front-facing USB/Flash drive
Storage temperature range	0 to 35°C
Storage temperature range	32 to 95°F
SureSupply supported	Yes
Target user and print volume	For teams over 25 users; Prints up to 7,500 pages/month
Tariff numbers	8443310000 (AM); 8443318000 (EU)
Telecom compliance (fax capability)	Fax Telecom: ES 203 021; R&TTE Directive 1999/5/EC (Annex II) with CE Marking (Europe); FCC Part 68; Industry Canada CS03; NOM-151-SCTI-1999 (Mexico); PTC-200 (New Zealand); other Telecom approvals as required by individual countries
Telephone handset supported	No
Top key features	100-sheet ADF; Front-facing USB printing; Scan to email/PDF; Two-sided printing
Top margin (A4)	4.2 mm
Typical electricity consumption (TEC) number	3.38 kWh/Week (110/220 V), 3.242 kWh/Week (Blue Angel)
UNSPSC code	43212110
UPC number	(201) 886112959524; (AB0) 886112625559; (AB1) 886112625566; (AB2) 886112625573; (ABJ) 886112625580; (ABT) 886112625627; (ABY) 886112625634; (ACJ) 886112625597; (ACQ) 886112625641; (B13) 888182819654; (B19) 886112625658; (BAZ) 886112625665; (BBU) 886112625603; (BGJ) 886112625672; (BGM) 886112625610
Web address for additional information	Solutions: http://www.hp.com/go/gsc ; Fonts and IPDS Emulation: http://www.hp.com/go/laserjetfonts ; HP Web Jetadmin: http://www.hp.com/go/wja ; HP Universal Print Driver: http://www.hp.com/go/upd

JetAdvantage Printing Solutions

★ : Recommended

JetAdvantage Printing Security

Celiveo Enterprise	HP3PCELIVEO
HP Access Control Secure Printing and Job Accounting Solution	HPACSOLUTION
HP JetAdvantage Secure Print	HPJETADSECUREPRINT
HP JetAdvantage Security Manager	HPJETADSECMGR
HP Proximity Card Reader	HPPROXIMTYRDR
Kofax Equitrac Security and Job Accounting Solution	HPNEQUITRACSOL
Kofax SafeCom Security and Job Accounting Solution	HPNSAFECOMSOL
MyQ Solutions	MYQSOL
Pharos Blueprint	HP3PHAROSBPRNT

JetAdvantage Printer Workflow

Ephesoft Transact	HP3PEPHESOFT
HP Capture and Route	HPCAPTANDROUTE
HP Digital Sending Software	HPDIGSENDSOFT
Hyland OnBase	HPHYLANDONBASE
Kofax Autostore	NUANCEAUTOSTORE

JetAdvantage Print Management

Genius Bytes	GENIUSMFP
HP JetAdvantage Insights	HPJETADINSIGHTS
HP Universal Print Driver	HPUNIVPRNTDRV
HP Web Jetadmin	HPWEBJETADMIN
Kofax ControlSuite	HP_CSUITE
LRS VPSX for Output Management	HP3PLRS
YSoft SafeQ	YSOFT

JetAdvantage Mobile Printing

HP PrinterOn Enterprise	PRINTERONENT
HP Roam for Business	HPROAM
ePRINTit	HP3PEPRINTIT

Accessories

Maintenance and Cleaning Kits

★ : Recommended

Maintenance Kits

HP 100 ADF Roller Replacement Kit

L2718A

Accessory Bundles

Printer Accessibility Accessories

HP Accessibility Kit

2TD64A

Fonts

Barcodes

HP Barcode Printing Solution - USB

HG271TT

HP Barcodes and More Printing Solution for USB version 2 slot based LaserJet

HG281TS

HP Scalable Barcodes Printing Solution for USB version 2 slot based LaserJet

HG282TT

Paper Handling

Input Trays

HP Color LaserJet 3x500-sheet Paper Feeder and Stand

CE725A

HP Color LaserJet 500-sheet Paper Tray

CE860A

HP LaserJet 1x3500-sheet Paper Feeder and Stand

CF305A

HP LaserJet 1x500-sheet Paper Feeder and Stand

CE792A

Staple Cartridges

HP Staple Cartridge Refill

C8091A

Network Print Servers

Wireless Print Servers

HP Jetdirect 2700w USB Wireless Print Server

J8026A

External Print Servers

HP Jetdirect 2800w NFC/Wireless Direct Accessory

J8029A

Security and Protection

Smart Cards and SmartCard Readers

HP SmartCard NIPRNet Solution for US Government	CC543B
HP SmartCard SIPRNet Solution for US Government	F8B30A

HP Laser Toner Cartridges and Kits

★ : Recommended

HP Color Laser Toner Printer Cartridges

HP 651A Black Original LaserJet Toner Cartridge	CE340A
HP 651A Black Original LaserJet Toner Cartridge for US Government	CE340AG
HP 651A Cyan Original LaserJet Toner Cartridge	CE341A
HP 651A Cyan Original LaserJet Toner Cartridge for US Government	CE341AG
HP 651A Magenta Original LaserJet Toner Cartridge	CE343A
HP 651A Magenta Original LaserJet Toner Cartridge for US Government	CE343AG
HP 651A Yellow Original LaserJet Toner Cartridge	CE342A
HP 651A Yellow Original LaserJet Toner Cartridge for US Government	CE342AG
HP Color LaserJet CE980A Toner Collection Unit	CE980A

HP Laser Printer Supply Kits

HP LaserJet CE514A 110V Maintenance Kit	CE514A
HP LaserJet CE515A 220V Maintenance Kit	CE515A
HP LaserJet CE516A Transfer Kit	CE516A

HP Paper Designed for Laser Printers

HP Laser Everyday Paper

HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A3/297 x 420 mm	7MV81A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/A4/210 x 297 mm	7MV82A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Letter 8.5 x 11 in	4WN08A
HP Everyday Laser Glossy FSC Paper 120 gsm-150 sht/Tabloid/11 x 17 in	4WN07A

HP Professional Laser Paper

HP Professional Glossy Laser Paper 120 gsm-250 sht/A3/297 x 420 mm	CG969A
HP Professional Glossy Laser Paper 150 gsm-150 sht/A4/210 x 297 mm	CG965A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV83A
HP Professional Laser Glossy FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN10A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/A4/210 x 297 mm	7MV80A
HP Professional Laser Matte FSC Paper 200 gsm-150 sht/Letter/8.5 x 11 in	4WN05A

Disclaimer — Copyright

© Copyright 2020 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Generated by Dynamic Collateral Tool – (ww-en) – Nov 23, 2020 6:49 AM UTC+0000