

SAFETY DATA SHEET – J. BURROWS TACKY GLUE

Revision: Number 1
Date 29 July 2016

SECTION 1 Product & Supplier Identification

Product Name : Tacky Glue

Other Names : None

Company : J. Burrows (Officeworks Ltd)

Address : 236 – 262 East Boundary Rd, East Bentleigh, Victoria, Australia 3165

Telephone : 1300 633 423

USE : Craft adhesive for papers, wood and cellulosic fabric.

SECTION 2 Hazards Identification

Not classified as Hazardous according to the criteria of NOHSC Australia

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code for Transport by Road and Rail.

Dangerous Goods Class/Subsidiary Risk : None

Risk Phrases : None

Safety Phrases : None

SECTION 3 Ingredient Composition / Information

<u>Chemical Entity</u>	<u>CAS No.</u>	<u>Proportion (to 100%)</u>	<u>Risk Phrases</u>
Vinyl Acetate Monomer Non Hazardous components	108-05-4	<0.4% to 100%	

SECTION 4 First Aid Measures

Swallowed : Rinse mouth thoroughly with water. Do not induce vomiting. Give water to drink. Seek medical advice.

Eye : Hold eyes open and irrigate with copious quantities of running water for atleast 15 mins. Seek medical advice.

Skin : Wash off with soap and water. Remove contaminated clothing (if possible). If irritation persists seek medical advice.

Inhalation of Vapours : Remove affected person to a well ventilated area, avoid becoming a casualty. Seek medical advice if effects persists.

SAFETY DATA SHEET – J. BURROWS PVA GLUE

SECTION 5

Fire Fighting Measures

Extinguishing Media :	Use Water Spray or fog, CO ₂ , Dry Chemical and Foam.
Fire / Explosion Hazards :	Product is not combustible. However on burning the product will emit toxic fumes including oxides of carbon.
Flammability:	This product is water based and does not burn. It may however support combustion when the water has been removed.
Fire Fighting Equipment:	Advisable to wear self-contained breathing apparatus.

SECTION 6

Accidental Release Measures

Spills & Disposal :	Heed advice under Section 8 “Personal Protection”. Contain spill to prevent contamination to drains / water ways. Use sand, earth or other inert absorbent material. Collect and seal in clearly and properly labelled containers for disposal in accordance with local regulations.
--------------------------------	--

SECTION 7

Handling & Storage

General :	Do not store below 0°C or above 50°C. Store in a cool, sheltered place out of direct sunlight and away from incompatible materials (refer section 10). Keep containers tightly closed at all times when not in use. Store in clearly labelled containers.
------------------	---

SECTION 8

Exposure Controls / Personal Protection

Exposure Standards :	No value assigned for this specific product by the NOHSC. However exposure standards for constituents, Vinyl Acetate TWA = 35 mg/m ³ (10ppm), STEL = 70mg/m ³ (20ppm)
Engineering Controls :	Ensure adequate ventilation and keep containers closed when not in use.
Personal Protection :	Use and maintain good industrial hygiene. Avoid skin and eye contact by wearing impervious gloves and goggles. Always wash hands after use. Do not eat or drink when handling this product.

SECTION 9

Physical & Chemical Properties

Appearance :	White semi viscous liquid.
Odour :	Slight odour.
pH :	3.0 – 5.5
Vapour Pressure :	Not available
Boiling Point :	100°C
Freezing Point :	0°C
Solubility in water :	Miscible in water
Specific Gravity :	between 1.06 @ 20°C
Flammability Limits :	Not applicable

SAFETY DATA SHEET – J. BURROWS PVA GLUE

SECTION 10

Stability & Reactivity

- Chemical Stability :** This product is considered to be stable.
- Conditions to avoid :** Do not allow to freeze, avoid elevated temperatures.
- Incompatible Materials :** Oxidising agents.
- Hazardous Decomposition :** Oxides of carbon and other possible unidentified toxic products.
- Hazardous Reactions :** None known.

SECTION 11

Toxicological Information

There is no specific toxicity information available for this product. No adverse health effects are expected if the product is handled in accordance with this Safety Data Sheet. Symptoms that may arise if the product is mishandled or over exposure occurs include,

Health Effects - Acute :

- Swallowed :** May cause nausea, vomiting and irritation of the gastrointestinal tract.
- Eye :** Mild irritant.
- Skin :** Prolonged contact may cause minor irritation in some individuals.
- Inhalation :** May be an irritant to the mucous membranes and respiratory tract.

Chronic Effects : No information available for this product.

Additional Information : (i) This product contains no egg, soy, dairy, wheat, gluten, seafood or peanut products, by-products or derivatives.

SECTION 12

Ecological Information

- Ecotoxicity :** No specific data is available for this product. However, do not release this product or any water contaminated with this product into drains, soils or waterways. Sufficient measures should be taken to retain the water used in extinguishing any fires involving this product. Dispose of contaminant in accordance with local landfill or incineration regulations.
- Persistence / Degradation :** No specific data available.

SECTION 13

Disposal Considerations

- Disposal Methods :** Dispose of this product and any water contaminated with this product in accordance with local regulations.
- Landfill / Incineration Precautions :** Disposal of contaminant should be in accordance with local regulations for approved landfill or incineration.

SAFETY DATA SHEET – J. BURROWS PVA GLUE

SECTION 14

Transport Information

U.N. Number : None allocated
Shipping Name : None allocated
D.G. Class & Sub Risk : None allocated
Packing Group : None allocated
Special Precautions : No special precautions for transport
Hazchem Code : None allocated

SECTION 15

Regulatory Information

Poisons Schedule : None allocated

Additional Requirements : None

All constituents are listed in the Australian Inventory of Chemical Substances.

SECTION 16

Other Information

TWA – The time weighted average airborne concentration over an eight hour working day, for a five day working week over an entire working life.

STEL (Short Term Exposure Limit) – the average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight hour work day. According to current knowledge this concentration should neither impair the health of, nor cause undue discomfort to, nearly all workers. These Exposure Standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept as low a level as is workable. These Exposure Standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Reason for Revision : Initial Issue.

Whilst every care has been taken in compiling these instructions, Officeworks Ltd, its employees, contractors and agents neither warrant nor represent that the material published herein is accurate or free from errors or omissions. To the extent permissible by law, Officeworks Ltd, its employees, contractors and agents shall not be liable or responsible for any errors, omissions or misrepresentations made herein.

Date Printed : 2 August 2016

Contact Point – Officeworks (BH) 1300 633 423

.....END MSDS.....