

JB06DESK Desktop Calculator



inside this product.

Manufacturer: OFFICEWORKS LTD 236-262 East Boundary Road, Bentleigh East VIC 3165, Australia

A KEY OPERATIONS:

: Power off

: Clear error

: Power on / Clear key

independent memory).

: Memory clear. B LCD DISPLAY:

the independent memory).

the value on display. MR are stored.

ON/C

OFF

CE

MC

IVI	(MEMORY)	Independent memory.			
_	(- MINUS)	Displayed when value is negative.			
Ε	(ERROR)	: The display shows "ERROR" when the			
		answer exceeds the maximum number of display.			
*	★ Press ON/C to clear all values.				
*	Press the CE	key to clear the "ERROR" whilst keeping			

: Sign change key(Changes the sign of the displayed value from positive to negative or vice versa). I: Numeral key

: Memory plus (Adds the displayed value to the

: Memory minus (Subtracts the displayed value from

: Memory recall (Effective before pressing MC key).

√ | % | : Function key

HOW TO CHANGE THE BATTERY:

- This product utilises two power sources:
 - (1) Solar energy
 - ② LR54 alkaline button battery (1.5V)



- * Opening the battery compartment by using cross screwdriver.
- * Auto Power-off: After approximately 5-12 minutes.
- When the display becomes blurry, this indicates the calculator is low on battery. Recharge by leaving it in a bright location but out of direct sunlight, or replace the battery.

D CALCULATION EXAMPLES:

Example	Operation	Display
$2+3-1=4$ $-2.4 \times 6 \div 8 = -1.8$ $2 \times (3+4)-5=9$ $3 \times 2.54=7.62$	ON/C 2 + 3 - 1 = ON/C 2.4 +/ × 6 + 8 = 3 + 4 × 2 - 5 = 2 ON/C 3 × 2.54 =	0. 4. 1.8 9. 7.62
4 × 3=12 4 × 5=20 6 ÷ 2=3 8 ÷ 2=4	ON/C 4 × 3 = 5 = 6 ÷ 2 = 8 =	0. 12. 20. 3. 4.
$10 + 5\% = 10.5$ $10 - 5\% = 9.5$ $10 \times 5\% = 0.5$ $10 \div 5\% = 200$ $20 \times (1 + 15\%) = 23$ $20 \times (1 - 15\%) = 17$	ON/C 10 ± 5 % 10 - 5 % 10 × 5 % 10 ÷ 5 % ON/C 20 ± 15 % 20 - 15 %	0. 10.5 9.5 0.5 200. 0. 23.

Example	Operation	Display
2 × 3 -) 3 × 4 +) 4 × 5 14	ON/C 2 X 3 M+ 3 X 4 M- 4 X 5 M+ MR MC	M 6. M 12. M 20. M 14.
2+3+3=8 6-2-2=2 2 ³ =8	ON/C 2 + 3 = = 6 - 2 = = 2 × 2 = =	0. 8. 2. 8.
	ON/C 9	0. 3. 12. 0. 5.
$\frac{1}{4} = 0.25$	0N/C 1 ★ 4 ≡	0. 0.25

Power Supply

This calculator is powered by one LR54 1.5V alkaline button battery.



Button battery

inside this product.

∠ WARNING

- · WARNING! KEEP BATTERIES OUT OF REACH OF CHILDREN.
- Never allow children to replace button batteries on any device.
- Swallowing or placing inside any part of the body may lead to severe or fatal injuries in as little as 2 hours or less due to chemical burns and potential perforation of the oesoohagus.
- If you suspect your child has swallowed a button battery or placed inside any part
 of the body immediately call the 24-hour POISONS INFORMATION CENTRE on 13
 11 26 for prompt advice. If your child is having any difficulty breathing, contact
- 000.
 Examine devices and make sure the battery compartment is correctly secured, e.g. that
 the screw or other mechanical fastener is tightened. Do not use if compartment is not
- Dispose of used button/coin batteries immediately and safely. A battery can still be dangerous even when it can no longer operate the device. Place sticky tape around both sides of the battery and dispose of it immediately out of reach of children in an outside bin or recycle safely.
- Tell others about the risk associated with button batteries and how to keep their children safe.