


J.BURROWS

ASSEMBLY INSTRUCTIONS 3 Shelf Metal Shelving JB3TMTLSWE











Hardware List

PARTS INVENTORY CHECKLIST		
Α	- Posts	QTY 4
В	- Shelves	QTY 3
С	- Long Apron	QTY 6
D	- Short Apron	QTY 6
E	- Plastic Floor Protectors	QTY 4



FOR SAFETY



- 2 people are recommended for assembly
- BE CAREFUL of sharp edges when assembling.
- DO NOT stand on this product or use as a ladder.
- DO NOT alter this product in any manner that is not intended. This may cause product damage or personal injury.
- Position the product on a level surface.

The maximum loaded weight for each shelf is no more than 90kg. evenly distributed.


When loading shelves please distribute items evenly with heaviest items on the bottom shelf.


Fasten the unit to the wall whenever possible with proper fasteners (not provided)

887W x 354D x 914Hmm

Important: Be sure to line up and match hole pattern on all posts prior to assembly.


Place post upright, using cardboard or other safeguard beneath post to protect floor. Insert tabs on long shelf support apron into slots on post. Press on tabs with fingers to guide into slots. Push down lightly to extend tabs through slots. It is recommended that the bottom shelf aprons be placed in the second and third slots from the bottom. To ensure stability of the unit, do not place bottom shelf aprons any higher than the sixth slot.








Place shelves starting at the bottom as you build each layer. Gently tap the top of the shelf around each corner with a rubber mallet until tabs are flush with slots.





When moving assembled unit, always handle by the lower half. Recheck all apron tabs / slots being sure they are securely seated.

For damaged or missing parts, please email products@geelongsales.com.au