
# **J.BURROWS**

# INSTRUCTION MANUAL





7-PORT USB 3.0 HUB JBUSBHUB7

### Features:

- · USB 3.0 high speed data transfer rate
- Backward compatible with USB 1.1 and 2.0 devices
- Provide charging power to USB charged device though dedicated charging port
- Individual on/off switch for each port
- Blue LED indicator to display working status of each port
- System compatible: Windows® XP or later, Mac® OS X 10.7 or later Windows is a trademark of the Microsoft Corporation in the United States and other countries.

Mac is a trademark of Apple Inc., registered in the U.S. and other countries.

# **Technical Specification:**


- Data transfer port: USB 3.0 x 7
- Data transfer speed: up to 5 Gbps<sup>1</sup>
- Data port current rating: 5V/0.5A/port
- Dedicated charging port x 2
- Charging port current rating: 5V/2.1A. Max<sup>2</sup>
- Power adaptor input: 12V/2A. Max
- Unit dimension: 172(L) x 47(W) x 24(H) mm
- USB 3.0 cable length: 50 cm
- Unit weight: 112g

<sup>1</sup>When connected to device(s) and computer that comply with USB 3.0 specifications

<sup>2</sup>USB hub must be connected with the provided power adaptor

# **Product Overview:**

- ① Charging port (for charging and data transfer)
- ② USB 3.0 data transfer port
- 3 On/off switch
- Power indicator
- ⑤ Built-in USB 3.0 cable
- ⑥ Power input port (DC-in: 12V/2A max)





# Installation:

- 1. Turn on computer
- 2. Connect the USB 3.0 cable to computer
- 3. Connect power adaptor to a working power outlet
- 4. Connect the power cable of power adaptor to the power input of the hub

Front

- 5. Plug in the USB device and turn on the on/off switch
- Connected USB device will be ready for use when installation is completed

#### Remarks:

To achieve optimum performance of all ports, power connection is recommend. If no power connection exist, connectivity maybe restricted.

# Package contents:

- 7-port USB 3.0 hub x 1
- Power adaptor x 1
- Instruction manual x 1

# Troubleshooting:

#### Power LED is not on

- Check the power adaptor connection between wall outlet and the hub.
- Check on USB 3.0 cable to ensure the proper connection in between the hub and the USB port on the computer.

## Computer does not recognise the hub

- Check the connection of the USB 3.0 cable in-between the hub and the computers USB port.
- Try to plug the USB 3.0 cable into a different USB port on the computer and to restart the computer.

# Computer does not recognise the plug in USB device

- Make sure that the on/off switch of the port is turned on.
- USB devices with high power demand may not work properly as too much current may be drawn. The supplied external power adaptor is used to provide sufficient power to the hub.
- Try connecting the USB device into a different USB port on the hub.
- Detach the hub from the computer and remove the high power demand USB devices. Refer to the rating label information for each connected device. Each USB port is only rated for 5V 0.5A max load.

#### Connection is slow

 Make sure that the USB port on the computer and connected devices to the hub are in USB 3.0 specification.

MADE IN CHINA

OFFICEWORKS LTD 236-262 EAST BOUNDARY ROAD EAST BENTLEIGH VIC 3165 AUSTRALIA