

# **SAFETY DATA SHEETS**

According to Regulation (EU) No.1907/2006, Regulation (EU) No. 1272/2008 and their subsequent amendments and corrigenda

Version: 1.0 Creation Date: Mar. 24, 2022 Revision Date: Mar. 24, 2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product name Ballpen ink (black)

Other means of identification

Other names -Product number -

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Preparation for writing instruments

Uses advised against no data available
Reason why uses advised against no data available

# 1.3. Details of the supplier of the safety data sheet

Details of the supplier

Company Officeworks Ltd.
Address Chadstone Place
1341 Dandenong 1

1341 Dandenong Road Chadstone VIC 3148 Australia

**Telephone** 1300 633 423 **ABN** 36 004 763 526

# 1.4. Emergency telephone number

**POISONS INFORMATION CENTRE 13 11 26** 

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

# 2.1.1. Classification according to Regulation (EC) No 1272/2008 (CLP)

Acute Tox. 4,H302 Skin Corr. 1,H314 Eye Dam. 1,H318 Skin Sens. 1B,H317 Aquatic Acute 1,H400 Aquatic Chronic 1,H410

#### 2.1.2. Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

## 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Pictogram(s)



Ballpen ink (blacki<sup>1</sup>/<sub>4</sub> Page 1 of 8

Signal word Danger

Hazard statement(s) H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. P260 Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) P260 Do not breathe dust/fume/gas/mist/vapours/sp P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P391 Collect spillage.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard information

(EU)

no data available

## 2.3. Other hazards

no data available

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Chemical name	Common names and synonyms	CAS number	EC number	Registration number	Classification according to Regulation (EC)No 1278/2008(CLP)	Concentration
[4-[p,p'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium m-[[p-anilinophenyl]azo]benzenesulphonate	solvent black 46	65113- 55-5	265-449- 9	-	Skin Sens. 1B,H317;Eye Dam. 1,H318;STOT SE 3,H335;Aquatic Acute 1,H400;Aquatic Chronic 1,H410	30%
Benzyl alcohol	Benzyl alcohol	100-51-6	202-859- 9	-	Acute Tox. 4,H302;Acute Tox. 4,H332	25%
2-phenoxyethanol	2-Phenoxy Ethanol	122-99-6	204-589- 7	-	Acute Tox. 4,H302;Eye Dam. 1,H318;STOT SE 3,H335	20%
[Name confidential or not available]	Keton resin	25054- 06-2	607-515- 5	-	Not classified.	14%
[Name confidential or not available]	Epoxy resin	24969- 06-0	607-468- 0	-	Not classified.	6%
2,2',2"-nitrilotriethanol	Triethanolamine	102-71-6	203-049- 8	-	Not classified.	4%
Phosphoric acid, mono- and bis(2-ethylhexyl) esters	Phosphric acid ester	90506- 69-7	291-933- 4	-	Skin Corr. 1B,H314	1%

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## General notes

Medical attention is required. Consult a doctor. Show this safety data sheet (SDS) to the doctor in attendance.

#### Following inhalation

Move the victim into fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration and consult a doctor immediately. Do not use mouth to mouth resuscitation if the victim ingested or inhaled the chemical.

## In case of skin contact

Take off contaminated clothing immediately. Wash off with soap and plenty of water. Consult a doctor.

#### In case of eye contact

Rinse with pure water for at least 15 minutes. Consult a doctor.

## If swallowed

Ballpen ink (blackī<sup>1</sup>/<sub>4</sub> Page 2 of 8

Rinse mouth with water. Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a doctor or Poison Control Center immediately.

# 4.2. Most important symptoms and effects, both acute and delayed

no data available

# 4.3. Indication of any immediate medical attention and special treatment needed

no data available

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

#### Suitable extinguishing media

Use dry chemical, carbon dioxide or alcohol-resistant foam.

## 5.2. Special hazards arising from the substance or mixture

no data available

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid dust formation. Avoid breathing mist, gas or vapours. Avoid contacting with skin and eye. Use personal protective equipment. Wear chemical impermeable gloves. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

# 6.2. Environmental precautions

Prevent further spillage or leakage if it is safe to do so. Do not let the chemical enter drains. Discharge into the environment must be avoided.

## 6.3. Methods and materials for containment and cleaning up

Collect and arrange disposal. Keep the chemical in suitable and closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.

#### 6.4. Reference to other sections

For disposal suggestions see section 13. For exposure controls / personal protection suggestions see section 8.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Handling in a well ventilated place. Wear suitable protective clothing. Avoid contact with skin and eyes. Avoid formation of dust and aerosols. Use non-sparking tools. Prevent fire caused by electrostatic discharge steam.

# 7.2. Conditions for safe storage, including any incompatibilities

Store the container tightly closed in a dry, cool and well-ventilated place. Store apart from foodstuff containers or incompatible materials.

# 7.3. Specific end use(s)

Main uses of the chemical are mentioned in section 1.2. No other specific uses are stipulated.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

# Occupational Exposure limit values

Component	Benzy1 alcol	Benzy1 alcohol					
CAS No.	100-51-6	100-51-6					
	Limit valu	Short term					
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>			
Finland	10	45					
Germany (DFG)	5 (1)	22 (1)	10 (1)(2)	44 (1)(2)			
Latvia		5					
	Remarks	Remarks					
Germany (DFG)	(1) Inhalable	(1) Inhalable fraction and vapour (2) 15 minutes average value					

Component	2-Phenoxy Ethanol					
CAS No.	122-99-6					
	Limit value - Eight hours Limit value - Short term					
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>		
Austria	20	110	20	110		

Ballpen ink (blacki<sup>1</sup>/<sub>4</sub> Page 3 of 8

Component	2-Phenoxy Eth	2-Phenoxy Ethanol					
CAS No.	122-99-6	122-99-6					
Canada - Ontario	25	141					
Finland	20	110	50 (1)	290 (1)			
Germany (AGS)	20 (1)	110 (1)	40 (1)(2)	220 (1)(2)			
Germany (DFG)	1 (1)	5,7 (1)	1 (1)(2)	5,7 (1)(2)			
Poland		230					
Switzerland	20	110	40	220			
	Remarks	Remarks					
Finland	(1) 15 minutes	(1) 15 minutes average value					
Germany (AGS)	(1) Inhalable a	(1) Inhalable aerosol and vapour (2) 15 minutes reference period					
Germany (DFG)	(1) Inhalable f	raction and vapour (2) 15	minutes average value				

Component	Triethand	Triethanolamine						
CAS No.	102-71-6	102-71-6						
	Limit v	alue - Eight hours	Limit va	nlue - Short term				
	ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>				
Australia		5						
Austria	0,8	5 inhalable aerosol	0,16	10 inhalable aerosol				
Belgium		5						
Canada - Ontario	0,5	3,1						
Canada - Québec		5						
Denmark	0,5	3,1	3,1 1 6,2					
Finland		5						
Germany (DFG)		5 (1)		10 (1)(2)				
Ireland		5						
New Zealand		5						
Singapore		5						
Spain		5						
Sweden	0,8	5	1,6 (1)	10 (1)				
Switzerland		5 (1)		10 (1)(2)				
	Remarl	Remarks						
Germany (DFG)	(1) Inhala	(1) Inhalable fraction (2) 15 minutes average value						
Sweden	(1) 15 mi	(1) 15 minutes average value						
Switzerland	(1) Inhala	(1) Inhalable fraction (2) 15 minutes average value						

# 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

Ensure adequate ventilation. Handle in accordance with good industrial hygiene and safety practice. Set up emergency exits and the risk-elimination area.

# 8.2.2. Individual protection measures, such as personal protective equipment

## Eye/face protection

Wear tightly fitting safety goggles with side-shields conforming to EN 166(EU) or NIOSH (US).

#### **Skin protection**

Wear fire/flame resistant and impervious clothing. Handle with gloves. Gloves must be inspected prior to use. Wash and dry hands.

#### **Respiratory protection**

If the exposure limits are exceeded, irritation or other symptoms are experienced, use a full-face respirator.

# Thermal hazards

no data available

# 8.2.3. Environmental exposure controls

See section 6.2.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Appearance Liqu

**Odour** pure CAS 100-51-6: Faint aromatic odor; pure CAS 122-99-6: Faint aromatic odor; pure CAS

102-71-6: Slight ammonical odor

Ballpen ink (blacki<sup>1</sup>/<sub>4</sub> Page 4 of 8

Odour threshold pure CAS 100-51-6: 5.5 ppm

pure CAS 65113-55-5: 7.3.; pure CAS 100-51-6: A solution in water is neutral to litmus; pure pН

CAS 102-71-6: pH = 10.5 (0.1 N aqueous solution); strong base

pure CAS 65113-55-5: Atm. press.:1 013 hPa. Remarks: The test item shows no melting point. Melting point/freezing point

> No liquid phase at no point but a softening phase from 180°C, and start decomposing > 200°C.;pure CAS 100-51-6: -15°C;pure CAS 122-99-6: 14°C;pure CAS 102-71-6: 21.6°C pure CAS 100-51-6: 205°C;pure CAS 122-99-6: 245°C;pure CAS 25054-06-2: 155.7°C at

760mmHg;pure CAS 102-71-6: 335.4°C

Flash point pure CAS 100-51-6: 93°C c.c.; pure CAS 122-99-6: 127°C c.c.; pure CAS 25054-06-2:

46.7°C;pure CAS 102-71-6: 179°C

**Evaporation rate** no data available

Initial boiling point and boiling range

Flammability pure CAS 100-51-6: Combustible.;pure CAS 122-99-6: Combustible.;pure CAS 102-71-6:

Combustible. Gives off irritating or toxic fumes (or gases) in a fire.

Upper/lower flammability or explosive no data available

limits

pure CAS 100-51-6: 13.2 Pa(20°C);pure CAS 122-99-6: 0.0013 kPa(20°C);pure CAS 102-71-6: Vapour pressure

<1 Pa(25°C)

Vapour density pure CAS 100-51-6: 3.7 (vs air); pure CAS 122-99-6: 4.8 (vs air); pure CAS 102-71-6: 5.14 (vs

Relative density pure CAS 65113-55-5: 0.69. Temperature:20 °C.;pure CAS 100-51-6: 1.04;pure CAS 122-99-6:

1.1; pure CAS 24969-06-0: 1.36 g/mL at 25 °C(lit.); pure CAS 102-71-6: 1.1

pure CAS 65113-55-5: In water: < 0.01 mg/L. Temperature:25 °C. Remarks:PH not mentionned Solubility(ies)

in the study.;pure CAS 100-51-6: Solubility in water, g/100ml: 4 ;pure CAS 122-99-6: Solubility in water, g/100ml: 2.7 ;pure CAS 102-71-6: Solubility in water: miscible

Partition coefficient n-octanol/water pure CAS 65113-55-5: log Pow = >= 5.7. Temperature:22 °C. Remarks:The log Kow is between

5.7 and the infinity since the hydrosolubility tends toward 0.;pure CAS 100-51-6: 1.1;pure CAS

122-99-6: 1.2; pure CAS 102-71-6: -2.3 (not explosive)

Auto-ignition temperature pure CAS 65113-55-5: <= 370 °C. Remarks: Preliminary test.; pure CAS 100-51-6: 436°C; pure

CAS 122-99-6: 500°C; pure CAS 102-71-6: 324°C

**Decomposition temperature** no data available

Viscosity pure CAS 100-51-6: dynamic viscosity (in mPa s) = 5.05. Temperature:25.0°C.;pure CAS 122-

99-6: dynamic viscosity (in mPa s) = 41. Temperature:19.8°C. Remarks:Temperature in the range 19.5-20.2 °C. Viscosity independent of the shear rate.:dynamic viscosity (in mPa s) = 19. Temperature: 40.5°C. Remarks: Temperature in the range 40-41 °C. Viscosity independent of the

shear rate.; pure CAS 102-71-6: kinematic viscosity (in mm<sup>2</sup>/s) = 830.2.

Temperature:20°C.;kinematic viscosity (in mm<sup>2</sup>/s) = 181.5. Temperature:40°C.;kinematic

viscosity (in  $mm^2/s$ ) = 59.1. Temperature:60.0°C.

**Explosive properties** no data available **Oxidising properties** no data available

#### 9.2. Other information

no data available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

no data available

# 10.2. Chemical stability

no data available

## 10.3. Possibility of hazardous reactions

no data available

# 10.4. Conditions to avoid

no data available

# 10.5. Incompatible materials

no data available

# 10.6. Hazardous decomposition products

no data available

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

# Acute toxicity

- Oral: pure CAS 65113-55-5: LD50 rat (female) > 2 000 mg/kg bw.;pure CAS 100-51-6: LD50 rat (male) 1.55 mL/kg bw. Remarks: Corresponding to 1620 mg/kg bw (density: 1.045 g/mL).;pure CAS 122-99-6: LD50 - rat (female) - 1 840 mg/kg bw.;pure
- CAS 102-71-6: LD50 rat (male/female) 6 400 mg/kg bw.
  Inhalation: pure CAS 100-51-6: LC50 rat (male/female) > 4 178 mg/m³ air.;pure CAS 122-99-6: LC50 rat (male/female) > 1 000 mg/m³ air (nominal).;pure CAS 102-71-6: LC0 rat (male/female) saturated TEA atmosphere (approximately 1.8 mg/m³).

  Dermal: pure CAS 65113-55-5: LD50 rat (male) > 2 000 mg/kg bw.;pure CAS 100-51-6: LD50 guinea pig < 5 000 mg/kg

Ballpen ink (blackï1/4 Page 5 of 8

#### Skin corrosion/irritation

no data available

#### Serious eye damage/irritation

no data available

## Respiratory or skin sensitization

no data available

#### Germ cell mutagenicity

no data available

#### Carcinogenicity

no data available

## Reproductive toxicity

no data available

#### STOT-single exposure

pure CAS 100-51-6: The aerosol is irritating to the eyes and skin. The substance may cause effects on the nervous system.;pure CAS 122-99-6: The substance is irritating to the eyes, skin and respiratory tract. The substance may cause effects on the central nervous system and peripheral nervous system. This may result in impaired functions.;pure CAS 102-71-6: The substance is irritating to the eyes, skin and respiratory tract.

## STOT-repeated exposure

pure CAS 100-51-6: Repeated or prolonged contact may cause skin sensitization; pure CAS 122-99-6: The substance defats the skin, which may cause dryness or cracking. The substance may have effects on the central nervous system. This may result in impaired functions.;pure CAS 102-71-6: Repeated or prolonged contact may cause skin sensitization.

#### Aspiration hazard

pure CAS 100-51-6: No indication can be given about the rate at which a harmful concentration of this substance in the air is reached on evaporation at 20°C.;pure CAS 122-99-6: A harmful contamination of the air will not or will only very slowly be reached on evaporation of this substance at 20°C.;pure CAS 102-71-6: Evaporation at 20°C is negligible; a harmful concentration of airborne particles can, however, be reached quickly when dispersed.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

- Toxicity to fish: pure CAS 100-51-6: LC50 Pimephales promelas 460 mg/L 96 h.;pure CAS 122-99-6: LC50 Pimephales promelas 344 mg/L 96 h.;pure CAS 102-71-6: LC50 Pimephales promelas 11 800 mg/L 96 h.
   Toxicity to daphnia and other aquatic invertebrates: pure CAS 65113-55-5: EC50 Daphnia magna ca. 0.011 mg/L 48 h.;pure CAS
- 100-51-6: EC50 Daphnia magna 230 mg/L 48 h.;pure CAS 102-99-6: EC50 Daphnia magna 2500 mg/L 48 h.;pure CAS 102-71-6: EC50 Ceriodaphnia dubia 609.88 mg/L 48 h.

  Toxicity to algae: pure CAS 65113-55-5: EC50 Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) ca. 0.005 mg/L 72 h.;pure CAS 100-51-6: EC50 Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) 770 mg/L 72 h.;pure CAS 122-99-6: EC50 Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 500 mg/L 72 h.;pure CAS 102-71-6: EC50 Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) 512 mg/L 72 h.

  Toxicity to microorganisms: pure CAS 100-51-6: IC50 Aerobic heterotrophs and Nitrosomonas 2 100 mg/L 49 h.

  Remarks: Respiration rate: pure CAS 122-99-6: EC20 activated sludge of a predominantly domestic sewage 620 mg/L 30 min
- Remarks: Respiration rate.; pure CAS 122-99-6: EC20 activated sludge of a predominantly domestic sewage 620 mg/L 30 min. Remarks:Respiration rate.;pure CAS 102-71-6: IC50 - activated sludge of a predominantly domestic sewage - > 1 000 mg/L - 3 h. Remarks: Respiration rate.

# 12.2. Persistence and degradability

no data available

#### 12.3. Bioaccumulative potential

no data available

# 12.4. Mobility in soil

no data available

# 12.5. Results of PBT and vPvB assessment

no data available

## 12.6. Other adverse effects

no data available

# **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

#### Product

The material can be disposed of by removal to a licensed chemical destruction plant or by controlled incineration with flue gas scrubbing. Do not contaminate water, foodstuffs, feed or seed by storage or disposal. Do not discharge to sewer systems.

#### Contaminated packaging

Ballpen ink (blackii/4 Page 6 of 8 Containers can be triply rinsed (or equivalent) and offered for recycling or reconditioning. Alternatively, the packaging can be punctured to make it unusable for other purposes and then be disposed of in a sanitary landfill. Controlled incineration with flue gas scrubbing is possible for combustible packaging materials.

# **SECTION 14: Transport information**

## 14.1. UN number

ADR/RID: Not dangerous goods. IMDG: Not dangerous goods. IATA: Not dangerous goods.

# 14.2. UN Proper Shipping Name

ADR/RID: Not dangerous goods. IMDG: Not dangerous goods. IATA: Not dangerous goods.

# 14.3. Transport hazard class(es)

ADR/RID: Not dangerous goods. IMDG: Not dangerous goods. IATA: Not dangerous goods.

# 14.4. Packing group

ADR/RID: Not dangerous goods. IMDG: Not dangerous goods. IATA: Not dangerous goods.

# 14.5. Environmental hazards

ADR/RID: Yes IMDG: Yes IATA: Yes

# 14.6. Special precautions for user

no data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

no data available

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical name					nmon names   CAS d synonyms   number		CAS number	EC number
[4-[p,p'-bis(dimethylamino)benzhydrylidene]cyclohexa-2,5-dien-1-ylidene]dimethylammonium m-[[p-anilinophenyl]azo]benzenesulphonate			solvent black 46		65113- 55-5	265-449-9		
<b>European Inventory of Existi</b>	European Inventory of Existing Commercial Chemical Substances (EINECS)						Listed.	
Chemical name	Con	ımon nar	nes and synonyms		CA	S nun	ıber	EC number
Benzyl alcohol		Benz	zy1 alcohol		100-51-6		-6	202-859-9
<b>European Inventory of Existi</b>	ng Comme	ercial Ch	emical Substances (EIN	NECS)				Listed.
Chemical name	Con	ımon nar	nes and synonyms		CA	S nun	ıber	EC number
2-phenoxyethanol		2-Pher	noxy Ethanol		1	122-99-	-6	204-589-7
<b>European Inventory of Existi</b>	ng Comme	ercial Ch	emical Substances (EIN	NECS)				Listed.
Chemical name	Chemical name Common names and synony			ıyms	CAS number		EC number	
[Name confidential or not available] Keton resin				25054-06-2		607-515-5		
<b>European Inventory of Existi</b>	ng Comme	ercial Ch	emical Substances (EIN	NECS)				Not Listed.
Chemical name Common names and synony			ıyms	CAS number		EC number		
[Name confidential or not ava	ential or not available] Epoxy resin				24969-06-0		-06-0	607-468-0
<b>European Inventory of Existi</b>	ng Comme	ercial Ch	emical Substances (EIN	NECS)				Not Listed.
Chemical name	C	Common names and synonyms			CAS number		EC number	
2,2',2"-nitrilotriethanol	Triethanolamine			102-71-6		203-049-8		
<b>European Inventory of Existing Commercial Chemical Substances (EINECS)</b>						Listed.		
Chemical name Common names and			Common names and	synony	ms	CAS	number	EC number
Phosphoric acid, mono- and bis(2-ethylhexyl) esters			Phosphric acid e	Phosphric acid ester 90500		6-69-7	291-933-4	
European Inventory of Existing Commercial Chemical Substances (EINECS)					Listed.			

## 15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

# **SECTION 16: Other information**

# Indication of changes

Version 1.0 Initial issue.

# Abbreviations and acronyms

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Ballpen ink (blackī<sup>1</sup>/<sub>4</sub> Page 7 of 8

- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average • STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

#### Key literature references and sources for data

- IPCS The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home HSDB Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm

- IARC International Agency for Research on Cancer, website: http://www.iarc.fr/eChemPortal The Global Portal to Information on Chemical Substances by OECD, website:

- http://www.echemportal.org/echemportal/index?pageID=0&request\_locale=en

  CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple

  ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp

  ERG Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg

  Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA European Chemicals Agency, website: https://echa.europa.eu/

#### Full text of H-Statements referred to under sections 2 and/or 3.

Acute toxicity - Oral, Category 4 Acute Tox. 4,H302 Skin corrosion, Category 1 Skin Corr. 1,H314 Eye Dam. 1,H318 Serious eye damage, Category 1 Skin sensitization, Sub-category 1B Skin Sens. 1B,H317

Aquatic Acute 1,H400 Hazardous to the aquatic environment, short-term (Acute) - Category Acute 1 Hazardous to the aquatic environment, long-term (Chronic) - Category Chronic 1 **Aquatic Chronic 1,H410** 

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

May cause an allergic skin reaction. H317

H400 Very toxic to aquatic life.

Very toxic to aquatic life with long lasting effects. H410

## Advice on any training appropriate for workers to ensure protection of human health and the environment

Provide sufficient information, guidance and training to operating personnel.

## Any questions regarding this SDS, Please send your inquiry to sds@xixisys.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.

Ballpen ink (blackï1/4 Page 8 of 8