

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.6 Revision Date: 06.09.2018 SDS Number: 100000006724 Date of last issue: 25.06.2018
Date of first issue: 22.09.2016

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Product code :

Manufacturer or supplier's details

Recommended use of the chemical and restrictions on use

Company : Kimberly-Clark Australia Pty. Limited
52 Alfred Street, Milsons Point
Sydney
2061
Australia

Telephone : +61 1800-647-994

Telefax : +61 2-9957-5687

E-mail address Responsible/issuing person : sdscontact@kcc.com

Emergency telephone number

: 131126

Recommended use : Spraying

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Flammable aerosols : Category 1

Skin sensitisation : Category 1

Serious eye damage/eye irritation : Category 2A

GHS label elements

Hazard pictograms :



SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.6 Revision Date: 06.09.2018 SDS Number: 100000006724 Date of last issue: 25.06.2018
Date of first issue: 22.09.2016

Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.
H229 Pressurised container: May burst if heated.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.

Precautionary statements : **Prevention:**
P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/ attention.

Storage:
P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Disposal:
P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards which do not result in classification

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Chemical nature : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration (% w/w)
Ethanol	64-17-5	>= 10 - < 30
Hexylene Glycol	107-41-5	< 10
Hydroxycitronellal	107-75-5	< 10
citronellol	106-22-9	< 10
hexyl salicylate	6259-76-3	< 10
allyl 3-cyclohexylpropionate	2705-87-5	< 10
benzyl salicylate	118-58-1	< 10
2,4-dimethylcyclohex-3-ene-1-carbaldehyde	68039-49-6	< 10
geranyl acetate	105-87-3	< 10

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

SECTION 4. FIRST AID MEASURES

- General advice : Never give anything by mouth to an unconscious person.
If you feel unwell, seek medical advice (show the label where possible).
- If inhaled : Move to fresh air in case of accidental inhalation of vapours.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
Wash skin thoroughly with soap and water or use recognized skin cleanser.
Wash contaminated clothing before reuse.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
If easy to do, remove contact lens, if worn.
- If swallowed : Rinse mouth.
Do NOT induce vomiting.
Obtain medical attention.
- Most important symptoms and effects, both acute and delayed : May cause an allergic skin reaction.
Causes serious eye irritation.
-

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Foam
Water spray
Sand
Dry powder
Carbon dioxide (CO₂)
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during fire-fighting : No special precautions required.
- Hazardous combustion products : No hazardous combustion products are known
- Specific extinguishing methods : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.
-

SECTION 6. ACCIDENTAL RELEASE MEASURES

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version 1.6 Revision Date: 06.09.2018 SDS Number: 100000006724 Date of last issue: 25.06.2018
Date of first issue: 22.09.2016

- Personal precautions, protective equipment and emergency procedures : Not required under normal use.
- Environmental precautions : Do not flush into surface water or sanitary sewer system. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).
Clean contaminated surface thoroughly.
-

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Smoking, eating and drinking should be prohibited in the application area.
Keep away from fire, sparks and heated surfaces.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
Do not ingest.
For personal protection see section 8.
- Hygiene measures : Do not smoke.
- Conditions for safe storage : Keep containers tightly closed in a cool, well-ventilated place.
Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C. Do not pierce or burn, even after use.
-

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Ethanol	64-17-5	TWA	1,000 ppm 1,880 mg/m ³	AU OEL
Hexylene Glycol	107-41-5	Peak limit	25 ppm 121 mg/m ³	AU OEL

Engineering measures : none

Personal protective equipment

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

that exposures are within recommended exposure guidelines.

Filter type	:	Particulates type
Hand protection	:	
Remarks	:	For prolonged or repeated contact use protective gloves.
Eye protection	:	Not required under normal use.
Skin and body protection	:	Not required under normal use.
Protective measures	:	When using do not eat, drink or smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	No data available
Colour	:	colourless, light yellow
Odour	:	characteristic
Odour Threshold	:	No data available
pH	:	Not applicable
	:	Not applicable
	:	Not applicable
Flash point	:	Not applicable
Evaporation rate	:	No data available
Upper explosion limit	:	No data available
Lower explosion limit	:	No data available
Vapour pressure	:	4.5 - 5.5 bar
Relative vapour density	:	No data available
Relative density	:	0.7
Density	:	No data available
Partition coefficient: n-octanol/water	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Viscosity
Viscosity, dynamic : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : Stable under recommended storage conditions.

Chemical stability : No decomposition if stored and applied as directed.

Possibility of hazardous reactions : None known.

Conditions to avoid : Extremes of temperature and direct sunlight.
Heat, flames and sparks.

Incompatible materials : Incompatible with strong acids and bases.
Oxidizing agents

Hazardous decomposition products : No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Exposure routes : Skin contact
Inhalation

Acute toxicity

Not classified based on available information.

Components:

Ethanol:

Acute oral toxicity : LD50 (Rat, male and female): 10,470 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : LC50 (Rat, male and female): 124.7 mg/l
Method: OECD Test Guideline 403
GLP: no

Hexylene Glycol:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 2,000 mg/kg
Acute dermal toxicity : LD50 Dermal (Rabbit, male and female): > 2000 ml/kg

Hydroxycitronellal:

Acute oral toxicity : LD50 Oral (Rat, male and female): > 6,400 mg/kg
Acute dermal toxicity : LD50 Dermal (Rabbit): > 2,000 mg/kg

hexyl salicylate:

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Acute oral toxicity : LD50 Oral (Rat): > 5,000 mg/kg
Method: No information available.
GLP: No information available.

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,000 mg/kg
Method: Acute toxicity estimate
GLP: No information available.

allyl 3-cyclohexylpropionate:

Acute oral toxicity : LD50 Oral (Rat, male and female): 380 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute inhalation toxicity : Assessment: The component/mixture is moderately toxic after short term inhalation.

Acute dermal toxicity : LD50 Dermal (Rabbit): 1,600 mg/kg
Method: OECD Test Guideline 402
GLP: no

benzyl salicylate:

Acute oral toxicity : LD50 Oral (Rat, male): 3,339 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.
GLP: yes

LD50 Oral (Rat, female): 3,031 mg/kg
Method: Directive 67/548/EEC, Annex V, B.1.
GLP: yes

Acute dermal toxicity : LD50 (Rabbit, male and female): > 2,000 mg/kg
Method: Directive 67/548/EEC, Annex V, B.3.
GLP: yes

geranyl acetate:

Acute oral toxicity : LD50 Oral (Rat): 6,330 mg/kg
Method: No information available.
GLP: no

Acute dermal toxicity : LD50 Dermal (Rabbit): > 5,460 mg/kg
Method: No information available.
GLP: no

Skin corrosion/irritation

Not classified based on available information.

Product:

Remarks: No data available

Components:

Ethanol:

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

Hexylene Glycol:

Species: Rabbit
Result: Skin irritation

Hydroxycitronellal:

Species: Rabbit
Result: Mild skin irritation

citronellol:

Species: Rabbit
Result: Skin irritation

hexyl salicylate:

Species: Rabbit
Method: No information available.
Result: irritating
GLP: yes

allyl 3-cyclohexylpropionate:

Species: reconstructed human epidermis (RhE)
Method: OECD Test Guideline 439
Result: No skin irritation
GLP: yes

benzyl salicylate:

Species: Rabbit
Method: OECD Test Guideline 404
Result: No skin irritation
GLP: yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to skin.

geranyl acetate:

Species: Rabbit
Exposure time: 24 h
Method: Draize Test
Result: Severe skin irritation
GLP: no

Serious eye damage/eye irritation

Causes serious eye irritation.

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Product:

Remarks: May irritate eyes.

Components:

Ethanol:

Species: Rabbit
Result: Irritation to eyes, reversing within 21 days
Method: OECD Test Guideline 405
GLP: no

Hexylene Glycol:

Species: Rabbit
Result: Mild eye irritation

Hydroxycitronellal:

Result: Mild eye irritation

citronellol:

Species: Rabbit
Result: Eye irritation

hexyl salicylate:

Species: Rabbit
Result: No eye irritation
Method: Directive 67/548/EEC, Annex V, B.5.
GLP: yes

allyl 3-cyclohexylpropionate:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: yes

benzyl salicylate:

Result: Eye irritation

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: Irritating to eyes.

geranyl acetate:

Species: Rabbit
Result: No eye irritation
Method: OECD Test Guideline 405
GLP: yes

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Product:

Remarks: May cause sensitisation of susceptible persons by skin contact.

Components:

Ethanol:

Species: Mouse

Assessment: Does not cause skin sensitisation.

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: no

Hexylene Glycol:

Species: Guinea pig

Assessment: Does not cause skin sensitisation.

Result: Did not cause sensitisation on laboratory animals.

Hydroxycitronellal:

Species: Guinea pig

Result: The product is a skin sensitiser, sub-category 1B.

citronellol:

Assessment: The product is a skin sensitiser, sub-category 1B.

Result: The product is a skin sensitiser, sub-category 1B.

hexyl salicylate:

Species: Mouse

Method: OECD Test Guideline 429

Result: Causes sensitisation.

GLP: yes

allyl 3-cyclohexylpropionate:

Test Type: Maximisation Test

Species: Guinea pig

Method: OECD Test Guideline 406

Result: The product is a skin sensitiser, sub-category 1B.

GLP: yes

benzyl salicylate:

Species: Mouse

Method: OECD Test Guideline 429

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Result: The product is a skin sensitiser, sub-category 1B.
GLP: yes

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Assessment: The product is a skin sensitiser, sub-category 1B.

geranyl acetate:

Species: Mouse

Method: OECD Test Guideline 429

Result: Did not cause sensitisation on laboratory animals.

GLP: yes

Chronic toxicity

Germ cell mutagenicity

Not classified based on available information.

Product:

Germ cell mutagenicity - : No information available.
Assessment

Carcinogenicity

Not classified based on available information.

Product:

Carcinogenicity - Assess- : No information available.
ment

Reproductive toxicity

Not classified based on available information.

Product:

Reproductive toxicity - As- : No information available.
essment

STOT - single exposure

Not classified based on available information.

Product:

Remarks: No data available

STOT - repeated exposure

Not classified based on available information.

Product:

Remarks: No data available

Aspiration toxicity

Not classified based on available information.

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Product:

No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Components:

Ethanol:

Toxicity to fish	:	LC50 (Pimephales promelas (fathead minnow)): 14,200 mg/l Exposure time: 96 h Test Type: flow-through test
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Ceriodaphnia dubia (water flea)): 5,012 mg/l Exposure time: 48 h Test Type: static test
Toxicity to algae	:	EC50 (Pseudokirchneriella subcapitata (green algae)): 275 mg/l Exposure time: 72 h Test Type: static test

Hexylene Glycol:

Toxicity to fish	:	LC50: 8,690 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 16,500 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50: > 429 mg/l Exposure time: 72 h

Hydroxycitronellal:

Toxicity to fish	:	LC50: 31.6 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 410 mg/l Exposure time: 48 h
Toxicity to algae	:	EC50: 123.3 mg/l Exposure time: 72 h

citronellol:

Toxicity to fish	:	LC50: 14.66 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	:	EC50: 17.48 mg/l Exposure time: 48 h

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Toxicity to algae : EC50: 2.4 mg/l
Exposure time: 72 h

hexyl salicylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.34 mg/l
Exposure time: 96 h
Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.357 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: semi-static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0.61 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Toxicity to daphnia and other : NOEC: 0.14 mg/l
aquatic invertebrates (Chronic toxicity) : Exposure time: 48 h

Ecotoxicology Assessment

Acute aquatic toxicity : This product has no known ecotoxicological effects.

allyl 3-cyclohexylpropionate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0.13 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 3.8 mg/l
aquatic invertebrates : Exposure time: 48 h
Test Type: flow-through test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 3 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

benzyl salicylate:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 1.03 mg/l
Exposure time: 96 h

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Test Type: semi-static test
Method: Directive 67/548/EEC, Annex V, C.1.
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.16 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Pseudokirchneriella subcapitata (green algae)): 1.29 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201
GLP: yes

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

2,4-dimethylcyclohex-3-ene-1-carbaldehyde:

Ecotoxicology Assessment

Chronic aquatic toxicity : Harmful to aquatic life with long lasting effects.

geranyl acetate:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 68.12 mg/l
Exposure time: 96 h
Test Type: static test
Method: DIN 38412
GLP: no

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 14.1 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
GLP: yes

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 3.72 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
GLP: yes

Persistence and degradability

Components:

Hydroxycitronellal:

Biodegradability : Result: Readily biodegradable.

citronellol:

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

Biodegradability : Result: Readily biodegradable.

Bioaccumulative potential

Components:

Hexylene Glycol:

Partition coefficient: n-octanol/water : log Pow: < -0.14

Hydroxycitronellal:

Partition coefficient: n-octanol/water : log Pow: 2.11

citronellol:

Partition coefficient: n-octanol/water : log Pow: 3.55 (25 °C)

hexyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 5.5

allyl 3-cyclohexylpropionate:

Partition coefficient: n-octanol/water : log Pow: 4.28

benzyl salicylate:

Partition coefficient: n-octanol/water : log Pow: 4

geranyl acetate:

Partition coefficient: n-octanol/water : log Pow: 4.48

Mobility in soil

No data available

Other adverse effects

No data available

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of wastes in an approved waste disposal facility.

Contaminated packaging : Dispose of as unused product.

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

SECTION 14. TRANSPORT INFORMATION

International Regulations

UNRTDG

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1

IATA-DGR

UN/ID No. : UN 1950
Proper shipping name : Aerosols, flammable
Class : 2.1
Packing group : Not assigned by regulation

IMDG-Code

UN number : UN 1950
Proper shipping name : AEROSOLS

Class : 2.1
Packing group : Not assigned by regulation
Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

ADG

UN number : UN 1950
Proper shipping name : AEROSOLS
Class : 2.1
Packing group : Not assigned by regulation
Labels : 2.1

SECTION 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Standard for the Uniform : Schedule 6
Scheduling of Medicines and
Poisons

Prohibition/Licensing Requirements : There is no applicable prohibition or notification/licensing requirements, including for carcinogens under Commonwealth, State or Territory legislation.

SAFETY DATA SHEET

KIMCARE® MICROMIST® Air Neutraliser / Morning Air Scented

Version	Revision Date:	SDS Number:	Date of last issue: 25.06.2018
1.6	06.09.2018	100000006724	Date of first issue: 22.09.2016

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

AICS - Australian Inventory of Chemical Substances; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; CPR - Controlled Products Regulations; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Date format : dd.mm.yyyy

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN