


J.BURROWS
.....

ASSEMBLY INSTRUCTIONS
MATRIX MULTIFUNCTION TILT CHAIR
JBMATSSBK



This design and instruction booklet is subject to copyright.
www.officeworks.com.au

1CTN

For spare parts or hardware call 1300 OFFICE










Assemble Item On a Clean Flat Surface







- Please check you have all hardware before assembling.
- If you think you are missing any hardware please contact the store of purchase
- Please ensure you have the name of the item and hardware part required and quantity.
- Please retain your receipt for proof of purchase to validate warranty. Enjoy your new purchase

Important
Estimated Assembly Time: 20min


PART LIST

<p>A</p>  <p>X1</p>	<p>B</p>  <p>X1</p>	<p>C</p>  <p>X1</p>	<p>D</p>  <p>X1</p>
<p>E</p>  <p>X1</p>	<p>F</p>  <p>X1</p>	<p>G</p>  <p>X5</p>	


HARDWARE LIST

<p>H (6X20mm)</p>  <p>X4</p>	<p>I (6X35mm)</p>  <p>X4</p>	<p>J (6X18mm)</p>  <p>X8</p>	<p>K (M6)</p>  <p>X1</p>
---	---	---	---


Step 1




Step 2




Step 3




Step 4



Step 5



Step 6



ASSEMBLY INSTRUCTIONS



* Chair Height Adjustment



- Pull lever to adjust chair height



- Release to lock the height


* Chair Forward Tilt Function



- Pull lever to tilt the chair



- Release to lock the seat.



Note: Adjusting the chair's tilt function is easier when the seat is at a low setting.

Attention:

