SAFETY DATA SHEET

SMARTWIPE

Infosafe No.: LQ7R3
ISSUED Date: 03/04/2017
Issued by: OPTICA LIFE ACCESSORIES LIMITED

1. IDENTIFICATION

GHS Product Identifier
SMARTWIPE

Company Name
OPTICA LIFE ACCESSORIES LIMITED

Address
314/140 Swan Street
(PO Box 4141 Richmond East) Cremorne
Vic 3121 Australia

Telephone/Fax Number
Tel: 1800 199860
Fax: 1800 353 701

Recommended use of the chemical and restrictions on use
Lens cleaner.

2. HAZARD IDENTIFICATION

GHS classification of the substance/mixture
Classified as Hazardous according to the Globally Harmonised System of Classification and labelling of Chemicals (GHS) including Work, Health and Safety regulations, Australia
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail. (7th edition)
Eye Damage/Irritation: Category 2A
STOT Single Exposure: Category 3 (narcotic)

Signal Word (s)
WARNING

Hazard Statement (s)
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

Pictogram (s)
Exclamation mark

Precautionary statement – Prevention
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P264 Wash contaminated skin thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement – Response
P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER or doctor/physician if you feel unwell.
P337+P313 If eye irritation persists: Get medical advice/attention.

Precautionary statement – Storage
P403+P233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.

Precautionary statement – Disposal
P501 Dispose of contents/container to an approved waste disposal plant.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients

Name	CAS	Proportion
2-Propanol	67-63-0	45 %
Ingredients determined not to be hazardous		Balance

4. FIRST-AID MEASURES

Inhalation
If inhaled, remove affected person from contaminated area. Keep at rest until recovered. If symptoms develop and/or persist seek medical attention.

Ingestion
Do not induce vomiting. Wash out mouth thoroughly with water. Seek immediate medical attention.

Skin
Wash affected area thoroughly with soap and water. If symptoms develop seek medical attention.

Eye contact
If in eyes, hold eyelids apart and flush the eyes continuously with running water. Remove contact lenses. Continue flushing for several minutes until all contaminants are washed out completely. Seek medical attention.

First Aid Facilities
Eyewash, safety shower and normal washroom facilities.

Advice to Doctor
Treat symptomatically.

Other Information
For advice in an emergency, contact a Poisons Information Centre (Phone Australia 131 126) or a doctor at once.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
Carbon dioxide, dry chemical or foam.

Hazards from Combustion Products
Under fire conditions this product may emit toxic and/or irritating fumes, smoke and gases including carbon monoxide, carbon dioxide and oxides of nitrogen.

Specific Hazards Arising From The Chemical
This product will burn if exposed to fire.

Decomposition Temperature
Not available

Precautions in connection with Fire
Fire fighters should wear Self-Contained Breathing Apparatus (SCBA) operated in positive pressure mode and full protective clothing to prevent exposure to vapours or fumes. Water spray may be used to cool down heat-exposed containers. Fight fire from safe location. This product should be prevented from entering drains and watercourses.

6. ACCIDENTAL RELEASE MEASURES

Emergency Procedures
Remove all sources of ignition. Increase ventilation. Evacuate all unprotected personnel. Do not breathe dust. Wear respiratory protection and full protective clothing to minimise exposure. Sweep up material avoiding dust generation - dampen spilled material with water if suitable to avoid airborne dust, OR where possible use dustless methods such as vacuum to collect the material; then transfer material in to suitable vapour tight labelled containers for subsequent recycling or disposal. Dispose of waste according to applicable local and national regulations. If contamination of sewers or waterways occurs inform the local water and waste management authorities in accordance with local regulations. As a water based product, if spilt on electrical equipment the product will cause short-circuits.

7. HANDLING AND STORAGE

Precautions for Safe Handling
Avoid inhalation of dust, and skin or eye contact. Use only in a well ventilated area. Keep containers sealed when not in use. Prevent the build up of dust in the work atmosphere. Establish good housekeeping practices. Remove dust accumulations on a regular basis by vacuuming or gentle sweeping to avoid creating dust clouds. Maintain high standards of personal hygiene i.e. washing hands prior to eating, drinking, smoking or using toilet facilities.

Conditions for safe storage, including any incompatibilities
Store in a well ventilated area away from heat and sources of ignition, out of direct sunlight and moisture. Take precautions against static electricity discharges. Use proper grounding procedures. Store away from incompatible materials such as materials that support combustion (oxidising materials). Store in suitable, labelled containers. Inspect periodically for deficiencies such as damage or leaks. Have appropriate fire extinguishers available in and near the storage area. Ensure that storage conditions comply with applicable local and national regulations.
For information on the handling of Combustible dusts and grounding procedure reference should be made to Australian Standard AS/NZS 4745. 2012 - 'Code of Practice for Handling Combustible Dusts'

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational exposure limit values
No exposure standards have been established for this material. However, the available exposure limits for ingredients are listed below:

2-Propanol
TWA: 400 ppm
TWA: 983 mg/m³
STEL: 500 ppm
STEL: 1230 mg/m³

TWA (Time Weighted Average): The average airborne concentration of a particular substance when calculated over a normal eight-hour working day, for a five-day week.
STEL (Short Term Exposure Limit): The average airborne concentration over a 15 minute period which should not be exceeded at any time during a normal eight-hour workday.

Biological Limit Values
Name: 2-Propanol
Determinant: Acetone in urine.
Value: 40 mg/L
Sampling time: End of shift end of workweek.
Notation: B, Ns

Source: American Conference of Industrial Hygienists (ACGIH)

Appropriate Engineering Controls
This substance is hazardous and should be used with a local exhaust ventilation system, drawing solid/dust away from workers' breathing zone. A flameproof exhaust ventilation system is required. If the engineering controls are not sufficient to maintain concentrations of particulates below the exposure standards, suitable respiratory protection must be worn.

Respiratory Protection

If engineering controls are not effective in controlling airborne exposure then an approved respirator with a replaceable dust/ particulate filter should be used. Refer to relevant regulations for further information concerning respiratory protective requirements.
Reference should be made to Australian Standards AS/NZS 1715, Selection, Use and Maintenance of Respiratory Protective Devices; and AS/NZS 1716, Respiratory Protective Devices, in order to make any necessary changes for individual circumstances.

Eye Protection
Safety glasses with side shields, chemical goggles or full-face shield as appropriate should be used. Final choice of appropriate eye/ face protection will vary according to individual circumstances. Eye protection devices should conform to relevant regulations.
Eye protection should conform with Australian/New Zealand Standard AS/NZS 1337 - Eye Protectors for Industrial Applications.

Hand Protection
Wear gloves of impervious material. Final choice of appropriate gloves will vary according to individual circumstances. i.e. methods of handling or according to risk assessments undertaken. Occupational protective gloves should conform to relevant regulations.
Reference should be made to AS/NZS 2161.1: Occupational protective gloves - Selection, use and maintenance.

Body Protection
Suitable protective workwear, e.g. cotton overalls buttoned at neck and wrist is recommended. Chemical resistant apron is recommended where large quantities are handled.

9. PHYSICAL AND CHEMICAL PROPERTIES

Properties	Description	Properties	Description
Form	Solid	**Appearance**	Wipe
Colour	Not available	**Odour**	Not available
Decomposition Temperature	Not available	**Melting Point**	Not available
Boiling Point	Not available	**Solubility in Water**	Not available
Specific Gravity	Not available	**pH**	Not available
Vapour Pressure	Not applicable	**Vapour Density (Air=1)**	Not applicable
Evaporation Rate	Not available	**Odour Threshold**	Not available
Viscosity	Not available	**Volatile Component**	Not available
Partition Coefficient: n-octanol/water	Not available	**Flash Point**	Not applicable
Flammability	Combustible	**Auto-Ignition Temperature**	Not applicable
Explosion Limit - Upper	Not applicable	**Explosion Limit - Lower**	Not applicable

10. STABILITY AND REACTIVITY

Chemical Stability
Stable under normal conditions of storage and handling.

Reactivity and Stability
Reacts with imcompatible materials.

Conditions to Avoid
Dust accumulation, heat and other sources of ignition.

Incompatible materials
Strong oxidising agents.

Hazardous Decomposition Products
Thermal decomposition may result in the release of toxic and/or irritating fumes, smoke and gases including: carbon dioxide and carbon monoxide.

Possibility of hazardous reactions
Not available

Hazardous Polymerization
Not available

11. TOXICOLOGICAL INFORMATION

Toxicology Information
No toxicity data available for this material.

Ingestion
Ingestion of this product may irritate the gastric tract causing nausea and vomiting.

Inhalation
Inhalation of dusts may irritate the respiratory system.

Skin
May be irritating to skin. The symptoms may include redness, itching and swelling.

Eye
Causes serious eye irritation. On eye contact this product will cause tearing, stinging, blurred vision, and redness.

Respiratory sensitisation
Not expected to be a respiratory sensitiser.

Skin Sensitisation
Not expected to be a skin sensitiser.

Germ cell mutagenicity
Not considered to be a mutagenic hazard.

Carcinogenicity
Not considered to be a carcinogenic hazard.

2-Propanol is listed as a Group 3: Not classifiable as to carcinogenicity to humans according to International Agency for Research on Cancer (IARC).

Reproductive Toxicity
Not considered to be toxic to reproduction.

STOT-single exposure
May cause drowsiness or dizziness.

STOT-repeated exposure
Not expected to cause toxicity to a specific target organ.

Aspiration Hazard
Not expected to be an aspiration hazard.

12. ECOLOGICAL INFORMATION

Ecotoxicity
No ecological data available for this material.

Persistence and degradability
Not available

Mobility
Not available

Bioaccumulative Potential
Not available

Other Adverse Effects
Not available

Environmental Protection
Prevent this material entering waterways, drains and sewers.

13. DISPOSAL CONSIDERATIONS

Disposal considerations
The disposal of the spilled or waste material must be done in accordance with applicable local and national regulations.

14. TRANSPORT INFORMATION

Transport Information
Road and Rail Transport (ADG Code):
Not classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail (ADG Code) (7th edition).

Marine Transport (IMO/IMDG):
Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

Air Transport (ICAO/IATA):
Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

U.N. Number
None Allocated

UN proper shipping name
None Allocated

Transport hazard class(es)
None Allocated

Special Precautions for User
Not available

IMDG Marine pollutant
No

Transport in Bulk
Not available

15. REGULATORY INFORMATION

Regulatory information
Classified as Hazardous according to the Globally Harmonised System of classification and labelling of chemicals (GHS) including Work, Health and Safety regulations, Australia.

Not classified as a Scheduled Poison according to the Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP).

Poisons Schedule
Not Scheduled

16. OTHER INFORMATION

Date of preparation or last revision of SDS
SDS created: April 2017

References
- Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice.

- Standard for the Uniform Scheduling of Medicines and Poisons.

- Australian Code for the Transport of Dangerous Goods by Road & Rail.

- Model Work Health and Safety Regulations, Schedule 10: Prohibited carcinogens, restricted carcinogens and restricted hazardous chemicals.

- Workplace exposure standards for airborne contaminants, Safe work Australia.

- American Conference of Industrial Hygienists (ACGIH).

- Globally Harmonised System of classification and labelling of chemicals.

END OF SDS