



Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

1. IDENTIFICATION

Product Name	Weld Postclean Power Plus Electrochem Fluid		
Other Names	Orthophosphoric Acid; Phosphoric Acid, 75-95%; White Phosphoric Acid		
Uses	To be used in conjunction with WCS Weld Postclean machines for electrochemically cleaning, polishing & passivating stainless steel welds & plate.		
Chemical Family	No Data Available		
Chemical Formula	H3PO4		
Chemical Name	Phosphoric Acid, 75-95%		
Product Description	No Data Available		
Contact Information	Organisation	Location	Telephone
	Weld Cleaning Solutions	107 Cormack Rd Wingfield SA 5013 Australia	+61-8-82432200
	Manufacturer: Redox Pty Ltd	Minto NSW 2566 Australia	+61-2-97333000
		Wiri Auckland 2104 New Zealand	+64-9-2506222
	Poisons Information Centre	Westmead NSW	1800-251525 131126
	Chemcall	Australia New Zealand	1800-127406 0800-243622 +64-3-3530199
	National Poisons Centre	New Zealand	0800-764766

2. HAZARD IDENTIFICATION

ADG Code	Dangerous Goods according to the criteria of the Australian Dangerous Goods Code (ADG Code).	
ASCC Hazard Classification	Hazardous according to the criteria of ASCC [NOHSC:1008(2004)]	
Categories	C	Corrosive
Risk Phrases	R34	Causes burns.
	R22	Harmful if swallowed.
Safety Phrases	S26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
	S45	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
HSNO Hazard Classification	6.1D; 8.1A; 8.2C; 8.3A; 9.1D; 9.3C	
Poisons Schedule (Aust)	6	

This Material Safety Data Sheet may not provide exhaustive guidance for all HSNO Controls assigned to this substance. The [EPA \(New Zealand\) web site](#) should be consulted for a full list of triggered controls and cited regulations.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

Chemical Entity	Formula	CAS Number	Proportion
Phosphoric Acid	No Data Available	7664-38-2	75.0 - 95.0 %
Water	No Data Available	7732-18-5	BALANCE %

4. FIRST AID MEASURES

Description of necessary measures according to routes of exposure

Swallowed	Rinse mouth with water. Give water to drink provided person is conscious. Do NOT induce vomiting. Seek medical attention immediately.
Eye	Immediately flush eyes with plenty of water for at least 15 minutes while holding eyelids open. Seek immediate medical attention.
Skin	Remove contaminated clothing. Wash affected area with plenty of flowing clean water for at least 15 minutes. Seek immediate medical attention. Wash clothing before reuse. If burned, treat as burn by acid.
Inhaled	Remove victim from exposure to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek immediate medical advice.
Advice to Doctor	Treat symptomatically based on judgement of doctor and individual reactions of patient. NOTE: Persons who may have been exposed to contaminated smoke should be immediately examined by a physician and checked for symptoms of poisoning. The symptoms should not be mistaken for heat exhaustion or smoke inhalation.
Medical Conditions Aggravated by Exposure	No information available on medical conditions aggravated by exposure to this product. SIGNS AND SYMPTOMS OF EXPOSURE: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated. May cause cyanosis (blue-grey coloring of skin and lips caused by lack of oxygen). Symptoms of exposure may include burning sensation, coughing, wheezing, laryngitis, shortness of breath, headache, nausea, and vomiting. TARGET ORGAN INFORMATION: Bone marrow. Blood. Liver. ROUTE OF EXPOSURE: Multiple Routes: May be harmful by inhalation, ingestion, or skin absorption.

5. FIRE FIGHTING MEASURES

Flammability Conditions	Product is a non-flammable liquid.
Extinguishing Media	In case of fire, use Carbon dioxide, dry chemical powder, or appropriate foam.
Hazardous Products of Combustion	Non-combustible liquid. Incompatible with strong oxidizing agents, strong reducing agents, strong alkali, active powdered metals, Fluorine, sulfur trioxide, phosphorus pentoxide, metals, and sources of ignition. This product will release hydrogen on contact with metals, which may cause explosion in the air. Reacts with water to generate heat and form phosphoric acid. The reaction is not violent. Emits toxic fumes under fire conditions. It will produce the virulent gas of oxidation phosphorus at a high temperature. It is corrosive. Hazardous decomposition products may include Phosphine, oxides of phosphorus, and hydrogen gas.
Personal Protective Equipment	Fire fighters should wear a positive-pressure self-contained breathing apparatus (SCBA) and protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots and gloves) or chemical splash suit. Clear fire area of all non-emergency personnel. Stay upwind. Keep out of low areas. Eliminate ignition sources. Move fire exposed containers from fire area if it can be done without risk. Do NOT allow fire fighting water to reach waterways, drains or sewers. Store fire fighting water for treatment.
Flash Point	No Data Available
Lower Explosion Limit	No Data Available
Upper Explosion Limit	No Data Available
Auto Ignition Temperature	No Data Available
Hazchem Code	2R

6. ACCIDENTAL RELEASE MEASURES

General Response Procedure	Personnel involved in the clean up should wear full protective clothing as listed in section 8. Avoid accidents, clean up immediately. Evacuate all unnecessary personnel. Increase ventilation. Avoid walking through spilled product as it is slippery when spilt. Stop leak if safe to do so. Do NOT let product reach drains or waterways. If product does enter a waterway, advise the Environmental Protection Authority or your local Waste Management. Use clean, non-sparking
-----------------------------------	--

tools and equipment. Shut off all possible sources if ignition.

Clean Up Procedures

Neutralize spilled product with lime or soda. Soak up using absorbent material such as sand or soil. When saturated, collect material and transfer to a suitable, labelled, dry chemical-waste containers and dispose of promptly as hazardous waste. Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Handling

Ensure an eye bath and safety shower are available and ready for use. Observe good personal hygiene practices and recommended procedures. Wash thoroughly after handling. Take precautionary measures against static discharges by bonding and grounding equipment. Avoid contact with eyes, skin and clothing. Do not inhale product vapours. Avoid prolonged or repeated exposure. Remove contaminated clothing and wash before reuse. Use only in a chemical fume hood.

Storage

Store in a cool, dry, well-ventilated area. Keep containers tightly closed when not in use. Inspect regularly for deficiencies such as damage or leaks. Protect against physical damage. Store away from incompatible materials as listed in section 10. Protect from direct sunlight, moisture, fire, and heat. Store away from alkali, H vesicant, tinder, active metal powder. This product has a UN classification of 1805 and a Dangerous Goods Class 8 (Corrosive) according to The Australian Code for the Transport of Dangerous Goods By Road and Rail.

Container

Container type/package must comply with all applicable local legislation. Store in original packaging as approved by manufacturer.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

General

The following exposure standard has been established by The Australian Safety and Compensation Council (ASCC); Phosphoric Acid CAS: 7664-38-2 TWA = 1mg/m³ STEL = 3mg/m³ NOTE: The exposure value at the TWA is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week.

These exposure standards are guides to be used in the control of occupational health hazards. All atmospheric contamination should be kept to as low a level as is workable. These exposure standards should not be used as fine dividing lines between safe and dangerous concentrations of chemicals. They are not a measure of relative toxicity.

Exposure Limits

No Data Available

Biological Limits

No information available on biological limit values for this product.

Engineering Measures

A system of local and/or general exhaust is recommended to keep employee exposures as low as possible. Local exhaust ventilation is generally preferred because it can control the emissions of the contaminant at its source, preventing dispersion of it into the general work area.

Personal Protection Equipment

RESPIRATOR: Wear an approved full face piece respirator with suitable filter for acid gases and vapours if engineering controls are inadequate (AS1715/1716).
EYES: Chemical goggles to prevent splashing in the eyes (AS1336/1337).
HANDS: Rubber or neoprene impervious gloves (AS2161).
CLOTHING: Chemical-resistant coveralls and safety footwear (AS3765/2210).

Work Hygienic Practices

No Data Available

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State

Liquid

Appearance

Viscous Liquid

Odour

Odourless

Colour

Transparent, Colourless

pH

1.5

Vapour Pressure

5.65 to 2.16mmHg torr (@ 20 °C)

Relative Vapour Density

No Data Available

Boiling/Melting Point

135 - 158 °C

Solubility

No Data Available

Freezing Point

<15 °C

Specific Gravity

Density: 1.58-1.69

Flash Point	No Data Available
Auto Ignition Temp	No Data Available
Evaporation Rate	No Data Available
Bulk Density	No Data Available
Corrosion Rate	No Data Available
Decomposition Temperature	No Data Available
Density	No Data Available
Specific Heat	No Data Available
Molecular Weight	No Data Available
Net Propellant Weight	No Data Available
Octanol Water Coefficient	No Data Available
Particle Size	No Data Available
Partition Coefficient	No Data Available
Saturated Vapour Concentration	No Data Available
Vapour Temperature	No Data Available
Viscosity	No Data Available
Volatile Percent	No Data Available
VOC Volume	No Data Available
Additional Characteristics	Softening Point: 42.4 Deg C (pure)
Potential for Dust Explosion	Product is a liquid.
Fast or Intensely Burning Characteristics	No Data Available
Flame Propagation or Burning Rate of Solid Materials	No Data Available
Non-Flammables That Could Contribute Unusual Hazards to a Fire	No Data Available
Properties That May Initiate or Contribute to Fire Intensity	No Data Available
Reactions That Release Gases or Vapours	Contact with reactive metals may evolve highly flammable hydrogen gas.
Release of Invisible Flammable Vapours and Gases	No Data Available

10. STABILITY AND REACTIVITY

Chemical Stability	Product is stable under normal conditions of use, storage and temperature. Corrosive Liquid. Hygroscopic: absorbs moisture or water from the air.
Conditions to Avoid	Avoid excessive heat, direct sunlight, moist air or water.
Materials to Avoid	Incompatible with strong oxidizing agents, strong reducing agents, strong alkali, active powdered metals, Fluorine, sulfur trioxide, phosphorus pentoxide, metals, and sources of ignition.
Hazardous Decomposition Products	This product will release hydrogen on contact with metals, which may cause explosion in the air. Reacts with water to generate heat and form phosphoric acid. The reaction is not violent. Emits toxic fumes under fire conditions. It will produce the virulent gas of oxidation phosphorus at a high temperature. It is corrosive. Hazardous decomposition products may include Phosphine, oxides of phosphorus, and hydrogen gas.
Hazardous Polymerisation	Hazardous Polymerization May occur. Reacts with water to generate heat and form phosphoric acid. The reaction is not violent. Reacts with Bases.

11. TOXICOLOGICAL INFORMATION

General Information	Oral LD50 Rat : 1530mg/Kg Dermal LD50 Rabbit : 2740mg/Kg
Eyelrritant	Causes burns. Corrosive. Causes tissue destruction, permanent damage to the cornea, blindness.

Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

Ingestion	Causes burns. Harmful by ingestion. Can cause nausea, diarrhea, corrosion, burns to mouth and esophagus, abdominal pain, chest pain, shortness of breath, seizures, and death.
Inhalation	Inhalation may result in spasm, inflammation and edema of the larynx and bronchi, chemical phenomenon, and pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. May be harmful by inhalation. Mists may cause lung irritation, shortness of breath, fluid in lungs.
Skin Irritant	Causes burns. Causes irritation, burns.
Carcinogen Category	0

12. ECOLOGICAL INFORMATION

Ecotoxicity	No ecological information available for this product.
Persistence/Degradability	No information available on persistence/degradability for this product.
Mobility	No information available on mobility for this product.
Environmental Fate	Do NOT let product reach waterways, drains and sewers.
Bioaccumulation Potential	No information available on bioaccumulation for this product.
Environmental Impact	No Data Available

13. DISPOSAL CONSIDERATIONS

General Information	Dispose of in accordance with all local, state and federal regulations. All empty packaging should be disposed of in accordance with Local, State, and Federal Regulations or recycled/reconditioned at an approved facility.
Special Precautions for Land Fill	Contact a specialist disposal company or the local waste regulator for advice.

14. TRANSPORT INFORMATION

ADG Code	Dangerous Goods according to the criteria of the Australian Dangerous Goods Code (ADG Code).
-----------------	--

Air

IATA

Proper Shipping Name	PHOSPHORIC ACID, SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
UN Number	1805
Hazchem	2R
Pack Group	III
Special Provision	No Data Available

Land

Australia: ADG

Proper Shipping Name	PHOSPHORIC ACID, SOLUTION
Class	8 Corrosive Substances
Subsidiary Risk(s)	No Data Available
EPG	37 Toxic And/Or Corrosive Substances Non-Combustible
UN Number	1805

Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

Hazchem 2R
Pack Group III
Special Provision No Data Available

Fiji: NZS5433

Proper Shipping Name PHOSPHORIC ACID, SOLUTION
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available
EPG 37 Toxic And/Or Corrosive Substances Non-Combustible
UN Number 1805
Hazchem 2R
Pack Group III
Special Provision No Data Available

New Zealand: NZS5433

Proper Shipping Name PHOSPHORIC ACID, SOLUTION
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available
EPG 37 Toxic And/Or Corrosive Substances Non-Combustible
UN Number 1805
Hazchem 2R
Pack Group III
Special Provision No Data Available

Papua New Guinea: NZS5433

Proper Shipping Name PHOSPHORIC ACID, SOLUTION
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available
EPG 37 Toxic And/Or Corrosive Substances Non-Combustible
UN Number 1805
Hazchem 2R
Pack Group III
Special Provision No Data Available

United States of America: US DOT

Proper Shipping Name PHOSPHORIC ACID SOLUTION
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available
EPG 37 Toxic And/Or Corrosive Substances Non-Combustible
UN Number 1805
Hazchem 2R
Pack Group III
Special Provision No Data Available

Sea

IMDG

Proper Shipping Name PHOSPHORIC ACID SOLUTION
Class 8 Corrosive Substances
Subsidiary Risk(s) No Data Available

UN Number	1805
Hazchem	2R
Pack Group	III
Special Provision	No Data Available
EMS	FA,SB
Marine Pollutant	No

15. REGULATORY INFORMATION

General Information No Data Available

EPA (New Zealand)

Hazardous Substances and New Organisms Act (HSNO)

Approval Code: HSR001545

Poisons Schedule (Aust) 6

AICS Name PHOSPHORIC ACID

16. OTHER INFORMATION

Related Product Codes

- PHACID0100, PHACID0101, PHACID0102, PHACID0103, PHACID0104, PHACID0105, PHACID0106, PHACID0107, PHACID0200, PHACID0201, PHACID0300, PHACID0400, PHACID0401, PHACID0402, PHACID0403, PHACID0404, PHACID0600, PHACID0601, PHACID0602, PHACID0603, PHACID0700, PHACID0701, PHACID0702, PHACID0800, PHACID0801, PHACID0802, PHACID0803, PHACID0804, PHACID0805, PHACID0900, PHACID0901, PHACID0902, PHACID1000, PHACID1001, PHACID1002, PHACID1003, PHACID1004, PHACID1005, PHACID1006, PHACID1007, PHACID1008, PHACID1009, PHACID1010, PHACID1011, PHACID6050, PHACID1013, PHACID1014, PHACID1015, PHACID1016, PHACID1017, PHACID1018, PHACID1019, PHACID1020, PHACID1021, PHACID1022, PHACID1023, PHACID1024, PHACID1025, PHACID1026, PHACID1027, PHACID1028, PHACID1029, PHACID1030, PHACID1031, PHACID1032, PHACID1033, PHACID1034, PHACID1035, PHACID1036, PHACID1037, PHACID1038, PHACID1039, PHACID1040, PHACID1041, PHACID1042, PHACID1043, PHACID1044, PHACID1045, PHACID1046, PHACID1047, PHACID1048, PHACID1049, PHACID1050, PHACID1100, PHACID1101, PHACID1102, PHACID1103, PHACID1200, PHACID1201, PHACID1300, PHACID1301, PHACID1400, PHACID1401, PHACID1402, PHACID1500, PHACID1501, PHACID1502, PHACID1503, PHACID1504, PHACID1505, PHACID1506, PHACID1507, PHACID1508, PHACID1509, PHACID1510, PHACID1511, PHACID1512, PHACID1513, PHACID1514, PHACID1515, PHACID1516, PHACID1517, PHACID1600, PHACID1601, PHACID1700, PHACID1701, PHACID1702, PHACID1703, PHACID1704, PHACID1705, PHACID1800, PHACID1801, PHACID1900, PHACID1901, PHACID1902, PHACID2000, PHACID2001, PHACID2002, PHACID2003, PHACID2004, PHACID2005, PHACID2006, PHACID2007, PHACID2008, PHACID2100, PHACID2101, PHACID2102, PHACID2103, PHACID2104, PHACID2200, PHACID2300, PHACID2400, PHACID2500, PHACID2501, PHACID2600, PHACID2601, PHACID2700, PHACID2701, PHACID2702, PHACID2703, PHACID2800, PHACID2801, PHACID2802, PHACID2900, PHACID2901, PHACID3000, PHACID3001, PHACID3002, PHACID3003, PHACID3004, PHACID3005, PHACID3100, PHACID3101, PHACID3102, PHACID3200, PHACID3201, PHACID3202, PHACID3203, PHACID3204, PHACID3205, PHACID3300, PHACID3301, PHACID3302, PHACID3400, PHACID3401, PHACID3500, PHACID3501, PHACID3502, PHACID3503, PHACID3504, PHACID3600, PHACID3601, PHACID3700, PHACID3701, PHACID3800, PHACID3801, PHACID3802, PHACID3900, PHACID3901, PHACID4000, PHACID4001, PHACID4002, PHACID4003, PHACID4100, PHACID4200, PHACID4201, PHACID4202, PHACID4300, PHACID4301, PHACID4400, PHACID4401, PHACID4500, PHACID4501, PHACID4502, PHACID4600, PHACID4601, PHACID4602, PHACID4603, PHACID4700, PHACID4800, PHACID4801, PHACID4802, PHACID4803, PHACID4900, PHACID4901, PHACID4902, PHACID4903, PHACID5000, PHACID5001, PHACID5002, PHACID5003, PHACID5004, PHACID5005, PHACID5006, PHACID5007, PHACID5008, PHACID5009, PHACID5100, PHACID5101, PHACID5200, PHACID5201, PHACID5300, PHACID5301, PHACID5400, PHACID5500, PHACID5501, PHACID5502, PHACID5503, PHACID5504, PHACID5505, PHACID5506, PHACID5507, PHACID5508, PHACID5509, PHACID5510, PHACID5511, PHACID5512, PHACID5513, PHACID5514, PHACID5515, PHACID5516, PHACID5517, PHACID5518, PHACID5519, PHACID5520, PHACID5521, PHACID5522, PHACID5523, PHACID5524, PHACID5525, PHACID5526, PHACID5527, PHACID5528, PHACID5529, PHACID5530, PHACID5531, PHACID5532, PHACID5533, PHACID5534, PHACID5535, PHACID5536, PHACID5600, PHACID5601, PHACID5700, PHACID5701, PHACID5800, PHACID5900, PHACID5901, PHACID6000, PHACID6001, PHACID6002, PHACID6003, PHACID6004, PHACID6005, PHACID6006, PHACID6007, PHACID6008, PHACID6009, PHACID6010, PHACID6011, PHACID6012, PHACID6013, PHACID6014, PHACID6015, PHACID6016, PHACID6017, PHACID6018, PHACID6019, PHACID6020, PHACID6021, PHACID6022, PHACID6023, PHACID6024, PHACID6025, PHACID6100, PHACID6101, PHACID6102, PHACID6103, PHACID6104, PHACID6105, PHACID6200, PHACID6201, PHACID6202, PHACID6300, PHACID6301, PHACID6400, PHACID6401, PHACID6500, PHACID6501, PHACID6502, PHACID6600, PHACID6601, PHACID6700, PHACID6701, PHACID6702, PHACID6703, PHACID6800, PHACID6801,

Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

PHACID6802, PHACID6900, PHACID6901, PHACID6902, PHACID7000, PHACID7001, PHACID7100, PHACID7101, PHACID7200, PHACID7300, PHACID7400, PHACID7401, PHACID7500, PHACID7600, PHACID7700, PHACID7701, PHACID7800, PHACID7801, PHACID7900, PHACID8000, PHACID8001, PHACID8100, PHACID8101, PHACID8102, PHACID8103, PHACID8104, PHACID8105, PHACID8200, PHACID8201, PHACID8300, PHACID8400, PHACID8500, PHACID8501, PHACID8502, PHACID8503, PHACID8504, PHACID8505, PHACID8506, PHACID8507, PHACID8600, PHACID8700, PHACID8800, PHACID8900, PHACID8901, PHACID9000, PHACID9001, PHACID9002, PHACID9003, PHACID9100, PHACID9101, PHACID9102, PHACID9103, PHACID9104, PHACID9200, PHACID9201, PHACID9300, PHACID9400, PHACID9401, PHACID9500, PHACID9501, PHACID9600, PHACID9601, PHACID9700, PHACID9701, PHACID9702, PHACID9703, PHACID9800, PHACID9801, PHACID9802, PHACID9803, PHACID9804, PHACID9805, PHACID9806, PHACID9807, PHACID9900, PHACIF1000, PHACID4804, PHACID8910, PHACID0210, PHACID6803, PHACID6804, PHACID6805, PHACID2115, PHACID2110, PHACID6051, PHACID6052, PHACID6808, PHACID3610, PHACID9555, PHACID1055, PHACID9556, PHACID1802, PHACID1803, PHACID1804, PHACID1805, PHACID1806, PHACID1807, PHACID1808, PHACID1809, PHACID1810, PHACID1811, PHACID1812, PHACID1813, PHACID1814, PHACID1815, PHACID1816, PHACID1817, PHACID1818, PHACID1819, PHACID1820, PHACID1821, PHACID1822, PHACID1823, PHACID1824, PHACID1825, PHACID1826, PHACID1827, PHACID1828, PHACID1829, PHACID1830, PHACID1831, PHACID1832, PHACID1833, PHACID1834, PHACID1835, PHACID1836, PHACID1837, PHACID1838, PHACID1839, PHACID1840, PHACID1841, PHACID1842, PHACID1843, PHACID1844, PHACID1845, PHACID1846, PHACID1847, PHACID1848, PHACID1849, PHACID1850, PHACID1851, PHACID1852, PHACID1853, PHACID1854, PHACID1855, PHACID1856, PHACID1857, PHACID1858, PHACID1859, PHACID1860, PHACID1861, PHACID1862, PHACID1863, PHACID1864, PHACID1865, PHACID1866, PHACID1867, PHACID1868, PHACID1869, PHACID1870, PHACID1871, PHACID1872, PHACID1873, PHACID1874, PHACID1875, PHACID1876, PHACID1877, PHACID1878, PHACID1879, PHACID1880, PHACID1881, PHACID1882, PHACID1883, PHACID1884, PHACID1885, PHACID1886, PHACID1887, PHACID1888, PHACID1889, PHACID1890, PHACID1891, PHACID1892, PHACID1893, PHACID1894, PHACID1895, PHACID1896, PHACID1897, PHACID1898, PHACID1899, PHACID1903, PHACID1904, PHACID1905, PHACID1906, PHACID1907, PHACID1908, PHACID1909, PHACID1910, PHACID1911, PHACID1912, PHACID1913, PHACID1914, PHACID1915, PHACID1234, PHACID1775, PHACID7702, PHACID8601, PHACID1104, PHACID2222, PHACID4203, PHACID3010, PHACID0905, PHACID0903, PHACID0910, PHACID0301, PHACID8602, PHACID1051, PHACID1052, PHACID6055, PHACID8702, PHACID8701, PHACID0220, PHACID0920, PHACID6053, PHACID0310, PHACID0915, PHACID0250, PHACID0311, PHACID0320, PHACID0321

Revision

2

Revision Date

21 Jun 2013

Key/Legend

< Less Than

> Greater Than

AICS Australian Inventory of Chemical Substances

atm Atmosphere

CAS Chemical Abstracts Service (Registry Number)

cm² Square Centimetres

CO₂ Carbon Dioxide

COD Chemical Oxygen Demand

deg C (°C) Degrees Celcius

EPA (New Zealand) Environmental Protection Authority of New Zealand

deg F (°F) Degrees Farenheit

g Grams

g/cm³ Grams per Cubic Centimetre

g/l Grams per Litre

HSNO Hazardous Substance and New Organism

IDLH Immediately Dangerous to Life and Health

immiscible Liquids are insoluble in each other.

inHg Inch of Mercury

inH₂O Inch of Water

K Kelvin

kg Kilogram

kg/m³ Kilograms per Cubic Metre

lb Pound

LC50 LC stands for lethal concentration. LC50 is the concentration of a material in air which causes the death of 50% (one half) of a group of test animals. The material is inhaled over a set period of time, usually 1 or 4 hours.

LD50 LD stands for Lethal Dose. LD50 is the amount of a material, given all at once, which causes the death of 50% (one half) of a group of test animals.

ltr or **L** Litre

m³ Cubic Metre

mbar Millibar

mg Milligram

mg/24H Milligrams per 24 Hours

mg/kg Milligrams per Kilogram

mg/m³ Milligrams per Cubic Metre

Misc or **Miscible** Liquids form one homogeneous liquid phase regardless of the amount of either component present.

mm Millimetre

mmH₂O Millimetres of Water

mPa.s Millipascals per Second

N/A Not Applicable

NIOSH National Institute for Occupational Safety and Health

Material Safety Data Sheet Weld Postclean Power Plus Electrochem Fluid

NOHSC National Occupational Health and Safety Commission
OECD Organisation for Economic Co-operation and Development
Oz Ounce
PEL Permissible Exposure Limit
Pa Pascal
ppb Parts per Billion
ppm Parts per Million
ppm/2h Parts per Million per 2 Hours
ppm/6h Parts per Million per 6 Hours
psi Pounds per Square Inch
R Rankine
RCP Reciprocal Calculation Procedure
STEL Short Term Exposure Limit
TLV Threshold Limit Value
tne Tonne
torr Millimetre of Mercury
TWA Time Weighted Average
ug/24H Micrograms per 24 Hours
UN United Nations
wt Weight