

Installing Element on new and existing pools

Use the dosage rates as outlined in these tables when installing Element Mineral Salts.

NOTE: Element Activate is only required for pools with salinity above 3000ppm, all other pools can begin using Element Mineral salt blend immediately.

If salinity is above 3000ppm, please use Activate first: Activate will condition the water for use with Elements. Additional Element mineral salt does not need to be added, use Element Activate only.



Qty Of Activate Bags required at 'Conversion' on an existing pool (use if salinity level is over 3000ppm)

Pool Size	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000	90,000	100,000
Over 3000ppm	2	4	5	7	9	11	13	14	16	18
Over 4000ppm	1	3	4	5	6	8	9	10	11	13

If salinity is below 3000ppm or if the pool is currently using manually dosed chlorine such as liquid or granular you can start using Element mineral salts immediately.



Qty of Elements required on a new pool or low salinity existing pool (use if salinity is below 3000ppm)

Salinity level	10,000	20,000	30,000	40,000	50,000	60,000	70,000	80,000	90,000	100,000
0 ppm	5	9	14	19	24	28	33	38	42	47
500 ppm	4	8	12	16	21	25	29	33	37	41
1000 ppm	4	7	11	14	18	21	25	28	32	35
1500 ppm	3	6	9	12	15	18	21	24	26	29
2000 ppm	2	5	7	9	12	14	16	19	21	24
2500 ppm	2	4	5	7	9	11	12	14	16	18

Please note that all recommendations and dosages are based on a chlorinator working at the common standard salinity level of 4000ppm. **Please refer to specifications found in your chlorinator instruction manual.**

Zodiac Group Australia Pty Ltd

ABN 87 002 641 965

Postal Address. PO Box 7238 Wetherill Park NSW 2164

Head Office. 219 Woodpark Road Smithfield NSW 2164

Office Locations

Sydney, Brisbane,
Melbourne, Adelaide
and Perth

Telephone (02) 8786 6800

Facsimile (02) 9756 3987

Customer Service 1300 763 021

Customer Service Facsimile 1300 781 688