

BOSTIK SUPER GLUERevision Date: 07-Sep-2020Revision Number1Supersedes Date: 07-Sep-2020

Section 1: Identification: Product identifier and chemical identity

Product identifier

Product Name BOSTIK SUPER GLUE

Product Code(s)

30804556

30612208; 30804549; 30804556

Other means of identification

Pure substance/mixture Substance

Recommended use of the chemical and restrictions on use

Recommended use This product is a cyanoacrylate-based adhesive

Uses advised against No information available

Details of manufacturer or importer

Supplier

Bostik Australia Pty Ltd 51-71 High Street, Thomastown Victoria Australia

Tel: 613 9279-9333

Fax: 613 9279-9342

ABN: 79 003 893 838

E-mail address au-bostik-sds@bostik.com

Emergency telephone number

Emergency telephone number 24-hr Emergency: 1800 033 111

Section 2: Hazard(s) identification

GHS Classification

Based on available information, this material is classified as hazardous according to criteria of Safe Work Australia

Flammable liquids	Category 4 - (H227)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2A - (H319)
Specific target organ toxicity (single exposure)	Category 3 - (H335)

Label elements

Exclamation mark

Australia - EN Page 1/9

BOSTIK SUPER GLUE Revision Number 1

ision Number 1 Supersedes Date: 07-Sep-2020

Revision Date: 07-Sep-2020



Signal word Warning

Hazard statements

H227 - Combustible liquid

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H335 - May cause respiratory irritation

Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P235 - Keep cool

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P362 - Take off contaminated clothing and wash before reuse

P304 + P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

P312 - Call a POISON CENTER or doctor/physician if you feel unwell

P370 + P378 - In case of fire: Use CO2, dry chemical, or foam to extinguish

Precautionary Statements - Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

Bonds skin and eyes in seconds

Will bond to skin

Polymerizes with evolution of heat

Poison Schedule Number

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Not a Scheduled Poison when labelled as shown

Label requirements in accordance with SUSMP KEEP OUT OF REACH OF CHILDREN

Avoid contact with skin, eyes and inhalation of vapors

Bonds on contact

Should fingers stick together apply a solvent such as acetone to contact areas then wash off with water

Do not use solvents near eyes or open wounds

In case of eye contact immediately flush with water

Section 3: Composition and information on ingredients, in accordance with Schedule 8

Substance

Chemical name	CAS No	Weight-%
ethyl-2-cyanoacrylate	7085-85-0	>60

Australia - EN Page 2/9

BOSTIK SUPER GLUE

Revision Number 1

Revision Date: 07-Sep-2020

Supersedes Date: 07-Sep-2020

Section 4: First aid measures

Emergency telephone number Poisons Information Center, Australia: 13 11 26

Poisons Information Center, New Zealand: 0800 764 766

Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. If irritation persists or eye and/or

skin remains bonded: Get medical advice/attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Eye contact Do not rub affected area. If eyelids are bonded closed or if skin to skin or skin to clothing

bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist. Get medical attention if irritation develops

and persists.

Skin contactWash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. If eyelids are bonded closed or if skin to skin or skin to clothing bonding has occurred, release bonding by covering affected area with a pad wetted with warm water. Do not force eyes or any bonded skin apart. If irritation persists or eye and/or skin remains bonded: Get medical advice/attention. Allow acetone or warm water to penetrate the bond and gently attempt to move bonded areas without pulling the skin away from bonded area. Do not remove clothing if adhering to skin. Polymerizes with

evolution of heat.

Ingestion Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

Clean mouth with water. Drink 1 or 2 glasses of water. Call a physician or poison control

center immediately.

Self-protection of the first aider Remove all sources of ignition. Ensure that medical personnel are aware of the

material(s) involved, take precautions to protect themselves and prevent spread of contamination. Wear personal protective clothing (see section 8). Avoid contact with

skin, eyes or clothing.

Most important symptoms and effects, both acute and delayed

Symptoms Burning sensation.

Indication of any immediate medical attention and special treatment needed

Section 5: Firefighting measures

Suitable extinguishing media

chemical

Suitable extinguishing media Dry chemical. Carbon dioxide (CO2). Water spray. Alcohol resistant foam.

Unsuitable extinguishing media No information available.

Specific hazards arising from the chemical

Specific hazards arising from the Keep product and empty container away from heat and sources of ignition. In the event

of fire, cool tanks with water spray. Bonds skin and eyes in seconds.

Hazardous combustion products Nitrogen oxides (NOx).

Australia - EN Page 3/9

BOSTIK SUPER GLUERevision Date:07-Sep-2020Revision Number1Supersedes Date:07-Sep-2020

Special protective actions for fire-fighters

Special protective equipment for

fire-fighters

Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

Section 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Evacuate personnel to safe areas. Use personal protective equipment as required. See

section 8 for more information. Take precautionary measures against static discharges. Do not touch or walk through spilled material. Ensure adequate ventilation. Avoid contact

with skin, eyes or clothing.

Other information Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Environmental precautions Refer to protective measures listed in Sections 7 and 8. Prevent further leakage or

spillage if safe to do so.

Methods and material for containment and cleaning up

Methods for containment Do not use cloths for mopping up. Flood with water to complete polymerization and

scrape off floor.

Methods for cleaning up Take precautionary measures against static discharges. Dam up. Soak up with inert

absorbent material. Pick up and transfer to properly labeled containers.

Precautions to prevent secondary hazards

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

Section 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

hot surfaces, sparks, open flames and other ignition sources. No smoking. Take precautionary measures against static discharges. Use with local exhaust ventilation. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Do not eat, drink or smoke when using this product. See section 8 for more information. In case of insufficient ventilation, wear suitable

respiratory equipment.

General hygiene considerations Do not eat, drink or smoke when using this product. Contaminated work clothing should

not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Wash hands before breaks and immediately after handling the product. Wear suitable gloves and eye/face protection. Avoid contact with skin, eyes or

clothing.

Conditions for safe storage, including any incompatibilities

Storage Conditions Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep in properly labeled containers. Store in accordance with the

particular national regulations. Store in accordance with local regulations.

Incompatible materials Alcohols. Alkali. Amines. Water.

Australia - EN Page 4/9

BOSTIK SUPER GLUERevision Date: 07-Sep-2020Revision Number1Supersedes Date: 07-Sep-2020

Section 8: Exposure controls and personal protection

Control parameters

Exposure Limits .

Appropriate engineering controls

Engineering controls Showers

Eyewash stations Ventilation systems.

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles.

Skin and body protectionWear suitable protective clothing. Long sleeved clothing. Chemical resistant apron.

Hand protection Wear suitable gloves. Impervious gloves.

exceeded or irritation is experienced, ventilation and evacuation may be required.

Environmental exposure controls No information available.

Section 9: Physical and chemical properties

Information on basic physical and chemical properties

Physical state Liquid Appearance Liquid

Color Clear, colorless
Odor Slight Acrid

Odor threshold No information available

Property Values Remarks • Method

pH No data available

Melting point / freezing point -31 °C

Boiling point / boiling range No data available

Flash point 82 °C

Evaporation rate No data available

Flammability (solid, gas) Not applicable for liquids .

Flammability Limit in Air

Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

Vapor pressure No data available

Vapor density 4.32 Relative density 1.04

Water solubility Insoluble in water Polymerization can occur Solubility(ies) No data available

Partition coefficient No data available Autoignition temperature 480 °C

Decomposition temperature

Kinematic viscosity
No data available

Pvnamic viscosity
100 mPa s

Explosive properties No information available Oxidizing properties No information available

Other information

Australia - EN Page 5/9

BOSTIK SUPER GLUE

Revision Number 1

Revision Date: 07-Sep-2020

Supersedes Date: 07-Sep-2020

Solid content (%)No information availableVOC Content (%)No information availableDensityNo information available

Section 10: Stability and reactivity

Reactivity

Reactivity No information available.

Chemical stability

Stability Stable under normal conditions.

Explosion data

Sensitivity to mechanical None.

impact

Sensitivity to static discharge None.

Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

Conditions to avoid

Conditions to avoid Protect from moisture.

Incompatible materials

Incompatible materials Alcohols. Alkali. Amines. Water.

Hazardous decomposition products

Hazardous decompositionNone known based on information supplied.

products

Section 11: Toxicological information

Acute Toxicity

Information on likely routes of exposure

Product Information .

Inhalation May cause irritation of respiratory tract. Specific test data for the substance or mixture is

not available.

Eye contact Bonds skin and eyes in seconds. Irritating to eyes. Causes serious eye irritation.

Skin contact Bonds skin and eyes in seconds. Causes skin irritation.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Symptoms Redness. May cause redness and tearing of the eyes.

Numerical measures of toxicity - Product Information

Component Information

Australia - EN Page 6/9

BOSTIK SUPER GLUERevision Date: 07-Sep-2020Revision Number1Supersedes Date: 07-Sep-2020

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
ethyl-2-cyanoacrylate	>5000 mg/kg (Rattus) OECD	>2000 mg/Kg (Oryctolagus	<21.1 mg/L (Rattus) 1 h
	401	cuniculus) OECD 402	-

See section 16 for terms and abbreviations

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritationClassification based on data available for ingredients. Causes skin irritation.

Serious eye damage/eye irritation Causes serious eye irritation.

Respiratory or skin sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicity No information available.

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposureNone under normal use conditions.

Aspiration hazard No information available.

Section 12: Ecological information

Ecotoxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
ethyl-2-cyanoacrylate 7085-85-0	polymerizes	polymerizes	-	-

Persistence and degradability

Persistence and degradability No information available.

Bioaccumulative potential

Bioaccumulation No information available.

Mobility

Mobility in soilNo information available.MobilityNo information available.

Other Adverse Effects

Other adverse effects No information available.

Section 13: Disposal considerations

Waste treatment methods

Waste from residues/unused Dispose of in accordance with local regulations. Dispose of waste in accordance with

Australia - EN Page 7/9

BOSTIK SUPER GLUE Revision Date: 07-Sep-2020 **Revision Number** 1 Supersedes Date: 07-Sep-2020

environmental legislation. products

Contaminated packaging Do not reuse empty containers.

Section 14: Transport information

ADG Not regulated

IATA

UN number UN3334 Transport hazard class(es) Ш Packing group **ERG Code** 9A **Special Provisions** A27 Limited Quantity (LQ) 30 kg G

Description UN3334, Aviation regulated liquid, n.o.s., 9, III

IMDG Not regulated

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

No information available

Section 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Australia

See section 8 for national exposure control parameters

Standard for Uniform Scheduling of Medicines and Poisons (SUSMP)

Not a Scheduled Poison when labelled as shown **Poison Schedule Number** Not applicable

National pollutant inventory

No substance(s) listed on inventory

International Inventories

AICS Listed **NZIoC** Listed **ENCS** Listed **IECSC** Listed **KECL** Listed **PICCS** Listed

Legend:

AICS - Australian Inventory of Chemical Substances NZIOC - New Zealand Inventory of Chemicals

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

International Regulations

The Montreal Protocol on Substances that Deplete the Ozone Layer Not applicable

Australia - EN Page 8/9

BOSTIK SUPER GLUERevision Date: 07-Sep-2020Revision Number1Supersedes Date: 07-Sep-2020

The Stockholm Convention on Persistent Organic Pollutants Not applicable

The Rotterdam Convention Not applicable

Section 16: Any other relevant information

Prepared By Product Safety & Regulatory Affairs

Revision Date: 07-Sep-2020

Revision note

The symbol (*) in the margin of this SDS indicates that this line has been revised.

Key or legend to abbreviations and acronyms used in the safety data sheet

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

C Carcinogen

Section 11: TOXICOLOGICAL INFORMATION

LD50 (lethal dose)

Section 12: Ecological information

EC50 (effective concentration)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

Australia - EN Page 9/9